

## Sample Result: PASS

|                           |                         |                          |                   |
|---------------------------|-------------------------|--------------------------|-------------------|
| <b>Date Reported:</b>     | 10/17/2025              | <b>Sample ID:</b>        | 20251010-GZGO-001 |
| <b>Client Name:</b>       | Gezoont Goodies NY LLC  | <b>Sample Name:</b>      | Citron Cookie     |
| <b>Sampling Location:</b> | Buchanan, New York      | <b>Sample Matrix:</b>    | Flower            |
| <b>Contact Name:</b>      | Kenny Breiman           | <b>Sample Sub Type:</b>  | Whole Flower      |
| <b>Contact Email:</b>     | kennethbreiman@live.com | <b>Package ID:</b>       |                   |
| <b>License Number:</b>    | OCM-PROC-24-000041      | <b>Batch Lot ID:</b>     |                   |
| <b>Phone:</b>             | 914-621-8546            | <b>Batch Size:</b>       |                   |
| <b>Medical/Adult Use:</b> | Adult Use               | <b>Serving Size (g):</b> | 1                 |
| <b>Sampling Date:</b>     | 10/10/2025 03:45:00 PM  |                          |                   |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>-</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>P</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: Citron Cookie (20251010-GZGO-001)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.108       |
| CBDA      | < MRL  | < MRL      | 0.108       |
| CBGA      | 0.506  | 5.056      | 0.108       |
| CBG       | < MRL  | < MRL      | 0.108       |
| CBD       | < MRL  | < MRL      | 0.108       |
| THCV      | < MRL  | < MRL      | 0.108       |
| CBN       | < MRL  | < MRL      | 0.108       |
| D9-THC    | 0.520  | 5.201      | 0.108       |
| D8-THC    | < MRL  | < MRL      | 0.108       |
| D10-THC-S | < MRL  | < MRL      | 0.108       |
| D10-THC-R | < MRL  | < MRL      | 0.108       |
| CBC       | < MRL  | < MRL      | 0.108       |
| THCA      | 21.609 | 216.091    | 0.108       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #150726 | Date Tested: 10/12/2025 03:35 PM

| Potency Summary                                                                              | % w/w  | mg/serving |
|----------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta^8$ -THC + $\Delta^9$ -THC + $\Delta^{10}$ -THC + (THCA * 0.877) ] | 19.471 | 194.712    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                    | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                                                    | 22.635 | 226.347    |



### Version 2: Potency panel updated - MWE 10/17/25

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

## Terpenes: Citron Cookie (20251010-GZGO-001)

**PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.07        |
| Camphene            | < MRL          | 0.07        |
| Sabinene            | < MRL          | 0.07        |
| beta-Pinene         | < MRL          | 0.07        |
| beta-Myrcene        | 0.09           | 0.07        |
| Alpha-phellandrene  | < MRL          | 0.07        |
| Carene              | < MRL          | 0.07        |
| alpha-terpinene     | < MRL          | 0.07        |
| p-Cymene            | < MRL          | 0.07        |
| Limonene            | 0.10           | 0.07        |
| Eucalyptol          | < MRL          | 0.07        |
| Ocimene             | < MRL          | 0.05        |
| gamma-Terpinene     | < MRL          | 0.07        |
| Sabinene Hydrate    | < MRL          | 0.07        |
| Terpinolene         | < MRL          | 0.07        |
| Linalool            | 0.07           | 0.07        |
| Fenchol             | < MRL          | 0.07        |
| Menthol             | < MRL          | 0.07        |
| Terpineol           | < MRL          | 0.07        |
| Citronellol         | < MRL          | 0.07        |
| Isopulegol          | < MRL          | 0.07        |
| Geraniol            | < MRL          | 0.07        |
| Alpha-cedrene       | < MRL          | 0.05        |
| Beta-Caryophyllene  | 0.28           | 0.07        |
| Farnesene           | < MRL          | 0.07        |
| alpha-Humulene      | 0.12           | 0.07        |
| Valencene           | < MRL          | 0.07        |
| cis-Nerolidol       | < MRL          | 0.03        |
| trans-Nerolidol     | < MRL          | 0.04        |
| Caryophyllene oxide | < MRL          | 0.07        |
| Guaiol              | < MRL          | 0.07        |
| alpha-Bisabolol     | < MRL          | 0.07        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #150729 | Date Tested: 10/14/2025 11:16 AM

## Terpenes Summary

Result

Limit

Pass/Fail

**Total Terpenes (% w/w)**

0.67

10

PASS



## Version 2: Potency panel updated - MWE 10/17/25

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

## Pesticides: Citron Cookie (20251010-GZGO-001)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.50         | 0.100      |
| Acephate                | PASS      | < MRL         | 0.40         | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.40         | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.20         | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.40         | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.20         | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.20         | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.20         | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.20         | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.20         | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.20         | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.20         | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 0.20         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.20         | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.40         | 0.100      |
| Ettoxazole              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.40         | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.40         | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.40         | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.20         | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.40         | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.40         | 0.100      |
| Malathion               | PASS      | < MRL         | 0.20         | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.20         | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.40         | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.40         | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.20         | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.20         | 0.100      |
| Naled                   | PASS      | < MRL         | 0.50         | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.40         | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 0.40         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.20         | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.20         | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.20         | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.40         | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.20         | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.20         | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.20         | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.20         | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.20         | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.20         | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.40         | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.20         | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.20         | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #150723 | Date Tested: 10/12/2025 08:24 PM



### Version 2: Potency panel updated - MWE 10/17/25

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

| Mycotoxins: Citron Cookie (20251010-GZGO-001)                                                   |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |                                                     |            |
| Analyte                                                                                         | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Ochratoxin                                                                                      | PASS      | < MRL         | 0.02                                                | 0.010      |
| Total Aflatoxins                                                                                | PASS      | < MRL         | 0.02                                                | 0.010      |
| MRL = Minimum reporting limit/limit of quantification                                           |           |               | Test ID: #150724   Date Tested: 10/12/2025 08:28 PM |            |

| Heavy Metals: Citron Cookie (20251010-GZGO-001)                                                       |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |                                                     |            |
| Analyte                                                                                               | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Chromium                                                                                              | PASS      | < MRL         | 110.0                                               | 8.00       |
| Nickel                                                                                                | PASS      | < MRL         | 5.0                                                 | 1.00       |
| Copper                                                                                                | PASS      | < MRL         | 30.0                                                | 8.00       |
| Arsenic                                                                                               | PASS      | < MRL         | 0.2                                                 | 0.10       |
| Cadmium                                                                                               | PASS      | < MRL         | 0.2                                                 | 0.10       |
| Antimony                                                                                              | PASS      | < MRL         | 2.0                                                 | 1.00       |
| Mercury                                                                                               | PASS      | < MRL         | 0.1                                                 | 0.05       |
| Lead                                                                                                  | PASS      | < MRL         | 0.5                                                 | 0.20       |
| MRL = Minimum reporting limit/limit of quantification                                                 |           |               | Test ID: #150722   Date Tested: 10/13/2025 11:18 AM |            |

| Microbiology - Plating: Citron Cookie (20251010-GZGO-001)                        |           |                 |                                                                                                                                                | PASS        |
|----------------------------------------------------------------------------------|-----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                  |           |                 |                                                                                                                                                |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Total Aerobic Bacteria                                                           | PASS      | 7928            | None                                                                                                                                           | 100.0       |
| Total Yeast & Mold                                                               | PASS      | 5946            | None                                                                                                                                           | 100.0       |
| Microbiology - qPCR:                                                             |           |                 |                                                                                                                                                |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY) |           |                 |                                                                                                                                                |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Salmonella spp                                                                   | PASS      | Absent          | Absent                                                                                                                                         | 1.0         |
| Shiga toxin-producing E. coli                                                    | PASS      | Absent          | Absent                                                                                                                                         | 1.0         |
| Aspergillus (fumigatus, flavus, niger, terreus)                                  | PASS      | Absent          | Absent                                                                                                                                         | 1.0         |
| MRL = Minimum reporting limit/limit of quantification                            |           |                 | Test IDs: #150731, #150730, #150733, #150732   Date Tested: 10/15/2025 11:41 AM, 10/13/2025 01:42 PM, 10/13/2025 11:24 AM, 10/13/2025 08:13 PM |             |

| Moisture: Citron Cookie (20251010-GZGO-001)                           |           |            |                                                     | PASS |
|-----------------------------------------------------------------------|-----------|------------|-----------------------------------------------------|------|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA) |           |            |                                                     |      |
| Analyte                                                               | Pass/Fail | Result (%) | Limit (%)                                           |      |
| Moisture                                                              | PASS      | 10.0       | 15                                                  |      |
| MRL = Minimum reporting limit/limit of quantification                 |           |            | Test ID: #150725   Date Tested: 10/11/2025 11:26 AM |      |



### Version 2: Potency panel updated - MWE 10/17/25

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

| Water Activity: Citron Cookie (20251010-GZGO-001)                                |           |                                                     | PASS            |
|----------------------------------------------------------------------------------|-----------|-----------------------------------------------------|-----------------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                                                     |                 |
| Analyte                                                                          | Pass/Fail | Result ( $a_w$ )                                    | Limit ( $a_w$ ) |
| Water Activity                                                                   | PASS      | 0.57                                                | 0.65            |
| MRL = Minimum reporting limit/limit of quantification                            |           | Test ID: #150721   Date Tested: 10/13/2025 09:00 AM |                 |

| Filth and Foreign Material: Citron Cookie (20251010-GZGO-001)         |         |                                                     | PASS      |
|-----------------------------------------------------------------------|---------|-----------------------------------------------------|-----------|
| Filth and Foreign Material analysis utilizing microscopy (SOP-057-NY) |         |                                                     |           |
| Analyte                                                               | Results | Limit                                               | Pass/Fail |
| Foreign Material (other, % m/m)                                       | ND      | 2                                                   | PASS      |
| Foreign Material (stems, % m/m)                                       | ND      | 5                                                   | PASS      |
| Mammalian Excreta (mg/lb)                                             | ND      | 1                                                   | PASS      |
| ND = Not Detected                                                     |         | Test ID: #150720   Date Tested: 10/13/2025 03:05 PM |           |



Matthew Elmes  
Lab Director  
10/17/2025



## Version 2: Potency panel updated - MWE 10/17/25

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.