


TRULINK FIBER, LLC
5203 Juan Tabo Blvd.Suite 2b
87111 Albuquerque, New Mexico
United States
+1 505 227 8467
www.trulinkfiber.com



FIBER OPTIC BOX & ACCESSORIES V.1.0 2024-25 CATALOG



FIBER OPTIC BOX & ACCESSORIES



Welcome to Trulink, where we provide exceptional fiber optic cabling and accessories, racks, and cabinets. Our commitment to quality and affordability is unmatched, and we take pride in meeting the needs of our customers.

We believe in building strong, honest partnerships with our clients, rooted in loyalty and trust. Our exponential growth is a testament to our success, and we currently serve over 12 countries in the American continent.

We are constantly evolving, and by 2024, we will expand our services to become a regional telecommunications infrastructure integrator, with a team of over 50 highly trained professionals.

We are proud members of the fiber optic industry's most important organizations, such as FOA, and all our products meet industry standards. Choose Trulink for your fiber optic needs and experience the difference in quality, affordability, and service.

"We came to humanize the business."

A handwritten signature in black ink, appearing to read "Todd Jones".

CEO
TRULINK FIBER, LLC



CONTENTS

01-15 FIBER OPTIC SPLICE CLOSURE

16-27 FIBER OPTIC BOX-FTTH

28-30 FIBER OPTIC TERMINAL BOX

31-34 FTTH BOX SMC SERIES

31-34 FIBER OPTIC CABINET

37-41 ACCESSORIES



PRODUCT EXHIBITION ROOM



PRODUCTION & PACKING



THE EXHIBITION



FIBER OPTIC SPLICE CLOSURE

GD-J101M



48 Core Fiber Optic Splice Closure

Item No	Description
---------	-------------

GD-J101M-24C	With 1PCS 24Core Splicing Tray
GD-J101M-48C	With 2PCS 24Core Splicing Tray

- Size: 450mm(h)×125mm(d)
- Material: PC
- Ports: 2 inlet 2 outlet
- Structure: Mechanical seal

GD-J102M



48 Core Fiber Optic Splice Closure

Item No	Description
---------	-------------

GD-J102M-24C	With 2PCS 12Core Splicing Tray
GD-J102M-48C	With 4PCS 12Core Splicing Tray

- Size: 370mm(h)×120mm(d)
- Material: PC
- Ports: 2 inlet 2 outlet
- Structure: Mechanical seal

GD-J103H



24 Core Fiber Optic Splice Closure

Item No	Description
---------	-------------

GD-J103H-12C	With 1PCS 12Core Splicing Tray
GD-J103H-24C	With 2PCS 12Core Splicing Tray

- Size: 325mm(h)×90mm(d)
- Material: PP+GF
- Ports: 1 inlet 2 outlet
- Structure: Heat shrinkable seal

FIBER OPTIC SPLICE CLOSURE

GD-J104H



48 Core Fiber Optic Splice Closure

Item No	Description
GD-J104H-24C	With 1PCS 24Core Splicing Tray
GD-J104H-48C	With 2PCS 24Core Splicing Tray

GD-J104H-24C	With 1PCS 24Core Splicing Tray
GD-J104H-48C	With 2PCS 24Core Splicing Tray

- Size: 335mm(h)×105mm(d)
- Material: PP+GF
- Ports: 1 inlet 3 outlet
- Structure: Heat shrinkable seal

GD-J105H



48 Core Fiber Optic Splice Closure

Item No	Description
GD-J105H-24C	With 2PCS 12Core Splicing Tray
GD-J105H-48C	With 4PCS 12Core Splicing Tray

GD-J105H-24C	With 2PCS 12Core Splicing Tray
GD-J105H-48C	With 4PCS 12Core Splicing Tray

- Size: 300mm(h)×120mm(d)
- Material: PP+GF
- Ports: 1 inlet 3 outlet
- Structure: Heat shrinkable seal

GD-J105M



48 Core Fiber Optic Splice Closure

Item No	Description
GD-J105M-24C	With 2PCS 12Core Splicing Tray
GD-J105M-48C	With 4PCS 12Core Splicing Tray

GD-J105M-24C	With 2PCS 12Core Splicing Tray
GD-J105M-48C	With 4PCS 12Core Splicing Tray

- Size: 300mm(h)×120mm(d)
- Material: PP+GF
- Ports: 2 inlet 2 outlet
- Structure: Mechanical seal

GD-J106H



96 Core / 144 Core Fiber Optic Splice Closure

Item No	Description
GD-J106H-96C	With 4PCS 24Core Splicing Tray
GD-J106H-144C	With 4PCS 36Core Splicing Tray
GD-J106H-144C	With 6PCS 24Core Splicing Tray

- Size: 550mm(h)×155mm(d)
- Material: PP+GF
- Ports: 1 inlet 4 outlet
- Structure: Heat shrinkable seal

GD-J106M



96 Core / 144 Core Fiber Optic Splice Closure

Item No	Description
GD-J106M-96C	With 4PCS 24Core Splicing Tray
GD-J106M-144C	With 4PCS 36Core Splicing Tray
GD-J106M-144C	With 6PCS 24Core Splicing Tray

- Size: 550mm(h)×155mm(d)
- Material: PP+GF
- Ports: 2 inlet 4 outlet
- Structure: Mechanical seal

FIBER OPTIC SPLICE CLOSURE

GD-J107M



72 Core Fiber Optic Splice Closure

Item No	Description
GD-J107M-24C	With 2PCS 12Core Splicing Tray
GD-J107M-48C	With 4PCS 12Core Splicing Tray
GD-J107M-72C	With 6PCS 12Core Splicing Tray

- Size: 400mm(h)×140mm(d)
- Material: PC
- Ports: 2 inlet 2 outle
- Structure: Mechanical seal

GD-J108H



96 Core Fiber Optic Splice Closure

Item No	Description
GD-J108H-48C	With 2PCS 24Core Splicing Tray
GD-J108H-96C	With 4PCS 24Core Splicing Tray

- Size: 400mm(h)×140mm(d)
- Material: PP+GF
- Ports: 1 inlet 4 outlet
- Structure: Heat shrinkable seal

GD-J108M



96 Core Fiber Optic Splice Closure

Item No	Description
GD-J108M-48C	With 2PCS 24Core Splicing Tray
GD-J108M-96C	With 4PCS 24Core Splicing Tray

- Size: 400mm(h)×140mm(d)
- Material: PP+GF
- Ports: 2 inlet 4 outlet
- Structure: Mechanical seal

FIBER OPTIC SPLICE CLOSURE

GD-J109H



48 Core Fiber Optic Splice Closure

Item No	Description
GD-J109H-24C	With 1PCS 24Core Splicing Tray
GD-J109H-48C	With 2PCS 24Core Splicing Tray

- Size: 400mm(h)×140mm(d)
- Material: PP+GF
- Ports: 1 inlet 4 outlet
- Structure: Heat shrinkable seal

GD-J110



288 Core Fiber Optic Splice Closure

Item No	Description
GD-J110-144C	With 6PCS 24Core Splicing Tray
GD-J110-288C	With 12PCS 24Core Splicing Tray

- Size: 500mm(h)×300mm(d)
- Material: PP+GF
- Ports: 1 inlet 6 outlet / 2 inlet 6 outlet
- Structure: Heat shrinkable seal / Mechanical seal



GD-J111



576 Core Fiber Optic Splice Closure


Item No	Description
GD-J111-288C	With 12PCS 24Core Splicing Tray
GD-J111-576C	With 24PCS 24Core Splicing Tray

- Size: 500mm(h)×300mm(d)
- Material: PP+GF
- Ports: 1 Inlet 6 Outlet / 2 Inlet 6 Outlet
- Structure: Heat shrinkable seal / Mechanical seal



FIBER OPTIC SPLICE CLOSURE

GD-J112H



144 Core / 288 Core Fiber Optic Splice Closure

Item No Description

GD-J112H-144C	With 12PCS 12Core Splicing Tray
GD-J112H-288C	With 12PCS 24Core Splicing Tray

- Size: 390mm(h)×280mm(d)
- Material: PC+ABS
- Ports: 1 inlet 8 outlet
- Structure: Heat shrinkable seal



GD-J112M



144 Core / 288 Core Fiber Optic Splice Closure

Item No Description

GD-J112M-144C	With 12PCS 12Core Splicing Tray
GD-J112M-288C	With 12PCS 24Core Splicing Tray

- Size: 390mm(h)×280mm(d)
- Material: PC+ABS
- Ports: 2 inlet 8 outlet
- Structure: Mechanical seal



GD-J116R



576 Core Fiber Optic Splice Closure (Ribbon fiber)

Item No Description

GD-J116R-288C	With 2PCS 144Core Splicing Tray(Ribbon fiber)
GD-J116R-576C	With 4PCS 144Core Splicing Tray(Ribbon fiber)

- Size: 500mm(h)×200mm(d)
- Material: PP+GF
- Ports: 1 Inlet 4 Outlet / 2 Inlet 4 Outlet
- Structure: Heat shrinkable seal / Mechanical seal

FIBER OPTIC SPLICE CLOSURE

GD-J116H-A



96 Core Fiber Optic Splice Closure

Item No	Description
GD-J116H-A-48C	With 2PCS 24Core Splicing Tray
GD-J116H-A-96C	With 4PCS 24Core Splicing Tray

- Size: 500mm(h)×200mm(d)
- Material: PP+GF
- Ports: 1 Inlet 4 Outlet / 1 Inlet 6 Outlet / 3 Inlet 3 Outlet / 4 Inlet 4 Outlet
- Structure: Heat shrinkable seal



24 Core Splicing Tray

GD-J116H-B



192 Core Fiber Optic Splice Closure

Item No	Description
GD-J116H-B-96C	With 2PCS 48Core Splicing Tray
GD-J116H-B-144C	With 3PCS 48Core Splicing Tray
GD-J116H-B-192C	With 4PCS 48Core Splicing Tray

- Size: 500mm(h)×200mm(d)
- Material: PP+GF
- Ports: 1 Inlet 4 Outlet / 1 Inlet 6 Outlet / 3 Inlet 3 Outlet / 4 Inlet 4 Outlet
- Structure: Heat shrinkable seal



48 Core Splicing Tray

GD-J116M-A



96 Core Fiber Optic Splice Closure

Item No	Description
GD-J116M-A-48C	With 2PCS 24Core Splicing Tray
GD-J116M-A-96C	With 4PCS 24Core Splicing Tray

- Size: 500mm(h)×200mm(d)
- Material: PP+GF
- Ports: 2 Inlet 4 Outlet / 3 Inlet 3 Outlet
- Structure: Mechanical seal



24 Core Splicing Tray

GD-J116M-B



192 Core Fiber Optic Splice Closure

Item No	Description
GD-J116M-B-96C	With 2PCS 48Core Splicing Tray
GD-J116M-B-144C	With 3PCS 48Core Splicing Tray
GD-J116M-B-192C	With 4PCS 48Core Splicing Tray

- Size: 500mm(h)×200mm(d)
- Material: PP+GF
- Ports: 2 Inlet 4 Outlet / 3 Inlet 3 Outlet
- Structure: Mechanical seal



48 Core Splicing Tray

FIBER OPTIC SPLICE CLOSURE

GD-J088-C



288 Core Fiber Optical Closure Box

Item No	Description
GD-J088-C-144C	With 6PCS 24Core Fiber Tray
GD-J088-C-288C	With 12PCS 24Core Fiber Tray

- Size: 380(L)x245(W)x130(H)mm
- Material: PP+GF
- Ports: 4 Inlet 4 Outlet (1 PCS UN-CUT PORT)
- Structure: Mechanical seal
- Protection Level: IP 68



GD-J088-A



96 Core Fiber Optic Splice Closure / 16 Core FTTH Box

Item No	Description
GD-J088-A-48C	With 2PCS 24Core Fiber Tray
GD-J088-A-96C	With 4PCS 24Core Fiber Tray

- Size: 380(L)x245(W)x130(H)mm
- Material: PP+GF
- Ports: 4 Inlet 16 Outlet (1 PCS UN-CUT PORT / 16 PCS outlets for drop cable)
- Structure: Mechanical seal
- Protection Level: IP 68



GD-J088-B



96 Core Fiber Optic Splice Closure / 24 Core FTTH Box

Item No	Description
GD-J088-B-48C	With 2PCS 24Core Fiber Tray
GD-J088-B-96C	With 4PCS 24Core Fiber Tray

- Size: 380(L)x245(W)x170(H)mm
- Material: PP+GF
- Ports: 4 Inlet 24 Outlet (1 PCS UN-CUT PORT / 24 PCS outlets for drop cable)
- Structure: Mechanical seal
- Protection Level: IP 68



FIBER OPTIC SPLICE CLOSURE

GD-J088-D



96 Core Fiber Optic Splice Closure / 24 Core FTTH Box

Item No	Description
GD-J088-D-48C	With 2PCS 24Core Fiber Tray
GD-J088-D-96C	With 4PCS 24Core Fiber Tray

- | | |
|---------------|-----------------------------|
| GD-J088-D-48C | With 2PCS 24Core Fiber Tray |
| GD-J088-D-96C | With 4PCS 24Core Fiber Tray |
- Size: 380(L)x245(W)x130(H)mm
 - Material: PP+GF
 - Ports: 2 Inlet 24 Outlet (1 PCS UN-CUT PORT / 24 PCS outlets for drop cable)
 - Structure: Mechanical seal
 - Protection Level: IP 68




GD-J088-E



96 Core Fiber Optic Splice Closure / 32 Core FTTH Box

Item No	Description
GD-J088-E-48C	With 2PCS 24Core Fiber Tray
GD-J088-E-96C	With 4PCS 24Core Fiber Tray

- | | |
|---------------|-----------------------------|
| GD-J088-E-48C | With 2PCS 24Core Fiber Tray |
| GD-J088-E-96C | With 4PCS 24Core Fiber Tray |
- Size: 380(L)x245(W)x170(H)mm
 - Material: PP+GF
 - Ports: 2 Inlet 32 Outlet (1 PCS UN-CUT PORT / 32 PCS outlets for drop cable)
 - Structure: Mechanical seal
 - Protection Level: IP 68



GD-J088-F



96 Core Fiber Optic Splice Closure / 16 Core FTTH Box


Item No	Description
GD-J088-F-48C	With 2PCS 24Core Fiber Tray
GD-J088-F-96C	With 4PCS 24Core Fiber Tray

- | | |
|---------------|-----------------------------|
| GD-J088-F-48C | With 2PCS 24Core Fiber Tray |
| GD-J088-F-96C | With 4PCS 24Core Fiber Tray |
- Size: 380(L)x245(W)x170(H)mm
 - Material: PP+GF
 - Ports: 4 Inlet 16 Outlet (1 PCS UN-CUT PORT / 16 PCS outlets for drop cable)
 - Structure: Mechanical seal
 - Protection Level: IP 68



FIBER OPTIC SPLICE CLOSURE

GD-J001



96 Core Fiber Optic Splice Closure

Item No	Description
GD-J001-48C	With 2PCS 24Core Splicing Tray
GD-J001-96C	With 4PCS 24Core Splicing Tray

- Size: 390mm×185mm×90mm
- Material: PC
- Ports: 3 inlet 3 outlet
- Sealing mode: Waterproof sealing rubber strip

GD-J002



48 Core Fiber Optic Splice Closure

Item No	Description
GD-J002-24C	With 2PCS 12Core Splicing Tray
GD-J002-48C	With 4PCS 12Core Splicing Tray

- Size: 410mm×180mm×80mm
- Material: PC / PP+GF
- Ports: 2 inlet 2 outlet
- Sealing mode: Waterproof sealing rubber strip

GD-J003-A



96 Core Fiber Optic Splice Closure

Item No	Description
GD-J003-48C	With 2PCS 24Core Splicing Tray
GD-J003-96C	With 4PCS 24Core Splicing Tray

- Size: 480mm×160mm×110mm
- Material: ABS / PP+GF
- Ports: 2 Inlet 2 Outlet
- Sealing mode: Waterproof sealing rubber strip

GD-J003-B



96 Core Fiber Optic Splice Closure

Item No	Description
GD-J003-B-48C	With 2PCS 24Core Splicing Tray
GD-J003-B-96C	With 4PCS 24Core Splicing Tray

- Size: 430mm×160mm×110mm
- Material: ABS / PP+GF
- Ports: 2 Inlet 2 Outlet
- Sealing mode: Waterproof sealing rubber strip

FIBER OPTIC SPLICE CLOSURE

GD-J028



48 / 96 Core Fiber Optic Splice Closure

Item No	Description
GD-J028-24C	With 2PCS 12Core Splicing Tray
GD-J028-48C	With 4PCS 12Core Splicing Tray
GD-J028-96C	With 8PCS 12Core Splicing Tray

- Size: 480mm×160mm×110mm
- Material: PP+GF
- Ports: 2 Inlet 2 Outlet
- Sealing mode: Waterproof sealing rubber strip

GD-J008



144 Core Fiber Optic Splice Closure

Item No	Description
GD-J008-48C	With 2PCS 24Core Splicing Tray
GD-J008-96C	With 4PCS 24Core Splicing Tray
GD-J008-144C	With 6PCS 24Core Splicing Tray

- Size: 650mm×220mm×180mm
- Material: PP+GF
- Ports: 2 inlet 2 outlet
- Sealing mode: Waterproof sealing rubber strip

FIBER OPTIC SPLICE CLOSURE

GD-J004



96 / 144 Core Fiber Optic Splice Closure

Item No	Description
---------	-------------

GD-J004-48C	With 2PCS 24Core Splicing Tray
GD-J004-96C	With 4PCS 24Core Splicing Tray
GD-J004-144C	With 6PCS 24Core Splicing Tray

- Size: 460mm×190mm×120mm
- Material: PC / PP+GF
- Ports: 2 Inlet 2 Outlet
- Sealing mode: Waterproof sealing rubber strip

GD-J005



96 / 144 Core Fiber Optic Splice Closure

Item No	Description
---------	-------------

GD-J005-48C	With 2PCS 24Core Splicing Tray
GD-J005-96C	With 4PCS 24Core Splicing Tray
GD-J005-144C	With 6PCS 24Core Splicing Tray

- Size: 460mm×190mm×120mm
- Material: PC / PP+GF
- Ports: 3 Inlet 3 Outlet
- Sealing mode: Waterproof sealing rubber strip

GD-J006



96 / 144 Core Fiber Optic Splice Closure

Item No	Description
---------	-------------

GD-J006-48C	With 2PCS 24Core Splicing Tray
GD-J006-96C	With 4PCS 24Core Splicing Tray
GD-J006-144C	With 6PCS 24Core Splicing Tray

- Size: 460mm×190mm×115mm
- Material: PC / PP+GF
- Ports: 4 Inlet 4 Outlet
- Sealing mode: Waterproof sealing rubber strip

FIBER OPTIC SPLICE CLOSURE

GD-J007



12 / 24 Core Fiber Optic Splice Closure

Item No	Description
GD-J007-12C	With 1PCS 12Core Splicing Tray
GD-J007-24C	With 1PCS 24Core Splicing Tray

Item No	Description
GD-J007-12C	With 1PCS 12Core Splicing Tray
GD-J007-24C	With 1PCS 24Core Splicing Tray

- Size: 220mm×220mm×50mm
- Material: ABS / PP+GF
- Ports: 2 Inlet 2 Outlet
- Sealing mode: Waterproof sealing rubber strip

GD-J009



12 / 24 Core Fiber Optic Splice Closure

Item No	Description
GD-J009-12C	With 1PCS 12Core Splicing Tray
GD-J009-24C	With 1PCS 24Core Splicing Tray

Item No	Description
GD-J009-12C	With 1PCS 12Core Splicing Tray
GD-J009-24C	With 1PCS 24Core Splicing Tray

- Size: 250mm×160mm×30mm
- Material: PP+GF
- Ports: 2 inlet 2 outlet
- Sealing mode: Waterproof sealing rubber strip

GD-J010



24 / 48 Core Fiber Optic Splice Closure

Item No	Description
GD-J010-24C	With 2PCS 12Core Splicing Tray
GD-J010-48C	With 4PCS 12Core Splicing Tray

Item No	Description
GD-J010-24C	With 2PCS 12Core Splicing Tray
GD-J010-48C	With 4PCS 12Core Splicing Tray

- Size: 280mm×200mm×90mm
- Material: ABS
- Ports: 1 inlet 1 outlet
- Sealing mode: Waterproof sealing rubber strip

FIBER OPTIC SPLICE CLOSURE

GD-J011



12 / 24 Core Fiber Optic Splice Closure

Item No	Description
GD-J011-12C	With 1PCS 12Core Splicing Tray
GD-J011-24C	With 2PCS 12Core Splicing Tray

- Size: 300mm×130mm×70mm
- Material:ABS
- Ports: 1 Inlet 1 Outlet
- Sealing mode:Waterproof sealing rubber strip

GD-J012




24 / 48 Core Fiber Optic Splice Closure

Item No	Description
GD-J012-24C	With 2PCS 12Core Splicing Tray
GD-J012-48C	With 4PCS 12Core Splicing Tray

- Size: 330mm×220mm×110mm
- Material:PP+GF
- Ports: 1 Inlet 1 Outlet / 1 Inlet 2 Outlet / 1 Inlet 8 Outlet(drop cable)
- Sealing mode:Waterproof sealing rubber strip



GD-J016



48 / 96 Core Fiber Optic Splice Closure

Item No	Description
GD-J016-48C	With 4PCS 12Core Splicing Tray
GD-J016-96C	With 4PCS 24Core Splicing Tray

- Size: 500mm×230mm×110mm
- Material: PP+GF
- Ports: 2 inlet 2 outlet / 3 inlet 3 outlet
- Sealing mode:Waterproof sealing rubber strip



GD-J018



24 Core Splicing Tray


96 Core Fiber Optic Splice Closure

Item No	Description
GD-J018-48C	With 2PCS 24Core Splicing Tray
GD-J018-96C	With 4PCS 24Core Splicing Tray

- Size: 430mm×200mm×120mm
- Material: PP+GF
- Ports: 2 inlet 8 outlet
- Sealing mode:Waterproof sealing rubber strip

FIBER OPTIC SPLICE CLOSURE

GD-J019



36 Core Fiber Optic Splice Closure

Item No	Description
GD-J019-12C	With 1PCS 12Core Splicing Tray
GD-J019-24C	With 2PCS 12Core Splicing Tray
GD-J019-36C	With 3PCS 12Core Splicing Tray

- Size: 280mm× 250mm× 130mm
- Material: PC+GF
- Ports: 2 Inlet 2 Outlet(8 PCS Waterproof connector for drop cable)
- Sealing mode: Waterproof sealing rubber strip

GD-J020-A



For 2pcs 1x8 PLC splitter

48 Core Fiber Optic Splice Closure

Item No	Description
GD-J020-A-24C	With 1PCS 24 Core Splicing Tray
GD-J020-A-48C	With 2PCS 24 Core Splicing Tray

- Size: 600mm× 190mm× 100mm
- Material: PC
- Feature: Support PLC splitter
- Sealing mode: Waterproof sealing rubber strip

GD-J020-B



24 Core Splicing Tray

48 Core Fiber Optic Splice Closure

Item No	Description
GD-J020-B-24C	With 1PCS 24 Core Splicing Tray
GD-J020-B-48C	With 2PCS 24 Core Splicing Tray

- Size: 600mm× 190mm× 100mm
- Material: PC
- Feature: Support PLC splitter
- Sealing mode: Waterproof sealing rubber strip

GD-F201



4 / 6 Core Fiber Optic Distribution Box

Item No	Description
GD-F201	SUPPORT 6 PCS SC ADAPTOR

- Size: 205*140*40mm
- Material:ABS
- Protection level:IP65
- Feature:Mini size for easy operation

GD-F202



4 / 6 Core Fiber Optic Distribution Box

Item No	Description
GD-F202	SUPPORT 6 PCS SC ADAPTOR

- Size:205*140*40mm
- Material :PC+ABS/ABS
- Protection level:IP65
- Feature:Mini size for easy operation

GD-F203A-SC



8 Core Fiber Optic Distribution Box

Item No	Description
GD-F203A-SC	SUPPORT 8 PCS SC ADAPTOR

- Size:230*195*55mm
- Material: ABS
- Protection level:IP65
- Inlet Type: Gland / Un-cut Connector

The larger hole allows the fast connector to enter directly



GD-F203B-PLC



8 Core Fiber Optic Distribution Box

Item No	Description
GD-F203B-PLC	SUPPORT 1X8 CASSETTE PLC

- Size:230*195*55mm
- Material: ABS
- Protection level:IP65
- Inlet Type: Gland / Un-cut Connector

The larger hole allows the fast connector to enter directly



GD-F204A-SC



24 Core Fiber Optic Distribution Box

Item No	Description
GD-F204A-SC	SUPPORT 24 PCS SC ADAPTOR
- Size: 330*275*100mm - Material: ABS - Protection level: IP65 - Inlet Type: Gland And Un-cut Connector	

GD-F204B-PLC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F204B-PLC	SUPPORT 1X16 CASSETTE PLC
- Size: 330*275*100mm - Material: ABS - Protection level: IP65 - Inlet Type: Gland And Un-cut Connector	

GD-F205A-SC



8 Core Fiber Optic Distribution Box

Item No	Description
GD-F205A-SC	SUPPORT 8 PCS SC ADAPTOR
- Size: 260*210*90mm - Material: ABS - Protection level: IP65 - Inlet Type: Gland / Un-cut Connector	


GD-F205B-PLC



8 Core Fiber Optic Distribution Box

Item No	Description
GD-F205B-PLC	SUPPORT 1X8 CASSETTE PLC
- Size: 260*210*90mm - Material: ABS - Protection level: IP65 - Inlet Type: Gland / Un-cut Connector	

GD-F206A-SC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F206A-SC	SUPPORT 16 PCS SC ADAPTOR
- Size: 300*245*100mm - Material: ABS - Protection level: IP65 - Inlet Type: Gland / Un-cut Connector	

GD-F206B-PLC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F206B-PLC	SUPPORT 1X16 CASSETTE PLC
- Size: 300*245*100mm - Material: ABS - Protection level: IP65 - Inlet Type: Gland / Un-cut Connector	

GD-F207A-SC



12 Core Fiber Optic Distribution Box

Item No	Description
GD-F207A-SC	SUPPORT 12 PCS SC ADAPTOR
- Size: 235*215*75mm - Material: ABS - Protection level: IP65 - Inlet Type: Un-cut Connector	

GD-F207B-PLC



8 Core Fiber Optic Distribution Box

Item No	Description
GD-F207B-PLC	SUPPORT 1X8 CASSETTE PLC
- Size: 235*215*75mm - Material: ABS - Protection level: IP65 - Inlet Type: Un-cut Connector	

GD-F208A-SC



16 Core Fiber Optic Distribution Box

Item No Description

GD-F208A-SC SUPPORT 12 PCS SC ADAPTOR

- Size: 285mm×175mm×80mm
- Material: PC+ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector

GD-F208B-PLC



16 Core Fiber Optic Distribution Box

Item No Description

GD-F208B-PLC SUPPORT 1X16 CASSETTE PLC

- Size: 285mm×175mm×80mm
- Material: PC+ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector

GD-F208C-SC



16 Core Fiber Optic Distribution Box

Item No Description

GD-F208C-SC SUPPORT 16 PCS SC ADAPTOR

- Size: 285mm×175mm×80mm
- Material: PC+ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector

GD-F209



Waterproof Connector

16 Core Fiber Optic Distribution Box

Item No Description

GD-F209 SUPPORT 1X16 MINI STEEL OR ABS PLC

- Size: 285*215*115mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Un-cut Connector
- Outlet Type: Waterproof Connector

GD-F210A-SC



12 Core Fiber Optic Distribution Box

Item No	Description
GD-F210A-SC	SUPPORT 12 PCS SC ADAPTOR

- Size: 235*200*60mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland Connector

GD-F210B-PLC



8 Core Fiber Optic Distribution Box

Item No	Description
GD-F210B-PLC	SUPPORT 1X8 CASSETTE PLC

- Size: 235*200*60mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland Connector

GD-F211A-SC



24 Core Fiber Optic Distribution Box

Item No	Description
GD-F211A-SC	SUPPORT 24 PCS SC ADAPTOR

- Size: 365 × 280 × 110mm
- Material: ABS/PC+ABS
- Protection level: IP65
- Inlet Type: Gland Connector

GD-F211B-PLC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F211B-PLC	SUPPORT 1X16 CASSETTE PLC

- Size: 365 × 280 × 110mm
- Material: ABS/PC+ABS
- Protection level: IP65
- Inlet Type: Gland Connector

GD-F212A-SC



24 Core Fiber Optic Distribution Box

Item No	Description
GD-F212A-SC	SUPPORT 24 PCS SC ADAPTOR

- Size:365*280*110mm
- Material: ABS
- Protection level:IP65
- Inlet Type:Gland Connector

GD-F212B-PLC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F212B-PLC	SUPPORT 1X16 CASSETTE PLC

- Size:365*280*110mm
- Material: ABS
- Protection level:IP65
- Inlet Type:Gland Connector

GD-F213A-SC



24 Core Fiber Optic Distribution Box

Item No	Description
GD-F213A-SC	SUPPORT 24 PCS SC ADAPTOR

- Size:340*300*130mm
- Material: ABS
- Protection level:IP65
- Inlet Type:Un-cut Connector

GD-F213B-PLC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F213B-PLC	SUPPORT 1X16 CASSETTE PLC

- Size: 340*300*130mm
- Material: ABS
- Protection level:IP65
- Inlet Type:Un-cut Connector

GD-F214A-SC



48 Core Fiber Optic Distribution Box

Item No	Description
GD-F214A-SC	SUPPORT 48 PCS SC ADAPTOR

- Size: 420*350*130mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Un-cut Connector

GD-F214B-PLC



32 Core Fiber Optic Distribution Box

Item No	Description
GD-F214B-PLC	SUPPORT 1X32 CASSETTE PLC

- Size: 420*350*130mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Un-cut Connector

GD-F215B-PLC



64 Core Fiber Optic Distribution Box

Item No	Description
GD-F215B-PLC	SUPPORT 2PCS 1X32 CASSETTE PLC

- Size: 420*350*160mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Un-cut Connector

GD-F216A-SC



72 Core Fiber Optic Distribution Box

Item No	Description
GD-F216A-SC	SUPPORT 72 PCS SC ADAPTOR

- Size: 490*390*145mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Un-cut Connector

GD-F217A-PLC



The Upper Slot For Fiber Cable

16 Core Fiber Optic Distribution Box

Item No	Description
GD-F217A-PLC	SUPPORT 1X16 CASSETTE PLC

- Size:310*200*120mm
- Material: PC+ABS
- Protection level:IP65
- Inlet Type:Gland And Un-cut Connector

GD-F217B-SC



The Upper Slot For Fiber Cable

16 Core Fiber Optic Distribution Box

Item No	Description
GD-F217B-SC	SUPPORT 12 PCS SC ADAPTOR

- Size:310*200*120mm
- Material: PC+ABS
- Protection level:IP65
- Inlet Type:Gland And Un-cut Connector

GD-F217C-SC



The Upper Slot For Fiber Cable

16 Core Fiber Optic Distribution Box

Item No	Description
GD-F217C-SC	SUPPORT 16 PCS SC ADAPTOR

- Size:310*200*120mm
- Material: PC+ABS
- Protection level:IP65
- Inlet Type:Gland And Un-cut Connector

GD-F218



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F218	SUPPORT 1X16 MINI STEEL PLC

- Size:320*215*135mm
- Material: PC+ABS
- Protection level:IP65
- Inlet Type:Un-cut Connector
- Outlet Type:Waterproof Connector

GD-F219



24 Core Fiber Optic Distribution Box

Item No	Description
GD-F219	SUPPORT 24 PCS SC ADAPTOR

- Size: 340*220*105mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector

GD-F220



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F220	SUPPORT 1X16 MINI STEEL PLC

- Size: 410*210*120mm
- Material: PC+ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector
- Outlet Type: Waterproof Connector

GD-F221



16 / 24 / 48 Core Fiber Optic Distribution

Item No	Description
GD-F221	SUPPORT 1X16 CASSETTE PLC
GD-F221	SUPPORT 24 PCS SC ADAPTOR
GD-F221	SUPPORT 48 PCS SC ADAPTOR

- Size: 350*260*120mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector

GD-F222



16 / 24 Core Fiber Optic Distribution

Item No	Description
GD-F222	SUPPORT 1X16 CASSETTE PLC
GD-F222	SUPPORT 24 PCS SC ADAPTOR

- Size: 350*260*110mm
- Material: PC+ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector

GD-F223



12 Core Fiber Optic Distribution Box

Item No	Description
---------	-------------

GD-F223	SUPPORT 12 PCS SC ADAPTOR
---------	---------------------------

- Size: 205*180*50mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland Connector

GD-F224



8 Core Fiber Optic Distribution Box

Item No	Description
---------	-------------

GD-F224	SUPPORT 8 PCS SC ADAPTOR
---------	--------------------------

- Size: 235*225*65mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector

GD-F225A-SC



16 Core Fiber Optic Distribution Box

Item No	Description
---------	-------------

GD-F225A-SC	SUPPORT 16 PCS SC ADAPTOR
-------------	---------------------------

- Size: 300*220*80mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland / Un-cut Connector

GD-F225B-PLC



16 Core Fiber Optic Distribution Box

Item No	Description
---------	-------------

GD-F225B-PLC	SUPPORT 1X16 CASSETTE PLC
--------------	---------------------------

- Size: 300*220*80mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland / Un-cut Connector

GD-F226A-SC



24 Core Fiber Optic Distribution Box

Item No	Description
---------	-------------

GD-F226A-SC	SUPPORT 24 PCS SC ADAPTOR
-------------	---------------------------

- Size: 330*245*100mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector



GD-F226B-PLC



16 Core Fiber Optic Distribution Box

Item No	Description
---------	-------------

GD-F226B-PLC	SUPPORT 1X16 CASSETTE PLC
--------------	---------------------------

- Size: 330*245*100mm
- Material: ABS
- Protection level: IP65
- Inlet Type: Gland And Un-cut Connector

GD-F227



16 Core Fiber Optic Distribution Box

Item No	Description
---------	-------------

GD-F227	SUPPORT 16 PCS SC ADAPTOR
---------	---------------------------

- Size: 345*300*100mm
- Material: PC+ABS / ABS
- Protection level: IP65
- Inlet Type: Un-cut Connector
- Feature: The drop cable out door can be opened separately to facilitate secondary construction and maintenance.

GD-F228



16 Core Fiber Optic Distribution Box

Item No	Description
---------	-------------

GD-F228	SUPPORT 1X8 CASSETTE PLC
---------	--------------------------

GD-F228	SUPPORT 16 PCS SC ADAPTOR
---------	---------------------------

- Size: 290*180*110mm
- Material: ABS / PP+GF
- Protection level: IP65
- Inlet Type: Un-cut Connector

GD-F229A-SC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F229A-SC	SUPPORT 16 PCS SC ADAPTOR

- Size:290*210*85mm
- Material: PC+ABS
- Protection level:IP65
- Inlet Type:Gland And Un-cut Connector

GD-F229B-SC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F229B-SC	SUPPORT 16 PCS SC ADAPTOR

- Size:290*210*85mm
- Material: PC+ABS
- Protection level:IP65
- Inlet Type:Gland And Un-cut Connector

GD-F229C-PLC



16 Core Fiber Optic Distribution Box

Item No	Description
GD-F229C-PLC	SUPPORT 1X16 CASSETTE PLC

- Size:290*210*85mm
- Material: PC+ABS
- Protection level:IP65
- Inlet Type:Gland And Un-cut Connector

GD-F230-SC



24 Core Fiber Optic Distribution Box

Item No	Description
GD-F230-SC	SUPPORT 24 PCS SC ADAPTOR

- Size:290*210*105mm
- Material: PC+ABS
- Protection level:IP65
- Inlet Type:Gland And Un-cut Connector

GD-Z001



2 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z001	2 Core FTTH Box
---------	-----------------

- Size: 86*86*23mm
- Waterproof: IP65
- Material: ABS

GD-Z002



1 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z002	1 Core FTTH Box
---------	-----------------

- Size: 120*90*24mm
- Box Suitable 1PC SC Simplex Adaptor
- Adapter type: SC/LC/FC
- Inlet cable: 3.0x2.0mm drop cable or indoor cable

GD-Z003



2 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z003	2 Core FTTH Box
---------	-----------------

- Size: 135*90*26mm
- Adapter type: SC/LC/FC
- Inlet cable: 3.0x2.0mm drop cable or indoor cable

GD-Z004



2 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z004	2 Core FTTH Box
---------	-----------------

- Size: 100*84*25mm
- Adapter type: SC/LC/FC
- Inlet cable: 3.0x2.0mm drop cable or indoor cable

FIBER OPTIC TERMINAL BOX

GD-Z005



2 / 4 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z005	2/4 Core FTTH Box
---------	-------------------

- Size: 116*86*23mm
- Adapter type: SC/LC/FC
- Inlet cable: 3.0x2.0mm drop cable or indoor cable

GD-Z006



2 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z006	2 Core FTTH Box
---------	-----------------

- Size: 102*79*25mm
- Adapter type: SC/LC/FC
- Inlet cable: 3.0x2.0mm drop cable or indoor cable

GD-Z007



2 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z007	2 Core FTTH Box
---------	-----------------

- Size: 100*80*30mm
- Adapter type: SC/LC/FC
- Inlet cable: 3.0x2.0mm drop cable or indoor cable

FIBER OPTIC TERMINAL BOX

GD-Z008



4 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z008	4 Core FTTH Box
---------	-----------------

- Size:100*84*30mm
- Adapter type:SC/LC/FC
- Inlet cable:3.0x2.0mm drop cable or indoor cable

GD-Z009



4 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z009	4 Core FTTH Box
---------	-----------------

- Size:150*120*30mm
- Adapter type:SC/LC/FC
- Inlet cable:3.0x2.0mm drop cable or indoor cable

GD-Z010



8 Core Fiber Optic Terminal Box

Item No	Description
---------	-------------

GD-Z010	8 Core FTTH Box
---------	-----------------

- Size:205*120*30mm
- Adapter type:SC/LC/FC
- Inlet cable:3.0x2.0mm drop cable or indoor cable

GD-M001-A



SMC 12 Core Fiber Box

Item No	Description
GD-M001-A	For 12PCS SC Simplex Adaptor
■ Size: 310 × 245 × 90mm	
■ Material: SMC	

GD-M001-B



SMC 8 Core Fiber Box

Item No	Description
GD-M001-B	With 1PCS 1X8 PLC
■ Size: 310 × 245 × 90mm	
■ Material: SMC	

GD-M002-A



SMC 24 Core Fiber Box

Item No	Description
GD-M002-A	For 24PCS SC Simplex Adaptor
■ Size: 380 × 290 × 110mm	
■ Material: SMC	

GD-M002-B



SMC 16 Core Fiber Box

Item No	Description
GD-M002-B	With 2PCS 1X8 PLC
GD-M002-B	With 1PCS 1X16 PLC
■ Size: 380 × 290 × 110mm	
■ Material: SMC	

GD-M005-A



SMC 24 Core Fiber Box

Item No	Description
GD-M005-A	For 24PCS SC Simplex Adaptor

- Size: 420 × 350 × 110mm
- Material: SMC

GD-M005-B



SMC 16 Core Fiber Box

Item No	Description
GD-M005-B	With 2PCS 1X8 PLC
GD-M005-B	With 1PCS 1X16 PLC

- Size: 420 × 350 × 110mm
- Material: SMC

GD-M003-B



SMC 32 Core Fiber Box

Item No	Description
GD-M003-B	With 4PCS 1X8 PLC
GD-M003-B	With 2PCS 1X16 PLC
GD-M003-B	With 1PCS 1X32 PLC

- Size: 420 × 350 × 160mm
- Material: SMC

GD-M012-B



SMC 16 Core Fiber Box

Item No	Description
GD-M012-B	With 2PCS 1X8 PLC
GD-M012-B	With 1PCS 1X16 PLC

- Size: 400 × 310 × 135mm
- Material: SMC

GD-M011-A



SMC 48 Core Fiber Box

Item No	Description
GD-M011-A	For 48PCS SC Simplex Adaptor

- Size: 475 × 365 × 135mm
- Material: SMC

GD-M011-B



SMC 32 Core Fiber Box

Item No	Description
GD-M011-B	With 4PCS 1X8 PLC
GD-M011-B	With 2PCS 1X16 PLC
GD-M011-B	With 1PCS 1X32 PLC

- Size: 475 × 365 × 135mm
- Material: SMC

GD-M015-B



SMC 32 Core Fiber Box

Item No	Description
GD-M015-B	With 4PCS 1X8 PLC
GD-M015-B	With 2PCS 1X16 PLC
GD-M015-B	With 1PCS 1X32 PLC

- Size: 520 × 400 × 115mm
- Material: SMC

GD-M016-B



SMC 64 Core Fiber Box

Item No	Description
GD-M016-B	With 8PCS 1X8 PLC
GD-M016-B	With 4PCS 1X16 PLC
GD-M016-B	With 2PCS 1X32 PLC

- Size: 520 × 400 × 175mm
- Material: SMC

GD-M017-A



SMC 72 Core Fiber Box

Item No	Description
GD-M017-A	For 72PCS SC Simplex Adaptor

- Size: 490 × 405 × 160mm
- Material: SMC

GD-M017-B



SMC 64 Core Fiber Box

Item No	Description
GD-M017-B	With 8PCS 1X8 PLC
GD-M017-B	With 4PCS 1X16 PLC
GD-M017-B	With 2PCS 1X32 PLC

- Size: 490 × 405 × 160mm
- Material: SMC

GD-M020



SMC 96 Core Fiber Box

Item No	Description
GD-M020	With 8PCS 12 Core mini tray

- Size: 620 × 540 × 170mm
- Material: SMC

GD-M081



96 Core SMC Outdoor Fiber Optic Cabinet

Item No	Description
GD-M081	96 Core SMC Outdoor Fiber Optic Cabinet

- Size: 840*450*280mm
- Material: SMC



GD-M082



144 Core SMC Outdoor Fiber Optic Cabinet

Item No	Description
GD-M082	144 Core SMC Outdoor Fiber Optic Cabinet

- Size: 1050*550*310mm
- Material: SMC



GD-M083



288 Core SMC Outdoor Fiber Optic Cabinet

Item No	Description
GD-M083	288 Core SMC Outdoor Fiber Optic Cabinet

- Size:1450*750*350mm
- Material: SMC



GD-M084



576 Core SMC Outdoor Fiber Optic Cabinet

Item No	Description
GD-M084	576 Core SMC Outdoor Fiber Optic Cabinet

- Size:1450*750*520mm
- Material: SMC



GD-A001



GD-A002




GD-A003



GD-A004



GD-A005



GD-A006



GD-A007




GD-A008



GD-A009



GD-A010



GD-A011




GD-A012



GD-A013



GD-A014



GD-A015



GD-A016



GD-A017



1x8 SC/UPC
Insertion type PLC Splitter

GD-A018



1x8 SC/APC
Insertion type PLC Splitter

GD-A019



1x16 SC/APC
Insertion type PLC Splitter

GD-A020



1x32 SC/APC
Insertion type PLC Splitter

GD-A021



1x4 SC/APC
cassette PLC Splitter

GD-A022



1x4 SC/UPC
cassette PLC Splitter

GD-A023



1x2 Mini PLC Splitter

GD-A024



1x8 SC/APC
Mini PLC Splitter

GD-A025



FC-SC Patch Cord

GD-A026



FC/APC-SC/APC
Patch Cord

GD-A027



FC/APC-FC/APC
Patch Cord

GD-A028



12 core SC
optic fiber pigtail cord

GD-A029



GD-A030



GD-A031



GD-A032



GD-A033



GD-A034



GD-A035



GD-A036





wiston.morales@trulinkfiber.com
Fred.jurado@trulinkfiber.com

