STATE OF CALIFORNIA – DEPARTMENT OF GENERAL SERVICES – BUILDING STANDARDS COMMISSION CALGreen Verification Guidelines – Tier 2 Checklist

BSC CG-201 (Rev. 12/17-2016 Intervening Code Supplement effective July 1, 2018)

CALGreen VERIFICATION GUIDELINES TIER 2 CHECKLIST

Application: This checklist shall be used for nonresidential projects that meet the following: new construction, or building additions of 1,000 sq. ft. or greater, or building alterations with a permit valuation of \$200,000 or more pursuant to *CALGreen* Section 5.301.3, AND are adopting Tier 2 voluntary measures.

Note: All applicable mandatory requirements in chapter 5 shall be met prior to applying Tier 2 voluntary measures.

Instructions:

Comply with all Tier 2 (prerequisite) measures from the various categories shown on the table below.

Add a "Y" to all Mandatory and Tier 2 mandatory provisions in the appropriate columns.

Select the required number of additional electives from those categories shown on the table below and add a "Y" on the selected elective and add an "N" on the rest.

Count the total number of Tier 2 (prerequisite) measures plus the additional electives and write down the total number at the end of the checklist. Determine if the required number of Tier 2 measures have been selected to achieve Tier 2 compliance.

- Y = Yes (section has been selected and/or included)
- **N** = No (section has not been selected and/or included)
- **O** = Other (provide explanation)
- [N] = New construction pursuant to Section 301.3
- [A] = Additions and/or alterations pursuant to Section 301.3

CHAPTER 5 DIVISIONS		SECTION TITLE	CODE SECTION	Υ	N	0	Plan sheet, Spec or Attach Reference
DIVISION 5.1 Planning and Design	Mandatory	Storm Water Pollution Prevention for projects that disturb less than 1 acre of land	5.106.1 through 5.106.2				
	Mandatory	Short Term Bicycle Parking (with exceptions)	5.106.4.1.1				
	Mandatory	Long Term Bicycle Parking	5.106.4.1.2 through 5.106.4.1.5				
	Mandatory	Designated Parking for clean air vehicles	5.106.5.2				
	Tier 2 Prerequisite	Designated Parking - 12% of Parking Capacity w/ parking stall markings and stall identification	A5.106.5.1 A5.106.5.1.2 A5.106.5.1.3 A5.106.5.1.4				
	Mandatory	Parking stall marking	5.106.5.2.1				
	Mandatory	Single (EV) Charging space requirements	5.106.5.3.1				
	Mandatory	Multiple (EV) Charging space requirements[N]	5.106.5.3.2				
	Tier 2 Prerequisite	Electric Vehicle (EV) Charging [N] w/ associated electrical panel Identification and designated parking allowance	A5.106.5.3 A5.106.5.3.2 A5.106.5.3.3 A5.106.5.3.4				
	Mandatory	EV charging space calculation [N] (with exceptions)	5.106.5.3.3				
	Mandatory	[N] Identification	5.106.5.3.4				
	Mandatory	[N] Future charging spaces (with notes 1-3)	5.106.5.3.5				
	Mandatory	Light Pollution Reduction [N] (with exceptions and note)	5.106.8				
	Mandatory	Grading and Paving, w/exception for Additions and Alterations not altering the drainage path	5.106.10				
	Tier 2 Prerequisite	Cool Roof (Table A5.106.11.2.2): SRI 82 when < 2:12, SRI 27 when >2:12	A5.106.11.2				

		Elective	Community Connectivity	A5.103.1		I	
		Elective	Brownfield or Greyfield site redevelopment or infill	A5.103.1		1	
		Liective	area development.	A5.103.2.1			
		Elective	Reduce development footprint and optimize open	A5.104.1			
		Liodivo	space.	A5.104.1.1			
			A5.104.1.2				
				A5.104.1.3			
VES /		Elective	Disassemble and Reuse Existing Building Structure (70%) with exceptions	A5.105.1.1			
ELECTIVES		Elective	Disassemble and Reuse Existing Non-Structure elements (50%) with exceptions	A5.105.1.2			
		Elective	Salvage	A5.105.1.3			
Ш	! !	Elective	Storm Water Design	A5.106.2			
SELECT THREE				A5.106.2.1 A5.106.2.2			
		Elective	Low Impact Development (LID)	A5.106.3			
ו	i			A5.106.3.1			
S	5			A5.106.3.2			
		Elective	Changing rooms w/ note	A5.106.4.3			
	ľ	Elective	Parking capacity w/ reduced parking capacity	A5.106.6			
			option	A5.106.6.1			
		Elective	Exterior wall shading w/ fenestration and/or opaque	A5.106.7			
			wall areas option	A5.106.7.1			
				A5.106.7.2			
		Elective	Heat island Effect	A5.106.11			
DIVISION 5.2 Energy Efficiency		Mandatory	Meet the minimum Energy Efficiency Standard	5.201.1			
		Tier 2	Energy Performance Outdoor lighting power 90%	A5.203.1.1.1			
		Prerequisite	of Part 6				
		Tier 2 Prerequisite	If applicable, Service for water heating in restaurants 8,000 sf or greater	A5.203.1.1.2			
		Tier 2	Energy Budget 90% or 85% of Part 6 calculated	A5.203.1.2.2			
		Prerequisite	value of allowance				
		Elective	On-site renewable energy w/ documentation	A5.211.1			
ш				A5.211.1.1			
ONE] - 	Elective	Green power	A5.211.3			
		Elective	Elevators w/ car lights and fan	A5.212.1.1			
ļ	ļΨ			A5.212.1.1.1			
 <u> </u>	ELECT	Elective	Escalators w/ controls	A5.212.1.2			
	'			A5.212.1.4			
		Elective	Steel framing	A5.213.1			
DIVISIO 5.3 Wat	ter	Mandatory	Separate Meters (new Buildings or additions > 50,000 SF that consume more than 100 gal/day)	5.303.1.1			
Efficiency and Conservation		Mandatory	Separate Meters (for tenants in new buildings or additions that consume more than 1,000 gal/day)	5.303.1.2			
		Tier 2 Prerequisite	Water Reduction Tier 2. 20% or 25% savings over the "water use baseline" Table A5.303.2.2	A5.303.2.3.2 or A5.303.2.3.3			
		Mandatory	Water closets shall not exceed 1.28 gallons per flush	5.303.3.1			
	ľ	Mandatory	Wall-mounted urinals shall not exceed 0.125 gpf	5.303.3.2.1			
		Mandatory	Floor-mounted urinals shall not exceed 0.5 gpf	5.303.3.2.2			
		Mandatory	Single showerhead shall have maximum flow rate of 2.0 gpm (gallons per minute) at 80 psi	5.303.3.3.1			
		Mandatory	Multiple showerheads serving one shower shall have a combined flow rate of 2.0 gpm at 80 psi	5.303.3.3.2			

	Mandatory	Nonresidential lavatory faucets	5.303.3.4.1		\top	
	Mandatory	Kitchen faucets	5.303.3.4.2			
	Mandatory	Wash basins	5.303.3.4.3	Ħ		
	Mandatory	Metering faucets	5.303.3.4.4			
	Mandatory	Metering faucets for wash fountains	5.303.3.4.5			
	Mandatory	Food waste disposers w/note	5.303.4.1			
	Mandatory	Areas of additions and alterations	5.303.5			
	Mandatory	Standards for plumbing fixtures and fittings	5.303.6			
	Mandatory	Outdoor water use in landscape areas equal to or greater than 500 square feet	5.304.2			
	Mandatory	Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet	5.304.3			
	Mandatory	Outdoor water use in landscape areas of 2,500 square feet or less	5.304.4			
	Mandatory	Graywater or rainwater use in landscaped areas	5.304.5		\coprod	
	Mandatory	Outdoor water supply systems (with exceptions 1-4)	5.305.1.1			
	Mandatory	Technical requirements for outdoor recycled water supply systems	5.305.1.2			
	Elective	Nonpotable water systems for indoor use	A5.303.2.3.4			
	Elective	Appliances and fixtures for commercial application	A5.303.3			
ω ⊣ Ω ⊨ ω	Elective	Nonwater supplied urinals	A5.303.4.1			
	Elective	Dual plumbing	A5.303.5			
	Elective	Outdoor potable water use	A5.304.2			
	Elective	Restoration of areas disturbed by construction	A5.304.6			
	Elective	Previously developed sites w/ exception	A5.304.7			
	Elective	Graywater irrigation system	A5.304.8			
	Elective	Nonpotable water systems	A5.305.1			
	Elective	Irrigation systems	A5.305.2			
DIVISION 5.4 Material	Tier 2 Prerequisite	Recycled content for15% of total material cost	A5.405.4 A5.405.4.1 Through A5.405.4.5			
Conservation and Resource	Mandatory	Weather Protection	5.407.1			
Efficiency	Mandatory	Moisture Control: sprinklers	5.407.2.1			
	Mandatory	Moisture Control: Exterior door protection	5.407.2.2.1			
	Mandatory	Moisture Control: Flashing	5.407.2.2.2			
	Mandatory	Construction waste management-comply with either: sections 5.408.1.1, 5.408.1.2, 5.408.1.3 or more stringent local ordinance	5.408.1.1, 5.408.1.2, 5.408.1.3			
	Mandatory	Construction waste management: Documentation w/notes	5.408.1.4			

	Mandatory	Universal waste [A]	5.408.2		
	Mandatory	Excavated soil and land clearing debris w/ exceptions and notes	5.408.3		
	Tier 2 Prerequisite	Enhanced construction waste reduction 80%- Tier 1 w/ verification	A5.408.3.1.1 A5.408.3.1.2		
	Mandatory	Recycling by Occupants w/ exception	5.410.1		
	Mandatory	Recycling by Occupants: Additions w/ exception	5.410.1.1		
	Mandatory	Recycling by Occupants: Sample ordinance	5.410.1.2		
	Mandatory	Commissioning new buildings (≥ 10,000 SF) [N] w/exceptions and notes	5.410.2		
	Mandatory	Owner's or Owner representative's Project Requirements (OPR) [N]	5.410.2.1		
	Mandatory	Basis of Design (BOD) [N]	5.410.2.2		
	Mandatory	Commissioning Plan [N]	5.410.2.3		
	Mandatory	Functional Performance Testing [N]	5.410.2.4		
	Mandatory	Documentation and Training [N]	5.410.2.5		
	Mandatory	Systems Manual [N]	5.410.2.5.1		
	Mandatory	Systems Operation Training) [N]	5.410.2.5.2		
	Mandatory	Commissioning Report [N]	5.410.2.6		
	Mandatory	Testing and adjusting for new buildings < 10,000 SF or new systems that serve additions or alterations.	5.410.4		
	Mandatory	System Testing Plan for HVAC, Lighting, water heating, renewable energy, landscape irrigation and water reuse.	5.410.4.2		
	Mandatory	Procedures for testing and adjusting	5.410.4.3		
	Mandatory	HVAC balancing	5.410.4.3.1		
	Mandatory	Reporting for testing and adjusting	5.410.4.4		
	Mandatory	Operation and Maintenance (O&M) Manual	5.410.4.5		
	Mandatory	Inspection and reports	5.410.4.5.1		
	Elective	Wood framing or OVE w/ note	A5.404.1 A5.404.1.1 A5.404.1.2		
	Elective	Regional materials	A5.405.1		
(8)	Elective	Bio-based materials	A5.405.2		
ELECTIVES more options)	Elective	Rapidly renewable materials	A5.405.2.2		
ECJ	Elective	Reused materials w/ note	A5.405.3		
		Cement and concrete: Cement	A5.405.5.1		
THREE	Elective	Cement and concrete: Concrete /w SCM & Mix design equation	A5.405.5.2 A5.405.5.2.1 A5.405.5.2.1.1		
SELECT THREE	Elective	Cement and concrete: Additional means of compliance	A5.405.5.3 A5.405.5.3.1.1 A5.405.5.3.1.2 A5.405.5.3.2 A5.405.5.3.2.1 A5.405.5.3.2.2 A5.405.5.3.2.3 A5.405.5.3.2.3		

CTIVES	Elective	Choice of materials	A5.406.1.1 A5.406.1.1 A5.406.1.2 A5.406.1.3	
	Elective	Life cycle assessment: General	A5.409.1	
SELECT THREE ELECTIVES	Elective	Whole building life cycle assessment	A5.409.2 A5.409.2.1 A5.409.2.2	
	Elective	Materials and system assemblies	A5.409.3	
	Elective	Substitution for prescriptive standards	A5.409.4	
	Elective	Verification of compliance	A5.409.5	
DIVISION 5.5 Environmental	Mandatory	Fireplaces	5.503.1	
Quality	Mandatory	Woodstoves	5.503.1.1	
	Mandatory	Temporary ventilation	5.504.1	
	Mandatory	Covering of ducts openings and protection of mechanical equipment during construction	5.504.3	
	Mandatory	Adhesives, sealants and caulks	5.504.4.1	
	Mandatory	Paints and coatings	5.504.4.3	
	Mandatory	Aerosol paints and coatings	5.504.4.3.1	
	Mandatory	Aerosol paints and coatings: Verification	5.504.4.3.2	
	Mandatory	Carpet systems	5.504.4.4	
	Mandatory	Carpet cushion	5.504.4.4.1	
	Mandatory	Carpet adhesives	5.504.4.4.2	
	Mandatory	Composite wood products	5.504.4.5	
	Mandatory	Composite wood products: Documentation	5.504.4.5.3	
	Mandatory	Resilient flooring systems	5.504.4.6	
	Mandatory	Resilient flooring: Verification of compliance	5.504.4.6.1	
	Tier 2 Prerequisite	Resilient flooring systems, Tier 2 w/ verification	A5.504.4.7.1 A5.504.4.7.2	
	Tier 2 Prerequisite	Thermal insulation, Tier 2 w/ verification of compliance	A5.504.4.8.1 A5.504.4.8.2	
	Mandatory	Filters w/ exceptions	5.504.5.3	
	Mandatory	Filters: Labeling	5.504.5.3.1	
	Mandatory	Environmental tobacco smoke (ETS) control	5.504.7	
	Mandatory	Indoor moisture control	5.505.1	
	Mandatory	Outside air delivery	5.506.1	
	Mandatory	Carbon dioxide (CO2) monitoring	5.506.2	
	Mandatory	Acoustical control w/ exception	5.507.4	
	Mandatory	Exterior noise transmission, prescriptive method w/ exceptions	5.507.4.1	
	Mandatory	Noise exposure where noise contours are not readily available	5.507.4.1.1	
	Mandatory	Performance method	5.507.4.2	
	Mandatory	Site features	5.507.4.2.1	
	Mandatory	Documentation of compliance	5.507.4.2.2	
	Mandatory	Interior sound transmission w/ note	5.507.4.3	
	Mandatory	Ozone depletion and greenhouse gas reductions	5.508.1	
	Mandatory	Chlorofluorocarbons (CFCs)	5.508.1.1	

		Mandatory	Halons	5.508.1.2		
		Mandatory	Supermarket refrigerant leak reduction for retail food stores 8,000 square feet or more sections 5.508.2 through 5.508.2.6.3	5.508.2 through 5.508.2.6.3		
		Elective	Indoor air quality (IAQ) during construction	A5.504.1 A5.504.1.1 A5.504.1.2		
			IAQ postconstruction	A5.504.2		
		Elective	IAQ testing	A5.504.2.1 A5.504.2.1.1 A5.504.2.1.2 A5.504.2.1.3		
		Elective	No added formaldehyde Tier 1 w/ notes	A5.504.4.5.1		
	щ	Elective	Acoustical ceilings and wall panels w/ verification of compliance	A5.504.4.9 A5.504.4.9.1		
	캶	Elective	Hazardous particulates and chemical pollutants	A5.504.5		
	Ė	Elective	Entryway systems	A5.504.5.1		
	SELECT THREE ELECTIVES	Elective	Isolation of pollutant sources	A5.504.5.2		
	SEI	Elective	Filters, Tier 2	A5.504.5.3.1.1		
		Elective	Lighting and thermal comfort controls	A5.507.1 A5.507.1.1 through A5.507.1.2		
		Elective	Daylight w/ exception	A5.507.2		
		Elective	Views w/ exception	A5.507.3		
		Elective	Interior office spaces	A5.507.3.1		
		Elective	Multi-occupant spaces	A5.507.3.2		
		Elective	Hydrochlorofluorocarbons (HCFCs)	A5.508.1.3		
		Elective	Hydrofluorocarbons (HFCs)	A5.508.1.4		
Addition Measure			Select three additional measure (from any division)	Additional measures: 1. 2. 3.		
required	Total number of Measures required for Tier 2		25			
Total nu selected		Measures				

Documentation Author's /Responsible Designer's Declaration Statement

Check the appropriate box(s) for the list below

- Mandatory: I attest that the mandatory provisions checklist is accurate and complete.
- **Tier 2 compliant:** I attest that the total number of voluntary measures selected meet or exceed the total number required to achieve Tier 1 compliance.
- Partial Tier 2 compliant: I attest that the total number of voluntary measures selected do not meet the total number required to achieve Tier 2 compliance however partial Tier 2 compliance has been achieved.

Signature:	
Company:	Date:
Address:	License:
City/State/Zip:	Phone: