STATE OF CALIFORNIA – DEPARTMENT OF GENERAL SERVICES – BUILDING STANDARDS COMMISSION CALGreen Verification Guidelines – Mandatory Measures Checklist

BSC CG-200 (Rev. 12/17-2016 Intervening Code supplement effective July 1, 2018)

CALGreen VERIFICATION GUIDELINES MANDATORY CHECKLIST

Application: This checklist shall be used for nonresidential projects that meet the following: new construction, or building additions of 1,000 sq. ft. or greater, or building alterations with a permit valuation of \$200,000 or more pursuant to *CALGreen* Section 5.301.3 AND do not trigger a Tier 1 or Tier 2 requirement.

Y = Yes (section has been selected and/or included)

N/A = Not Applicable (Code section does not apply to the project, mainly used for additions and alterations)

O = Other (provide explanation)

[N] = New construction pursuant to Section 301.3

[A] = Additions and/or alterations pursuant to Section 301.3

| CHAPTER 5 DIVISIONS | | SECTION TITLE | CODE SECTION | Y | N/A | 0 | Plan sheet, Spec or Attach Reference |
|--|-----------|---|---------------------------------------|---|-----|---|--|
| DIVISION 5.1 Planning and Design | Mandatory | Storm Water Pollution Prevention for projects that disturb less than 1 acre of land | 5.106.1 through 5.106.2 | | | | |
| | Mandatory | Short Term Bicycle Parking (with exception) | 5.106.4.1.1 | | | | |
| | Mandatory | Long Term Bicycle Parking | 5.106.4.1.2 Through 5.106.4.1.5 | | | | |
| | Mandatory | Designated Parking for clean air vehicles | 5.106.5.2 | | | | |
| | Mandatory | Parking stall marking | 5.106.5.2.1 | | | | |
| | Mandatory | Single (EV) Charging space requirements | 5.106.5.3.1 | | | | |
| | Mandatory | Multiple (EV) Charging space requirements [N] | 5.106.5.3.2 | | | | |
| | Mandatory | EV charging space calculation [N] (with exceptions) | 5.106.5.3.3 | | | | |
| | Mandatory | [N] Identification | 5.106.5.3.4 | | | | |
| | Mandatory | [N] Future charging spaces (with notes 1-3) | 5.106.5.3.5 | | | | |
| | Mandatory | Light Pollution Reduction [N] (with exceptions and note) | 5.106.8 | | | | |
| | Mandatory | Grading and Paving (exception for additions and alterations not altering the drainage path) | 5.106.10 | | | | |

| DIVISION 5.3 Water Efficiency and Conservation Mandatory Separate Meters (new Buildings or additions > 5,000 SF that consume more than 1.00 gal/day) Mandatory Water closets shall not exceed 1.28 gallons per flush (gpf) Mandatory Wall-mounted urinals shall not exceed 0.125 gpf 5.303.3.2.1 Mandatory Floor-mounted urinals shall not exceed 0.5 gpf 5.303.3.2.2 Mandatory Single showerhead shall have maximum flow rate 5.303.3.3.1 Mandatory Multiple showerheads serving one shower shall have a combined flow rate of 2.0 gpm at 80 psi Mandatory Wash basins 5.303.3.4.1 Mandatory Wash basins 5.303.3.4.2 Mandatory Wash basins 5.303.3.4.4 Mandatory Metering faucets for wash fountains 5.303.3.4.1 Mandatory Food waste disposers w/note 5.303.4.1 Mandatory Areas of additions and alterations 5.303.4.1 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2.500 square feet Mandatory Graywater or rainwater use in landscape areas of 5.304.4 Z,500 square feet or less Mandatory Technical requirements for outdoor recycled water 5.305.1.2 | |
|--|--|
| Additions that consume more than 1,000 gal/day) Mandatory Water closests shall not exceed 1.28 gallons per flush (gpf) Mandatory Wall-mounted urinals shall not exceed 0.125 gpf Mandatory Mandatory Floor-mounted urinals shall not exceed 0.5 gpf Mandatory Multiple showerhead shall have maximum flow rate Mandatory Multiple showerheads serving one shower shall have a combined flow rate of 2.0 gpm at 80 psi Mandatory Mandatory Mandatory Mandatory Mandatory Mandatory Mandatory Metering faucets Mandatory Metering faucets Mandatory Metering faucets Mandatory Mandatory Metering faucets for wash fountains Mandatory Mandatory Mandatory Mandatory Metering faucets for wash fountains Mandatory Outdoor water use in landscape areas of 2.500 square feet Mandatory Mandatory Mandatory Outdoor water use in landscape areas of 2.500 square feet or less Mandatory Mandatory Outdoor water use in landscape areas Mandatory Outdoor water use in landscape areas Mandatory Outdoor water use in landscape areas Mandatory Mandatory Outdoor water use in landscape areas Mandatory Outdoor water use in landscape areas Mandatory Mandatory Outdoor water use in landscape areas Mandatory Mand | |
| Mandatory Wall-mounted urinals shall not exceed 0.125 gpf 5.303.3.2.1 Mandatory Floor-mounted urinals shall not exceed 0.5 gpf 5.303.3.2.2 Mandatory Single showerhead shall have maximum flow rate 5.303.3.3.1 Mandatory Multiple showerheads serving one shower shall have a combined flow rate of 2.0 gpm at 80 psi Mandatory Nonresidential lavatory faucets 5.303.3.4.1 Mandatory Wash basins 5.303.3.4.2 Mandatory Wash basins 5.303.3.4.3 Mandatory Metering faucets for wash fountains 5.303.3.4.4 Mandatory Food waste disposers w/note 5.303.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 500 square feet Mandatory Outdoor water use in landscape areas of 5.304.4 2,500 square feet Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water use in landscape areas 5.304.5 | |
| Mandatory Floor-mounted urinals shall not exceed 0.5 gpf 5.303.3.2.2 Mandatory Single showerhead shall have maximum flow rate 5.303.3.3.1 Mandatory Multiple showerheads serving one shower shall have a combined flow rate of 2.0 gpm at 80 psi Mandatory Nonresidential lavatory faucets 5.303.3.4.1 Mandatory Kitchen faucets 5.303.3.4.2 Mandatory Wash basins 5.303.3.4.2 Mandatory Wash basins 5.303.3.4.3 Mandatory Metering faucets 5.303.3.4.4 Mandatory Food waste disposers w/note 5.303.3.4.1 Mandatory Areas of additions and alterations 5.303.4.1 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 5.304.4 2,500 square feet Mandatory Outdoor water use in landscape areas of 5.304.5 Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems 5.305.1.1 With exceptions 1-4) | |
| Mandatory Single showerhead shall have maximum flow rate Mandatory Multiple showerheads serving one shower shall have a combined flow rate of 2.0 gpm at 80 psi Mandatory Nonresidential lavatory faucets 5.303.3.4.1 Mandatory Kitchen faucets 5.303.3.4.2 Mandatory Wash basins 5.303.3.4.3 Mandatory Metering faucets 5.303.3.4.4 Mandatory Metering faucets for wash fountains 5.303.3.4.4 Mandatory Food waste disposers w/note 5.303.3.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water use in landscape areas of 5.304.5 Mandatory Outdoor water use in landscape areas of 5.304.5 Mandatory Outdoor water use in landscaped areas 5.304.5 Mandatory Outdoor water use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems 5.305.1.1 (with exceptions 1-4) | |
| Mandatory Multiple showerheads serving one shower shall have a combined flow rate of 2.0 gpm at 80 psi Mandatory Nonresidential lavatory faucets 5.303.3.4.1 Mandatory Kitchen faucets 5.303.3.4.2 Mandatory Wash basins 5.303.3.4.3 Mandatory Metering faucets 5.303.3.4.4 Mandatory Metering faucets 5.303.3.4.4 Mandatory Food waste disposers w/note 5.303.3.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| Mandatory Nonresidential lavatory faucets 5.303.3.4.1 Mandatory Kitchen faucets 5.303.3.4.2 Mandatory Wash basins 5.303.3.4.3 Mandatory Metering faucets 5.303.3.4.4 Mandatory Metering faucets 5.303.3.4.4 Mandatory Food waste disposers w/note 5.303.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| Mandatory Kitchen faucets 5.303.3.4.2 Mandatory Wash basins 5.303.3.4.3 Mandatory Metering faucets 5.303.3.4.4 Mandatory Metering faucets for wash fountains 5.303.3.4.5 Mandatory Food waste disposers w/note 5.303.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet 5.304.4 Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| Mandatory Wash basins 5.303.3.4.3 | |
| Mandatory Metering faucets for wash fountains 5.303.3.4.4 Mandatory Food waste disposers w/note 5.303.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| Mandatory Metering faucets for wash fountains 5.303.3.4.5 Mandatory Food waste disposers w/note 5.303.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| Mandatory Food waste disposers w/note 5.303.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| Mandatory Food waste disposers w/note 5.303.4.1 Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems 5.305.1.1 (with exceptions 1-4) | |
| Mandatory Areas of additions and alterations 5.303.5 Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| Mandatory Standards for plumbing fixtures and fittings 5.303.6 Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| Mandatory Outdoor water use in landscape areas equal to or greater than 500 square feet Mandatory Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas Mandatory Outdoor water supply systems (with exceptions 1-4) | |
| projects with areas equal to or greater than 2,500 square feet Mandatory Outdoor water use in landscape areas of 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems 5.305.1.1 (with exceptions 1-4) | |
| 2,500 square feet or less Mandatory Graywater or rainwater use in landscaped areas 5.304.5 Mandatory Outdoor water supply systems 5.305.1.1 (with exceptions 1-4) | |
| Mandatory Outdoor water supply systems 5.305.1.1 (with exceptions 1-4) | |
| (with exceptions 1-4) | |
| Mandatory Technical requirements for outdoor recycled water 5 305 1 2 | |
| supply systems | |
| Mandatory Weather Protection 5.407.1 | |
| DIVISION 5.4 Mandatory Moisture Control: sprinklers 5.407.2.1 | |
| Mandatory Moisture Control: Exterior door protection 5.407.2.2.1 | |
| and Resource Mandatory Moisture Control: Flashing 5.407.2.2.2 | |
| Efficiency Mandatory Construction waste management-comply with either: sections 5.408.1.1, 5.408.1.2, 5.408.1.3 or more stringent local ordinance 5.408.1.3 | |
| Mandatory Construction waste management: Documentation 5.408.1.4 | |

| | Mandatory | Universal waste [A] | 5.408.2 | l | 1 | | |
|--|-----------|--|-------------|---|---|---|--|
| | Mandatory | Excavated soil and land clearing debris | 5.408.3 | | | | |
| | , | (100% reuse or recycle) | | | | | |
| | Mandatory | Recycling by Occupants (with exception) | 5.410.1 | | | | |
| | Mandatory | Recycling by Occupants: Additions (with exception) | 5.410.1.1 | | | | |
| | Mandatory | Recycling by Occupants: Sample ordinance | 5.410.1.2 | | | | |
| | Mandatory | Commissioning new buildings (≥ 10,000 SF) [N] w/exceptions and notes | 5.410.2 | | | | |
| | Mandatory | Owner's or Owner representative's Project Requirements (OPR) [N] | 5.410.2.1 | | | | |
| | Mandatory | Basis of Design (BOD) [N] | 5.410.2.2 | | | | |
| | Mandatory | Commissioning Plan [N] | 5.410.2.3 | | | | |
| | Mandatory | Functional Performance Testing [N] | 5.410.2.4 | | | | |
| | Mandatory | Documentation and Training [N] | 5.410.2.5 | | | | |
| | Mandatory | Systems Manual [N] | 5.410.2.5.1 | | | | |
| | Mandatory | Systems Operation Training) [N] | 5.410.2.5.2 | | | | |
| | Mandatory | Commissioning Report [N] | 5.410.2.6 | | | | |
| | Mandatory | Testing and adjusting for new buildings < 10,000 SF or new systems that serve additions or alterations. | 5.410.4 | | | | |
| | Mandatory | System Testing Plan for HVAC, Lighting, water heating, renewable energy, landscape irrigation and water reuse. | 5.410.4.2 | | | | |
| | Mandatory | Procedures for testing and adjusting | 5.410.4.3 | | | | |
| | Mandatory | HVAC balancing | 5.410.4.3.1 | | | | |
| | Mandatory | Reporting for testing and adjusting | 5.410.4.4 | | | | |
| | Mandatory | Operation and Maintenance (O&M) Manual | 5.410.4.5 | | | | |
| | Mandatory | Inspection and reports | 5.410.4.5.1 | | | | |
| | | | | | | | |
| DIVISION 5.5 Environmental Quality | Mandatory | Fireplaces | 5.503.1 | | | | |
| | Mandatory | Woodstoves | 5.503.1.1 | | | | |
| | Mandatory | Temporary ventilation | 5.504.1 | | | | |
| | Mandatory | Covering of ducts openings and protection of mechanical equipment during construction | 5.504.3 | | | | |
| | Mandatory | Adhesives, sealants and caulks | 5.504.4.1 | | | | |
| | Mandatory | Paints and coatings | 5.504.4.3 | | | | |
| | Mandatory | Aerosol paints and coatings | 5.504.4.3.1 | | | | |
| | Mandatory | Aerosol paints and coatings: Verification | 5.504.4.3.2 | | | | |
| | Mandatory | Carpet systems | 5.504.4.4 | | | | |
| | Mandatory | Carpet cushion | 5.504.4.4.1 | | | | |
| | Mandatory | Carpet adhesives | 5.504.4.4.2 | | | | |
| | Mandatory | Composite wood products | 5.504.4.5 | | | | |
| | Mandatory | Composite wood products: Documentation | 5.504.4.5.3 | | | | |
| | Mandatory | Resilient flooring systems | 5.504.4.6 | | | | |
| | Mandatory | Resilient flooring: Verification of compliance | 5.504.4.6.1 | | | | |
| | Mandatory | Filters w/ exceptions | 5.504.5.3 | | | | |
| | Mandatory | Filters: Labeling | 5.504.5.3.1 | | | | |
| | Mandatory | Environmental tobacco smoke (ETS) control | 5.504.7 | | | П | |
| | | | 2.30 | | | Ш | |

| Mandatory Indoor moisture control | | | 5.505.1 | | | | | |
|-----------------------------------|---|--|---|--|---|---|---|--|
| Mandatory | Outside air delivery | 5.506.1 | | | | | | |
| Mandatory | Carbon dioxide (CO2) mon | 5.506.2 | | | | | | |
| Mandatory | Acoustical control w/ excep | 5.507.4 | | | | | | |
| Mandatory | Exterior noise transmission method w/ exceptions | 5.507.4.1 | | | | | | |
| Mandatory | Noise exposure where noise contours are not readily available | | 5.507.4.1.1 | | | | | |
| Mandatory | Performance method | | 5.507.4.2 | | | | | |
| Mandatory | Site features | | 5.507.4.2.1 | | | | | |
| Mandatory | Documentation of complia | nce | 5.507.4.2.2 | | | | | |
| Mandatory | Interior sound transmission | n w/ note | 5.507.4.3 | | | | | |
| Mandatory | Ozone depletion and gree | 5.508.1 | | | | | | |
| Mandatory | Chlorofluorocarbons (CFC | 5.508.1.1 | | | | | | |
| Mandatory | Halons | 5.508.1.2 | | | | | | |
| Mandatory | retail food stores 8,000 squ | 5.508.2 through 5.508.2.6.3 | | | | | | |
| | | | - | | | | | |
| Company: | | | Date: | | | | | |
| Address: | | | License: | | | | | |
| City/State/Zip: | | | Phone: | | | | | |
| | Mandatory | Mandatory Outside air delivery Mandatory Carbon dioxide (CO2) more Mandatory Acoustical control w/ except Mandatory Exterior noise transmission method w/ exceptions Mandatory Noise exposure where noise readily available Mandatory Performance method Mandatory Documentation of compliae Mandatory Interior sound transmission Mandatory Ozone depletion and gree Mandatory Chlorofluorocarbons (CFC) Mandatory Halons Mandatory Supermarket refrigerant le retail food stores 8,000 sq sections 5.508.2 through 5 cm Author's /Responsible Designer's | Mandatory Outside air delivery Mandatory Carbon dioxide (CO2) monitoring Mandatory Acoustical control w/ exception Mandatory Exterior noise transmission, prescriptive method w/ exceptions Mandatory Noise exposure where noise contours are not readily available Mandatory Performance method Mandatory Site features Mandatory Documentation of compliance Mandatory Interior sound transmission w/ note Mandatory Ozone depletion and greenhouse gas reductions Mandatory Chlorofluorocarbons (CFCs) Mandatory Halons Mandatory Supermarket refrigerant leak reduction for retail food stores 8,000 square feet or more sections 5.508.2 through 5.508.2.6.3 In Author's /Responsible Designer's Declaration Statemenat the mandatory provisions checklist is accurate and complete Date: | Mandatory Outside air delivery 5.506.1 Mandatory Carbon dioxide (CO2) monitoring 5.506.2 Mandatory Acoustical control w/ exception 5.507.4 Mandatory Exterior noise transmission, prescriptive method w/ exceptions 5.507.4.1 Mandatory Noise exposure where noise contours are not readily available 5.507.4.2.1 Mandatory Performance method 5.507.4.2 Mandatory Site features 5.507.4.2.1 Mandatory Documentation of compliance 5.507.4.2.2 Mandatory Interior sound transmission w/ note 5.507.4.2.2 Mandatory Ozone depletion and greenhouse gas reductions 5.508.1 Mandatory Chlorofluorocarbons (CFCs) 5.508.1.1 Mandatory Supermarket refrigerant leak reduction for retail food stores 8,000 square feet or more sections 5.508.2 through 5.508.2.6.3 5.508.2.6.3 In Author's /Responsible Designer's Declaration Statement Mandatory: nat the mandatory provisions checklist is accurate and complete. Date: | Mandatory Outside air delivery 5.506.1 Mandatory Carbon dioxide (CO2) monitoring 5.506.2 Mandatory Acoustical control w/ exception 5.507.4 Mandatory Exterior noise transmission, prescriptive method w/ exceptions Mandatory Noise exposure where noise contours are not readily available Mandatory Performance method 5.507.4.2 Mandatory Site features 5.507.4.2.1 Mandatory Documentation of compliance 5.507.4.2.2 Mandatory Interior sound transmission w/ note 5.507.4.3 Mandatory Ozone depletion and greenhouse gas reductions 5.508.1 Mandatory Halons 5.508.1.2 Mandatory Halons 5.508.2 through 5.508.2.6.3 Mandatory Supermarket refrigerant leak reduction for retail food stores 8,000 square feet or more sections 5.508.2 through 5.508.2.6.3 Mandatory Provisions checklist is accurate and complete. | Mandatory Outside air delivery 5.506.1 Mandatory Carbon dioxide (CO2) monitoring 5.506.2 Mandatory Acoustical control w/ exception 5.507.4 Mandatory Exterior noise transmission, prescriptive method w/ exceptions Mandatory Noise exposure where noise contours are not readily available Mandatory Performance method 5.507.4.2 Mandatory Site features 5.507.4.2.1 Mandatory Documentation of compliance 5.507.4.2.2 Mandatory Interior sound transmission w/ note 5.507.4.3 Mandatory Ozone depletion and greenhouse gas reductions 5.508.1 Mandatory Halons 5.508.1.2 Mandatory Halons 5.508.2 through 5.508.2.6.3 Mandatory Responsible Designer's Declaration Statement Mandatory: nat the mandatory provisions checklist is accurate and complete. | Mandatory Outside air delivery 5.506.1 Mandatory Carbon dioxide (CO2) monitoring 5.506.2 Mandatory Acoustical control w/ exception 5.507.4 Mandatory Exterior noise transmission, prescriptive method w/ exceptions Mandatory Noise exposure where noise contours are not readily available Mandatory Performance method 5.507.4.2 Mandatory Site features 5.507.4.2.1 Mandatory Documentation of compliance 5.507.4.2.2 Mandatory Interior sound transmission w/ note 5.507.4.3 Mandatory Ozone depletion and greenhouse gas reductions 5.508.1 Mandatory Halons 5.508.1.2 Mandatory Supermarket refrigerant leak reduction for retail food stores 8,000 square feet or more sections 5.508.2 through 5.508.2.6.3 Mandatory Provisions checklist is accurate and complete. | |