

Certificate of Analysis

Oct 30, 2020 | BluLeaf Naturals 838 E. High Street #202 Lexington Kentucky

EVIO ABS

Kaycha Labs

. Matrix : Derivative

> SAMPLE: 33mg/mL Harvest/Lot ID: 7870 Seed to Sale #N/A Sample Size: 10.5 ml **Ordered** : 10/22 Sampled : 10/22 Completed: 10/30 Expires: 10/30/2021 Sampling Method: SOP Client Method

PASSED

MISC.

SAFETY RESULTS



PASSED









Residuals Solvents PASSED


Filth NOT TESTED

Water Activity

Moisture

Terpenes

CANNABINOID RESULTS



This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end dec. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation

Jorge Segredo Lab Director State License # n/a ISO Accreditation # 97164

Signature



Kaycha Labs

. 33 mg/mL Matrix : Derivative

PASSED

Certificate of Analysis

Result ND

ND ND

ND ND

ND

ND ND

ND ND

ND

ND ND

ND ND

ND ND

ND ND

ND

ND ND

ND ND

ND

ND

ND

ND ND

ND

ND

ND

ND

ND

ND ND

ND ND

ND

BluLeaf Naturals

838 E. High Street #202 Lexington Kentucky

Sample Method : SOP Client Method



Pesticides

PASSED

Extracted By :

1082

Consums, ID

| Pesticides | LOQ | Action Level | Units |
|---------------------|-------|--------------|-------|
| CHLORDANE | 0.010 | 0.1 | ppm |
| CAPTAN | 0.100 | 0.7 | ppm |
| DIMETHOATE | 0.010 | 0.1 | ppm |
| ABAMECTIN B1A | 0.020 | 0.1 | ppm |
| CIS-PERMETHRIN | 0.050 | 0.1 | ppm |
| SPINETORAM | 0.010 | | PPM |
| ACEPHATE | 0.010 | 0.1 | ppm |
| DIMETHOMORPH | 0.005 | 0.2 | ppm |
| ETHOPROPHOS | 0.010 | 0.1 | ppm |
| ACEQUINOCYL | 0.050 | 0.1 | ppm |
| ACETAMIPRID | 0.010 | 0.1 | ppm |
| ETOFENPROX | 0.010 | 0.1 | ppm |
| ALDICARB | 0.020 | 0.1 | ppm |
| ETOXAZOLE | 0.010 | 0.1 | ppm |
| AZOXYSTROBIN | 0.010 | 0.01 | ppm |
| FENHEXAMID | 0.010 | 0.1 | ppm |
| BIFENAZATE | 0.010 | 0.1 | ppm |
| FENOXYCARB | 0.010 | 0.1 | ppm |
| FENPYROXIMATE | 0.010 | 0.1 | ppm |
| BIFENTHRIN | 0.010 | 0.1 | ppm |
| CARBARYL | 0.010 | 0.5 | ppm |
| FIPRONIL | 0.020 | 0.1 | ppm |
| FLONICAMID | 0.010 | 0.1 | ppm |
| CARBOFURAN | 0.010 | 0.1 | ppm |
| CHLORANTRANILIPROLE | 0.010 | 1 | ppm |
| FLUDIOXONIL | 0.010 | 0.1 | ppm |
| HEXYTHIAZOX | 0.010 | 0.1 | ppm |
| CHLORFENAPYR | 0.010 | 0.1 | ppm |
| IMAZALIL | 0.010 | 0.1 | ppm |
| CHLORPYRIFOS | 0.010 | 0.1 | ppm |
| IMIDACLOPRID | 0.010 | 0.4 | ppm |
| CLOFENTEZINE | 0.010 | 0.2 | ppm |
| KRESOXIM-METHYL | 0.010 | 0.1 | ppm |
| COUMAPHOS | 0.005 | 0.1 | ppm |
| MALATHION | 0.010 | 0.2 | ppm |
| CYPERMETHRIN | 0.020 | 0.5 | ppm |
| DAMINOZIDE | 0.020 | 0.1 | ppm |
| METALAXYL | 0.010 | 0.02 | ppm |
| DICHLORVOS | 0.050 | 0.1 | ppm |
| | | | |

| Pesticides | LOQ | Action Level | Units | Result |
|-----------------------|-----------|--------------|-------|--------|
| METHIOCARB | 0.010 | 0.05 | ppm | ND |
| METHOMYL | 0.010 | 0.1 | ppm | ND |
| DIAZANON | 0.010 | 0.1 | ppm | ND |
| MEVINPHOS | 0.010 | 0.1 | ppm | ND |
| MYCLOBUTANIL | 0.010 | 0.1 | ppm | ND |
| NALED | 0.010 | 0.25 | ppm | ND |
| OXAMYL | 0.010 | 0.5 | ppm | ND |
| PACLOBUTRAZOL | 0.010 | 0.1 | ppm | ND |
| TRANS-PERMETHRIN | 0.050 | 0.1 | ppm | ND |
| PHOSMET | 0.010 | 0.1 | ppm | ND |
| PIPERONYL BUTOXIDE | 0.010 | 3 | ppm | ND |
| PRALLETHRIN | 0.050 | 0.1 | ppm | ND |
| PROPICONAZOLE | 0.010 | 0.1 | ppm | ND |
| PROPOXUR | 0.010 | 0.1 | ppm | ND |
| PYRETHRIN I | 0.010 | 0.5 | ppm | ND |
| PYRIDABEN | 0.010 | 0.2 | ppm | ND |
| SPINOSAD (SPINOSYN A) | 0.010 | 0.1 | ppm | ND |
| SPINOSAD (SPINOSYN D) | 0.010 | 0.1 | ppm | ND |
| SPIROMESIFEN | 0.010 | 0.1 | ppm | ND |
| SPIROTETRAMAT | 0.020 | 0.1 | ppm | ND |
| SPIROXAMINE | 0.010 | 0.1 | ppm | ND |
| TEBUCONAZOLE | 0.010 | 0.1 | ppm | ND |
| THIACLOPRID | 0.010 | 0.1 | ppm | ND |
| THIAMETHOXAM | 0.010 | 0.5 | ppm | ND |
| TRIFLOXYSTROBIN | 0.010 | 0.1 | ppm | ND |
| | | | | |
| P | esticides | | | PASS |

| Analyst | Weight |
|---------|---------|
| 585 | 1.0278g |

585

Analysis Method -SOP.T.30.065, SOP.T.40.065 Analytical Batch - DA007504

Dilution

10

Jorge Segredo Lab Director State License # n/a ISO Accreditation # 97164

Reagent

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end dec. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation





Kaycha Labs

33 mg/mL Matrix : Derivative

PASSED

Certificate of Analysis

BluLeaf Naturals

838 E. High Street #202 Lexington Kentucky

Sample Method : SOP Client Method

| Ä | Residual Solven | lual Solvents | | Ä | Residual Solvents | | PASSED | | |
|--------------------|--------------------|---------------|--------|-----------------------------------|--|----------------------------------|-----------------------|--|--|
| OLVENT | ACTION LE (PPM) | VEL PASS/FAIL | RESULT | | Weight 0.0250g ethod -SOP.T.40.0 | 32 | Extracted By : 850 | | |
| ROPANE | 2100 | PASS | ND | Analytical | Batch -DA007517 | | | | |
| TANES (N-BUTANE) | 2000 | PASS | ND | Reagent | Dilution | Consums, ID | | | |
| HYLENE OXIDE | 5 | PASS | ND | Reagent | Dilution | 00268767 160861-1 24151941 | | | |
| THANOL | 250 | PASS | ND | | 1 | | | | |
| HANOL | 5000 | PASS | ND | | | | | | |
| NTANES (N-PENTANE) | 750 | PASS | ND | | LLLL | | | | |
| HYL ETHER | 500 | PASS | ND | Residual solver concentrations | Residual solvents screening is performed using GC-MS which can detect below single digit p concentrations. Currently we analyze for 34 Residual solvents. (Method: SOP.T.30.042 Residual solvents) (Method: SOP.T.30.042 Residual solvents) (Metho | | | | |
| ETONE | 750 | PASS | ND | Solvents Analysis via GC-MS). | | | | | |
| PROPANOL | 500 | PASS | ND | | | | | | |
| ETONITRILE | 60 | PASS | ND | | | | | | |
| THYLENE CHLORIDE | 125 | PASS | ND | | | | | | |
| HEXANE | 250 | PASS | ND | | | | | | |
| HYL ACETATE | 400 | PASS | ND | | | | | | |
| NZENE | 1 | PASS | ND | | | | | | |
| PTANE | 500 | PASS | ND | | | | | | |
| LUENE | 150 | PASS | ND | | | | | | |
| LOROFORM | 2 | PASS | ND | | | | | | |
| 2-DICHLOROETHANE | 2 | PASS | ND | | | | | | |
| ICHLOROETHYLENE | 25 | PASS | ND | | | | | | |
| | 8 | PASS | ND | | | | | | |
| 1-DICHLOROETHENE | | | ND | | | | | | |

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC paraméter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoQ) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation



Signature



33 mg/mL Matrix : Derivative

PASSED

Certificate of Analysis

BluLeaf Naturals

838 E. High Street #202 Lexington Kentucky

Sample Method : SOP Client Method

| 2 | Mycotoxins | | PASSED | | Heavy Metals | PASSED |
|--|----------------------|-------------|--|---|--|---|
| nalyte | | Result | Action Level | 174 | 7 | A Bar |
| LATOXIN G2 LATOXIN G1 | | ND ND | | Reagent | Dilu | tion Consums. ID |
| LATOXIN B2 | | ND | | 102819.R04 | 50 | |
| LATOXIN B1 | | ND | | 102819.R04 | 50 | |
| HRATOXIN A+ | | ND 0.000 | 0.02 | 102119.R02 | | |
| TAL ALLATONING | , | 0.000 | 0.02 | 102119.R03 | | |
| - | d -SOP.T.30.065, SOP | P.T.40.065 | | 052419.01 | | |
| nalytical Batch | h -DA007505 | | | Metal | Result | Action Level |
| ~ | Minus Diala | | | ARSENIC | ND | 0.2 |
| िं Microbials | | PASSED | CADMIUM | ND | 0.2 | |
| ৾৾৻ড় | | | | LEAD MERCURY | ND ND | 0.5 |
| PERGILLUS_FLAVUS PERGILLUS_FUMIGA PERGILLUS_NIGER PERGILLUS_TERREU CHERICHIA_COLI_SH | ATUS | | not present in 1 gram not present in 1 gram | Heavy Metals scre - Mass Spectrome concentrations for | eter) which can screen down r regulated heavy metals us | CP-MS (Inductively Coupled Plasr n to below single digit ppb sing Method SOP.T.30.052 Samp P-MS and SOP.T.40.050 Heavy |

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC paraméter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation



State License # n/a ISO Accreditation # 97164

