

# Wedding Cake

Lab ID: 250120-804-AAA-(2)-7

METRC Batch: ; METRC Sample:

Sample ID: 2501PHS0131

Strain: Wedding Cake

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:


Produced:

Collected:

Received: 01/22/2025

Completed: 01/27/2025

Batch#:



## Summary

Test

Cannabinoids

Mycotoxins

Pesticides

Date Tested

01/23/2025

01/27/2025

01/27/2025

Result

Pass

Pass

Pass

## Cannabinoids

Pass

26.056%		ND		28.289%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	%	mg/g	
THCa	0.01	0.01	29.228	292.28	
Δ9-THC	0.01	0.01	0.223	2.23	
Δ8-THC	0.01	0.01	ND	ND	
THCVa	0.01	0.10	0.154	1.54	
THCV	0.01	0.10	ND	ND	
CBDa	0.01	0.01	ND	ND	
CBD	0.01	0.01	ND	ND	
CBDVa	0.01	0.10	ND	ND	
CBDV	0.01	0.10	ND	ND	
CBN	0.01	0.10	ND	ND	
CBGa	0.01	0.10	2.392	23.92	
CBG	0.01	0.10	ND	ND	
CBC	0.01	0.10	ND	ND	
(6aR,9S)-d10-THC	0.01	0.01	ND	ND	
(6aR,9R)-d10-THC	0.01	0.01	ND	ND	
Total THC			26.056	260.560	
Total CBD			ND	ND	
Total			31.997	319.94	

### Notes:

Total THC = (THCa \* 0.877) + Δ9-THC; Total CBD = (CBDa \* 0.877) + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



*Rkeledj*

Raquel Keledjian  
Lab Director  
01/27/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian