

FIBERGLASS DOORS





### **BUILT FOR THE**

## CANADIAN CLIMATE

Unsurpassed vertical integration and ISO 9001 / ISO 14000 monitored manufacturing processes help support the R&D team.

- High impact compression moulded fiberglass skins are "weatherproof" and will not delaminate, corrode, mold or mildew. Nan Ya fiberglass doors also do not dent, rust, warp, crack, split, splinter, or rot and are very easy to keep clean.
- Waterproof composite stiles and rails are sealed and beautifully finished to protect all edges of the door from moisture penetration which could harm the inner insulation. The composite material will not delaminate or splinter and boasts twice the screw-holding capacity of typical wood-edge doors. The top and bottom rails are also composite components that prevent water seepage, are easy to trim and pre-machined to accommodate the bottom weather sweep. This patented innovation protects every Designer Arch fiberglass door from moisture infiltration.
- $\bullet$  Full length lock block and more internal structure than





## NEULITE BRUSH BLACK ONE-LITE

### **TEXTURED FIBERGLASS**

Direct glazed with insulated 1" glass to streamline installation and minimize the risk of seal failure. The shaker-style glass stops offer a sophisticated, modern, and refined look.

The pre-pigmented brush texture skin in trendy black colour reduces the time and labor required for door finishing and demands minimal maintenance over time.

This collection is available in two standard heights and a variety of widths. Matching sidelites and optional SDL are also available to meet your requirements.



BK10(79") / BK11(95") 29 ¾, 31 ¾, 33 ¾, 35 ¾ X 79, 95

<sup>\*</sup> For glass options (Low-E, Translucent & Mini-Blinds), please consult the program offering.





## NEULITE BRUSH BLACK 3/4-LITE

### **TEXTURED FIBERGLASS**

The 3/4-lite collection maintains the same features and benefits as the direct glazed 1" glass and black pre-pigmented brushed texture skin found in its One-lite counterpart. The bottom recessed panel exhibits a deep profile that creates a prominent shadow line, contributing to an ultramodern aesthetic.

Optional SDL can be added to the panel to achieve a tailored appealing that meets your specifications.



BK27(79") / BK28(95") 29 ¾, 31 ¾, 33 ¾, 35 ¾ X 79, 95

<sup>\*</sup> For glass options (Low-E, Translucent & Mini-Blinds), please consult the program offering.





## NEULITE BRUSH WHITE 1/4-LITE

### **TEXTURED FIBERGLASS**

Every home deserves a distinctive look. The Craftsman style blends rustic charm with clean, straight lines and minimal decoration, making it the ideal door for homes featuring natural stonework, wood beams, or columns. The direct glazed 1" glass allows the perfect amount of natural light to enter the home. The option of translucent glass provides the desired privacy. The brush-textured door skin comes in white, which can readily be finished in a stain or paint color that matches your taste. Optional SDLs are available to create the appearance of divided lites.



BW3N 31 ¾, 33 ¾, 35 ¾ X 79, 83

 $<sup>^{\</sup>ast}$  For glass options, please consult the program offering and the corresponding price list.





## MODERN TEAK

### **TEXTURED FIBERGLASS**

Long praised for its natural beauty and endurance to the elements, teak has become one of the most valued wood species on the planet. This modern fiberglass teak design is perfect for contemporary or traditional design.

Though the teak series is beautiful with any hardware combination, European styling is achieved when paired with an architectural door pull and deadbolt combination.

When ordered, these slabs arrive as a light almond colour to accept paint or gel stain.



TG71 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35 <sup>3</sup>/<sub>4</sub> X 79, 84



## TEAK FLUSH

### **TEXTURED FIBERGLASS**

As a continuation of our popular Teak design, the Teak Flush fiberglass door adds a contemporary but classic touch to any entranceway.

Achieve a fresh and distinctive look by adding a few simple grooved lines or stainless-steel decorative elements.



31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35 <sup>3</sup>/<sub>4</sub>, 41 <sup>3</sup>/<sub>4</sub> X 79, 84, 95



TG07 / TG00(79") & TG01(95") MACHINE GROOVED STAINLESS-STEEL ELEMENTS \* This value-added work is only available in Ontario.





## MAHOGANY

### **TEXTURED FIBERGLASS**



RG12 35 ¾ X 79



RG22 35 ¾ X 79



RG26 8'0 HEIGHT 35 3/4 X 95

### **RUSTIC MAHOGANY**

The mahogany woodgrain series emulates the beauty of natural hardwood. Perfect for Tuscan or Spanish inspired architectural style, providing maximum privacy with no glass requirement. Stain or paint the fiberglass doors to achieve an individualized look.



### **FIR WOODGRAIN**

### **FACTORY GLAZED**



FG39 FIR GRAIN 35 ¾ X 79



13 <sup>3</sup>/<sub>4</sub> X 79



SG39 SMOOTH WHITE 35 ¾ X 79



SS39 13 <sup>3</sup>/<sub>4</sub> X 79

### **OPTIONAL ACCESSORIES**

Optional door accessories include a four block dentil shelf, and three or six lite SDL kits—sold separately.



6 LITE SIMULATED DIVIDED LITE (SDL) KIT



3 LITE SIMULATED DIVIDED LITE (SDL) KIT



2 LITE SIDELITE SIMULATED DIVIDED LITE (SDL) KIT

### **FACTORY INSTALLED GLASS**

These Craftsman doors include a custom factory glazed glass insert.



METROPOLIS



 $<sup>{\</sup>it *Consult each regional warehouse for program of fering and product availability}.$ 





### **FIR WOODGRAIN**

## SHAKER CRAFTSMAN 3 BOTTOM PANELS

**OPEN & BEADED** 



FG4H FIR GRAIN 31 ¾, 33 ¾, 35 ¾ X 79



SG4H SMOOTH WHITE 31 3/4, 33 3/4, 35 3/4 X 79

 $<sup>^{\</sup>star}$  A snap-on one-piece frame is included with the product purchase.



### **NEW SHAKER MODELS**

## 3 LITES SOLID

Sharp and sleek contemporary design complements today's home decor trends.

High definition embossed panels provide deep and vivid shadow lines. The rich, elegant Fir grain pattern makes painting and staining a breeze.



FG3J / FG30 FIR GRAIN 31 34, 33 34, 35 34 X 79



SG3J / SG30 smooth white 31  $^5\!\!\!/_4$  , 33  $^5\!\!\!/_4$  , 35  $^5\!\!\!/_4$  X 79





### **OPEN & BEADED**

### TRADITIONAL OAK & SMOOTH WHITE

Open & beaded fiberglass slabs feature sleek lines, providing the perception of a more enhanced viewing area. Smooth white or oak woodgrain slabs are consistent from door edge to glass, incorporating the glass directly into the door and creating a clean, uninterrupted look.

The slab is manufactured as an open and beaded mould with removable glass stops and an opening to accept a glass insert that can be interchanged in an event of glass failure or a change of home owner's taste. The flush glazing keeps the unit water and weather resistant for years to come.



INTEGRATED FLUSH GLAZED GLASS FRAME



TRADITIONAL PROFILE FRAME



WG12 OAK WOODGRAIN 29 ¾, 31 ¾, 33 ¾, 35 ¾ X 79, 95



SG12 SMOOTH WHITE 29 ¾, 31 ¾, 33 ¾, 35 ¾ X 79 ,95

<sup>\*</sup> Sidelite options available. Refer to p. 47

### **NEULITE FLUSH**

## GLAZED

The insulating effect of your doors has a direct impact on how your rooms feel. Our glazing options provide not only a beautiful entry, but also a reliable barrier against the heat and damaging rays of the hot sun. Each double pane Low-E glass option provides Argon gas filled insulation to prevent the transfer of heat, keeping heat in during the winter and out during the summer. Available glass options are designed to reflect ultraviolet light, not only keeping interiors cooler or warmer, but also protecting interior furnishings from fading. Warm edge spacers help to keep the panes at the correct distance apart while reducing heat flow and preventing condensation.

### **HYDROSHIELD PROTECTION**

Crafted with Hydroshield Technology, every Open & Beaded door contains the best combination of performance, durability, security and appearance.

Open & Beaded doors are precision engineered to provide protection against water infiltration. The specially engineered composite material will never absorb water, eliminating the problems commonly associated with wood and metal doors.



NEULITE SG10(79") & SG11(95") 29 <sup>3</sup>/<sub>4</sub>, 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35 <sup>3</sup>/<sub>4</sub> × 79, 83, 95







## SIMULATED DIVIDED LITES (SDL)

Simulated divided lites give you the classic look and feel of a true divided lite door. 100% composite SDL bars are fixed directly to the glass and can be ordered with or without grilles between the glass. 1-1/4" and 3-1/2" SDL bars are available for the 1" glaze option in smooth finishes to match the door's finish.



NEULITE SG10(79") & SG11(95") 1-1/4" SDL



NEULITE SG10(79") & SG11(95") 3-1/2" SDL



**1-1/4" SDL** NSG1A-SG



**3-1/2" SDL** NSG1B-SG





# OPEN & BEADED \ARROV LITE



WGNL OAK WOODGRAIN 31 ¾, 33 ¾, 35 ¾ X 79, 95



SGNL SMOOTH WHITE 31 3/4, 33 3/4, 35 3/4 X 79, 95

<sup>\*</sup> Sidelite options available. Refer to p. 47





### **NEW SHAKER MODELS**

4 LITE



SG4L SMOOTH WHITE 31 3/4, 33 3/4, 35 3/4 X 79



OPEN BEADING

 $<sup>^{\</sup>ast}$  4 snap-on one-piece frames are included with the product purchase.

<sup>\*</sup> Sidelite options available. Refer to p. 47

## 8FT 2 PANEL WITH MATCHING SIDELITE

### **BRUSH STROKE**

A new contemporary collection featuring a distinctive brush stroke grain that can be easily painted or stained. Built using the same superior performance components, each brush stroke collection door possesses the strength and durability that one can expect from all of our' fiberglass doors.



BW29 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35 <sup>3</sup>/<sub>4</sub> X 95



BS29 11 <sup>3</sup>/<sub>4</sub>, 13 <sup>3</sup>/<sub>4</sub> X 95



<sup>\*</sup> Product in BC comes in white colour.





### **CLASSIC COLLECTION**

## WOODGRAIN

### 6'8 OAK SERIES

The strength of fiberglass with the beauty and warmth of wood and the highest standard of performance. Stain or paint these fiberglass doors to achieve your individual look.



WG66 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 79



WG49 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 79



WG25 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 79



WG68 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 79



WGFO 35¾ X 79



WG00 29 <sup>3</sup>/<sub>4</sub>, 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub>, 41 <sup>3</sup>/<sub>4</sub> X 79



### 8'0 OAK SERIES



WG01 29 <sup>3</sup>/<sub>4</sub>, 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub>, 41<sup>3</sup>/<sub>4</sub> X 95



WG37 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 95



WG18 29 <sup>3</sup>/<sub>4</sub>, 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 95



WGNL 35 ¾, 41¾ X 95



WGF1 35 ¾, 41¾ X 95



#### **CLASSIC COLLECTION**

## SMOOTH WHITE

The Designer Arch smooth white fiberglass door combines pre-pigmented door skins with composite stiles and rails, leaving no exposed wood. The maintenance-free door can accept a wide array of paint colours and carries a 25 year limited manufacturer's warranty.



SG00 29 ¾, 31 ¾, 33 ¾, 35¾, 41 ¾ X 79



SG2F 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 79



SG25 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 79



SG46 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 79



SG49 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 79



SG68 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> × 79



# CLASSIC COLLECTION SMOOTH WHITE

## 8'0 SMOOTH WHITE



SG01 29 <sup>3</sup>/<sub>4</sub>, 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 95



SG18 29 <sup>3</sup>/<sub>4</sub>, 31 <sup>3</sup>/<sub>4</sub>, 33 <sup>3</sup>/<sub>4</sub>, 35<sup>3</sup>/<sub>4</sub> X 95

## COMPOSITE

#### **JAMBS & ACCESSORIES**

- Textured woodgrain or pre-pigmented smooth white frame components are a blend of PVC and wood fiber composite substrate.
- Solid composite provides twice the holding power of wood.
- Will not discolour, absorb moisture, splinter, or rot.
- Textured woodgrain composite components have a realistic rich appearance requiring paint or stain.
- Jamb can be painted or stained to your requirements.












**Exterior Entry Door Frame System** 

#### Jambs







#### **Extension/Moldings**



#### **Astragal/Mullions**



#### **Brickmold & Components**



#### **FIBERGLASS**

## DOOR SLABS

Specifically designed to withstand the harsh Canadian climate.



#### **Exceptional Security**

Our full length steel reinforced wood lock block offers exceptional security while allowing a range of hardware mounting options.

#### **Energy Efficiency**


Filled with an insulating core of 100% CFC-free polyurethane foam, providing an excellent R rating, while bonding the two door skins together.

#### Performance

Rigid structure prevents bowing and warping in extreme temperatures. The fiberglass skins are resistant to dents, dings, splintering, and corrosion.


#### **Completely Waterproof**

Our full length composite stiles and rails provide complete waterproofing for the door's insulation. These stiles will not splinter like wood or delaminate like steel.






#### **SMOOTH WHITE SLABS**



## WG00/ WG34/ WG68/ WG49/ WG25/ WG66/ WG6F/ WGF0 TEXTURED OAK WOODGRAIN SLABS



#### **SIDELITES** (MATCHING SLABS ARE LISTED)



## OPEN & BEADED



|               | Designe                        | er Smooth W    | /hite               | Designer Oak          |                      |                     |  |
|---------------|--------------------------------|----------------|---------------------|-----------------------|----------------------|---------------------|--|
| Γ             | Neulite<br>Smooth<br>SG10/SG11 | 4 Lite<br>SG4L | Narrow Lite<br>SGNL | One Lite<br>WG12/WG18 | <b>3/4 Lite</b> WG27 | Narrow Lite<br>WGNL |  |
| 41 3/4" x 79" | •                              | N/A            | •                   | N/A                   | N/A                  | •                   |  |
| 35 3/4" x 79" | •                              | •              | •                   | •                     | •                    | •                   |  |
| 33 3/4" x 79" | •                              | •              | •                   | •                     | •                    | •                   |  |
| 31 3/4" x 79" | •                              | •              | •                   | •                     | •                    | •                   |  |
| 41 3/4" x 95" | •                              | N/A            | •                   |                       | N/A                  |                     |  |
| 35 3/4" x 95" | •                              | N/A            | •                   |                       | N/A                  | •                   |  |
| 33 3/4" x 95" | •                              | N/A            | •                   | •                     | N/A                  | •                   |  |
| 31 3/4" x 95" | •                              | N/A            | •                   | •                     | N/A                  | •                   |  |

| Full Lite<br>Smooth White                     |          | Door size        |                                   | <b>3/0 (35 3/4" x 79")</b><br>SG1030, WG1230 |  | <b>2/10 (33 3/4" x 79")</b><br>SG10210, WG12210  |                                   |           |                       | <b>2/6 (29 3/4" x 79")</b><br>SG1026, WG1226 |
|---|----------|------------------|-----------------------------------|--|--|--|-----------------------------------|-----------|-----------------------|--|
| & Oak Textured                                |          | Standard spec    |                                   | 26" or 22" x 64"                             |  | 22" x 64"  |                                   | 22" x 64" |                       | 20" x 64"                                    |
| 4 Lite  | $\equiv$ | Door size        |                                   | <b>3/4" x 79"</b><br>4L30                    | <b>2/10 (33 3</b> , SG4L2  |  | <b>') 2/8 (31 3/4''</b><br>SG4L28 |           |                       |  |
| 4 Lite in Smooth<br>White only                | _        | Standard<br>spec | 22.95" x 4.8"                     |  | 22.95"   | x 4.8" 22.95" x 4.8"                             |                                   | 1.8"      | INSULATED GLASS       |  |
|   |          |                  |                                   |  |  |  |                                   |           |                       |  |
| 3/4 Lite<br>Oak Textured                      |          | Door size        | <b>3/0 (35 3/4" x 79")</b> WG2730 |  | <b>2/10 (33 3</b> )<br>WG27:   | <b>3/4" x 79") 2/8 (31 3/4" x</b><br>7210 WG2728 |                                   |           |                       |  |
|   |          | Standard<br>spec | 22"                               | x 48"  | 22" x  | 48"  | 22" x 48                          | 8"        | 30                    | 311  |
|   |          |                  |                                   |  |  |  |                                   |           | 1                     |  |
| Narrow Lite<br>Smooth White<br>& Oak Textured |          | Door size        |                                   |  | <b>3/0 (35 3/4" x 79") 2/10 (33 3/4" x 79") 2/8 (31 3/4" x 79")</b> SGNL30, WGNL30 SGNL210, WGNL210 SGNL28, WGNL28 |  |                                   |           |                       |  |
|   | I. I.    | Standard<br>spec | 7" or                             | 8" x 64"                                     | 7" or 8"   | x 64"  | 7" or 8" x                        | 64"       | Dual<br>Insulated Cla | Tripane                                      |
|   |          |                  |                                   |  |  |  |                                   |           | Insulated Gla         | ss Insulated Glass                           |

#### **INSULATED GLASS**




Tripane Insulated Glass Insulated Glass

#### **SIDELITES** (MATCHING SLABS ARE LISTED)


|               | Neulite<br>Smooth<br>SS10/SS | Standard<br>Glass<br>WS12 | <b>3/4 Lite</b> WS27 |
|---------------|------------------------------|---------------------------|----------------------|
| 13 3/4" x 79" | - ·                          | •                         | •                    |
| 13 3/4" x 95" | •                            | •                         | N/A                  |

## CRAFTSMAN COLLECTION





## TEAK COLLECTION



<sup>\* 7</sup>ft Products in BC are 83" height

### RUSTIC MAHOGANY




## BRUSH STROKE COLLECTION



<sup>\*</sup> For glass options (Low-E, Translucent & Mini-Blinds), please consult the program offering.



#### **SMOOTH WHITE SLABS**



#### **TEXTURED OAK WOODGRAIN SLABS**





#### LANGLEY

#### Richersons Distribution www.richersonsdoors.com 1.604.882.1080

F

1.604.882.1086

#### CALGARY

#### **West Four Distribution**

www.westfourdistribution.com T 1.833.512.0666 F 1.403.204.7665

#### SASKATOON

#### **West Four Distribution**

www.westfourdistribution.com T 1.833.512.0666 F 1.306.934.7644

#### WINNIPEG

#### **West Four Distribution**

www.westfourdistribution.com T 1.833.512.0666 F 1.204.594.0201

### TORONTO

#### **Richersons Distribution**

www.richersonsdoors.com T 1.905.731.5627 F 1.905.731.5626







