



Series 5000

Sliding Aluminum Glass Door

Product Description

The **Series 5000** Glass Door is a Heavy Commercial and Architectural Grade system. The **Series 5000** sliding glass door is designed for high-rise applications with an attractive, "Easy Glide" roller system, lower maintenance and longer life.

The **Series 5000** provides exceptional water performance and impact-resistance exceeding the toughest hurricane standards in the industry. The system is designed to accommodate various glass types and thicknesses depending on the desired performance of the system and project requirements

Product Features

- Water tested to 20 psf.
- Low Water sill
- Screw spline Construction
- 1-1/2" Stainless Steel Rollers
- Pre-glazed construction
- Insulated & monolithic glazing available
- Stainless steel assembly screws
- Custom Colors





SunDoor 5000

Sliding Aluminum Glass Door






Product Options


- Class 1 anodized finishes
- Duracron baked enamel
- Kynar 500 standard and custom colors
- Tinted and Low-E coating
- Glass Sizing options:
 - 9/16" Laminated
 - 1" Insulated
 - 1-5/16" Ins. Laminated
- Available muntin options
- Multiple panel configurations, OX, OXO, OXXO, OOXO




Performance Data

Air Infiltration @ 1.57 psf	0.03 scfm/ft ²
Water	20 psf
Design Loads	+115/-135 psf
Forced Entry	10






3 MOVING PANEL JAMB



4 INTERLOCK



5 FIXED PANEL JAMB