



Series 600T

Window Wall System

Product Description

The Sun Metals Series 600T is a thermally broken 6" pre-glazed window wall system that retains a heavy commercial and architectural grade rating. The 600T system offers designers and building owners a high performance, attractive solution for expansive walls of glass. The 600T comes from a family of products that allows easy integration of doors, vents and louvers for a seamless look. The system provides exceptional thermal, air and water performance to meet today's demanding requirements.

The Sun 600T family is truly where value, performance and aesthetics meet in architectural glazing.


Product Features:

- Exceptional thermal, air and water performance
- Oversized polyamide **Thermal Break** (Iso-Bar)
- Units are **Pre-Glazed** in quality controlled shop environment
- Accelerate the project schedule with **Unitized** installation
- **Inside-Glazed** for efficient install & eliminate swing stages
- Removable glass stop for easy and **Less Costly Glass Replacements**
- **On-Time** Production and Delivery
- Industry-leading **Engineering, Project Management** and **Customer Service**




Product Options:

- Thermally-broken **Head Receptor** available with **Metal or Glass Slab Edge Cover** options
- Standard vents or multi-lock insert **Zero Sightline** vents available
- Sun Metals integrated Architectural AW Class **Terrace Doors** with improved access sills and **Sliding Glass Doors** available
- **Standard** or **Custom Systems** available with integrated sunshades, fins, metals panels, louvers, face caps and other accessory items
- Available with insulating or insulating laminated glass



Series 600T

Window Wall System



| Performance Data | Fixed Thermal |
|-----------------------------|---------------------------|
| Air Infiltration @ 6.24 psf | 0.00 scfm/ft ² |
| Water | 15 psf |
| Design Loads | +/-75 psf |
| Forced Entry | 10 |
| U-Factor | .35-.55 btu |
| CRF | 70-75 |

