

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**BLOCKBERRY (FLOWER) // PRODUCED: NOV 13, 2021**

**CLIENT: PAUL'S BOUTIQUE // BATCH: PASS**



**MATRIX:** FLOWER  
**SAMPLE ID:** NAL-211108-017  
**COLLECTED ON:** NOV 08, 2021  
**RECEIVED ON:** NOV 08, 2021  
**BATCH/SAMPLE SIZE:** 4000 G / .5 G  
**SAMPLED BY:** SHAW DWIGHT  
**RECEIVED BY:** KAYLIN KEITH

## CANNABINOID OVERVIEW

<b>THCA:</b>	<b>24.1 %</b>
<b>CBGA:</b>	<b>0.554 %</b>
<b>TOTAL CANNABINOIDS:</b>	<b>25.2 %</b>

## CULTIVATOR INFO

**CULTIVATOR**  
CHARLES S. DWIGHT  
8 CRIMSON DRIVE  
WINDHAM, ME 04062  
  
**LICENSE**  
CGR25845  
MEDICINAL - CAREGIVER

## BATCH RESULT: PASS

**POTENCY** TESTED

## CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: NOV 12, 2021 // ANALYSIS: NOV 13, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.0453/0.227	N/A
CBCA	0.241 %	2.41 mg/g	2.41 mg/g	0.0453/0.227	N/A
CBD		ND	ND	0.0453/0.227	N/A
CBDA		ND	ND	0.0453/0.227	N/A
CBDV		ND	ND	0.0453/0.227	N/A
CBDVA		ND	ND	0.0453/0.227	N/A
CBG	< LOQ	< LOQ	< LOQ	0.0453/0.227	N/A
CBGA	0.554 %	5.54 mg/g	5.54 mg/g	0.0453/0.227	N/A
CBL	0.289 %	2.89 mg/g	2.89 mg/g	0.0453/0.227	N/A
CBLA		ND	ND	0.0453/0.227	N/A
CBN		ND	ND	0.0453/0.227	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.0453/0.227	N/A
Δ <sup>8</sup> -THC		ND	ND	0.0453/0.227	N/A
Δ <sup>9</sup> -THC		ND	ND	0.0453/0.227	N/A
Δ <sup>10</sup> -THC		ND	ND	0.0453/0.227	N/A
EXO-THC		ND	ND	0.0453/0.227	N/A
THCA		24.1 %	241 mg/g	0.0453/0.227	N/A
THCV		ND	ND	0.0453/0.227	N/A
THCVA	< LOQ	< LOQ	< LOQ	0.0453/0.227	N/A
TOTAL THC **		21.1 %	211 mg/g		N/A
TOTAL CBD **		ND	ND		N/A

\*\* TOTAL CBD = (CBDA X 0.877) + CBD  
\*\* TOTAL THC = (THCA X 0.877) + THC  
Reported on an as received basis  
1000 µg/g = 1 mg/g



**RESULTS CERTIFIED BY:**  
BARRY CHAFFIN  
COO, NOVA ANALYTIC LABS  
NOV 13, 2021

**RESULTS CERTIFIED BY:**  
GREG NEWLAND  
CSO, NOVA ANALYTIC LABS  
NOV 13, 2021

**RESULTS CERTIFIED BY:**  
CHRIS ALTOMARE  
CEO, NOVA ANALYTIC LABS  
NOV 13, 2021

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**