

Roman S. Savicky, DVM Diplomate, American College of Veterinary Surgeons – Small Animal



## Anal Sacculectomy: Owner Surgical Release/Consent Form

Owner:	Patient:	
	Email:	
Referring Hospital:		
Surgery Date:		
VETERINARY CLINIC TO ENSURE TH AVAILABLE. ALTERNATIVELY, YOU CAN	CEDURE YOUR PET IS HAVING, PLEASE CHE E CORRECT PROCEDURE IS LISTED AND DE N CONTACT OUR OFFICE AT (602) 321-1944 A IS SCHEDULED TO HAVE WITH US AT YOUR	TAILS ABOUT THE SURGERY ARE AND WE CAN PROVIDE YOU WITH THE
Sac Adenocarcinomas. <b>Complete staging of</b> determine general organ health <b>2)</b> Pre-surgion determine metastasis or spread of disease, the (x-rays) to determine metastasis or spread or ultrasound and thoracic radiographs. Malignation to the location of the anal glands, it is not nerves and vessels. Because of this, even we necessitating revision surgery and/or chemotration of the nerves the ner	in our pets. These tumors are typically malignant of your pet is recommended prior to surgery and cal needle aspirate or biopsy to confirm the diagnostypically to the medial iliac lymph nodes in the about tumors generally require a wide margin of except possible to get wide margins due to the close lower than the surgery, these tumors can still sprotherapy. Rarely, the tumor can be so invasive that control defecation. If abdominal lymph nodes and ded. I consent to the selected surgical procedure.	d includes: 1) Pre-surgical blood work to nosis 3) Abdominal ultrasound to domen 4) Three view thoracic radiographs ax and abdomen in lieu of the abdominal cision to completely remove, unfortunately, ocation of the anus, colon, and important ead and occasionally re-grow at complete excision is not possible are enlarged, abdominal explore with
My pet is having the following surgery on the □ LEFT anal sacculectomy □ RIGHT anal sacculectomy □ BILATERAL anal sacculectomy	above date: ☐ Abdominal Explore with Lymph Node Ren	noval
most up to date anesthetic agents and equip anesthesia is extremely low and we do not a to the anesthetic agents 2) Heart rhythm abn	nade to make anesthesia as safe as possible inclument, I understand that anesthesia has inherent nticipate any in your pet but on rare occasions the normalities 3) Reactions to the anesthetics, gas, a trokes or vascular events 5) Just like in humans,	risks. The incidence of complications from e following can occur: 1) Allergic reaction and other medications including drops in

I have been advised by my primary care veterinarian as to the nature of the procedure above including potential complications and risks thereof. I authorize ROMAN S. SAVICKY, DVM, DACVS-SA, a representative of PEAK Veterinary Surgical Solutions, LLC (hereinafter "PEAK"), to perform this procedure. Anesthesia planning, review of diagnostics, anesthesia administration, and anesthesi monitoring will be performed by your primary care veterinary hospital and staff. Anesthesia services are also provided by PEAK and your primary care veterinarian may elect this service. I understand that either the above hospital/clinic (with the assistance of PEAK personnel when needed) or PEAK, if elected by your primary care veterinarian, will be using appropriate sedatives and/or anesthetics and medications needed to perform this procedure. If your primary care veterinary hospital elects to be responsible for anesthesia, I understand that the above hospital/clinic will be responsible for providing and performing a preoperative/preanesthetic examination of my pet in addition to monitoring, premedication, induction, anesthesia, and recovery of my pet. I understand no guarantee or warranty can be made as to the outcome of the procedure.  I have read and understand the above statement, associated risks, party responsible for anesthesia and my pet's exam, and lack of guarantee/warranty. Furthermore, I authorize Dr. Roman Savicky and PEAK to perform the above procedure.	
Surgical Risks Include: Although every effort is made to prevent or minimize complications, any surgery near the rectum has a higher complication rate than other areas of the body. Besides the obvious issue of fecal contamination that can lead to infection, pets frequently lick or scoot after surgery which can irritate the incision or prematurely tear out any sutures or breakdown of the repair. Additionally, bowel movements can be affected due to post-operative discomfort and many times your veterinarian may prescribe store softeners for a short time until the surgical wound is healed. Previous surgery or infections can make removing the entire gland more difficult and increase the chance of draining tracts forming after surgery. Significant hemorrhage can also be encountered with anal gland removal. Removal of the abdominal lymph nodes can result is life-threatening hemorrhage. Nerve injury leading to incontinence which can be temporary or permanent (very rare) can be seen. Formation of a seroma or fluid pocket can develop due to dead space formation, sometimes requiring placement of a surgical drain at additional cost. Lastly, due to size and location, incomplete margins and recurrence/spread of disease can be seen. Performing bilateral anal sacculectomy can increase these risks.	ol :
Regional/Local Anesthetic: PEAK believes in providing cutting-edge and advanced medicine to our patients, this includes proper patcontrol. For certain cases and procedures that are more painful (fracture repair, patella luxation, TPLO/extracapsular repair, etc), PEA will provide regional/local anesthetics for additional pain control. The regional/local anesthetic will temporarily "numb" the nerves to the area that surgery is being performed on. This will dramatically decrease pain during and after surgery as well as decrease the need for higher doses of gas anesthesia making it safer for your pet. PEAK will perform this additional procedure using specialized instrumentation. Although extremely safe, potential risks are, but not limited to: 1) Nerve damage, temporary or permanent (very rare) 1) Hemorrhage 3) Drug reactions that can be fatal.	K e or
Education Release: To better community education and outreach, PEAK occasionally will feature patients on its social media pages (Facebook, Instagram, YouTube) and in publications (print or online). I grant PEAK and its associates the right to use, reuse, and publish for commercial or non-commercial purposes the image, video, pet name (owner name will not be used), or likeness of the above-named animal.  □ YES - I consent to using my pet on social media or website.  □ NO - I do not consent to using my pet on social media or website.	
A cancellation fee of \$600 will be charged if the procedure is cancelled or rescheduled within 48 hours (not to include Friday Saturday, or Sunday as PEAK is closed on these days) of the scheduled surgery date.  □ I have read and acknowledge the cancellation fee.	<b>/</b> ,

stops breathing) during hospitalization, we need to know your wishe outcome, CPR must be started immediately (before calling you). Wi	es regarding resuscitation so we can act appropriately. For the best
☐ I wish to have <u>CPR performed</u> on my pet (may include oxyge tube and assisted breathing, open heart massage) which could	en, fluids, chest compression, resuscitation drugs, breathing
□ I elect to have a <u>DNR order</u> for my pet. I DO NOT wish for any should my pet pass away unexpectedly.	y resuscitation measures or therapeutic interventions be made
I authorize and understand by verbal consent and written consent the	ne above information.
☐ I authorize and consent.	
Client Signature:	Date:

\*\*THIS FORM MUST BE COMPLETED, SIGNED, & EMAILED (info@pvssaz.com) NO LATER THAN 48HRS PRIOR TO SURGERY, OR SURGERY WILL NEED TO BE RESCHEDULED\*\*

\*\*If you do not have access to a PDF viewer, you can either 1) Print this form, FULLY complete/sign, scan, and email or 2) Use your programs "draw" feature to sign and then email\*\*