Chapter 5 Rational Exponents and Radical Functions

Section 5-2 Properties of Rational Exponents and Radicals

1

EXAMPLE 1 Using Properties of Exponents

Use the properties of rational exponents to simplify each expression.

b.
$$(6^{1/2} \cdot 4^{1/3})^2 =$$

c.
$$(4^5 \cdot 3^5)^{-1/5} =$$

d.
$$\frac{5}{5^{1/3}} = \frac{5^1}{5^{1/3}} =$$

e.
$$\left(\frac{42^{1/3}}{6^{1/3}}\right)^2 =$$

EXAMPLE 2 Using Properties of Radical

Use the properties of radicals to simplify each expression

a.
$$\sqrt[3]{12} \cdot \sqrt[3]{18} =$$

b.
$$\frac{\sqrt[4]{80}}{\sqrt[4]{5}} =$$

Write each expression in simplest form.

a.
$$\sqrt[3]{135}$$

b.
$$\frac{\sqrt[5]{7}}{\sqrt[5]{8}}$$

For a denominator that is a sum or difference involving square roots, multiply both the numerator and denominator by the conjugate of the denominator. The expressions

$$a\sqrt{b} + c\sqrt{d}$$
 and $a\sqrt{b} - c\sqrt{d}$

are conjugates of each other, where a, b, c, and d are rational numbers.

EXAMPLE 4 Writing a Radical Expression in Simplest Form

Write
$$\frac{1}{5 + \sqrt{3}}$$
 in simplest form.

Simplify each expression.

a.
$$\sqrt[4]{10} + 7\sqrt[4]{10}$$

b.
$$2(8^{1/5}) + 10(8^{1/5})$$

c.
$$\sqrt[3]{54} - \sqrt[3]{2}$$

The properties of rational exponents and radicals can also be applied to expressions involving variables. Because a variable can be positive, negative, or zero, sometimes absolute value is needed when simplifying a variable expression.

	Rule	Example
When n is odd	$\sqrt[n]{x^n} = x$	$\sqrt[7]{5^7} = 5$ and $\sqrt[7]{(-5)^7} = -5$
When n is even	$\sqrt[n]{x^n} = x $	$\sqrt[4]{3^4} = 3$ and $\sqrt[4]{(-3)^4} = 3$

Absolute value is not needed when all variables are assumed to be positive.

EXAMPLE 6 Simplifying Variable Expressions

Simplify each expression.

b.
$$\sqrt[4]{\frac{x^4}{v^8}}$$

Write each expression in simplest form. Assume all variables are positive.

a.
$$\sqrt[5]{4a^8b^{14}c^5}$$

$$\mathbf{b.} \frac{x}{\sqrt[3]{y^8}}$$

c.
$$\frac{14xy^{1/3}}{2x^{3/4}z^{-6}}$$

EXAMPLE 8 Adding and Subtracting Variable Expressions

Perform each indicated operation. Assume all variables are positive.

a.
$$5\sqrt{y} + 6\sqrt{y}$$

b.
$$12\sqrt[3]{2z^5} - z\sqrt[3]{54z^2}$$