

Chapter 8
Sequences and Series

Section 8-3
Analyzing Geometric Sequences and Series

Identifying Geometric Sequences

In a **geometric sequence**, the ratio of any term to the previous term is constant. This constant ratio is called the **common ratio** and is denoted by r .

EXAMPLE 1 Identifying Geometric Sequences

Tell whether each sequence is geometric.

- a. 6, 12, 20, 30, 42, . . .
- b. 256, 64, 16, 4, 1, . . .

Writing Rules for Geometric Sequences

Core Concept

Rule for a Geometric Sequence

Algebra The n th term of a geometric sequence with first term a_1 and common ratio r is given by:

$$a_n = a_1 r^{n-1}$$

Example The n th term of a geometric sequence with a first term of 2 and a common ratio of 3 is given by:

$$a_n = 2(3)^{n-1}$$

EXAMPLE 2**Writing a Rule for the n th Term**

Write a rule for the n th term of each sequence. Then find a_8 .

a. 5, 15, 45, 135, . . .


b. 88, -44, 22, -11, . . .

EXAMPLE 3**Writing a Rule Given a Term and Common Ratio**

One term of a geometric sequence is $a_4 = 12$. The common ratio is $r = 2$. Write a rule for the n th term. Then graph the first six terms of the sequence.

Use the rule to create a table of values for the sequence. Then plot the points.

n	1	2	3	4	5	6
a_n	1.5	3	6	12	24	48



**EXAMPLE 4****Writing a Rule Given Two Terms**

Two terms of a geometric sequence are $a_2 = 12$ and $a_5 = -768$. Write a rule for the n th term.

Check

Use the rule to verify that the 2nd term is 12 and the 5th term is -768 .

$$\begin{aligned} a_2 &= -3(-4)^{2-1} \\ &= -3(-4) = 12 \quad \checkmark \end{aligned}$$

$$\begin{aligned} a_5 &= -3(-4)^{5-1} \\ &= -3(256) = -768 \quad \checkmark \end{aligned}$$

Write a rule for the n th term of the sequence. Then graph the first six terms of the sequence.

 5. $a_6 = -96, r = -2$

 6. $a_2 = 12, a_4 = 3$

Finding Sums of Finite Geometric Series

The expression formed by adding the terms of a geometric sequence is called a **geometric series**. The sum of the first n terms of a geometric series is denoted by S_n .

Core Concept

The Sum of a Finite Geometric Series

The sum of the first n terms of a geometric series with common ratio $r \neq 1$ is

$$S_n = a_1 \left(\frac{1 - r^n}{1 - r} \right).$$



EXAMPLE 5

Finding the Sum of a Geometric Series

Find the sum $\sum_{k=1}^{10} 4(3)^{k-1}$.

Check

Use a graphing calculator to check the sum.

```
sum(seq(4*3^(X-1),X,1,10))
118096
```

**EXAMPLE 6****Solving a Real-Life Problem**

You can calculate the monthly payment M (in dollars) for a loan using the formula

$$M = \frac{L}{\sum_{k=1}^t \left(\frac{1}{1+i} \right)^k}$$

where L is the loan amount (in dollars), i is the monthly interest rate (in decimal form), and t is the term (in months). Calculate the monthly payment on a 5-year loan for \$20,000 with an annual interest rate of 6%.

USING TECHNOLOGY

Storing the value of $\frac{1}{1.005}$ helps minimize mistakes and also assures an accurate answer. Rounding this value to 0.995 results in a monthly payment of \$386.94.

SOLUTION

Step 1 Substitute for L , i , and t . The loan amount is $L = 20,000$, the monthly interest rate is $i = \frac{0.06}{12} = 0.005$, and the term is $t = 5(12) = 60$.

Step 2 Notice that the denominator is a geometric series with first term $\frac{1}{1.005}$ and common ratio $\frac{1}{1.005}$. Use a calculator to find the monthly payment.

$$M = \frac{20,000}{\sum_{k=1}^{60} \left(\frac{1}{1 + 0.005} \right)^k}$$

```
1 / 1.005 → R
.9950248756
R ((1 - R^60) / (1 - R))
)
51.72556075
20000 / Ans
386.6560306
```

▶ So, the monthly payment is \$386.66.