## **Events and Gatherings: Readiness and Planning Tool**

For accessible version, please visit:

https://www.cdc.gov/coronavirus/2019-ncov/community/large-events/considerations-for-events-gatherings.html

### CDC Readiness and Planning Tool to Prevent the Spread of COVID-19 at Events and Gatherings

As some communities in the United States begin to plan and hold events and gatherings, CDC offers the following readiness and planning tool to share ways event planners and administrators can help protect staff, volunteers, and attendees and slow the spread of COVID-19. This tool aligns with the <u>Considerations for Events and Gatherings</u> and includes the following:

- · General Readiness Assessment
- · Preparing for If Someone Gets Sick
- · Daily/Weekly Readiness Assessment
- · End-of-Day Actions and Resources

Event planners and administrators may review and complete the general readiness assessment while working with state and local officials as part of making initial preparations before the event to promote healthy behaviors, environments, and operations that reduce the spread of COVID-19. The daily/weekly readiness assessment may be used to monitor and maintain recommended practices. Planning tools are also included to help event planners and administrators prepare for if someone gets sick, plan after-event actions, and address the specific needs and circumstances of the local community. Implementation should be guided by what is feasible, practical, acceptable, and tailored to the needs and context of each community.

### **Guiding Principles to Keep in Mind**

A gathering refers to a planned or spontaneous event, indoors or outdoors, with a small number of people participating, or a large number of people in attendance. Examples of gatherings, small or large, include a community event, concert, festival, conference, parade, wedding, or sporting event.

- The more people an individual interacts with at a gathering and the longer that interaction lasts, the higher the individual's potential risk of becoming infected with COVID-19 and then spreading COVID-19 to others.
- The <u>higher the level of community transmission</u> in the area where the gathering is held, the higher the risk of COVID-19 spreading at the gathering.
- The size (attendance) of an event or gathering should be determined based on state, local, territorial, or tribal safety laws and regulations.

#### The risk of COVID-19 spreading at events and gatherings increases as follows:

- Lowest risk: Virtual-only activities, events, and gatherings.
- **More risk:** Smaller outdoor gatherings in which individuals from different households remain spaced at least 6 feet apart, wear cloth face coverings, do not share objects, and come from the same local area (e.g., a community, town, city, or county).
- **Higher risk:** Medium-sized in-person gatherings that are organized/laid out to allow individuals to remain spaced at least 6 feet apart, some wear cloth face coverings and come from outside the local area (e.g., a community, town, city, or county).
- **Highest risk:** Large in-person gatherings where it is difficult for individuals to remain spaced at least 6 feet apart, do not wear cloth face coverings and travel from outside the local area.



cdc.gov/coronavirus

#### **Events and Gatherings: General Readiness Assessment**

Use the following tool when making initial preparation before the event to promote healthy behaviors, environments, and operations that reduce the spread of COVID-19.

#### Policies and Procedures

#### Point Person(s): Point Person(s):

#### **Education and Training**

Review relevant local/state regulatory agency policies and orders, such as those related to events, gatherings, and travel.

Consult local health officials about recommended COVID-19 testing policies for events and gatherings.

Consult with the venue operators about their COVID-19 policies prior to the event.

Develop a plan to conduct daily health checks (e.g., temperature screening and/or symptom checking) of staff and attendees.

Develop a plan to allow for social distancing before, during, and after the event (e.g., limiting attendance and modifying layouts before the event, providing physical barriers during the event and staggering exit times after the event).

Consider limiting event attendance to staff and attendees who live in the local area (e.g., community, city, town, or county) to reduce risk of spreading the virus from areas with higher levels of COVID-19. If attendance is open to staff and guests from other communities, inform attendees in advance so they can make an informed decision whether they will participate.

Develop online attendance options in addition to in-person attendance to help reduce the number of attendees at the event.

Develop a flexible refund policy.

Designate a staff person responsible for responding to all COVID-19 related situations and concerns. Make sure other staff and attendees know how to contact this person.

Obtain supplies including:

soap

water for hand hygiene

hand sanitizer (at least 60% alcohol)

**Facilities and Supplies** 

paper towels

tissues

cleaning supplies

EPA approved disinfection supplies

cloth face coverings

no-touch/foot pedal trash cans

no-touch soap/hand sanitizer dispensers

gloves

disposable food service items

Develop a schedule for increased routine cleaning and disinfection.

Close shared spaces (e.g., a lounge); otherwise develop a plan for staggered use of these spaces and cleaning and disinfecting.

Develop a plan for the safe and correct use and storage of cleaners and disinfectants, including storing products away from children.

Point Person(s):

Create a plan for educating staff and attendees to ensure they know that they should not come to the event if they become sick with COVID-19 symptoms, test positive for COVID-19, or have been exposed to someone with symptoms or someone suspected or confirmed to have COVID-19. Make sure they know that if they get sick at the event, they should notify event administrators (e.g., the designated COVID-19 point of contact) right away.

Develop protocols to educate staff on flexible work and leave policies that encourage sick staff members to stay at home without fear of job loss or other consequences.

Create a plan for educating staff and attendees about who should wear cloth face coverings, and communicate the importance of wearing them to both staff and attendees. Cloth face coverings should **not** be placed on.

- children younger than 2 years old
- anyone who has trouble breathing or is unconscious
- anyone who is incapacitated or otherwise unable to remove the cover without help

Create information on proper use, removal, and washing of cloth face coverings and distribute to staff members.

Create and implement training to be delivered to staff on all COVID-19 safety protocols:

• Conduct training virtually or maintain social distancing during training

Other:			

## Events and Gatherings: **General Readiness Assessment** (continued from previous page)

#### **Policies and Procedures**

Develop policies that encourage sick staff members to stay at home without fear of job loss or other consequences. Protect their privacy, particularly for those with underlying medical conditions and at higher risk for severe illness).

Develop options for staff at <u>higher risk for</u> <u>severe illness</u> (e.g., telework or virtual learning opportunities).

Develop flexible sick leave policies and practices.

Develop options for flexible worksites (e.g., telework) and flexible work hours (e.g., staggered shifts).

Develop a plan to monitor absenteeism of staff, cross-train staff, and create a roster of trained back-up staff.

Develop a transportation and parking plan to limit contact between attendees (e.g., staggered arrival and ride share drop-off times or locations).

Develop a plan for if someone gets sick or shows symptoms of COVID-19 while at the event or venue. (See *Preparing for If Someone Gets Sick*).

Develop a plan to safely serve food, beverages, and merchandise, if applicable. Refer to CDC's COVID-19 considerations for <u>restaurants and bars</u> for guidance.

#### **Facilities and Supplies**

Make sure ventilation systems operate properly. If using fans, make sure they do not blow from one person onto another, and increase circulation of outdoor air as much as possible (e.g., opening windows and doors).

Make sure <u>water systems</u> and features are safe to use after a prolonged facility shutdown.

Develop a plan to use touchless payment options .

Develop a plan to use multiple entrances and exits to discourage crowding in waiting areas.

Develop a plan to change seating layout or availability of seating, or block off rows or sections so that attendees can stay at least 6 feet apart.

Create and install physical barriers, such as sneeze guards and partitions, in areas where it is difficult for individuals to remain at least 6 feet apart.

Create physical guides, such as tape on floors and signs on walls, to promote social distancing.

Develop a plan to eliminate lines or queues if possible or encourage people to stay at least 6 feet apart by providing signs or other visual cues such as tape or chalk marks in congregation areas such as entrances, exits, and restrooms if a 6-foot distance between attendees is hard to ensure.

Develop a plan to reconfigure parking lots, limit congregation points and ensure proper separation (e.g., closing every other space).

Purchase adequate supplies to minimize sharing of materials, or limit use to one per family or group of individuals at a time, and clean and disinfect between use.

Ensure organizations that share the venue facilities such as food vendors are aware of and follow all safety protocols.

### **Events and Gatherings: General Readiness Assessment**

Use the following tool when making initial preparations before the event to promote healthy behaviors, environments, and operations that reduce the spread of COVID-19.

	Communication and Messaging
t I	Person(s):
be	evelop a plan to create and disseminate clear messages (e.g., <u>videos</u> ) about ehaviors that prevent spread of COVID-19 to staff and attendees before ne event:
	websites
	email
	social media accounts
	other
m	reate and post signs in highly visible locations that promote everyday protective leasures such as wearing cloth face coverings and that describe how to stop the bread of germs in:
	entrances
	dining areas
	restrooms
	other
	evelop a plan to communicate with partner organizations such as vendors to a sure that they are aware of all of your COVID-19 safety protocols.
pr	evelop <u>signs and communication</u> (e.g., <u>videos</u> ) in alternative formats (e.g., large rint posters, braille, American Sign Language) for people who have limited vision, are blind, or people who are deaf or hard of hearing.
1- T'	onsider posting signs for the National Disaster Distress Hotline: call or text 800-985-5990; The National Domestic Violence Hotline: 1-800-799-7233, TY 1-800-787-3224; and The National Suicide Prevention Lifeline: 800-273-TALK (8255).
	evelop regular announcements on reducing the spread of COVID-19 to be roadcast on public address systems.
	reate a plan for communicating with staff and attendees about whom to contact they have questions and concerns related to COVID-19.

### Action Planning—Notes and Next Steps

Point Person(s):

Use this space to note any required resources and next steps, or potential barriers and opportunities:

### Events and Gatherings: Preparing for if Someone Gets Sick

Use the following tool when making initial preparations before the event for if someone gets sick with COVID-19.

### Before Someone Gets Sick Point Person(s): Create a plan to educate staff and attendees to ensure they know that they should not come to the event If they become sick with COVID-19 symptoms, test positive for COVID-19, or have been exposed to someone with symptoms or someone with suspected or confirmed COVID-19. Make sure they know that if they get sick at the event, they should notify event planners (e.g., the designated COVID-19 point of contact) right away. Develop systems to: Allow staff and attendees to self-report to administrators if they have symptoms of COVID-19, a positive test for COVID-19, or were exposed to someone with COVID-19 within the last 14 days. Notify individuals of closures and restrictions put in place to limit COVID-19 exposure. Develop staff policies for returning to the venue after COVID-19 illness. CDC's criteria to discontinue home isolation and quarantine can inform these policies. Identify and create an isolation room or area to separate anyone who has COVID-19 symptoms or who has tested positive but does not have symptoms. Develop procedures for safely transporting anyone who is sick to their home or to a healthcare facility. Develop a plan to support staff and attendees experiencing trauma or challenges related to COVID-19.

#### When Someone Gets Sick

### Point Person(s): \_\_\_

Immediately separate individual(s) with COVID-19 symptoms from others.

Safely transport sick individuals home or to a healthcare facility, depending on how severe their symptoms are.

If calling an ambulance or bringing someone to the hospital, try to call first to alert them that the person may have COVID-19.

Close off areas used by a sick person and do not use these areas until after cleaning and disinfecting them (for outdoor areas, this includes surfaces or shared objects in the area, if applicable).

Advise sick individuals that they should not return to the venue until they have met CDC's criteria to discontinue home isolation.

#### After Someone Gets Sick

### Point Person(s):

In accordance with state and local laws and regulations, notify local health officials, staff, and families of a person with COVID-19 while maintaining the individual's confidentiality in accordance with the Americans with Disabilities Act (ADA).

Notify individuals of closures and restrictions put in place due to COVID-19 exposure.

Advise those who have had close contact with a person diagnosed with COVID-19 to stay home, self-monitor for symptoms, and follow CDC guidance if symptoms develop.

Close off the area and wait at least 24 hours before cleaning and disinfecting. If 24 hours is not feasible, wait as long as possible. Make sure of safe and correct use and storage of cleaning and disinfection products, including storing them securely away from children.

Other:	

#### **Notes and Next Steps:**

#### Events and Gatherings: Daily/Weekly Readiness Assessment

Use the following tool the day of and during the event to monitor and maintain healthy behaviors, environments, and operations that reduce the spread of COVID-19.

#### **Education and Training** Policies and Procedures **Facilities and Supplies** Point Person(s): Point Person(s): \_\_\_\_\_ Point Person(s): Maintain regular contact with local health Monitor and restock supplies including: Ensure that staff and attendees have authorities to ensure adherence to their most upreceived communication that they should soap not come to the event if they become sick to-date guidance. with COVID-19 symptoms, test positive for water for hand hygiene Ensure an on-duty staff person is assigned to be COVID-19, or have been exposed to someone responsible for responding to COVID-19 concerns. with symptoms or someone with suspected hand sanitizer (at least 60% alcohol) or confirmed COVID-19. Make sure they Monitor absenteeism of staff. paper towels know that if they get sick at an event, they should notify event administrators (e.g., the Ensure the roster of trained back-up staff is tissues designated COVID-19 point of contact). updated in case a staff member is sick. cleaning supplies Ensure that staff have reviewed the policies Conduct daily health checks (e.g., temperature on flexible work and leave that encourage sick screening and/or symptom checking) of staff and EPA-approved disinfection supplies staff members to stay at home without fear of attendees, if feasible. cloth face coverings job loss or other consequences. Ensure staff are using flexible worksites (e.g., no-touch/foot pedal trash cans telework) and flexible work hours (e.g., staggered Reinforce and monitor handwashing with soap and water for at least 20 seconds or using shifts) when needed. no-touch soap/hand sanitizer dispensers hand sanitizer containing at least 60% alcohol Ensure staff and attendees have received if soap and water are not readily available. disposable food service items communication about all safety protocols and COVID-19 related policies. Encourage staff to cover their mouth and nose gloves with a tissue when coughing and sneezing and Ensure that attendees have received other: then wash hands with soap and water for at communication about refund policies if they get least 20 seconds. sick and cannot attend the event. Monitor adherence to the schedule for increased. routine cleaning and disinfection of: Ensure that communication about the proper Ensure that all protocols developed, to limit use of cloth face coverings is easily seen contact between staff and attendees and ensure frequently touched surfaces or heard by staff and attendees. Cloth face that attendees can maintain 6 feet of distance, are coverings should **not** be placed on. communal spaces implemented. • children younger than 2 years old shared objects Ensure limited opportunities for both staff and • anyone who has trouble breathing or attendees to share objects. other: is unconscious. Ensure the broadcasting of regular announcements Monitor availability and use of gloves when removing on reducing the spread of COVID-19 on public anyone who is incapacitated or otherwise garbage bags or handling and disposing of trash. address systems throughout the event. unable to remove the cover without help

# Events and Gatherings: **Daily/Weekly Readiness Assessment** (continued from previous page)

Policies and Procedures	Facilities and Supplies
Review the most recent local/state regulatory agency policies for updates.  Other:	Monitor <u>safe and correct use</u> and storage of <u>cleaners</u> and <u>disinfectants</u> , including storing products securely away from children.
Other.	Ensure adequate ventilation when cleaners and disinfectants are used to prevent staff and attendees from inhaling toxic fumes.
	Monitor ventilation systems to determine if they are operating properly.
	Ensure that touchless payment options are operational.
	Ensure all physical barriers, such as sneeze guards and partitions, in areas where it is difficult for individuals to remain at least 6 feet apart are installed correctly.
	Ensure that all physical guides, such as tape on floors and signs on walls, to promote social distancing are easily seen.
	Ensure that all changes to the venue such as seating layout, entrances and exits are well marked and easy to understand.
	Ensure the staggered use and cleaning and disinfecting between uses of shared spaces.
	Ensure the circulation of outdoor air as much as possible throughout the event (e.g., opening windows and doors).
	Ensure that adequate supplies are available to minimize sharing of high-touch materials and monitor cleaning and disinfecting between use.
	Other:

### **Education and Training**

Ensure that information on <u>proper use</u>, <u>removal</u>, <u>and washing of cloth face coverings</u> is available.

Ensure that all staff present have been trained on relevant COVID-19 safety protocols.

Other:			
Other.			

### Events and Gatherings: Daily/Weekly Readiness Assessment

Use the following tool the day of and during the event to monitor and maintain healthy behaviors, environments, and operations that reduce the spread of COVID-19.

Make sure all staff and attendees have been

contact them.

the event.

informed which staff person is responsible for

responding to COVID-19 concerns and how to

Encourage staff to take breaks from watching, reading, or listening to news stories about

COVID-19, including social media if they are

Promote healthy eating, exercising, getting

to help them cope with stress.

sleep, and finding time to unwind among staff

Encourage staff to talk with people they trust

about their concerns and how they are feeling.

Other: \_\_\_\_\_

feeling overwhelmed or distressed throughout

## **Communication and Messaging** Point Person(s): Ensure that signs are placed in highly visible locations that promote everyday protective measures such as wearing cloth face coverings and that describe how to stop the spread of germs at: entrances dining areas restrooms other Continue to provide or update clear messages (e.g., videos) about behaviors that prevent spread of COVID-19 when communicating with staff and families on: websites email social media accounts Ensure that partner organizations such as vendors have received communication about all COVID-19 safety protocols.

Ensure signs and communication (e.g., videos) in alternative formats (e.g., large print posters, braille, American Sign Language) for people who have limited vision or are blind or people who are deaf or hard of hearing are

readily available.

Point Person(s):

Use this space to note any required resources and next steps, or potential barriers and opportunities:

Action Planning—Notes and Next Steps

### Events and Gatherings: End-of-Day Actions and Other Resources

Use the following resources to conduct end-of-day actions and address any additional considerations specific to your program or community context.

End-of-Day Actions	Other Considerations	Other Resources
Point Person(s):	Point Person(s):	Point Person(s):
Meet with the emergency operations coordinator and/or planning team(s) to discuss and note lessons learned.	Use this space to note any other considerations unique to your program or community context.	<ul> <li>Latest COVID-19 Information</li> <li>Cleaning and Disinfection</li> <li>Guidance for Businesses and Employers</li> </ul>
Determine ways to improve planning and implementation processes if the event will happen again.		<ul> <li><u>Guidance for Schools and Childcare Centers</u></li> <li><u>Guidance for Park Administrators</u></li> </ul>
Inform staff and attendees of any changes made.  Update your plans regularly according to the state		<ul><li>Shared and Congregate Housing</li><li>COVID-19 Prevention</li><li>Handwashing Information</li></ul>
and local situation and orders. Other:		<ul> <li>Face Coverings</li> <li>Social Distancing</li> </ul>
		<ul> <li>COVID-19 Frequently Asked Questions</li> <li>People at Higher Risk</li> <li>People with Disabilities</li> </ul>
		<ul> <li>Coping with Stress</li> <li>HIPAA and COVID-19</li> </ul>

• CDC communication resources

• <u>Community Mitigation</u>