

PT. (persero) Pelindo Indonesia II Cabang Banten *public wharf*

(Wharf C-001)

Used by company (commonly):

PT. Aneka Kimia Raya
 PT. Taruna Bina Sarana
 PT. Aspal Bangun Sarana
 PT. Multi Trading Pratama (import cargo)
 PT. Aditya Wahana Nusa (domestic cargo)
 PT. Bitumen Jaya Utama

Geographical/Anchorage Position

Position : 06 - 00 - 00 S, 105 - 56 - 07 E
 Anchorage Position : 06 - 00 - 00 S, 105 - 57 - 00 E
 Pilot Station Position : 06 - 00 - 00 S, 105 - 57 - 00 E

Berthing/Unberthing

Berthing time : Any time
 Unberthing : Any time
 Pilot & Tug : Compulsory
 Parallel berthing Speed : 0.12 m/sec with angle 0-6 degrees

Vessel's Size

Max. DWT : 25,000 MT
 Max. Draft : 9.5 MTR
 Max. LOA : 165 MTR

Jetty Condition

Length of Jetty : 112 x 18 M²
 Ship-Shore Line Connection : - Flexible Hose : - 6" ASA 150 (AKR cargoes & Asphalt)
 Distance to Shore : 380 MTR (AKR tank), 400 MTR (Asphalt)

Chemical Liquid/Gas Product Handling

Loading Cargo : GENERAL CARGO
 Discharging Cargo : AKR = MEOH, HSD, SULPHURIC ACID,
 TBS = HSD, MEOH, LAWS etc
 ABS = ASPHALT
 MTP = ASPHALT
 AWN = ASPHALT
 BJU = ASPHALT
 GENERAL CARGO
 Max. disch rate : - Liquid : 180 MT/hrs (Asphalt), 150 MT/hrs (AKR cargoes)

Fresh Water Supply & Facility

Facility : From Pelindo II directly
 Price : USD.10 / MT + administration fee USD. 25
 Loading Rate : 15 MT/hrs

(Wharf C-002)

Especially for Barge

Geographical/Anchorage Position

Position : 06 - 00 - 00 S, 105 - 56 - 07 E
Anchorage Position : 06 - 00 - 00 S, 105 - 57 - 00 E
Pilot Station Position : 06 - 00 - 00 S, 105 - 57 - 00 E

Berthing/Unberthing

Berthing time : Day time
Unberthing : Day time
Pilot & Tug : Compulsory

Jetty Condition

Length of Jetty : 38 x 15.5 M²
Depth of Jetty : 7 MTR

Cargo Handling

Discharging Cargo : GENERAL CARGO (usually COAL)
Max. disch rate : 2.000 MT/day

(Wharf C-003)

Especially for Barge

Geographical/Anchorage Position

Position : 06 - 00 - 00 S, 105 - 56 - 07 E
Anchorage Position : 06 - 00 - 00 S, 105 - 57 - 00 E
Pilot Station Position : 06 - 00 - 00 S, 105 - 57 - 00 E

Berthing/Unberthing

Berthing time : Day time
Unberthing : Day time
Pilot & Tug : Compulsory

Jetty Condition

Length of Jetty : 38 x 19 M²
Depth of Jetty : 7 MTR

Cargo Handling

Discharging Cargo : GENERAL CARGO (usually COAL)
Max. disch rate : 2.000 MT/day

(Wharf C-004)

Used by company (commonly):

PT. Aneka Kimia Raya
PT. Taruna Bina Sarana
PT. Aspal Bangun Sarana
PT. Indorama Petrochemicals

Geographical/Anchorage Position

Position : 06 - 00 - 00 S, 105 - 56 - 07 E
Anchorage Position : 06 - 00 - 00 S, 105 - 57 - 00 E
Pilot Station Position : 06 - 00 - 00 S, 105 - 57 - 00 E

Berthing/Unberthing

Berthing time : Any time
Unberthing : Any time
Pilot & Tug : Compulsory
Parallel berthing Speed : 0.12 m/sec with angle 0-6 degrees

Vessel's Size

Max. DWT : 20,000 MT
Max. Draft : 9.0 MTR
Max. LOA : 160 MTR

Jetty Condition

Length of Jetty : 26 x 10 M²
Distance Inner Fender : 40 MTR
Ship-Shore Line Connection : - Loading Arm : - 8" ANSI 150 (Indorama)
- Flexible Hose : - 6" ASA 150 (AKR cargoes & Asphalt)
Distance to Shore : 380 MTR (AKR tank), 400 MTR (Asphalt), 950 MTR (Indorama tank)

Chemical Liquid/Gas Product Handling

Loading Cargo : TBS = PALM OIL, HSD
Discharging Cargo : AKR = MEOH, HSD, SULPHURIC ACID,
ABS = ASPHALT
IP = PARAXYLENE, ACETIC ACID, HSD
TBS = SBPX, MEOH, HSD, SULPHURIC ACID
Max. disch rate : - Liquid : 180 MT/hrs (Asphalt), 150 MT/hrs (AKR cargoes)
150 MT/hrs (Acetic Acid), 350 MT/hrs (Paraxylene)

Fresh Water Supply & Facility

Facility : From Pelindo II directly
Price : USD 10 /MT + administration fee USD. 25
Loading Rate : 15 MT/hr

(Wharf C-005 MULTIPURPOSE)

Geographical/Anchorage Position

Position : 06 - 00 - 00 S, 105 - 56 - 07 E
Anchorage Position : 06 - 00 - 00 S, 105 - 57 - 00 E
Pilot Station Position : 06 - 00 - 00 S, 105 - 57 - 00 E

Berthing/Unberthing

Berthing time : Day time
Unberthing : Day time
Pilot & Tug : Compulsory
Parallel berthing Speed : 0.12 m/sec with angle 0-6 degrees

Vessel's Size

Max. DWT : 50,000 MT
Max. Draft : 12.0 MTR
Max. LOA : 403 MTR

Jetty Condition

Length of Jetty : 202.5 x 32 M²
Discharging equipment : 2 GANTRY CRANE

Cargo Product Handling

Loading Cargo : GENERAL CARGO
Discharging Cargo : GENERAL CARGO

Fresh Water Supply & Facility

Facility : From Pelindo II directly
Price : USD 10 / MT + administration fee USD. 25
Loading Rate : 15 MT/hrs

