STYLISH WALL PANELS





Industry's First Eco-Label Certified



Special Features









FEATURES













Joint & Cover Strips










Installation Guide





① Drywall surface② Plywood or gypsum board③ PEBBLE Wall Panels












bearing walls
10 Load-Bearing Wall
12 PEBBLE Wall Panels





Temporary fixing with a trim after installation After attaching the wall panel, use the black trim included in the box to temporarily secure the top and bottom until the adhesive sets. This helps keep the panel in place.



Before Installation
PEBBLE Wall Panels in an indoor environment with a temperature of 21~26°C and humidity of 40~60% for at least 24 hours before installation. This allows the panels to adjust properly and helps prevent warping or deformation.





P98-2373

900mm (W) x 2900mm (L) x 8mm (T)


L078-2373

125mm (W) x 2900mm (L) x 8mm (T)

Joint & Cover Strips



02 | 03





900mm (W) x 2900mm (L) x 8mm (T)

L078-2372

125mm (W) x 2900mm (L) x 8mm (T)

Joint & Cover Strips



04 I 05





900mm (W) x 2900mm (L) x 8mm (T)

_078-2347

125mm (W) x 2900mm (L) x 8mm (T)

Joint & Cover Strips



P13-2347 (Finish) 20 x 8mm x 2900mm(L)



P15-2347 (Finish) 15 x 10mm x 2900mm(L)

P14-2347 (Start) 20 x 8mm x 2900mm(L)



(Start) 25 x 12mm x 2900mm(L)

P16-2347 (Corner) 15 x 15mm x 2900mm(L) P18-2347

(Corner) 20 x 20mm x 2900mm(L)




P98-2371

900mm (W) x 2900mm (L) x 8mm (T)

Louver

L078-2371

125mm (W) x 2900mm (L) x 8mm (T)










900mm (W) x 2900mm (L) x 8mm (T)

_078-2370

125mm (W) x 2900mm (L) x 8mm (T)

Joint & Cover Strips



10 I 11







900mm (W) x 2900mm (L) x 8mm (T)

L078-2369

125mm (W) x 2900mm (L) x 8mm (T)








900mm (W) x 2900mm (L) x 8mm (T)

L078-2353

125mm (W) x 2900mm (L) x 8mm (T)






P98-2350

900mm (W) x 2900mm (L) x 8mm (T)


L078-2350

125mm (W) x 2900mm (L) x 8mm (T)

Joint & Cover Strips



16 I 17





P98-2351

900mm (W) x 2900mm (L) x 8mm (T)

L078-2351

125mm (W) x 2900mm (L) x 8mm (T)






P98-2348

900mm (W) x 2900mm (L) x 8mm (T)

L078-2348

125mm (W) x 2900mm (L) x 8mm (T)





www.pebbledecor.com

DISCLAIMER

Colors have unique equalities. Actual sample may vary from printed or digital representation actual sample should be viewed before making purchase or selection

REG @2023 (PEBBLE) REFLECTION® – All rights reserved. Pebble expressly disclaims any representation or warranties of any kind, whether express or implied, regarding the accuracy, currency, completeness, and/or the merchantability or fitness for a particular purpose of any information contained in or provided via this documentation and/or any service or product described or promoted in this document. It is the customer's responsibility to thoroughly examine the product by a qualified person to determine whether it is suitable for the application for which it was purchased. Pebble PS Wall Panel is for indoor use only and should not be exposed to direct sunlight in any form. PEBBLE / REFLECTIONS is a registered trademark. Images and colors should be used as a guide only. Pebble warrants that its products are free from manufacturing defects and are suitable for use under normal conditions. The product must be inspected prior to installation. In case of any claims, the liability of the company is limited to the cost of the product only. Use a suitable adhesive for pasting these panels. The information provided on this sheet represents typical properties and does not constitute a specification. No liability will be accepted for errors and omissions. Pebble also retains the right to change the sizes and specifications of the products without prior notice.