

Present

Research Based Quality Herbal Formulations For veterinary

Best quality of Vitamins, Essential Amino acids Minerals & Fortified enhancing herbal Extracts.

Composition

Minerals

Copper 4500mg Ferrous 300mg 1500mg Manganese 9000mg Zinc Potassium 90mg lodine 100mg Cobalt 130mg Sodium 5mg Chromium 20mg Calcium 23000mg Magnessium 6000mg Selenium 10mg Phosphorus 120000mg

Vitamins Vitamin A Vitamin D3 Vitamin E Vitamin H Vitamin C Vitamin K3 Pentothenic Acid Folic Acid **Specialities**

Choline Methionine MOS Inositol

700000IU 100000IU 230mg 10mg 400mg 4mg 100mg 100mg

Rusa Beej

Herbal Extracts

18000mg Kharaiti Ashwagandha 4000mg Shatawar 3000mg Jivanti 3000mg

Dosage :

Cow, Buffalo & Horses 50gm Twice daily Calf, Sheep, Goat 20gm Twice Daily

Indication:

- Helps to attain optimum growth.
- Helps to improve productivity and performance.
- Overcome trace minerals deficiencies.
- Helps to promote appetite and milk production.
- Helps to cope summer / environmental stress.

Presentation 1 Kg, 5Kg, 20 Kg

5000mg 5000mg 2000mg 500mg

*or as advised by a Veterinary Nutritionist

4000mg

Chelated Cal-AD3 A NUTRITIONAL CALCIUM, PHOSPHORUS FEED SUPPLEMENTS WITH VITAMINS, MINERALS

500 mg

100 mg

275 mg

80 mcg

18 mcg

100 mg

Each 100 ml Contains :

Calcium Phosphorus Vitamin D3 Vitamin B12 Vitamin A Vitamin E Vitamin H Carbohydrate

1000 mg Chelated Zinc Glycinate 500 mg Chelated Copper Glycinate 16000 I.U Chelated Manganese Glycinate 200 mcg Chelated Chromium Glycinate 24000 I.U Chelated Potassium Glycinate 50000 mcg Jivanti 1000 mg 150 mcg Shatavari 1000 mg 4000mg L-Lysine

Dosage :

Cow,Buffalo& Horses :	50 ml Twice daily
Calf, Sheep, Goat :	20 ml Twice Daily
*or as advised by a vete	rinary nutritionist

Indication :

- To improve milk production and Fat percent.
- Keep udder healthy.
- To Strenghten bones and egg shell.
- Improve calcium phosphorus absorbtion.
- To prevent and control rickets, osteomalacia, ruffled feather, pica, muscular weakness, haemoglobinuria.
- Support healthy growth of fetus and breeding mothers.

Presentation 1Ltr, 5Ltr, 20Ltr

HERBAL LIVER TONIC

Perfect combination of Liver Boosting & Appetite Stimulant Herbs with Liver Extract, Amino Acids & Vitamin B Complex

Composition:

Each 100 ml. contains:

D.L. methionine
L-Lysine HCL
Inositol
Vitamin B1
Vitamin B2
Vitamin B3
Vitamin B6
Vitamin B12
Silybum marianum

Andrographis Paniculata 500 mg. 1000 mg. Soplanium nigrum 1000 mg. 300 mg. 150 mg. Ocimum sanctum 1500 mg. 125 mg. Betaine 50 mg. 200 mg. Liver Extract 150 mg. Choline Chloride 1250 mg. 300 mg. Ferrous Gluconate 150 mg. 700 mg. 100 mcg. Ferrous Chloride 250 mg. 900 mg. Liver Fraction 2 500 mg.

Presentation 1Ltr, 5Ltr, 30Ltr



SILYMARIN

Protect the liver by acting as an antioxidant and promoting the new liver cells

Benefits :

Restores Liver Health

To promote appetite, improve absorption of nutrition, enhance feed efficiency and promote growth and weight. Improves condition in Hepatitis, Jaundice,

Poisoning, liver fluke and other helminthes infefectios

Dosage :

Cow,Buffalo &Horses50 ml Twice dailyCalf, Sheep, Goat20 ml Twice Daily*or as advised by a VeterinaryNutritionist.

Multistrain Probiotic

LACTOCARE

Composition

Each 1g contains

Lactobacillus Plantarum Lactobacillus delbrueckii subsp. bulgericus Lactobacillus acidofilus Lactobacillus rhamnosus Straptococcus salivarius subsp. thermophilus Enterococcus faecium Bifidobacterium bifidum

Presentation 100g, 200g

Dosage

Cow, Buffalo & Horses: 50g daily for 3-5 daysCalf ,Goat & Sheep: 20g daily for 3-5 daysThe dosage needs to be adjusted according to the flockconditions Or as directed by veterinary consultant



Indication :

Inhibits the growth of pathogens by competitive exclusion.

Prevents colonization of the gut by pathogens.

Reduces chicks mortality and general mortality.

Improves digestion and nutrient uptake.

Builds up non-spacific immunity.

Effectively replaces AGP's on continuous usage. Reduses FCR and improves feed intake.



Herbal Ecobolic & Utrine Tonic with Glactogogue, Antistress Herbs & Energy

Composition

Bambusa Vulgaris
Tribulus Terrestris
Uraria Picta
Gmelina Arborea
Aegle Marmelos
Solanum Xanthocarpum
Stereospermum suaveolens
Desmodium Gangeticum
Clerodendrum Phlomidis
Solanum Indicum
Gossypium Herbaceum
Nigella sativa
Iron
Carbohydrates
Preservatives



2.5gm

2.5gm

2.5gm

2.5gm

2.5gm

2.5gm

2.5gm

2.5gm 2.5gm

2.5gm

2.0gm

2.0gm

1.0gm 25%

qs

Indication :

Better feed intake.

Easy and Timely Expulsion of Placenta Timely Involution of Uterus Optimum Milk Production after Parturition Provide Balance energy Better nutrient absorption & metabolism

Dosage :

Cow, Buffalo & Horses :200ml Twice on first day followed by 100ml twice daily for 3-5 days *or as advised by a Veterinary Nutritionist

Presentation

500ml, 1ltr

Uddersafe

Nutritional supplement for pregnant animals





Indication :

Helps in smooth calving Improves udder development Improves calcium metabolism Improves immune status Minimise chances of ROP and prolaps Prevention of mastitis Improves milk production

Feeding Schedule

Cattle & Buffalo- 50 gm twice daily

Presentation

50 gm x 20 Pcs.

Biovitmix Liquid Complete Vitamin Oral Solution

Composition

Nutritional Value per ml. :

Vitamin A	50,000 IU
Vitamin D3	10,000 IU
Vitamin E	50 mg
Vitamin H (Biotin)	5 mg
Vitamin C	100 mg
Nicotinamide	3 mg
DL Methionine	2.5 mcg
L Lysin	5 mg
Energy	750 mg

Indication :

- For prevention of Vitamin and minerals deficiencies particularly during periods of illness, convalescence, stress and general Debility.
- For better weight gain and productivity.
- Improves the body immunity of the animals. opti
- Improve sperm count in Bulls.
- Prevent Mastitis and strengthen Udder tissues

Dosage :

Cow,Buffalo & Horses: 10 ml Twice dailyCalf, Sheep, Goat & Pets: 5 ml Twice Daily

Presentation 200ml, 500ml, 1ltr, 5ltr

A highly Bio-available vitamin premix BioVITMIX is specially designed which contains both Fat soluble vitamins (Vit-A, D, E and K) and water-soluble vitamins) and water-soluble vitamins). These vitamins help to improve growth and development in the animals. Also improves the feed conversion ratio and body immunity in the animals. BioVITMIX helps to supplies high quality vitamins in optimum levels.

NEFROCURE

A Herbal Kidney Flusher & Nephritis Tonic

Composition :

Each 10 ml. Contains				
A) Aqueous Extra	ct derived form			
Punernava	Boerhaavia diffusa, Rt.	500 mg		
Panchtrin Mool	Classical Ay. Perparation, Prcd.	500 mg		
lkshu Mool	Saccharum officinarum Rt.	500 mg		
Gokhru	Tribulus terrestris, Fr.	450 mg		
Chharilla	Parmelia perlata Wh. Th.	450 mg		
Varun	Crataeva nurvala St. Bk.	400 mg		
Kulatha	Dolichos Biflorus, Sd.	400 mg		
Pashan Bhed	Beragenia ligulata Rz.	100 mg		
Palash	Buta monosperma Fl.	100 mg		
Lajaloo	Mimosa pudica, PI.	100 mg		
Makoya	solanum nigrum Pl.	100 mg		
kakri Beej	Cucumis utillissimus Sd.	100 mg		
Daruharidra	Berberis aristata St.	50 mg		
B) Powers :				
Sudh Shilajeet	Black Bitumen purified Prcd.	200 mg		
Swet parpati	Classical Ay. Prepration Prcd.	150 mg		
Moolikshar	W.S. ash of rephanus sativu, Prcd.	150 mg		
Sheetral chini	Piper cubeba Fr.	100 mg		
Saindhav Namak	Claccial Ay. Preparation, Prcd.	50 mg		
Sasljkshar	Claccial Ay. Preparation, Prcd.	50 mg		
Sugar syrup base		Q.S.		
Excipeints		Q.S.		

Benefits:

Natural detoxifier of kideny Helps to protect form stress Keep renal system healthy Reduces risk of kidney stones Improves FCR and reduces mortality Better growth and performance Dissolve Uric Acid

Dosage

Poultry : Broliers & Layers : 100 ml./1000 Birds Breeder : 150-200ml./ 1000 Birds or as directed by veterinary consultant. Swine : Dosage as consultant by veterinarian

Presentation 1Ltr, 5Ltr

Eucalyptus Oil Based Phytogenic Respiratory Solution

BIOMINT PLUS

Advantages :

Promote mucus dilution. Support Case in respiration. Keep respiratory system freefrom mucus. Reduces risk of stress, Inflammation & pain. maintain respiratory system during the changing weather. Facilitates easy breathing with optimum uptake of oxygen.

DOSAGE & Administration :

Chicks/Layers and Broilers : 1ml/2Ltr of water Immediately the first symptoms seen and continue for 3-5 days. Breeders : 2-5ml/100 birds in drinking water Immediately the first symptoms seen and continue for 3-5 days Post Vaccine Reactions : 48 hrs post vaccination for 3 days The dosage needs to be adjusted according to the Flock conditions Or as directed by veterinary consultant.

Composition :

Each 100ml contains : Eucalyptas Globulus : Thymus Vulgaris Mentha Piperita Menthol Cinnamomum Camphora Ocimum Sanctum Emulsifying Base

10ml 03ml 05ml 10ml 01ml 08ml q.s. to 100ml

Presentation 500ml, 1Ltr

Toxocare - Gold

Composition

Each 1kg contains Andrographis Paniculata Azadirachta indica EDTA Additives per 100 gm Sensory additives	: 10 g : 10 g : 5 g
Colorants	: 10 g
Activated charcoal Natural Product Non plant origin	· 50 am
M.O.S.	. Ju gili
Technological additives	
Acidity Regulator	: 20 gm
Benzoic acid (E210)	0.0
Preservatives	: 20 gm
Acetic acid (E260)	: 20 gm
Propionic acid (E280)	: 40 gm
Citiric Acid (E330)	
Antioxidant	: 05 gm
B.H.A. (E320)	
Anticaking Agent	
Sodium alummosilicate (E554)	
q.s. upto	1000 gm

Powerful Toxin Binder with Liver Protection Herbs

BENEFITS:

- Better Feed Intake Good Immune System For better organ & tissue Bind toxins & inhabit moulds Better abortion & performance **Reduce mortality Eliminates Toxins** Better nutrient absorption &
- metabolism gm
- **Presentation** 0 gm
 - 25 Kg

DOSAGE:

500 - 1 Kg / MT of prepared feed or as directed by veterinary consultant.





Drylitt is an ultimate natural solution for **Mixing Rate :** 1 kg per ton of feed intestinal health. Drylitt reduces intestinal fluidity and binds excess water with normalizes the peristalsis. Drylitt helps in cerating a protecting layer over the intestinal mucosa. Drylitt also help in control of loose dropping.

Mixing rate may be altered as per the advice of Nutritionist

> **Presentation** 20 kg.

Acidocare

Poultry Feed Supplement

Composition:

Combination of organic acids with formic acid and essential oil

Phosphoric acid	3%
CuSO4	0.4%
Citric Acid	2.5%
Formic acid	4%
Butyric acid	1%
Acetic acid	5.1%
Essential oil coating	0.5%

Advantages-

Reduces pH in the feed Reduced pH in gastro-Intestinal tract Targeted reduction of harmful bacteria & fungi Long term control of salmonella, E. coli & other harmful bacteria Provide support for optimum performance stimulate digestive secretion Favours optimal enzymatic activity **USAGE:** For prevention/Low risk feed

To be thoroughly mixed in finished feed @ 1-1.5Kg/ton feed.

For treatment/High risk feed

To be thoroughly mixed in finished feed @ 1.5-2.5Kg/ton feed.



Indication :

To control severe Systemic Infections like CRD, CCRD, E. coil infections, Salmonellosis, Infectious Coryza, Fowl Cholera, Gangrenous Dermatitis, Mixed Bacterial Infection etc.

Dosage & Administration :

10 ml/ kg body weight of Levofloxacin (equivalent to 1 ml of Floxi BH for 10 kg body weight) for 3–5 days or as advised by poultry consultant.

Composition

Each 100 ml contains

Levofloxacin10gm.Bromhexine750mgVitamin B22mg.Vitamin B64mg.Vitamin B120.3mcg.Folic Acid5 mg.