

LIST OF HOSTPLANTS OF MOTHS

Sr.No	Name of species	Host Plant
	Family Attevidae	
1	<i>Atteva fabriciella</i> Swederus, 1787	<i>Acacia</i> sp., <i>Ailanthus</i> sp.
	Family Brahmaeidae	
2	<i>Brahmaea wallichii</i> Gray, 1831	<i>Ligustrum</i> sp.
	Family Callidulidae	
3	<i>Pterodecta anchora</i> Pagenstecher, 1877	Ferns
	Family Cossidae	
4	<i>Azygophleps scalaris</i> Fabricius, 1775	<i>Sesbania bispinosa</i>
5	<i>Duomitus ceramicus</i> (Walker 1865)	<i>Callicarpa</i> sp., <i>Clerodendrum</i> sp., <i>Gmelina</i> sp., <i>Tectona</i> sp., <i>Erythrina</i> sp., <i>Sesbania</i> sp., <i>Spathodea</i> sp., and <i>Duabanga</i> sp.
6	<i>Polyphagozerra coffeae</i> (Nietner, 1861)	Coffee, Tea, <i>Casuarina</i> , <i>Erythroxyllum</i> , <i>Acalypha</i> , <i>Phyllanthus</i> , <i>Hydnocarpus</i> , <i>Annona</i> , <i>Cinnamomum</i> , <i>Persea</i> , <i>Phoebe</i> , <i>Amherstia</i> , <i>Cassia</i> , <i>Pericopsis</i> , <i>Xylia</i> , <i>Gossypium</i> , <i>Hibiscus</i> , <i>Cedrela</i> , <i>Chukrasia</i> , <i>Melia</i> , <i>Swietenia</i> , <i>Psidium</i> , <i>Grevillea</i> , <i>Crataegus</i> , <i>Eriobotrya</i> , <i>Citrus</i> , <i>Santalum</i> , <i>Filicium</i> , <i>Nephelium</i> , <i>Schleichera</i> , <i>Clerodendrum</i> , <i>Tectona</i> , <i>Vitex</i> .
7	<i>Xyleutes persona</i> (le Guillou, 1841)	<i>Cassia fistula</i> , <i>C. javanica</i> , <i>C. renigera</i> , <i>Senna siamea</i> , <i>Premna</i> sp.
8	<i>Xyleutes strix</i> Linnaeus, 1758	<i>Sesbania grandiflora</i>
9	<i>Zeurrora indica</i> (Herrich-Schäffer, 1854)	<i>Phoebe</i> sp., <i>Litsea monopetala</i>
10	<i>Zeuzera multistrigata</i> Moore, 1881	Cherry
	Family Crambidae	
11	<i>Aetholix flavibasalis</i> Guenée, 1854	<i>Duabanga grandiflora</i> , <i>Mangifera indica</i>
12	<i>Agathodes ostentalis</i> Geyer, 1837	<i>Erythrina vespertilio</i> , <i>E. Variegata</i> , <i>E. suberosa</i> , <i>E. subumbrans</i>
13	<i>Agrotera basinotata</i> Hampson, 1891	<i>Syzygium nervosum</i> , <i>Lagerstroemia microcarpa</i> , <i>L. parviflora</i> , <i>L. speciosa</i> , <i>Pavetta indica</i>
14	<i>Ancylolomia</i> sp.	Grasses
15	<i>Antigastra catalaunalis</i> (Duponchel, 1833)	Sesame(<i>Sesamum indicum</i>).
16	<i>Arthroschista hilaralis</i> Walker, 1859	<i>Neolamarckia cadamba</i> , <i>Tabernaemontana divaricata</i>
17	<i>Ategumia adipalis</i> (Lederer, 1863)	<i>Melastoma malabathricum</i>
18	<i>Botyodes asialis</i> Guenée, 1854	<i>Casearia tomentosa</i> , <i>C. graveolens</i> , <i>C. vareca</i> , <i>Diospyros melanoxylon</i> , <i>Ehretia laevis</i> , <i>Ficus</i> sp., <i>Glycosmis pentaphylla</i> , <i>Premna mollissima</i> , <i>Tabernaemontana alternifolia</i> , <i>Urena lobata</i>
19	<i>Chalcidoptera emissalis</i> (Walker, 1866)	<i>Eugenia myrobalana</i>
20	<i>Cirrhochrsta brizoalis</i> (Walker, 1859)	<i>Ficus</i> spp
21	<i>Cydalima laticostalis</i> Guenée, 1854	<i>Chonemorpha fragrans</i> , <i>Holarrhena pubescens</i>
22	<i>Diaphania indica</i> (Saunders, 1851)	<i>Cucurbita pepo</i> , <i>Lagenaria siceraria</i> , <i>Luffa cylindrica</i> , <i>Trichosanthes cucumerina</i> .
23	<i>Endocrossis caldusalis</i> Walker, 1859	<i>Magnolia champaca</i>
24	<i>Eoophyla peribocalis</i> (Walker, 1859)	Diatoms and algae

25	<i>Filodes fulvidorsalis</i> Hübner, 1832	<i>Thunbergia alata</i> , <i>T.coccinea</i> , <i>T. fragrans</i> , <i>T. grandiflora</i> .
26	<i>Filodes sexpunctalis</i> Snellen, 1890	<i>Ficus</i> spp
27	<i>Glyphodes actorionalis</i> Walker, 1859	Jack fruit (<i>Artocarpus integer</i>), <i>Ficus hispida</i>
28	<i>Glyphodes bicolor</i> Swainson, 1821	<i>Alstonia scholaris</i> , <i>Artocarpus integer</i> , <i>Carissa carandas</i> , <i>Desmodium oojeinense</i> , <i>Ficus benghalensis</i> , <i>Tectona grandis</i> .
29	<i>Glyphodes bivitalis</i> Guenée, 1854	<i>Cajanus cajan</i> , <i>Ficus hispida</i> , <i>F. religiosa</i>
30	<i>Glyphodes caesalis</i> Walker, 1859	Jackfruit (<i>Artocarpus heterophyllus</i> , <i>A. chama</i> , <i>A. elasticus</i> , <i>A. integer</i> , <i>A. lacucha</i> , <i>A. rigida</i>), <i>Ficus religiosa</i> , <i>Jasminum</i> sp
31	<i>Glyphodes canthusalis</i> (Walker, 1859)	<i>Ficus religiosa</i>
32	<i>Glyphodes stolalis</i> Guenée, 1854	<i>Ficus racemosa</i>
33	<i>Haritalodes derogata</i> (Fabricius, 1775)	Cotton, <i>Abelmoschus esculentus</i> , <i>Abutilon</i> sp., <i>Alcea rosea</i> , <i>Althaea</i> sp., <i>Avena</i> sp., <i>Celosia argentea</i> , <i>Corchorus</i> sp., <i>Gossypium</i> sp., <i>Hibiscus</i> sp., <i>Hymenodictyon orixense</i> , <i>Kydia calycina</i> , <i>Pterospermum</i> , <i>Sida cordifolia</i> , <i>Sterculia villosa</i> , <i>Thespesia lampas</i> , <i>T. populnea</i> , <i>Urena lobata</i> .
34	<i>Heortia vitessoides</i> Moore, 1885	<i>Phaleria</i> sp
35	<i>Hymenoptychis sordida</i> Zeller, 1852	<i>Xylocarpus moluccensis</i> , <i>Heritiera littoralis</i>
36	<i>Isocentris filalis</i> (Guenée, 1854)	<i>Sphaeranthus indicus</i>
37	<i>Lamprosema commixta</i> Butler, 1873	<i>Xylia xylocarpa</i>
38	<i>Maruca vitrata</i> Fabricius, 1787	<i>Caesalpinia</i> sp., <i>Cajanus cajan</i> , <i>Canavalia ensiformis</i> , <i>Casuarina equisetifolia</i> , <i>Derris elliptica</i> , <i>Glycine max</i> , <i>Lablab purpureus</i> , <i>Mucuna pruriens</i> , <i>Phaseolus vulgaris</i> , <i>Sesbania sesban</i> , <i>Sorghum bicolor</i> , <i>Tephrosia candida</i> , <i>Vigna mungo</i> , <i>V. radiata</i> , <i>V. unguiculata</i> , <i>Xylia xylocarpa</i> .
39	<i>Notarcha aurolinealis</i> (Zeller, 1852)	<i>Sida rhombifolia</i> , <i>Helicteres isora</i>
40	<i>Omiodes analis</i> Snellen, 1880	<i>Cassia fistula</i>
41	<i>Omphisa repetitalis</i> Snellen, 1890	Soyabean, mung bean and <i>Stylosanthes</i> sp
42	<i>Pagyda salvalis</i> Walker, 1859	<i>Tectona grandis</i>
43	<i>Palpita vitrealis</i> (Rossi, 1794)	<i>Jasminum officinale</i> , <i>J. dichotomum</i> , <i>J. sambac</i> , <i>Olea europaea</i>
44	<i>Paracymoriza vagalis</i> Walker, 1865	<i>Hydrilla verticillata</i>
45	<i>Parapoynx diminutalis</i> Snellen, 1880	<i>Hydrilla verticillata</i>
46	<i>Parapoynx fluctuosalis</i> (Zeller, 1852)	<i>Nymphaea</i> sp. and Rice
47	<i>Parapoynx stagnalis</i> (Zeller, 1852)	Rice
48	<i>Parotis pomonalis</i> Guenée, 1854	<i>Glycosmis pentaphylla</i> , <i>Holarrhena pubescens</i> , <i>Firmiana simplex</i> , <i>Tabernaemontana alternifolia</i> , <i>Wrightia tinctoria</i>
49	<i>Parotis</i> sp. c.f. <i>marginata</i> (Hampson, 1893)	<i>Alstonia scholaris</i> , <i>Tabernaemontana divaricata</i>
50	<i>Pleuroptya iopasalis</i> (Walker, 1859)	<i>Ipomoea pes-caprae</i>
51	<i>Polythlipta divaricata</i> Moore, 1885	<i>Phaseolus</i> sp
52	<i>Prophantis adjusta</i> Inoue, 1986	Coffee seeds
53	<i>Pygospila tyres</i> (Cramer, 1780)	<i>Holarrhena pubescens</i> , <i>Tabernaemontana alternifolia</i> , <i>Wrightia arborea</i> .
54	<i>Rehimena phrynealis</i> (Walker, 1859)	<i>Grewia</i> sp

55	<i>Sameodes cancellalis</i> Zeller, 1852	<i>Holarrhena pubescens, Tectona grandis</i>
56	<i>Scirpophaga</i> sp. cf. <i>excerptalis</i> (Walker, 1863)	<i>Oryza sativa</i>
57	<i>Spoladea recurvalis</i> Fabricius, 1775	Beetroot, <i>Amaranthus caudatus</i> , <i>Achyranthes aspera</i> , <i>Chenopodium macrospermum</i> , <i>Celosia</i> spp., <i>Chenopodium album</i> , <i>Gomphrena</i> sp., <i>Plectranthus</i> sp., <i>Trianthema portulacastrum</i> , <i>Vigna radiata</i> .
58	<i>Talanga sexpunctalis</i> Moore, 1887	Figs
59	<i>Terastia egialealis</i> Walker, 1859	<i>Erythrina variegata</i> , <i>E. arborescens</i> , <i>E. suberosa</i> , <i>E. Subumbrans</i>
60	<i>Tyspanodes linealis</i> Moore, 1867	<i>Aristolochia tagala</i> , <i>Bombax ceiba</i>
	Family Depressariidae	
61	<i>Ethmia lineatonotella</i> (Moore, 1867)	<i>Ehretia longiflora</i>
	Family Drepanidae	
62	<i>Cyclidia substigmata superstigmata</i> Prout, 1918	<i>Alangium</i> spp
63	<i>Drepana pallida</i> Warren, 1922	<i>Alnus</i> sp
64	<i>Macrauzata fenestraria</i> Moore, 1867	<i>Quercus glauca</i>
65	<i>Macrocilix maia</i> (Leech, 1888)	<i>Quercus</i> sp
66	<i>Macrocilix mysticata</i> , (Walker, [1863])	<i>Castanopsis</i> sp., <i>Pasania</i> sp.
67	<i>Phalacra vidhisara</i> , Walker 1960	Coconut leaves
68	<i>Thyatira batis</i> (Linnaeus, 1758)	<i>Rubus idaeus</i>
69	<i>Tridrepana fulvata</i> Snellen, 1876	<i>Nephelium</i> sp
	Family Erebidae	
70	<i>Achaea janata</i> Hubner, 1823	Castor, bean, rose, pomegranate, ber, mango, citrus
71	<i>Achaea serva</i> (Fabricius, 1775)	<i>Palaquium</i> sp., Castor
72	<i>Amata cyssea</i> Stoll, 1782	<i>Cosmos</i> sp., <i>Dahlia</i> sp., Sandalwood, Oats, Sweet Potatoes
73	<i>Amata huebneri</i> (Boisduval, 1828)	<i>Oryza sativa</i>
74	<i>Amata passalis</i> Fabricius, 1807	Cow pea, Mulberry, Fenugreek, Castor, Red gram, Sunflower, Turmeric
75	<i>Amerila astreus</i> Drury, 1773	<i>Beaumontia</i> sp
76	<i>Anomis flava</i> Fabricius, 1775	<i>Gossypium</i> , <i>Hibiscus</i>
77	<i>Arctornis marginata</i> Moore 1883	<i>Diospyros</i> sp
78	<i>Argina astrea</i> (Drury, 1773)	<i>Crotalaria retusa</i>
79	<i>Artena dotata</i> Fabricius, 1794	<i>Combretum</i> , <i>Getonia</i> , <i>Quisqualis</i> , <i>Terminalia</i>
80	<i>Artena submira</i> Walker, 1858	<i>Getonia floribunda</i> , <i>Combretum indicum</i> , <i>Terminalia paniculata</i> , <i>T. tomentosa</i>
81	<i>Asota caricae</i> Fabricius, 1775	<i>Camellia sinensis</i> , <i>Ficus hispida</i> , <i>Broussonetia papyrifera</i> , <i>Mesua</i> sp., <i>Tectona</i> sp. and <i>Shorea</i> sp.
82	<i>Asota egens</i> (Walker, 1854)	<i>Ficus</i> sp
83	<i>Asota ficus</i> Fabricius, 1775	<i>Ficus carica</i> , <i>Ficus hispida</i> , <i>Ficus virens</i> , <i>Ficus religiosa</i> , <i>Mitragyna diversifolia</i> , Castor
84	<i>Asota heliconia</i> (Linnaeus, 1758)	<i>Averrhoa</i> sp
85	<i>Asota plana</i> (Walker, 1854)	<i>Ficus</i> sp
86	<i>Asota sericea</i> Moore, 1878	<i>Ficus benghalensis</i>
87	<i>Attatha regalis</i> Moore, 1872	<i>Ficus semicordata</i> , <i>Ficus religiosa</i>
88	<i>Barsine orientalis</i> Cerny, 2009	<i>Medicago sativa</i> , <i>Trifolium repens</i> , <i>Melilotus alba</i>
89	<i>Bastilla arcuata</i> (Moore, 1877)	<i>Glochidion</i> sp., <i>Phyllanthus</i> sp

90	<i>Bastilla crameri</i> Moore, 1885	<i>Phyllanthus</i> sp
91	<i>Bastilla</i> sp. nr. <i>algira</i> Linnaeus, 1767	Castor, Pomegranate
92	<i>Brunia antica</i> Walker, 1854	White lichen growing on citrus plant
93	<i>Buzara onelia</i> Guenée, 1852	<i>Phyllanthus</i> sp
94	<i>Calesia stillifera</i> Felder, 1874	<i>Thunbergia</i> sp., <i>Neuracanthus sphaerostachys</i>
95	<i>Callindra principalis</i> Kollar, 1844	<i>Plantago</i> sp.
96	<i>Calyptra minuticornis</i> Guenée, 1852	<i>Diploclisia glaucescens</i> , <i>Cissampelos pareira</i> , <i>Cyclea peltata</i> , <i>Stephania</i> sp
97	<i>Chalciope mygdon</i> Cramer, 1777	<i>Rhynchosia minima</i>
98	<i>Chilkasa falcata</i> Swinhoe, 1885	Teak
99	<i>Cretonotos gangis</i> (Linnaeus, 1763)	Soybeans, Rice, Maize
100	<i>Cretonotos transiens</i> Walker, 1855	<i>Beta</i> , <i>Dioscorea</i> , <i>Paspalum</i> , <i>Zea</i> , <i>Pithecellobium</i> , <i>Vigna</i> , <i>Wisteria</i> , <i>Toona</i> , <i>Musa</i> , <i>Salix</i> , <i>Cayratia</i> , <i>Cissus</i>
101	<i>Curoba sangarida</i> Stoll (1782)	<i>Crossandra infundibuliformis</i>
102	<i>Dichromia sagitta</i> (Fabricius, 1775)	<i>Tylophora</i> spp., <i>Dregea volubilis</i>
103	<i>Digama marchalii</i> Guérin-Méneville, 1843	<i>Carissa carandas</i>
104	<i>Egnasia ephyrodalis</i> Walker, 1858	<i>Canthium coromandelicum</i> , <i>Randia uliginosa</i>
105	<i>Entomogramma faultrix</i> Guenée, 1852	<i>Pithecellobium</i> sp
106	<i>Episparis liturata</i> Fabricius, 1787	<i>Haldina</i> sp., <i>Mitragyna</i> sp., <i>Schleichera</i> sp
107	<i>Episparis tortuosalis</i> Moore, 1867	Meliaceae, Magnoliaceae
108	<i>Ercheia cyllaria</i> Cramer, 1782	<i>Asparagus</i> , <i>Brassica</i> , <i>Grewia</i> , <i>Dalbergia</i>
109	<i>Erebus ephesperis</i> Hübner, [1823] 1816	<i>Smilax</i> sp., <i>Melastoma malabathricum</i>
110	<i>Erebus macrops</i> Linnaeus, 1770	<i>Acacia pennata</i>
111	<i>Euchromia polymena</i> Linnaeus, 1758	<i>Ipomoea carnea</i> , <i>Ipomoea hederifolia</i>
112	<i>Eudocima homaena</i> (Hübner, [1823] 1816)	<i>Achyranthes</i> , <i>Citrus</i> , <i>Cocculus</i> , <i>Cyclea</i> , <i>Menispermum</i> , <i>Tiliacora</i>
113	<i>Eudocima hypermnestra</i> Stoll, 1780	<i>Cyclea peltata</i> , <i>Mangifera indica</i> , <i>Stephania japonica</i> , <i>Tinospora</i> sp
114	<i>Eudocima materna</i> Linnaeus, 1767	<i>Citrus</i> , <i>Tinospora sinensis</i>
115	<i>Eudocima phalonia</i> Clerck, 1764	<i>Anamirta</i> , <i>Cissus</i> , <i>Citrus</i> , <i>Cocculus</i> , <i>Cyclea</i> , <i>Mitragyna</i> , <i>Tiliacora</i> , <i>Tinospora</i>
116	<i>Eudocima salaminia</i> Walker, 1857	<i>Menispermum</i> , <i>Dimocarpus</i> , <i>Citrus</i>
117	<i>Eudocima tyrannus</i> (Guenée, 1852)	<i>Dalbergia latifolia</i>
118	<i>Grammodes geometrica</i> Fabricius, 1775	<i>Cistus salviifolius</i> , <i>Diospyros montana</i> , <i>Oryza sativa</i> .
119	<i>Hamodes propitia</i> Guérin-Méneville, 1831	<i>Dalbergia latifolia</i> , <i>D.sissoo</i>
120	<i>Hulodes caranea</i> Cramer, 1780	<i>Camellia sinensis</i> , <i>Dyera costulata</i>
121	<i>Hypopyra vespertilio</i> Fabricius, 1787	<i>Albizia lebbbeck</i> , <i>Camellia sinensis</i>
122	<i>Lyclene</i> sp.	Lichens/mosses and leaves
123	<i>Lymantria grandis</i> Walker, 1855	Jackfruit
124	<i>Lymantria marginata</i> Walker, 1855	Mango
125	<i>Lymantria mathura</i> Moore, 1865	<i>Acrocarpus</i> , <i>Aegle</i> , <i>Alstonia</i> , <i>Anogeissus</i> , <i>Anthocephalus</i> , <i>Aphanamixis</i> , <i>Artocarpus</i> , <i>Butea</i> , <i>Castanea</i> , <i>Duabanga</i> , <i>Elaeodendron</i> , <i>Ficus</i> , <i>Grewia</i> , <i>Haldina</i> , <i>Litchi</i> , <i>Mallotus</i> , <i>Mangifera</i> , <i>Morus</i> , <i>Melia</i> , <i>Millettia</i> , <i>Pterygota</i> , <i>Prunus</i> , <i>Syzygium</i> , <i>Shorea</i> , <i>Terminalia</i> , <i>Quercus</i>
126	<i>Macrobrochis gigas</i> Walker, 1854	Moss

127	<i>Mangina argus</i> Kollar, 1844	<i>Buddleja, Crotalaria, Beaumontia, Ficus, Eugenia, Ochna, Mimusops</i>
128	<i>Miltochrista strigivenata</i> Hampson, 1894	Lichen
129	<i>Mocis frugalis</i> Fabricius, 1775	Oats, Sugarcane, Rice and Grasses
130	<i>Mocis undata</i> Fabricius, 1775	<i>Butea, Cajanus, Dalbergia, Desmodium, Glycine, Gossypium, Hevea, Indigofera, Phaseolus, Rhynchosia, Shorea, Solanum, Vigna</i>
131	<i>Nepita conferta</i> (Walker, 1854)	Mosses and lichen
132	<i>Nyctemera adversata</i> (Schaller, 1788)	<i>Erechtites, Erigeron, Gynura, Picris, Senecio</i>
133	<i>Oeonistis entella</i> (Cramer, [1779])	Lichens
134	<i>Olene</i> sp. cf. <i>inclusa</i> (Walker, 1855)	<i>Annona, Averrhoa, Durio, Shorea, Ricinu, Leea, Pelargonium, Acacia, A rachis, Crotalaria, Derris, Erythrina, Mucuna, Ficus, Musa, Calyptanthus, Eugenia, Rosa, Citrus, Theobroma, Muntingia, Congea, Coffee</i>
135	<i>Olepa</i> sp. cf. <i>ricini</i> Fabricius, 1775	<i>Calotropis</i> sp., <i>Camellia sinensis, Campsis grandiflora</i>
136	<i>Ophiusa tirhaca</i> Cramer, 1780	<i>Pistacia, Cotinus, Rhus, Cistus, Eucalyptus, Osyris, Viburnum, Pelargonium</i>
137	<i>Ophiusa triphaenoides</i> (Walker, 1858)	<i>Terminalia, Shorea, Syzygium, Pinus</i>
138	<i>Oraesia emarginata</i> Fabricius, 1794	<i>Cissampelos pareira, Cocculus</i> sp., <i>Sida</i> sp., <i>Ipomoea</i> sp.
139	<i>Pericyma umbrina</i> (Guenée, 1852)	<i>Acacia catechu, Acacia lenticularis, Acacia polyacantha</i>
140	<i>Perina nuda</i> Fabricius, 1787	Mango, Jackfruit, <i>Ficus</i> spp
141	<i>Pindara illibata</i> Fabricius, 1775	<i>Bischofia</i> sp., <i>Elaeocarpus</i> sp
142	<i>Psimada quadripennis</i> Walker, 1858	<i>Ficus</i> sp
143	<i>Rectipalpula billeti</i> Joannis, 1900	<i>Aglaia</i> sp
144	<i>Rema tetraspila</i> Walker, 1865	<i>Amphicarpaea</i> sp
145	<i>Rusicada fulvida</i> Guenée, 1852	<i>Abutilon, Alcea, Cissampelos, Gossypium, Hibiscus, Kydia, Pterospermum, Sida, Sterculia, Thespesia, Urena lobata, Waltheria</i>
146	<i>Rusicada leucolopha</i> Prout, 1928	<i>Hibiscus, Tilia</i>
147	<i>Serrodes campana</i> Guenée, 1852	<i>Lepisanthes, Nephelium, Sapindus, Schleicheria</i>
148	<i>Spirama</i> sp. cf. <i>helicina</i> (Hübner, 1831)	<i>Acacia pennata, Albizia lebbeck, Senna surattensis</i>
149	<i>Sympis rufibasis</i> Guenée, 1852	<i>Dimocarpus</i> sp., <i>Litchi chinensis, Nephelium</i> sp
150	<i>Thyas coronata</i> Fabricius, 1775	<i>Combretum, Quisqualis, Terminalia, Litsea, Anamirta, Pinus, Nephelium</i>
151	<i>Thyas honesta</i> Hübner, 1806	<i>Barringtonia</i> sp., <i>Planchonia careya</i>
152	<i>Thyas junco</i> Dalman, 1823	<i>Castanea, Quercus, Juglans, Pterocarya</i>
153	<i>Trigonodes cephise</i> Cramer, [1779])	<i>Vigna</i> sp.
154	<i>Trigonodes hyppasia</i> Cramer, 1779	<i>Indigofera</i> sp., <i>Medicago sativa, Rhynchosia minima</i>
155	<i>Utetheisa lotrix</i> (Cramer, 1779)	<i>Crotalaria</i> sp., <i>Dahlia</i> sp., <i>Heliotropium indicum</i>
156	<i>Utetheisa pulchella</i> (Linnaeus, 1758)	<i>Crotalaria</i> spp., <i>Cynoglossum zeylanicum, Heliotropium indicum, Myosotis</i> sp
157	<i>Utetheisa pulchelloides</i> Hampson, 1907	<i>Messerschmidia, Bothriospermum, Heliotropium, Echium</i> and <i>Myosotis</i>

	Family Eupterotidae	
158	<i>Eupterote mollifera</i> Moore, 1884	Moringa
159	<i>Ganisa plana</i> Walker, 1855	Jasminum
	Family Euteliidae	
160	<i>Lophoptera</i> sp. nr. <i>squamigera</i> Guenée, 1852	<i>Mallotus</i> sp., <i>Bridelia</i> sp., <i>Shorea</i> sp., <i>Grewia</i> sp.
161	<i>Penicillaria jocosatrix</i> Guenée, 1852	<i>Terminalia belerica</i> , <i>Mangifera indica</i> , <i>Schinus terebinthifolius</i> , <i>Spondias pinnata</i>
	Family Geometridae	
162	<i>Agathia lycaenaria</i> (Kollar, 1848)	<i>Carissa spinarum</i> , <i>Holarrhena</i> spp, <i>Nerium oleander</i> , <i>Tabernaemontana</i> spp.
163	<i>Aporandria specularia</i> (Guenée, 1857)	<i>Mangifera</i> , <i>Terminalia</i> , <i>Eugenia</i> , <i>Areca</i> , <i>Rhizophora</i> , <i>Nephelium</i> .
164	<i>Berta</i> sp. cf. <i>chrysolineata</i> Walker, [1863]	<i>Ricinus communis</i>
165	<i>Dysphania palmyra</i> Stoll, 1790	<i>Carallia brachiata</i> , <i>Garcinia</i> sp.
166	<i>Eucyclodes semialba</i> (Walker, 1861)	<i>Loranthus</i> sp.
167	<i>Pingasa chlora</i> Stoll, 1782	<i>Cajanus</i> sp. <i>Buchanania</i> sp.
168	<i>Pingasa ruginaria</i> Guenée, 1857	Avocado, Pear, <i>Averrhoa</i> sp., <i>Nephelium</i> sp.
169	<i>Problepsis vulgaris</i> Butler, 1889	<i>Ligustrum sinense</i>
170	<i>Traminda mundissima</i> Walker, 1861	<i>Acacia catechu</i> , <i>Acacia nilotica</i> .
171	<i>Achrosis incitata</i> (Walker, 1862)	<i>Ixora</i> sp
172	<i>Agathia codina</i> Swinhoe, 1892	<i>Carissa spinarum</i> , <i>Nerium oleander</i> , <i>Tabernaemontana divaricata</i>
173	<i>Agathia laetata</i> Fabricius, 1794	<i>Nerium oleander</i> , <i>Ichnocarpus</i> sp.
174	<i>Alcis maculata</i> (Moore, [1868])	<i>Alnus</i> sp
175	<i>Amblychia angeronaria</i> Guenée, 1857	Lauraceae species
176	<i>Amraica recursaria</i> (Walker, 1866)	<i>Euonymus</i> sp
177	<i>Ascotis selenaria</i> (Denis & Schiffermüller, 1775)	<i>Camellia sinensis</i>
178	<i>Biston suppressaria</i> (Guenée, 1858)	<i>Camellia</i> , <i>Acacia</i> , <i>Albizia</i> , <i>Cassia</i> , <i>Chrysanthemum</i> , <i>Dalbergia</i> , <i>Eucalyptus</i> , <i>Litchi</i> , <i>Mangifera</i> , <i>Paulownia</i> , <i>Phyllanthus</i> , <i>Prunus</i> , <i>Psidium</i> , <i>Vernicia</i> .
179	<i>Chiasmia</i> sp. cf. <i>eleonora</i> (Cramer, 1780)	<i>Acacia</i> , <i>Albizia</i> , <i>Mimosa</i>
180	<i>Chiasmia</i> sp. cf. <i>nora</i> Walker, 1861	<i>Acacia</i> sp
181	<i>Chrysocraspeda olearia</i> (Guenée 1858)	<i>Syzygium cumini</i>
182	<i>Cleora injectaria</i> (Walker, 1860)	<i>Avicennia officinalis</i>
183	<i>Comibaena</i> sp. cf. <i>cassidara</i> , Guenée 1856	<i>Glycosmis pentaphylla</i> , <i>Anacardium occidentale</i> , <i>Mangifera</i> sp., <i>Flemingia macrophylla</i> , <i>Ixora</i> sp., <i>Lagerstroemia indica</i> , <i>Ziziphus jujuba</i> , <i>Cuscuta</i> sp.
184	<i>Comostola chlorargyra</i> (Walker, 1861)	<i>Cerbera</i> sp.
185	<i>Corymica arnearia</i> Walker, 1860	<i>Cinnamomum camphora</i>
186	<i>Dysphania militaris</i> (Linnaeus, 1758)	<i>Carallia brachiata</i>
187	<i>Eucyclodes gavissima</i> (Walker, 1861)	<i>Memecylon edule</i>
188	<i>Eucyclodes sanguilineata</i> (Moore, 1868)	<i>Maesa chisia</i>
189	<i>Eumelea ludovicata</i> Guenée, 1857	<i>Macaranga</i> sp.
190	<i>Fascellina plagiata</i> (Walker, 1866)	<i>Alseodaphne</i> sp., <i>Beilschmiedia</i> sp., <i>Cinnamomum</i> sp.
191	<i>Hemithea tritonaria</i> Walker, 1863	<i>Ficus</i> sp. <i>Flemingia macrophylla</i>
192	<i>Heterolocha</i> sp.	<i>Plumbago</i> sp
193	<i>Heterostegane subtessellata</i> Walker, 1862	<i>Acacia pennata</i>
194	<i>Hyperythra lutea</i> Stoll, 1781	<i>Gouania leptostachya</i> , <i>Ziziphus oenopolia</i>

195	<i>Hypomecis procuritaria</i> (Walker 1860)	Cinnamomum
196	<i>Hypomecis transcissa</i> Walker, 1860	<i>Aleurites</i> sp
197	<i>Hyposidra talaca</i> Walker, 1860	<i>Acacia, Albizia, Cassia, Dalbergia, Xylia, Bombax, Carissa, Holarrhena, Cedrela, Chromolaena, Guizotia, Sigesbeckia, Cinnamomum, Combretum, Tectona, Terminalia, Eugenia, Syzygium, Ficus, Lantana, Litchi, Schleicheria, Pelargonium, Ricinus, Rosa, Shorea.</i>
198	<i>Krananda latimarginaria</i> Leech, 1891	Cinnamon
199	<i>Leptomiza calcearia</i> (Walker, 1860)	<i>Rubus</i> sp.
200	<i>Milionia basalis</i> Walker, 1854	<i>Dacrydium</i> sp., <i>Podocarpus</i> sp
201	<i>Naxa seriaria</i> Motschulsky, 1866	<i>Ligustrum</i> sp.
202	<i>Naxa textilis</i> Walker, 1856	<i>Olea</i> sp.
203	<i>Pelagodes falsaria</i> Prout, 1912	<i>Mangifera indica</i>
204	<i>Percnia maculata</i> Moore, 1867	Lauraceae plants
205	<i>Petelia medardaria</i> Herrich-Schaffer, 1856	<i>Ziziphus incurve, Z. jujuba, Z. oenopolia, Z. rugosa</i>
206	<i>Sauris hirudinata</i> Guenée, 1857	<i>Alseodaphnae</i> sp., <i>Lagerstroemia</i> sp.
207	<i>Scopula cuneilinea</i> (Walker, 1862)	<i>Anthocephalus</i> sp., <i>Breonia chinensis, Neolamarckia cadamba, Haldina cordifolia, Mitragyna diversifolia, Maranta</i> sp
208	<i>Scopula divisaria</i> (Walker, 1861)	<i>Hymenodictyon</i> sp.
209	<i>Spaniocentra pannosa</i> (Moore, 1887)	<i>Loranthus</i> sp.
210	<i>Thalassodes quadraria</i> Guenee, 1857	<i>Barringtonia</i> sp., <i>Calophyllum inophyllum, Litchi chinensis, Mangifera indica, Moullava spicata, Polyalthia longifolia, Xylia xylocarpa.</i>
211	<i>Traminda aventiaria</i> Guenée, 1857	<i>Acacia pennata, Albizia</i> sp.
	Family Hepialidae	
212	<i>Endoclita signifier</i> Walker, 1856	<i>Gmelina, Theobroma, Eucalyptus</i>
	Family Hyblaeidae	
213	<i>Hyblaea puera</i> (Cramer, 1777)	<i>Avicennia</i> spp., <i>Callicarpa arborea, C. cana, C. macrophylla, C.brachiata, Catalpa kaempferi, C. longissima, Dolichandrone spathacea, Markhamia stipulata, Engelhardia spicata, Fernandoa adenophylla, Heterophragma quadriloculare, H. sulfureum, Kigelia africana, Markhamia lutea, Millingtonia hortensis, Oroxylum indicum, Petitia domingensis, Premna corymbosa, P. Premna mollissima, P.pyramidata, Rhizophora</i> sp., <i>Schefflera venulosa, Schrebera swietenoides, Spathodea campanulata, Stereospermum chelonoides, S. neuranthum, Symphorema involucreatum, Tabebuia heterophylla, Tecomella undulata, Tectona grandis, Vitex</i> spp.
	Family Lasiocampidae	
214	<i>Euthrix laeta</i> (Walker, 1855)	<i>Dalbergia latifolia, Dalbergia sissoo.</i>

215	<i>Gastropacha</i> sp. cf. <i>pardale</i> Walker, 1855	<i>Mangifera indica</i> , <i>Cajanus</i> sp., <i>Erythrina</i> sp., <i>Theobroma cacao</i> , <i>Camellia sinensis</i> , <i>Tectona grandis</i> , <i>Carissa carandas</i> , <i>Baccaurea racemosa</i> , <i>Cassia fistula</i> , <i>Pithecellobium dulce</i> , <i>Nephelium lappaceum</i> , <i>Melastoma malabathricum</i> , <i>Aporosa</i> sp., <i>Prunus persica</i>
216	<i>Gastropacha</i> sp. cf. <i>xenapates</i> Tams, 1935	<i>Mangifera indica</i> , <i>Cajanus</i> sp., <i>Erythrina</i> sp., <i>Theobroma cacao</i> , <i>Camellia sinensis</i> , <i>Tectona grandis</i> , <i>Carissa carandas</i> , <i>Baccaurea racemosa</i> , <i>Cassia fistula</i> , <i>Pithecellobium dulce</i> , <i>Nephelium lappaceum</i> , <i>Melastoma malabathricum</i> , <i>Aporosa</i> sp., <i>Prunus persica</i>
217	<i>Kunugia fulgens</i> Moore, 1879	Conifers
218	<i>Lebeda nobilis</i> Walker, 1855	<i>Myrica rubra</i> , <i>Pinus kesiya</i> , <i>Pteridium aquilinum</i> , <i>Quercus</i> sp., <i>Rubus</i> sp., <i>Thysanolaena latifolia</i>
219	<i>Metanastria aconyta</i> Cramer, 1777	<i>Artemisia</i> sp., <i>Syzygium cumini</i> , <i>Psidium guajava</i> , <i>Shorea robusta</i>
220	<i>Paralebeda plagifera</i> (Walker, 1855)	<i>Alseodaphne semecarpifolia</i> , <i>Citrus</i> sp., <i>Maesa chisia</i>
221	<i>Streblote siva</i> Lefèbvre, 1827	Mahogany, Rose, <i>Acacia</i> sp., <i>Ziziphus</i> sp., <i>Polyalthia</i> sp., <i>Prosopis</i> sp., <i>Moringa</i> sp., <i>Tamarix</i> sp.
222	<i>Trabala krishna</i> Roepke, 1951	<i>Macaranga</i> , <i>Barringtonia</i> , <i>Melastoma</i> , <i>Psidium</i> , <i>Sonneratia</i> , <i>Ziziphus</i>
223	<i>Trabala vishnou</i> Lefèbvre, 1827	<i>Anogeissus</i> , <i>Berberis</i> , <i>Bischofia</i> , <i>Butea</i> , <i>Camellia</i> , <i>Eucalyptus</i> , <i>Eugenia</i> , <i>Geranium</i> , <i>Lagerstroemia</i> , <i>Lantana</i> , <i>Mallotus</i> , <i>Planchonia</i> , <i>Psidium</i> , <i>Punica</i> , <i>Quercus</i> , <i>Quisqualis</i> , <i>Ricinus</i> , <i>Rosa</i> , <i>Rubus</i> , <i>Shorea</i> , <i>Syzygium</i> , <i>Terminalia</i> , <i>Verbascum</i> .
	Family Lecithoceridae	
224	<i>Homaloxestis</i> sp. cf. <i>cholopis</i> (Meyrick, 1906)	<i>Mallotus</i> sp.
	Family Limacodidae	
225	<i>Atosia himalayana</i> , Holloway 1986	<i>Ricinus communis</i>
226	<i>Altha nivea</i> Walker, 1862	<i>Bombax ceiba</i> , <i>Citrus</i> sp., <i>Polyalthia longifolia</i> , <i>Ricinus communis</i> , <i>Shorea robusta</i> , <i>Terminalia myriocarpa</i> , <i>Tinospora sinensis</i>
227	<i>Altha subnotata</i> Walker, 1865	<i>Bombax ceiba</i>
228	<i>Birhamoides junctura</i> (Walker, 1865)	<i>Mangifera indica</i>
229	<i>Cania bandura</i> (Horsfield & Moore, 1859)	<i>Diospyros</i> sp
230	<i>Cania bilinea</i> Walker, 1855	<i>Camellia sinensis</i> , <i>Guettarda</i> sp., <i>Musa acuminata</i>
231	<i>Chalcoscelides castaneipars</i> Moore, 1865	<i>Spondias</i> , <i>Trevesia</i>
232	<i>Cheromettia apicata</i> Moore, 1879	<i>Camellia sinensis</i> , <i>Coffea</i> sp., <i>Vernicia fordii</i> , <i>Butea monosperma</i> , <i>Derris elliptica</i> , <i>Juglans regia</i> , <i>Malus pumila</i> , <i>Pyrus communis</i> , <i>Schleichera oleosa</i> , <i>S. trijuga</i> , <i>Theobroma cacao</i> , <i>Toona</i> sp.
233	<i>Miresa bracteata</i> Butler, 1880	<i>Coffea</i> , <i>Cinchona</i> , <i>Manilkara zapota</i> , <i>Mangifera</i> , <i>Buchanania</i> , <i>Alseodaphne</i> , <i>Terminalia</i>
234	<i>Miresa</i> sp. cf. <i>argenifera</i> Walker, 1855	Tea, <i>Theobroma cacao</i>
235	<i>Narosa conspersa</i> Walker, 1855	Tea, Coffee, <i>Limonia elephantum</i>

		<i>Cocos nucifera</i> , <i>Vernicia montana</i> , <i>Artocarpus hirsute</i> , <i>Barringtonia racemosa</i> , <i>Borassus flabellifer</i> , <i>Brassica oleracea</i> , <i>Butea monosperma</i> , <i>Camellia sinensis</i> , <i>Cassia fistula</i> , <i>Coffea</i> sp., <i>Dimocarpus longan</i> , <i>Erythrina subumbrans</i> , <i>Eugenia</i> sp., <i>Ficus</i> spp, <i>Flacourtia indica</i> , <i>Gardenia</i> sp., <i>Lagerstroemia speciosa</i> , <i>Limonia acidissima</i> , <i>Mangifera indica</i> , <i>Musa x paradisiacal</i> , <i>Nephelium longana</i> , <i>Nypa fructicans</i> , <i>Piper nigrum</i> , <i>Planchonia careya</i> , <i>Plantago</i> sp., <i>Pterocarpus</i> sp., <i>Punica granatum</i> , <i>Catunaregam spinosa</i> , <i>Ricinus communis</i> , <i>Rosa</i> sp., <i>Sapindus trifoliatus</i> , <i>Falconeria insignis</i> , <i>Terminalia catappa</i> , <i>Vitex altissima</i>
236	<i>Parasa lepida</i> (Cramer, 1799)	
237	<i>Parasa pastoralis</i> Butler, 1880	Tea
238	<i>Phocoderma velutina</i> Kollar, 1884	<i>Lansea</i> , <i>Mangifera</i> , <i>Sapium</i> , <i>Terminalia</i> , <i>Bombax</i>
239	<i>Scopelodes venosa</i> Walker, 1855	Rose
240	<i>Setora postornata</i> (Hampson, 1900)	Fagaceae, Platanaceae and Rutaceae
241	<i>Thespea bicolor</i> (Walker, 1855)	Rice, Sugarcane
	Family Noctuidae	
242	<i>Acontia nitidula</i> (Fabricius, 1787)	<i>Calotropis</i> sp., <i>Gossypium</i> sp.
243	<i>Aedia leucomelas</i> agg.	<i>Ipomoea batatas</i> , <i>I. pes-caprae</i> , <i>Convolvulus</i> sp.
244	<i>Aegocera bimacula</i> Walker, 1854	<i>Dillenia pentagyna</i> , <i>Leea guineensis</i>
245	<i>Aegocera venulia</i> (Cramer, [1777])	<i>Boerhavia</i> sp.
246	<i>Agrotis ipsilon</i> (Hufnagel, 1766)	Wide range of crops
247	<i>Callopietria maillardi</i> (Guenée, 1862)	Ferns
248	<i>Callopietria repleta</i> Walker, 1857	Fern (<i>Pteridium aquilinum</i>)
249	<i>Chasmina candida</i> (Walker, 1865)	<i>Hibiscus</i> sp.
250	<i>Chrysodeixis acuta</i> (Walker, [1858] 1857)	Soyabean, Linseed, Barley, Sorghum, Tomatoes, <i>Ficus</i> sp.
251	<i>Chrysodeixis eriosoma</i> Doubleday, 1843	Vegetable crops
252	<i>Condica albigutta</i> (Wileman, 1912)	<i>Conyza</i> , <i>Elephantopus</i>
253	<i>Condica conducta</i> (Walker, [1857])	<i>Acanthus</i> sp.
254	<i>Condica illecta</i> (Walker, 1865)	<i>Ageratum</i> , <i>Bidens</i> , <i>Carthamus</i> , <i>Coreopsis</i> , <i>Dahlia</i> , <i>Dichrocephala</i>
255	<i>Condica leucospila</i> Walker, 1857	Compositae plants
256	<i>Ctenoplusia albostrigata</i> Bremer & Grey, 1853	Compositae plants
257	<i>Donda eurychlora</i> Walker, 1858	<i>Trema orientalis</i>
258	<i>Episteme adulatrix</i> (Kollar, [1844])	<i>Solanum tuberosum</i> , <i>Dioscorea pentaphylla</i>
259	<i>Episteme vetula</i> Geyer, 1832	<i>Dioscorea</i> sp.
260	<i>Eustrotia marginata</i> Walker, 1866	Gramineae plants.
261	<i>Helicoverpa armigera</i> (Hübner, [1808])	Large variety of crops including Cotton
262	<i>Mimeusemia basalis</i> (Walker, 1854)	<i>Dillenia</i> sp.
263	<i>Ozarba punctigera</i> Walker, 1865	Gramineae plants
264	<i>Phlogophora albivittata</i> (Moore, 1867)	<i>Rubus</i> sp.
265	<i>Polytela gloriosae</i> Fabricius, 1781	Leaves and flowers of <i>Gloriosa superba</i> , species of <i>Amaryllis</i> , <i>Crinum</i> , <i>Lilium</i> , <i>Zephyranthes</i> .
266	<i>Sarbanissa albifascia</i> (Walker, 1865)	<i>Leea</i> sp., <i>Dioscorea</i> sp
267	<i>Spodoptera litura</i> (Fabricius, 1775)	Vegetable crops

268	<i>Spodoptera mauritia</i> (Boisduval, 1833)	Grasses and several cereal crops including rice
269	<i>Thysanoplusia orichalcea</i> (Fabricius, 1775)	<i>Coreopsis</i> sp
270	<i>Trichoplusia ni</i> (Hubner, 1803)	Crucifera crops such as cabbage
271	<i>Trisula variegata</i> Moore, 1858	<i>Ficus religiosa</i>
272	<i>Xanthodes transversa</i> Guenee, 1852	<i>Trema orientalis</i>
273	<i>Yepcalphis dilectissima</i> (Walker, 1858)	<i>Vitex</i> sp.
	Family Nolidae	
274	<i>Eligma narcissus</i> (Cramer, 1775)	<i>Ailanthus excelsa</i>
275	<i>Westermannia superba</i> Hübner, 1823	<i>Terminalia</i> sp.
	Family Notodontidae	
276	<i>Bireta longivitta</i> Walker, 1856	Bamboo sp.
277	<i>Dudusa synopla</i> Swinhoe, 1907	<i>Nephelium lappaceum</i> , <i>Litchi chinensis</i> , <i>Schleichera oleosa</i> , <i>S. trijuga</i>
278	<i>Euhampsonia niveiceps</i> (Walker, 1865)	<i>Quercus</i> sp.
279	<i>Niganda radialis</i> (Gaede 1930)	Bamboo
280	<i>Neocerura liturata</i> , Walker, 1855	<i>Flacourtia montana</i> , <i>Populus deltoides</i> , <i>Terminalia</i> sp.
281	<i>Neostauropus alternus</i> Walker, 1855	Tea, coffee, rambutan and mango. Also feeds on <i>Flacourtia indica</i> , <i>Ricinus</i> sp., <i>Careya</i> sp., <i>Cajanus</i> sp., <i>Cassia</i> sp., <i>Ougeinia</i> sp., <i>Pithecellobium</i> sp. and <i>Wagatea</i> sp.
282	<i>Netria viridescens</i> Walker, 1855	<i>Manilkara zapota</i> , <i>Mimusops</i> , <i>Xantolis tomentosa</i>
283	<i>Phalera parivala</i> Moore, 1859	<i>Lespedeza fasciata</i>
284	<i>Phalera</i> sp. cf. <i>grotei</i> Moore, 1859	<i>Acacia auriculiformis</i>
285	<i>Tarsolepis rufobrunnea</i> Rothschild, 1917	<i>Nephelium lappaceum</i>
	Family Oecophoridae	
286	<i>Tonica niviferana</i> Walker 1864	<i>Bombax ceiba</i>
	Family Plutellidae	
287	<i>Plutella xylostella</i> , Linnaeus 1758	Brassica vegetables (Lettuce, Cabbage, Cauliflower)
	Family Psychidae	
288	<i>Eumeta variegata</i> , Snellen 1879	Tea, Citrus, Hibiscus
	Family Pterophoridae	
289	<i>Stenoptilodes taprobanes</i> (Felder & Rogenhofer, 1875)	<i>Hypoestes</i> , <i>Campylanthus</i> , <i>Centipeda</i> , <i>Hydrolea</i> , <i>Sp ergularia</i> , <i>Vaccinium</i> , <i>Sabatia</i> , <i>Clinopodium</i>
	Family Pyralidae	
290	<i>Aripara indicator</i> , Walker, 1864	<i>Cinnamomum camphora</i> and <i>Rhus</i> sp.
291	<i>Doloessa viridis</i> Zeller, 1848	<i>Cocos nucifera</i> , seeds of <i>Shorea</i> , <i>Rice</i> , <i>Sorghum</i> and <i>Maize</i>
292	<i>Endotricha mesenterialis</i> (Walker, 1859)	Species of <i>Dipterocarpus</i> , <i>Mesua</i> , <i>Shorea</i>
293	<i>Teliphasa nubilosa</i> Moore, 1888	<i>Anacardium occidentale</i>
294	<i>Vitessa suradeva</i> Moore, [1860]	<i>Dichapetalum gelonioides</i>
	Family Saturniidae	
295	<i>Archaeoattacus edwardsi</i> White, 1859	<i>Ailanthus glandulosa</i> , <i>Persea odoratissima</i> , <i>Prunus domestica</i>
296	<i>Loepa</i> sp. (<i>katinka</i> agg.)	Feed in groups on <i>Dillenia pentagyna</i> , <i>Leea indica</i>
297	<i>Actias maenas</i> Doubleday, 1847	<i>Schima wallichii</i> , <i>Turpina pomifera</i>

298	<i>Actias selene</i> Hübner, 1816	<i>Andromeda ovalifolia</i> , <i>Azadirachta indica</i> , <i>Betula alnoides</i> , <i>Carpinus bimana</i> , <i>Coriaria nepalensis</i> , <i>Corylus colurna</i> , <i>Crataegus</i> sp., <i>Hibiscus</i> sp., <i>Juglans regia</i> , <i>Lagerstroemia lanceolata</i> , <i>Lannea coromandelica</i> , <i>Lawsonia inermis</i> , <i>Ligustrum robustum</i> , <i>Moringa pterygosperma</i> , <i>Prunus</i> spp., <i>Pyrus</i> spp., <i>Frangula alnus</i> , <i>Salix</i> spp., <i>Terminalia paniculata</i> , <i>Zanthoxylum</i> spp
299	<i>Antheraea assamensis</i> Helfer, 1837	<i>Cinnamomum</i> , <i>Laurus</i> , <i>Litsea</i> , <i>Carpinus</i> , <i>Persea</i> , <i>Magnolia</i> , <i>Michelia</i> , <i>Quercus</i> , <i>Sarcostemma</i> , <i>Symplocos</i>
300	<i>Antheraea mylitta</i> (Drury, 1773)	<i>Anogeissus latifolia</i> , <i>Madhuca longifolia</i> , <i>Bauhinia variegata</i> , <i>Bombax ceiba</i> , <i>Bombax</i> spp., <i>Canthium dicoccum</i> , <i>Careya</i> spp., <i>Carpinus betulus</i> , <i>Carrisa carandas</i> , <i>Chloroxylon swietenia</i> , <i>Cipadessa baccifera</i> , <i>Dalbergia</i> sp., <i>Dodonaea viscosa</i> , <i>Eucalyptus</i> sp., <i>Ficus</i> spp., <i>Garuga pinnata</i> , <i>Lagerstroemia</i> spp., <i>Pongamia</i> spp., <i>Prunus domestica</i> , <i>Quercus</i> sp., <i>Rhizophora calceolaris</i> , <i>Ricinus communis</i> , <i>Shorea</i> spp., <i>Syzygium cumini</i> , <i>Tectona grandis</i> , <i>Terminalia</i> spp., <i>Zizyphus</i> spp.
301	<i>Antheraea roylei</i> Moore, 1859	<i>Madhuca longifolia</i> , <i>Betula alnoides</i> , <i>Cyperus esculentus</i> , <i>Daphniphyllum himalense</i> , <i>Evodia flaxinifolia</i> , <i>Prunus puddum</i> , <i>Pyrus communis</i> , <i>P. malus</i> , <i>Quercus-dealbata</i> , <i>Q. dilatata</i> , <i>Q. glauca</i> , <i>Q. himalayana</i> , <i>Q. incana</i> , <i>Q. semicarpifolia</i> , <i>Q. semiserrata</i> , <i>Q. serrata</i>
302	<i>Attacus taprobanis</i> Moore, 1882	<i>Ardisia</i> sp., <i>Berberis</i> sp., <i>Glochidion heyneanum</i> , <i>Carpinus betulus</i> , <i>Clerodendrum infortunatum</i> , <i>Dillenia pentagyna</i> , <i>Embelia acutipetala</i> , <i>Falconeria insignis</i> , <i>Holarrhena pubescens</i> , <i>Lagerstroemia speciosa</i> , <i>Lagerstroemia lanceolata</i> , <i>Lagerstroemia indica</i> , <i>Mitragyna parvifolia</i> , <i>Nalbeli</i> sp., <i>Mitragyna rotundifolia</i> , <i>Ocimum</i> sp., <i>Phyllanthus emblica</i> , <i>Pyrus malus</i> , <i>Salix babylonica</i> , <i>Salix elegans</i> , <i>Sarcostemma brevistigma</i> , <i>Schleichera oleosa</i> , <i>Leucoscepterum canum</i> , <i>Vangueria spinosa</i> .
303	<i>Caligula thibeta</i> (Westwood 1853)	<i>Aesculus</i> , <i>Juglans</i> , <i>Lagerstroemia</i> , <i>Pyrus</i> , <i>Salix</i> .
304	<i>Cricula andrei</i> Jordan, 1909	<i>Prunus avium</i> , <i>Pyrus malus</i>
305	<i>Cricula trifenestrata</i> Helfer, 1837	<i>Anacardium occidentale</i> , <i>Careya arborea</i> , <i>Mangifera indica</i> , <i>Pyrus communis</i> , <i>Machilus odoratissima</i> , <i>Pyrus malus</i> , <i>Quercus</i> sp., <i>Salix babylonica</i> , <i>S. elegans</i> , <i>Schleichera oleosa</i>
306	<i>Loepa sikkima</i> Moore, 1865	<i>Cissus</i> sp., <i>Leea indica</i>
307	<i>Rhodinia newara</i> Moore, 1872	<i>Acer saccharum</i> , <i>Juglans regia</i> , <i>Salix babylonica</i> , <i>S. elegans</i>
308	<i>Samia canningi</i> Hutton, 1859	<i>Lagerstroemia indica</i> and <i>Ricinus communis</i>

309	<i>Samia cynthia</i> (Drury, 1773)	<i>Ailanthus excelsa</i> , <i>A. glandulosa</i> , <i>Ailanthus</i> sp., <i>Althaea robea</i> , <i>Apium graveolens</i> , <i>Azadirachta indica</i> , <i>Berberis</i> sp., <i>Carica papaya</i> , <i>Oarpinus betulus</i> , <i>Cassia fistula</i> , <i>Coriaria nepalensis</i> , <i>Evodia fraxinifolia</i> , <i>Gmelina arborea</i> , <i>Heteropanax fragrans</i> , <i>Jatropha curcas</i> , <i>Juglans regia</i> , <i>Lawsonia inermis</i> , <i>Ligustrum robustum</i> , <i>Manihot utilissima</i> , <i>Plumeria acuminata</i> , <i>Prunus avium</i> , <i>P domestica</i> , <i>Pyrus malus</i> , <i>Ricinus communis</i> , <i>Xanthophyllum hostile</i> , <i>Zantho acanthopodium</i> , <i>Z. alatum</i> , <i>Zyziphus jujuba</i> .
	Family Sesiidae	
310	<i>Melittia indica</i> Butler, 1874	Cucurbitaceae plants
	Family Sphingidae	
311	<i>Acosmeryx anceus subdentata</i> Rothschild & Jordan, 1903	<i>Leea</i> , <i>Cayratia</i> , <i>Cissus</i> , <i>Vitis</i> .
312	<i>Ambulyx substrigilis aglaia</i> Jordan, 1923	<i>Dipterocarpus</i> sp., <i>Lagerstroemia</i> sp., <i>Aglaia</i> sp.
313	<i>Marumba dyras</i> Walker, 1856	<i>Bombax ceiba</i> , <i>Bridelia retusa</i> , <i>Cordia rothii</i> , <i>Ehretia laevis</i> , <i>Firmiana colorata</i> , <i>Grewia inequalis</i> , <i>Grewia nervosa</i> , <i>Helicteres isora</i> , <i>Kydia calycina</i> , <i>Sapindus trifoliatus</i> , <i>Schleichera trijuga</i> , <i>Sterculia villosa</i>
314	<i>Rhagastis confusa</i> Rothschild & Jordan, 1903	<i>Vitis</i> sp.
315	<i>Theretra silhetensis</i> Walker, 1856	<i>Ludwigia repens</i> , <i>Boerhavia</i> sp
316	<i>Acherontia lachesis</i> Fabricius, 1798	<i>Anisomeles ovata</i> , <i>Antidesma</i> sp., <i>Callicarpa arborea</i> , <i>Careya arborea</i> , <i>Carapa macrophylla</i> , <i>Clerodendrum</i> sp., <i>Globba marantina</i> , <i>Coleus</i> sp., <i>Datura</i> sp., <i>Erythrina variegata</i> , <i>Ipomoea</i> spp., <i>Jasminum arborescens</i> , <i>Lablab purpurens</i> , <i>Lantana camara</i> , <i>Mussaenda frondosa</i> , <i>Nicotiana tabacum</i> , <i>Nyctanthes arbor-tristis</i> , <i>Solanum</i> sp., <i>Spathodea campanulata</i> , <i>Stachytarpheta indica</i> , <i>Stereospermum</i> sp., <i>Campsis grandiflora</i> , <i>Tectona grandis</i> , <i>Vitex negundo</i> , <i>Cordia dichotoma</i> , <i>Barleria prionitis</i>
317	<i>Acherontia styx</i> Westwood, 1848	<i>Anisomeles ovata</i> , <i>Antidesma</i> sp., <i>Callicarpa arborea</i> , <i>Careya arborea</i> , <i>Carapa macrophylla</i> , <i>Clerodendrum</i> sp., <i>Globba marantina</i> , <i>Coleus</i> sp., <i>Datura</i> sp., <i>Erythrina variegata</i> , <i>Ipomoea</i> spp., <i>Jasminum arborescens</i> , <i>Lablab purpurens</i> , <i>Lantana camara</i> , <i>Mussaenda frondosa</i> , <i>Nicotiana tabacum</i> , <i>Nyctanthes arbor-tristis</i> , <i>Solanum</i> sp., <i>Spathodea campanulata</i> , <i>Stachytarpheta indica</i> , <i>Stereospermum</i> sp., <i>Campsis grandiflora</i> , <i>Tectona grandis</i> , <i>Vitex negundo</i> , <i>Cordia dichotoma</i> , <i>Barleria prionitis</i>
318	<i>Acosmeryx naga</i> (Moore, [1858])	<i>Vitis</i> , <i>Cayratia</i> , <i>Ampelopsis</i>
319	<i>Acosmeryx omissa</i> (Rothschild & Jordan, 1903)	<i>Ampelopsis</i> , <i>Cayratia</i>
320	<i>Acosmeryx pseudonaga</i> Boisduval, 1875	Species of <i>Vitis</i> , <i>Leea</i> , <i>Dillenia pentagyna</i>
321	<i>Acosmeryx sericeus sericeus</i> Walker, 1856	<i>Actinidia</i> sp., <i>Vitis</i> sp
322	<i>Acosmeryx shervillii</i> Boisduval, [1875]	<i>Saurauia</i> , <i>Dillenia</i> , <i>Leea</i> , <i>Cayratia</i> , <i>Cissus</i> , <i>Vitis</i>
323	<i>Agnosia microta</i> Hampson, 1907	<i>Anogeissus latifolia</i>

324	<i>Agnosia orneus</i> Westwood, 1847	<i>Grewia asiatica</i>
325	<i>Agrius convolvuli</i> Linnaeus, 1758	<i>Arachis hypogaea, Convolvulus spp, Dolichus lablab, Helianthus spp., Ipomoea spp., Phaseolus spp.</i>
326	<i>Ambulyx ochracea</i> Butler, 1885	<i>Choerospondias fordii</i>
327	<i>Ampelophaga khasiana</i> Rothschild, 1895	<i>Vitis sp., Saurauia nepalensis</i>
328	<i>Amplipterus panopus</i> Cramer, 1779	<i>Dracontomelum sp., Mangifera sp., Rhus sp., Durio sp., Calophyllum sp., Garcinia sp</i>
329	<i>Cechetra lineosa</i> (Walker, 1856)	<i>Saurauia tristyla, Impatiens sp., Vitis sp., Polygonum sp.</i>
330	<i>Cephanodes hylas</i> Linnaeus, 1771	<i>Gardenia resinifera, G.grandiflora, Mitragyna parvifolia, Pavetta indica, Catunaregam spinosa, Hymenodictyon orixense</i>
331	<i>Cizara sculpta</i> (Felder, C. & Felder, R., 1874)	<i>Catunaregam spinosa</i>
332	<i>Clanis phalaris</i> Cramer, 1777	<i>Butea monosperma, Cassia fistula, Dalbergia lanceolaria, D. Latifolia, D. volubilis, Milletia atropurpurea, Mucuna pruriens, Pongamia pinnata, Pterocarpus marsupium, Pueraria tuberosa, Xylia xylocarpa</i>
333	<i>Daphnis nerii</i> Linnaeus, 1758	<i>Nerium oleander, Holarrhena pubescens, Catharanthus roseus, Tabernaemontana alternifolia, Tabernaemontana divaricata, Alstonia scholaris</i>
334	<i>Deilephila elpenor macromera</i> (Butler, 1875)	<i>Arisaema, Amorphophallus</i>
335	<i>Dalbina inexacta</i> Walker, 1856	<i>Ligustrum robustum, Chionanthus mala-elengi, Olea dioica</i>
336	<i>Enpinanga assamensis</i> (Walker)	<i>Tetracera sp</i>
337	<i>Hemaris fuciformis</i> Linnaeus, 1758	<i>Lonicera sp., Galium sp., Rubia cordifolia</i>
338	<i>Hippotion boerhavia</i> (Fabricius, 1775)	<i>Impatiens sp., Spermacoce stricta, S. hispida, Glossostigma diandrum, Boerhavia repens, B. diffusa.</i>
339	<i>Hippotion celerio</i> Linnaeus, 1758	<i>Spermacoce hispida, Boerhavia, Rumex sp, Caladium sp</i>
340	<i>Hippotion rafflesii</i> Hampson, 189	<i>Impatiens sp.</i>
341	<i>Hippotion rosetta</i> Swinhoe, 1892	<i>Borreria sp., Morinda citrifolia, M. umbellata, Pentas sp.</i>
342	<i>Hyles livornica</i> Fabricius, 1775	<i>Rumex sp., Polygonum sp.</i>
343	<i>Leucophlebia lineata</i> Westwood, 1847	Sugarcane and other grasses
344	<i>Macroglossum belis</i> Linnaeus, 1758	<i>Morinda tinctoria</i>
345	<i>Macroglossum corythus luteata</i> Butler, 1875	<i>Morinda citrifolia, Strychnos nux-vomica, Paederia foetida, Guettarda sp.</i>
346	<i>Macroglossum gyrans</i> Walker, 1856	<i>Morinda tintoria</i>
347	<i>Macroglossum particolor</i> Rothschild & Jordan, 1903	<i>Morinda tinctoria</i>
348	<i>Macroglossum sitiene</i> Walker, 1856	<i>Paederia foetida</i>
349	<i>Marumba indicus</i> Walker, 1856	<i>Bombax ceiba, Grewia inequalis, Helicteres isora, Firmiana simplex, Sterculia villosa, Firmiana colorata</i>
350	<i>Marumba nympa</i> (Rothschild & Jordan, 1903)	<i>Alseodaphne semecarpifolia</i>
351	<i>Megacorma obliqua obliqua</i> (Walker, 1856)	<i>Spathodea campanulata, Oroxylum indicum</i>

352	<i>Meganoton rufescens</i> Butler, 1875	<i>Annona, Melodorum, Kigelia, Spathodea campanulata</i>
353	<i>Neogurelca hyas hyas</i> Walker, 1856	<i>Morinda tinctoria</i>
354	<i>Nephele hespera</i> (Fabricius, 1775)	<i>Carissa spinarum</i>
355	<i>Pergesa acteus</i> Cramer, 1779	<i>Amorphophallus commutatus, Arisaema sp., Begonia sp., Caladium bicolor, Colocasia sp., Commelina benghalensis, Leea asiatica, Vitis sp.</i>
356	<i>Polyptychus dentatus</i> Cramer, 1777	<i>Bombax ceiba, Cordia dichotoma, Ehretia sp.</i>
357	<i>Psilogamma</i> sp. (<i>menephron</i> agg.)	<i>Jasminum</i> sp., <i>Ligustrum</i> sp., <i>Tectona grandis</i> sp., <i>Vitex negundo, Callicarpa arborea</i>
358	<i>Rhagastis olivacea</i> Moore, 1872	<i>Impatiens</i> sp.
359	<i>Sataspes tagalica</i> f. <i>hauxwellii</i> Boisduval, 1875	<i>Dalbergia latifolia</i>
360	<i>Theretra alecto alecto</i> Linnaeus, 1758	<i>Ampelocissus latifolia, Dillenia indica, Leea sp., Psychotria sp., Rubia cordifolia, Shorea robusta, Cayratia trifolia</i>
361	<i>Theretra boisduvali</i> Bugnion, 1839	<i>Vitis, Cissus, Parthenocissus</i>
362	<i>Theretra castanea</i> Moore, 1872	<i>Ariopsis peltata, Knoxia mollis, Impatiens cuspidata, Amorphophallus commutatus, Arisaema murrayi</i>
363	<i>Theretra clotho clotho</i> Drury, 1773	<i>Begonia sp., Dillenia sp., Fuchsia sp., Amorphophallus commutatus, Ampelocissus latifolia, Leea asiatica, Cayratia trifolia.</i>
364	<i>Theretra lycetus</i> Cramer, 1775	<i>Dillenia pentagyna, Leea asiatica, Leea macrophylla, Vitis sp.</i>
365	<i>Theretra nessus</i> Drury, 1773	<i>Amorphophallus sp., Barringtonia sp., Convolvulus sp., Dioscorea sp., Pongamia pinnata, Dioscorea hispida</i>
366	<i>Theretra oldenlandiae</i> Fabricius, 1775	<i>Ampelocissus latifolia, Arisaema sp., Careya arborea, Caladium bicolor, Colocasia fallax, Corchorus capsularis, Cryptocoryne sp., Impatiens balsamina, Ipomoea batatas, Jussiaea suffruticosa, Oldenlandia corymbosa</i>
	Family Thyrididae	
367	<i>Glanycus insolitus</i> Walker, 1855	<i>Psydrax dicoccos, Schefflera heptaphylla, Viburnum odoratissimum and Eucalyptus gunnii</i>
368	<i>Banisia myrsusalis</i> Walker, 1859	<i>Manilkara zapota, Madhuca longifolia var. latifolia.</i>
369	<i>Calindoea argentalis</i> Walker, [1866] 1865	<i>Syzygium jambos</i>
370	<i>Dysodia rajah</i> Boisduval, 1874	<i>Melastoma sanguineum, Fagraea crenulata</i>
371	<i>Herdonia thaiensis</i> Inoue, 1993	<i>Lagerstroemia speciosa</i>
372	<i>Hypolamprus</i> sp. nr. <i>emblicalis</i> Moore, 1888	<i>Lagerstroemia, Phyllanthus, Syzygium</i>
373	<i>Striglina scitaria</i> Walker, 1862	<i>Albizia procera, Bauhinia racemosa, Cassia fistula, Derris elliptica, Melastoma malabathricum, Callerya atropurpurea, Phaseolus sp., Planchonia careya, Shorea roxburghii, Xylia xylocarpa</i>
	Family Tortricidae	
374	<i>Archips machlopiis</i> (Walker, 1863)	Orange, Litchi and Tea crops
375	<i>Loboschiza keonigiana</i> (Fabricius, 1775)	<i>Azedarach, Aglaia sp., Jasminum sambac, Hibiscus rosa-sinensis</i>

	Family Uraniidae	
376	<i>Orudiza protheclaria</i> Walker, 1861	<i>Sajanella</i> sp.
377	<i>Acropteris ciniferaria</i> Walker, 1866	<i>Dregea</i> sp.
378	<i>Epiptema himala</i> Butler, 1880	<i>Gmelina</i> sp.
379	<i>Epiptema reticulata</i> (Moore, 1888)	<i>Gmelina</i> sp.
380	<i>Lyssa zampa</i> Butler, 1773	<i>Endospermum</i> sp., <i>Eugenia</i> sp.
381	<i>Micronia aculeata</i> Guenée, 1857	<i>Dregea volubilis</i>
382	<i>Urapteroides astheniata</i> (Guenée, 1857)	<i>Endospermum</i> sp.
	Family Zygaenidae	
383	<i>Campylotes histrionicus</i> Westwood, 1839	<i>Lyonia ovalifolia</i> , <i>Rhododendron</i> sp.
384	<i>Cyclosia papilionaris</i> Drury, 1773	<i>Aporosa cardiosperma</i> , <i>Dipterocarpus tuberculatus</i> , <i>Quercus griffithii</i> .
385	<i>Erasmia pulchella</i> Hope, 1841	<i>Buddleja</i> sp., <i>Coffea</i> sp., <i>Hibiscus</i> sp.
386	<i>Eterusia aedeae</i> ssp. <i>virescens</i> (Butler, 1881)	<i>Buddleja</i> sp., <i>Camellia sinensis</i> .
387	<i>Gynautocera papilionaria</i> Guérin-Meneville 1831	<i>Litsea monopetala</i>
388	<i>Histia flabellicornis</i> (Fabricius, 1775)	<i>Bischofia javanica</i> , <i>B. sinensis</i> , <i>Buddleja</i> sp.
389	<i>Soritia pulchella</i> (Kollar 1844)	<i>Lagerstroemia indica</i> , <i>Malus pumila</i> , <i>Rosa</i> sp., <i>Rubus macilentus</i> , <i>Melastoma normale</i> , <i>Polygonum</i> sp., <i>Camellia sinensis</i>
390	<i>Trypanophora semihyalina</i> Kollar, 1884	<i>Barringtonia acutangula</i> , <i>Careya</i> sp., <i>Carissa carandas</i> , <i>Holarrhena</i> sp., <i>Lagerstroemia indica</i> , <i>L. speciosa</i> , <i>Ricinus communis</i> , <i>Rosa</i> sp., <i>Shorea robusta</i> , <i>Terminalia catappa</i> , <i>T. tomentosa</i> , <i>Ziziphus</i> sp., <i>Gmelina arborea</i>