


CannaMate™

# A10

## A Leading Flagship Model



### Optimal Performance and Safety

CannaMate™ A10 is designed with Hcore® Ceramic heating technology and high-quality materials of glass tank and SUS316L center post to deliver reliable and enjoyable performance.



### Customize Your cartridges

Transpring provides customizable cartridges with mouthpieces in a range of materials and designs to match your desired styling.



### Performance & Properties

**Volume:** 0.5ml / 1.0ml  
**Resistance:** 1.2 - 1.6 ohms  
**Aperture Size:** 4 Air Inlets / 1.6mm  
**Tank Material:** Borosilicate Glass  
**Center Post:** SUS316L



### Various Color Options



### Custom Mouthpieces

### Custom Logo Printing



CannaMate™

# P13

## Unlock The Secrets Of Flavor



### All-in-One Design

Featuring a hexagonal tank with a built-in suction mouthpiece all rolled into one, P13 is simple yet individual. Upon application, the mouthpiece is permanently sealed, so that your children are protected.




### Open-Top Tank

Filling got easier, either manually or automatically. Special with an Open-Top tank, p13 is ideal for anyone to start their vaping business.

### Performance & Properties

Volume: 1.0ml  
 Resistance: 1.2-1.6ohm  
 Aperture Size: 4 Air Inlets/ 1.6mm  
 Tank Type: PCTG  
 Center Post: SUS316L



Various Color Options



Custom Logo Printing



Custom Surface Techniques

CannaMate™

# P14

## Burn With Confidence



### Proprietary Heating Element

Relentless R&D. Our special heating element for P14 has the characteristics of large smoke and strong explosive force, delivering the stimulation of going straight to the clouds.



### Premium Material

While ensuring your extract does not touch any heavy metals, we have chosen the highest quality 316 stainless steel material as the center post, providing double protection for health.



### Performance & Properties

Volume: 1.0ml  
Resistance: 1.2-1.6ohm  
Aperture Size: 4 Air Inlets/ 1.8mm  
Tank Type: PCTG  
Center Post: SUS316L



Various Color Options



Mouthpiece Customization in Different Materials & Shapes

Custom Logo Printing



Custom Surface Techniques

CannaMate™


# PEAK

## The Peak Of Vape Performance



### High-end

There is a 360-degree visible tank as well as a streamlined and metallic body to CannaMate™ Peak, making it appear high-end and elegant to capture your customer's attention.



### Customize Power

Find out the most optimal power for an array of different extracts, Peak is supported to be connected with our testing device TSS READER.



### Performance & Properties

- Volume: 0.5ml / 1.0ml
- Resistance: 1.2-1.6ohm
- Battery Capacity: 300mAh
- Aperture Size: 4 Air Inlets / 1.6mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: Two Clicks to Activate




### Various Color Options

### Custom Logo Printing



Tailor Your Oil Specific Needs  
(Connect with TSS READER for Optimal Power)



### Custom Surface Techniques

CannaMate™

# AMBER

## Live The Dream, Vape Extreme



### Beautiful and Powerful

With cutting-edge ceramic heating technology and a sleek, minimalist design, CannaMate™ Amber is the latest rage for cannabis lovers.



### Dual Airways Design

Eliminate clogging with the genius Dual Airways Design, getting the purest and most intense flavor.



### Performance & Properties

Volume:	1.0ml / 2.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	300mAh
Aperture Size:	4 Air Inlets / 1.6mm
Tank Material:	PCTG
Center Post:	SUS316L



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

# ACE

## Get The Buzz Without The Mess



### Ultra-Compact

Modern design, sleek and compact. It can easily fit in your pocket or purse. We adopted DP10 to be portable and as discreet as possible while still allowing you to savor the purest flavors.



### Dual Airways Design

Dual airways design helps DP10 from clogging, improving the vaping experience to an unprecedented level. This device is sure to become a favorite.



### Performance & Properties

<b>Volume:</b>	0.3ml
<b>Resistance:</b>	1.2-1.6ohm
<b>Battery Capacity:</b>	280mAh
<b>Aperture Size:</b>	4 Air Inlets / 1.6mm
<b>Tank Material:</b>	PCTG
<b>Center Post:</b>	Lead-free Brass Chrome Plated



### Various Color Options

### Custom Logo Printing



### Custom Surface Techniques

CannaMate™

# ZEPHYR

## The Vape Future Is In Your Hands



### Small Dia Heating Element Solution

Due to its elegant and stylish ultra-thin design, a small diameter ceramic heating element of less than  $\varnothing 3.5\text{mm}$  is applied, providing unrivaled performance.



### Premium Rechargeable Battery

Long-lasting and safe, UL safety and performance standards are strictly observed to ensure end users are free from the risk of fire, electric shock, and other hazards.



### Performance & Properties

- Volume: 1.0ml
- Resistance: 1.2-1.6ohm
- Battery Capacity: 300mAh
- Aperture Size: 4 Air Inlets / 1.6mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: Tap on the USB Port



Various Color Options



Custom Surface Techniques

Custom Logo Printing



CannaMate™

# SODA

## Boost Your Charm At This Moment



### Exquisite Appearance

Eye-catching, the soft-touch rubber paint surface and the unique crystal diamond pattern tank make DP56 stand out from the crowd of vape pens.



### Small Body, Big Capacity

Convenient to take on the go, the DP56 is a small device, measuring 93.6mm tall and 16mm wide, but it has a 400mAh rechargeable battery and a large-capacity tank.



### Performance & Properties

Volume:	1.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	400mAh
Aperture Size:	4 Air Inlets / 1.6mm
Tank Material:	PCTG
Center Post:	SUS316
Preheat Mode:	4 Taps on the USB Port




Various Color Options

### Custom Logo Printing



**Tailor Your Oil Specific Needs**  
(Connect with TSS READER for Optimal Power)



Custom Surface Techniques



CannaMate™

# VULCAN

## Great Vape For Delta-8-THC



### Strong and Thick Cloud

Another legendary follow-up to D8 series. Equipped with Hcore Silo™ Plus heat element, they are specially designed for those who crave a larger, thicker vaping cloud.



Alu

### More Surface Options for Customization

Manufactured in high-class aluminum profiles means more surface technique available. The customization is endless...



### Performance & Properties

- Volume: 1.0ml or 1.0ml/ 1.5ml/ 2.5ml
- Resistance: 1.0-1.6ohm
- Battery Capacity: 400mAh
- Aperture Size: 4 Air Inlets / 1.6mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: Tap on the USB Port




Various Color Options

### Custom Logo Printing



Tailor Your Oil Specific Needs  
(Connect with TSS READER for Optimal Power)



Custom Surface Techniques

CannaMate™

# HERCULES

## Taste The Power Of Super Cloud



### Unmatched Thickness

Atomizing Delta-8-THC to best effect. With Hcore Silo™ Plus serving as the vanguard, they can put out massive vapors in a smooth manner, while reducing the ramp-up time to the minimum.



### Premium Material

Food-grade stainless steel is the main material used for their construction, making them resistant to high temperatures, corrosion, and scaling.



### Performance & Properties

- Volume: 1.5ml / 2.5ml or 0.5ml / 1.0ml
- Resistance: 1.0-1.6ohm
- Battery Capacity: 400mAh
- Aperture Size: 2 Air Inlets / 2.0mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: Tap on the USB Port



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

# CLIC

## More Than What Meets The Eye



### Splendid Structure

Serves as the smallest cannabis vaping pod, it testifies once again our savvy expertise on structural design and battery technology. All the functions you need are available there.



### User-friendly

Come with the unique USB Port Touch Control System, this dilly is easy to use and convenient to control. Put in the pod then you could start to enjoy your delicious botanic essence.



### Performance & Properties

**Volume:** 0.5ml / 1.0ml  
**Resistance:** 1.2-1.6ohm  
**Battery Capacity:** 140mAh  
**Aperture Size:** 4 Air Inlets / 0.9 / 1.2 / 1.6mm  
**Tank Material:** PCTG  
**Center Post:** SUS316L  
**Preheat Mode:** Two Clicks to Activate



### Various Color Options

### Custom Logo Printing



**Tailor Your Oil Specific Needs**  
 (Connect with TSS READER for Optimal Power)



### Custom Surface Techniques

CannaMate™

# PEAK X

## Distinguished Upgrade, Extraordinary Taste



### Great Market Value

Growing from the huge success of CannaMate™ Peak, Peak X is an upgrade pod system designed with a long-lasting battery and Type-C port, creating real market value and stable clients.



### Pure and Diversified Flavor

Outfitted with Hcore® ceramic heating element, customers can enjoy the pure and broad range of flavor from your oil.



### Performance & Properties

- Volume: 1.0ml
- Resistance: 1.2-1.6ohm
- Battery Capacity: 300mAh
- Aperture Size: 4 Air Inlets / 1.6mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: Two Clicks to Activate



### Various Color Options

### Custom Logo Printing



Tailor Your Oil Specific Needs  
(Connect with TSS READER for Optimal Power)




### Custom Surface Techniques

CannaMate™

# ZEPHYR V

Where  
Convenience  
Meets Flavor



## High Portability

High portability and innovation set FS36 apart from ordinary pods in the market. The choice between flavor and lightweight is no longer a matter of compromise.



## Comforting Experience

Putting in the pod, preheating, then puffing, FS36 offers a comforting vaping experience from start to finish. The preheating mode removes any clogging or burnt smell problems out there.



## Performance & Properties

Volume:	1.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	300mAh
Aperture Size:	4 Air Inlets / 1.6mm
Tank Material:	PCTG
Center Post:	SUS316L
Preheat Mode:	4 Taps to Activate



Various Color Options

## Custom Logo Printing



Tailor Your Oil Specific Needs  
(Connect with TSS READER for Optimal Power)




Custom Surface Techniques

CannaMate™

# B230

## Better Battery For The Best Journey



### Voltages Adjustable

There are three voltage settings which are indicated by the color of the LED ring (green: 2.6V/blue: 3.3V/red: 4.0V). Change the voltage with 3 clicks to personalize your vaping experience.




### Preheating Mode

Avoiding clogs and burnt taste, the preheat mode is a considerable innovation for cannabis extracts that are solid or crystalline at room temperature. Just 2 clicks to activate it.



### Performance & Properties

- Battery Capacity:** 230mAh
- Charge Port:** 510 Thread Charger
- Housing Material:** SS
- Battery Voltage:** 2.6V, 3.3V, 4.0V
- Activation:** Button Activated
- Preheat Mode:** 2 Clicks on the Button



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

# B310-A

## Supports Buttonless, Autodraw Activation




### Easy to Use

B310 is straight forward, ultraportable, and easy to use. No buttons needed, just inhale to activate. Tip lights up to let you know it's working.



### Compatible

With a diameter of 10.5mm, you can connect the B310 to most 510-threaded cartridges without having to purchase an adapter separately.



### Performance & Properties

**Battery Capacity:** 310mAh  
**Charge Port:** 510 Thread Charger  
**Housing Material:** SS  
**Battery Voltage:** 3.5V  
**Activation:** Draw Activated



### Various Color Options



### Custom Surface Techniques

### Custom Logo Printing



CannaMate™

# B320

## Charge It Once And Use It A Lot



### Super Power and Quick Charge

A huge capacity makes the B320 outlast the competition. And once the power is used up, it takes just 40 minutes to fully charge.



### Dual Circuit Protection Board

The safety features of the battery are always a top priority. The Dual Circuit Protection Board ensures the unrivaled safety, quality, reliability and performance of our batteries.



### Performance & Properties

- Battery Capacity:** 320mAh
- Charge Port:** 510 Thread Charger / Micro-USB
- Housing Material:** SS
- Battery Voltage:** 2.6V, 3.3V, 4.0V
- Activation:** Button Activated
- Preheat Mode:** 2 Clicks on the Button



Various Color Options

Custom Logo Printing



Custom Surface Techniques