

Table 1. Evidence-Based Strategies for Weight Maintenance Utilized in the Advantage List and References

STRATEGY	ADVANTAGE LIST QUESTION	REFERENCES (see reference list following for full citation)
Prepares own meals	Do you prepare most of your own meals?	Jacobs (2006) Zoumas-Morse, Rock, Sobo, Neuhouser (2001) Milsom, Middleton, Perri (2011) Wansink & van Kleef (2014)
Eats with family at least 4 times a week	Does your family eat a meal together at least 4 times a week?	Hammons, Fiese (2011) Taveras, et al. (2012) Wansink & van Kleef (2014)
Eats intentionally with TV and computer turned off	Do you eat meals in front your TV or computer?	Fitzpatrick, Edmunds, & Dennison (2007) Brunstrom & Mitchell (2006)
Loses or maintains weight by reducing intake	Have you ever lost weight by decreasing the food you eat?	Weiss, et al. (2015) Andreyeva, Long, Henderson, Grode (2010) Juanola-Falgarona, et al. (2014)
Loses or maintains weight by using low glycemic index foods	Have you ever followed a low glycemic diet? Have you ever followed a high fiber diet?	Boden, Sargrad, Homko, Mozzoli, Stein (2005) McGowan CA, McAuliffe FM. (2010) Horan, McGowan, Gibney, Donnelly, McAuliff (2014). Juanola-Falgarona, et al. (2014)
Loses or maintains weight by eating high fiber foods	Have you ever followed a low glycemic diet? Have you ever followed a high fiber diet?	Stein (2005). Horan, McGowan, Gibney, Donnelly, McAuliff (2014).
Loses or maintains weight by following ADA or My Plate diet	Have you ever used the American Diabetes Association (ADA) My Plate Diet? Have you ever followed a diabetic diet?	Boden, Sargrad, Homko, Mozzoli, Stein (2005). Horan, McGowan, Gibney, Donnelly, McAuliff (2014).

Loses or maintains weight by eating low fat foods		Tobias, Chen, Manson, Ludwig, Willett, Hu (2015) Juanola-Falgarona, et al. (2014)
Eats canned or frozen low calorie, portion controlled meals	Do you use frozen or canned low calorie meals often?	Gudzune, et al. (2015) Foster, et al. (2013)
Drinks water instead of sugared beverages	Do you usually drink water, milk or unsweetened drinks instead of sodas or sweetened drinks?	Malik, Schulze, Hu (2006) Schulze, Manson, Ludwig, et al. (2004)
Uses a smart phone or computer program to support weight management program	Do you ever use a phone or computer to help you decide what to eat?	Steinberg, Tatea, Bennett, Ennett, Samuel-Hodge, Warda (2013). Archarya, Elci, Sereika, Styn, Burke (2011)
Eats 5 fruit or vegetable servings daily	Do you usually eat at least 5 servings of fruits or vegetables a day?	Byrd-Bredbenner, Abbot, Cussler (2011) de Jong, Visscher, HiraSing, Seidell, Renders (2014)
Counts calories to plan intake	Do you ever count calories or portions to decide how much to eat?	Weiss, et al. (2015) Andreyeva, Long, Henderson, Grode (2010) Joyner (2014)
Weighs self regularly	Do you ever weigh yourself on a scale at home? Do you ever weigh yourself on a public scale?	Steinberg, Tatea, Bennett, Ennett, Samuel-Hodge, Warda (2013). Milsom, Middleton, Perri (2011) Joyner (2014)
Remained within Institute of Medicine 2009 Guidelines for weight gain during a prior pregnancy		Waring, Simas, Liao (2013)
Returned to pregestational weight following the birth of a baby		Nehring, Schmoll, Beyerlein, Hauner, von Kries (2011). Jain, Gavard, Rice, Catanzaro, Artal, Hopkins (2013)

Breastfed baby at least three months (exclusively)		Baker JL, Gamborg M, Heirman BL, Lissner L, Sorensen TIA, Rasmussen KM. (2008) Lopez-Olmedo, Hernandez-Cordero, Neufeld, Garcia-Guerra, Meijia-Rodriguez, Mendez Gomez-Humaran (2015) Ruiz, Perales, Pelaez, Lopez, Barakat (2013)
Sleeps at least 7 hours each night	Do you usually get 7 hours of sleep a night?	Patel, S. R. (2009) Chaput, J. P., Klingenberg I., Sjodin, A. M. (2010)
Does planned physical activity at least 30 minutes a day five days a week	Do you do some sort of physical activity, like walking or bicycling, for 30 minutes at least 5 days a week?	Centers for Disease Control (2015) Joyner (2014)

RESEARCH REFERENCE BASE SUPPORTING THE ADVANTAGE LIST

Acharya, S.D., Elci, O.U., Sereika, S.M., Styn, M.A., Burke, L.E. (2011). Using a personal digital assistant for self-monitoring influences diet quality in comparison to a standard paper record among overweight/obese adults. *J Am Diet Assoc*, 111(4):583-8.

Andreyeva T, Long M, Henderson, Kathryn, Grode, G. (2010). Trying to Lose Weight: Diet Strategies among Americans with Overweight or Obesity in 1996 and 2003. *J Am Diet Assoc*, 110:535-542.

Baker JL, Gamborg M, Heitman BL, Lissner L, Sorensen TIA, Rasmussen KM. Breastfeeding reduced postpartum weight retention. *Am J Clin Nutr*. 2008;88:1543-1551.

Brunstrom, J.M., Mithcell, G.L. (2006). Effects of distraction on the development of satiety. *Br J Nutr*, 96(4):761-9.

Byrd-Bredbenner, C., Abbot, J.M., Cussler, E. (2011). Relationship of social cognitive theory concepts to mothers' dietary intake and BMI. *Matern Child Nutr*, 7(3):241-52.

Boden, .G, Sargrad, K., Homko, C., Mozzoli, M., Stein, T.P. (2005). Effect of a low-carbohydrate diet on appetite, blood glucose levels, and insulin resistance in obese patients with type 2 diabetes. *Ann Intern Med*, 15;142(6):403-11.

Centers for Disease Control. (2015). Physical Activity for Healthy Pregnant or Postpartum

Women. Retrieved Nov. 3, 2015 from:

<http://www.cdc.gov/physicalactivity/basics/pregnancy/index.htm>

- Chaput, J., (2010). Short sleep duration promoting overconsumption of food: A reward-driven eating behavior. *Sleep*;33(9):1135-6.
- Chaput, J., Klingenberg, L., Sjödin, A. (2010). Do all sedentary activities lead to weight gain: sleep does not. *Curr Opin Clin Nutr Metab Care*;13(6):601-7. doi: 10.1097/MCO.0b013e32833ef30e.
- Coughlin, S., Whitehead, M., Sheats, J., Mastromonico, J., Hardy, D., Smith, S., Jacobs, J. (2015). Smartphone Applications for Promoting Healthy Diet and Nutrition: A Literature Review. *Food Nutr*;2(3):021.
- de Jong, E, Visscher, T.L., HiraSing, R.A., Seidell, J.C., Renders, C.M. (2015). Home environmental determinants of children's fruit and vegetable consumption across different SES backgrounds. *Pediatr Obes*. 10(2):134-40.
- Ello-Martin JA, Ledikwe JH, Rolls BJ. The influence of food portion size and energy density on energy intake: implications for weight management. *Am J Clin Nutr*. 2005;82(1 Suppl):236S-241S.
- Fitzpatrick, E., Edmunds, L.S., Dennison, B.A. (2007). Positive effects of family dinner are undone by television viewing. *J Am Diet Assoc*, 107(4):666-71.
- Foster, G.D., Wadden, T.A., LaGrotte, C.A., Vander Veur, S.S., Hesson, L.A., Homko, C.J., Maschak-Carey, B.J., Barbor N.R., Bailer, B., Diewald, L., Komaroff, E., Herring, S.J., Vetter, M.L. (2013). A randomized comparison of a commercially available portion-controlled weight loss intervention with a diabetes self-management education program. *Nutrition & Diabetes*, 3, e63.
- Funk, K., Stevens, V., Appel, L., Bauck, A., Brantley P., Champagne, C., Coughlin, J., Dalcin, A., Harvey-Berino, J., Hollis, J., Jerone, G., Kennedy, B., Lien, L., Myers, V., Samuel-Hodge, C., Svetkey, L., Vollmer, W. (2010). Associations of Internet Website Use With Weight Change in a Long-term Weight Loss Maintenance Program. *J Med Internet Res*. 2010 Jul-Sep; 12(3): e29. doi: [10.2196/jmir.1504](https://doi.org/10.2196/jmir.1504)
- Gudzune, K.A., Doshi, R.S., Mehta, A.K., Chaudhry, Z.W., Jacobs, D.K., Vakil, R.M., Lee, C.J., Bleich, S.N., Clark, J.M.. (2015). Efficacy of commercial weight-loss programs: an updated systematic review. *Ann Intern Med*. 7;162(7):501-12.
- Hammons, A.J., Fiese, B.H. (2011). Is frequency of shared family meals related to the nutritional health of children and adolescents? *Pediatrics*, 127(6):e1565-74.
- Horan, M.K., McGowan, C.A., Gibney, E.R., Donnelly, J.M., McAuliffe, F.M. (2014). Maternal

- diet and weight at 3 months postpartum following a pregnancy intervention with a low glycaemic index diet: results from the ROLO randomized control trial. *Nutrients.*, 23;6(7):2946-55.
- Jacobs, D.R. (2006). Fast food and sedentary lifestyle: a combination that leads to obesity. *Am H Clin Nutr*, 83:189-90.
- Jain, A.P., Gavard, J.A., Rice, J.J., Catanzaro, R.B., Artal, R., Hopkins, S.A. (2013). The impact of interpregnancy weight change on birthweight in obese women. *Am J Obstet Gynecol*, 208(3):205.
- Joyner, M. (2014). Which diets work? A side order of perspective. *Medscape*. Retrieved from www.medscape.com/viewarticle/832964_print
- Juanola-Falgarona, M, Salas-Salvado, J, Ibarrola-Jurado, N, Rabassa-Soler, A, Diaz-Lopez, A, Guasch-Ferr, M, Hernandez-Alonso, P, Balanza, R, Bullo, M. (2014). Effect of the glycemic index of the diet on weight loss, modulation of satiety, inflammation, and other metabolic risk factors: a randomized controlled trial. *Am J Clin Nutr*: 100:27-35.
- Kumar GS, Pan L, Park S, Lee-Kwan SH, Onufrak S, Blanck HM; Epidemic Intelligence Service, Office of Surveillance, Epidemiology, and Laboratory Services, CDC. Sugar-sweetened beverage consumption among adults—18 states, 2012. *MMWR Morb Mortal Wkly Rep*. 2014;63:686-690.
<http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6332a2.htm> Accessed September 17 2014.
- López-Olmedo, N., Hernández-Cordero, S., Neufeld, L., García-Guerra, A., Meijia-Rodriguez, F., Méndez Gómez-Humarán, I. (2016). The Associations of Maternal Weight Change with Breastfeeding, Diet and Physical Activity During the Postpartum Period. *Matern Child Health J*;20(2):270-80. doi: 10.1007/s10995-015-1826-7.
- Malik VS, Schulze MB, Hu FB. Intake of sugar-sweetened beverages and weight gain: a systematic review. *Am J Clin Nutr* 2006;84(2):274-88.
- McCarthy, M. (2015). High fibre diet may be good alternative to complex weight loss regimen, US study finds. *BMJ*;350:h965. doi: 10.1136/bmj.h965.
- McGowan CA, McAuliffe FM. (2010). The influence of maternal glycaemia and dietary glycaemic index on pregnancy outcome in healthy mothers. *Br J Nutr*;104(2):153-9. doi: 10.1017/S0007114510000425.
- Milsom, V.A., Middleton, K.M., Perri, M.G. (2011) Successful long-term weight loss maintenance in a rural population. *Clin Interv Aging*, 6:303-9.

- Nehring, I., Schmoll, S., Beyerlein, A., Hauner, H., von Kries, R. (2011). Gestational weight gain and long-term postpartum weight retention: a meta-analysis. *Am J Clin Nutr*, 94(5): 1225-31.
- Patel, S. R. (2009). Reduced sleep as an obesity risk factor. *Obes Rev*. 10 Suppl 2:61-8. doi: 10.1111/j.1467-789X.2009.00664.
- Reedy J, Krebs-Smith SM. Dietary sources of energy, solid fats, and added sugars among children and adolescents in the United States. *J Am Diet Assoc*. 2010;110:1477-1484. <http://appliedresearch.cancer.gov/diet/foodsources/article/> Accessed August 6, 2014.
- Rezende LF, Rodrigues Lopes M, Rey-López JP, Matsudo VK, Luiz Odo C. Sedentary behavior and health outcomes: an overview of systematic reviews. *PLoS One*. 2014;9:e105620. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0105620> Accessed September 23, 2014.
- Rose, S.A., Poynter, P.S., Anderson, J.W., Noar, S.M., Conigliaro, J. (2013). Physician weight loss advice and patient weight loss behavior change: a literature review and meta-analysis of survey data. *Int. J. Obes. (Lond.)* 37, 118-128.
- Ruiz, J.R., Perales, M., Pelaez, M., Lopez, C., Lucia, A., Barakat, R. (2013). Supervised exercise-based intervention to prevent excessive gestational weight gain: a randomized controlled trial. *Mayo Clin Proc*, 88(12):1388-97.
- Schulze, M.B., Manson, J.E., Ludwig, D.S., et al. (2004) Sugar-sweetened beverages, weight gain and incidence of type 2 diabetes in young and middle-aged women. *JAMA*, 292(8); 927-34.
- Steinberg, D., Tate, D., Bennett, G., Ennett, S., Samuel-Hodge, C., Ward, D. (2013). The Efficacy of a daily self-weighing weight loss intervention using smart scales and email. *Obesity*; 21(9):1789-97. doi: 10.1002/oby.20396
- Taveras, E.M., McDonald, J., O'Brien, A., Haines, J., Sherry, B., Bottino, C.J., Troncoso, K., Schmidt, M.E., Koziol, R. (2012). Healthy Habits, Happy Homes: methods and baseline data of a randomized controlled trial to improve household routines for obesity prevention. *Prev Med*, 55(5):418-26.
- Teixeira PJ, Going SB, Houtkooper LB, et al. Exercise motivation, eating, and body image variables as predictors of weight control. *Med Sci Sports Exerc*. 2006;38:179-188.
- Tobias, D.K., Chen, M., Manson, J.E., Ludwig, D.S., Willett, W., Hu, F.B. (2015). Effect of low-fat diet interventions versus other diet interventions on long-term weight change in adults: a systematic review and meta-analysis. *Lancet Diabetes Endocrinol*, 3(12):968-79.
- Turner, T., Nance, L., Strickland, W., Malcolm, R., Pechon, S., O'Neil, P. (2013). Dietary adherence and satisfaction with a bean-based high-fiber weight loss diet: a pilot

study. *ISRN Obes*;2013:915415. doi: 10.1155/2013/915415.

Vesco, K., Karanja, N., King, J., Gillman, M., Leo, M., Perrin, N., McEvoy, C., Eckhardt, C., Smith, K., Stevens, V. (2014). Efficacy of a group-based dietary intervention for limiting gestational weight gain among women: a randomized trial. *Obesity*,22(9):1989-96.

Wansink, B., van Kleef, E. (2014). Dinner rituals that correlate with child and adult BMI. *Obesity*, 22:E91-95.

Waring, M.E., Moore Simas, T.A., Liao, X. (2013). Gestational weight gain within recommended ranges in consecutive pregnancies: a retrospective cohort study. *Midwifery.*, 29(5):550-6.

Weiss, E.P., Albert, S.G., Reeds, D.N., Kress, K.S., Ezekiel, U.R., McDaniel, J.L., Patterson, B.W., Klein, S., Villareal, D.T..(2015) Calorie Restriction and Matched Weight Loss From Exercise: Independent and Additive Effects on Glucoregulation and the Incretin System in Overweight Women and Men. *Diabetes Care*,38(7):1253-62.

Zoumas-Morse, C., Rock, C.L., Sobo, E.J., Neuhouser, M.L. (2001). Children's patterns of Macronutrient intake and associations with restaurant eating and home eating. *J Am Diet Assoc*, 101(8):923-5.