

Holistic Resident Wound Assessment Chart*
Fletcher (2010) Development of a New Wound Assessment Form. Wound UK (6) 1 pp 92 – 99.
Wound Educators (2014) Wound Assessment, Past and Current Wound History
NHS Whittington Health: Wound Assessment Chart

Resident Name	DOB		Weight	Height	вмі	Gender
Factors that may de	lay healing (tick bo	exes that apply)				
Diabetic Immune disorder Low BMI Relevant Pharmacol	Cardiovascular d Liver disease Vascular disease	S	Renal disease Smoking mmobility	Malignancy ETOH Radiotherapy	Inflammatory Palliative Other	disease Noncompliance
Anticoagulant Immunosuppressive	Steroid	Pregabalin other	Antibiotics	s Ar	iti-inflammatory	Chemo

Allergies (include iodine, dietary, zinc, adhesives etc)

Healing potential (consider in context of goal of care – item 13)

Somewhat impacted Poor

3000 Somewhat impacted 1 001				
1. Date of assessment	Date of assessment	Date of assessment	Date of assessment	
2. Wound Number	Wound Number	Wound Number	Wound Number	
3. Wound Measurement	Wound Measurement	Wound Measurement	Wound Measurement	
Has Photo been taken?				
yes No	yes no	yes no	yes no	
Length mm	Length mm	Length mm	Length mm	
Width mm	Width mm	Width mm	Widthmm	
4. Wound Type	4. Wound Type	4. Wound Type	4. Wound Type	
Pressure Injury	Pressure Injury	Pressure Injury	Pressure Injury	
Skin Tear	Skin Tear	Skin Tear	Skin Tear	
Leg Ulcer	Leg Ulcer	Leg Ulcer	Leg Ulcer	
Traumatic	Traumatic	Traumatic	Traumatic	
Surgical	Surgical	Surgical	Surgical	
Malignant	Malignant	Malignant	Malignant	
Other	Other	Other	Other	
5. Stage (PI/Skin Tear/Burn)				
Refer to relevant pathway				
6. Leg Ulcer Aetiology				
Aetiology confirmed?	Aetiology confirmed?	Aetiology confirmed?	Aetiology confirmed?	
yes no	yes no	yes no	yes no	
Date ABPI/Vascular ultrasound completed?				
Result	Result	Result	Result	
7. Tissue (T)	7. Tissue (T)	7. Tissue (T)	7. Tissue (T)	
(% of each type)				
Necrotic	Necrotic	Necrotic	Necrotic	
Sloughy	Sloughy	Sloughy	Sloughy	
Eschar	Eschar	Eschar	Eschar	
Granulation	Granulation	Granulation	Granulation	
Epithelial	Epithelial	Epithelial	Epithelial	
Summary observations	Summary observations	Summary observations	Summary observations	

8. Infection (I) (refer			
governance framework p. 34: Clinical Infection) Indicators (tick) Erythema < 2cm Erythema > 2cm Cellulitis Pus Increase pain Increase exudate Malodour Delayed healing Friable tissue Pocketing	8. Infection (I) (refer governance framework p. 34: Clinical Infection) Indicators (tick) Erythema < 2cm Erythema > 2cm Cellulitis Pus Increase pain Increase exudate Malodour Delayed healing Friable tissue Pocketing	8. Infection (I) (refer governance framework p. 34: Clinical Infection) Indicators (tick) Erythema < 2cm Erythema > 2cm Cellulitis Pus Increase pain Increase exudate Malodour Delayed healing Friable tissue Pocketing	8. Infection (I) (refer governance framework p. 34: Clinical Infection) Indicators (tick) Erythema < 2cm Erythema > 2cm Cellulitis Pus Increase pain Increase exudate Malodour Delayed healing Friable tissue Pocketing
Infection type	Infection type	Infection type	Infection type
Covert	Covert	Covert	Covert
Overt	Overt	Overt	Overt
Spreading	Spreading	Spreading	Spreading
Systemic	Systemic	Systemic	Systemic
Swab taken?	Swab taken?	Swab taken?	Swab taken?
Date Taken	Date Taken	Date Taken	Date Taken
Summary observations	Summary observations	Summary observations	Summary observations
9. Moisture Balance (M)			
Desiccated	Desiccated	Desiccated	Desiccated
Optimal	Optimal	Optimal	Optimal
Wet (macerated)	Wet (macerated)	Wet (macerated)	Wet (macerated)
Dressing leakage?	Dressing leakage?	Dressing leakage?	Dressing leakage?
Summary observations	Summary observations	Summary observations	Summary observations
	10. Edge and Surrounding Skin	10. Edge and Surrounding Skin	10. Edge and Surrounding Skin
10. Edge and Surrounding Skin	10. Luge and Surrounding Skin		
10. Edge and Surrounding Skin Raised	Raised	Raised	Raised
Raised	Raised	Raised	Raised
Raised Undermining	Raised Undermining	Raised Undermining	Raised Undermining
Raised Undermining Macerated	Raised Undermining Macerated	Raised Undermining Macerated	Raised Undermining Macerated
Raised Undermining Macerated Hyperkeratosis			
Raised Undermining Macerated Hyperkeratosis Venous eczema			
Raised Undermining Macerated Hyperkeratosis Venous eczema	Raised Undermining Macerated Hyperkeratosis Venous eczema Other	Raised Undermining Macerated Hyperkeratosis Venous eczema	Raised Undermining Macerated Hyperkeratosis Venous eczema Other
Raised Undermining Macerated Hyperkeratosis Venous eczema Other	Raised Undermining Macerated Hyperkeratosis Venous eczema	Raised Undermining Macerated Hyperkeratosis Venous eczema Other	Raised Undermining Macerated Hyperkeratosis Venous eczema
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite,	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite,	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite,	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite,
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite,	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite,	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite,	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite,
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation
Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation	Raised Undermining Macerated Hyperkeratosis Venous eczema Other Summary observations 11. Pain Assessment Continuous Intermittent Nocturnal Resident description Relieving factors Dressing Pain Assessment At Dressing change Post dressing change 12. Resident Wellbeing secondary to wound (consider impacts on mobility, appetite, self-image, affect, isolation

-		-	T
13. Goal of Care			
Healing	Healing	Healing	Healing
Palliation 14. Treatment Objectives	Palliation 14. Treatment Objectives	Palliation	Palliation
(Tick all that apply)			
Promote granulation	Promote granulation	Promote granulation	Promote granulation
Promote epithelisation	Promote epithelisation	Promote epithelisation	Promote epithelisation
Manage bacterial burden	Manage bacterial burden	Manage bacterial burden	Manage bacterial burden
Manage wound exudate	Manage wound exudate	Manage wound exudate	Manage wound exudate
Protect peri wound	Protect peri wound	Protect peri wound	Protect peri wound
Manage surrounding skin	Manage surrounding skin	Manage surrounding skin	Manage surrounding skin
Manage pain	Manage pain	Manage pain	Manage pain
Minimise odour	Minimise odour	Minimise odour	Minimise odour
Improv QOL	Improv QOL	Improv QOL	Improv QOL
15. Treatment Plan	15. Treatment Plan	15. Treatment Plan	15. Treatment Plan
Clinical Pathway	Clinical Pathway	Clinical Pathway	Clinical Pathway
Skin tear	Skin tear	Skin tear	Skin tear
Pressure Injury	Pressure Injury	Pressure Injury	Pressure Injury
Leg Ulcer	Leg Ulcer Traumatic	Leg Ulcer Traumatic	Leg Ulcer
Traumatic Burns	Burns	Burns	Traumatic Burns
Malignant	Malignant	Malignant	Malignant
1. Cultural considerations	1. Cultural considerations	1. Cultural considerations	1. Cultural considerations
in cultural considerations	Treatara considerations	Treatarar considerations	Ti cuitarai considerations
2. Pain Management	2. Pain Management	2. Pain Management	2. Pain Management
Prescription	Prescription	Prescription	Prescription
3. Wound Hygiene	3. Wound Hygiene	3. Wound Hygiene	3. Wound Hygiene
Prescription	Prescription	Prescription	Prescription
4. Dressing Prescription Primary	4. Dressing Prescription Primary	4. Dressing Prescription Primary	4. Dressing Prescription Primary
Secondary	Secondary	Secondary	Secondary
Retention	Retention	Retention	Retention
5. Compression Prescription (Review contraindications)	5. Compression Prescription (Review contraindications)	5. Compression Prescription (Review contraindications)	5. Compression Prescription (Review contraindications)
6. Family notification required?			
7. Review Date	7. Review Date	7. Review Date	7. Review Date
16. Referral considerations	16. Referral considerations	16. Referral considerations	16. Referral considerations
GP OT	GP OT	GP OT	GP OT
Dietician	Dietician	Dietician	Dietician
Vascular assessment	Vascular assessment	Vascular assessment	Vascular assessment
Podiatry	Podiatry	Podiatry	Podiatry
Wound Innovations	Wound Innovations	Wound Innovations	Wound Innovations
Hospital (ED/Burns) Other	Hospital (ED/Burns) Other	Hospital (ED/Burns) Other	Hospital (ED/Burns) Other
17. Assessing Nurse	17. Assessing Nurse	17. Assessing Nurse	17. Assessing Nurse
Name	Name	Name	Name
Signature	Signature	Signature	Signature
Date	Date	Date	Date

Additional Notes