

Banerji Protocols for COVID-19



By Dr. Pratip Banerji

In the recent days, I have been faced with a large number of queries from all over the world, by medical professionals as well as from the patient community, regarding the possible role of the Banerji Protocols in the Prevention and Treatment of COVID 19.

In our clinics we have a very large footfall of patients every day, this has allowed us to observe the action of our medicines in many viral diseases such as the common cold and different types of flu, dengue, measles, mumps, rubella, chicken pox, shingles, hepatitis B and C, herpes and cold sores, polio and even the odd case of rabies.

COVID 19 is basically a respiratory infection, which initially affects the upper respiratory tract, if allowed to progress, settles in the lungs (lower respiratory tract) causing pneumonia and fibrosis, with a poor prognosis. Due to this, all and any treatment should be targeted as such. In the treatment of COVID 19 positive cases, so far whatever information is available, do not provide anything new in this virus, except for the fact that it is more aggressive in its progression and prognosis is fatal in immune compromised and elderly patients.

Since our method of treatment is diagnostic as well as symptomatic, I have put together the following Protocols, which in my estimation, should prove helpful in both preventing and combatting the virus. These are just suggestions based on experience of over 30 years of my own practice, and our family's collective experience of over 150 years working with Homeopathy.

For Prevention of COVID 19

Thuja occidentalis 30c, 5 drops/5 pills (Globule size no. 40), taken two times for 7 days, then twice a week for 3 weeks.

In Asymptomatic Cases or where there has been exposure to COVID 19 + cases. These are the basic medicines to be given in every case, as they are primarily anti-viral:

1. Camphora 200c, STAT
2. Thuja occidentalis 30c, 5 drops/5 pills (Globule size no. 40), taken two times daily
3. Eupatorium perfoliatum Q (Mother Tincture), 5 drops in 2 tablespoons of water, taken two times daily

In Mild or Moderately Symptomatic Cases or COVID 19 + cases:

1. Camphora 200c, STAT
2. Thuja occidentalis 30c, 5 drops/5 pills (Globule size no. 40), taken two times daily

3. Eupatorium perfoliatum Q (Mother Tincture), 5 drops in 2 Table-spoon of water, taken two times daily
4. Hepar Sulph 6c, 5 drops/5 pills (Globule size no. 40)
5. Chelidonium majus 6x, 5 drops/5 pills (Globule size no. 40)
6. Sanguinaria canadensis 200c, 5 drops/5 pills (Globule size no. 40), taken two times daily

Medicines no.4 & 5, may be taken every 3 hours alternately, till symptoms subside

In Severe Symptomatic Cases which have tested COVID 19+ with ARDS:

1. Camphora 200c, STAT
2. Thuja occidentalis 30c, 5 drops/5 pills (Globule size no. 40), taken two times daily
3. Kali Carbonicum 200c, 5 drops/5 pills (Globule size no. 40), one dose daily morning
4. Eupatorium perfoliatum Q (Mother Tincture), 5 drops in 2 Table-spoon of water, taken two times daily
5. Hepar Sulph 6c, 5 drops/5 pills (Globule size no. 40)
6. Chelidonium majus 6x, 5 drops/5 pills (Globule size no. 40)
7. Sanguinaria canadensis 200c, 5 drops/5 pills (Globule size no. 40), taken two times daily

Medicines no. 5 & 6, may be taken every 3 hours alternately, till symptoms subside

In Terminally Ill Cases which have tested COVID 19+ with ARDS and are requiring Ventilatory Support:

1. Camphora 200c, STAT
2. Kali Carbonicum 200c + Carbo Vegetabilis 200c, 5 drops/5 pills (Globule size no. 40), taken together, on tongue
3. Bromium 6c, 5 drops/5 pills (Globule size no. 40)
4. Medicines no. 2 & 3, may be taken every 2 hours alternately, on tongue, till symptoms subside

DISCLAIMER:

- This information is not a substitute for any professional medical advice, diagnosis or treatment for COVID 19.
- CRITICAL CASES REQUIRE HOSPITALIZATION.
- This information is not suitable for unsupervised use by laymen and is not intended to substitute consultations with experts.
- The Author disclaims all liability for any loss or risk, personal or otherwise incurred as a consequence of use of any material in this article.