






For 50 years, SeCan has been investing to bring you the very best genes that fit *your* farm. Thank you for your continued support, that helps fund public and private plant breeding programs in Canada and abroad. This funding ensures access to the very best genes – in 2026 and beyond!

Roundup Ready 2 Xtend Soybeans







XtendFlex[®] Soybeans








Conventional Soybeans





















Enlist E3[™] Soybeans







| Trait | Herbicide Tolerance(s) | Variety | Heat Units | Relative Maturity | Hilum Colour |
|--|---|-------------------------------------|---------------|----------------------|---------------------|
| ady | | Alouette R2X NEW | 2325 | 00.1 | Black |
| Regional de la constant de la consta | | Bourke R2X | 2400 | 00.4 | Black |
| dup Xtei | Glyphosate Dicamba | Orr R2X | 2750 | 0.8 | Brown |
| Roundup Ready 2 Xtend® | | Beliveau R2X | 2775 | 0.9 | Brown |
| ~~~ | | Express R2X | 3100 | 2.4 | Black |
| | | Joly XF NEW | 2550 | 0.1 | Black |
| eX _® | Glyphosate | Cullen XF NEW | 2650 | 0.4 | Grey |
| (tendFlex [®] | Dicamba | Ridley XF | 2750 | 0.8 | Black |
| Xter | Glufosinate | Keith XF | 2900 | 1.7 | Brown |
| | | Roenick XF NEW Limited supply | 3050 | 2.1 | Imperfect Black |
| | | Harvey E3 | 2700 | 0.6 | Light Brown |
| | Glyphosate Glufosinate 2, 4-D Choline | Myers E3 NEW | 2700 | 0.6 | Light Brown |
| 3™ 1 | | Rask E3 NEW | 2900 | 1.7 | Imperfect Black |
| Enlist E3" | | Kraft E3 | 2975 | 1.9 | Imperfect Black |
| 듑 | | Lindros E3 NEW Limited supply | 3000 | 2.0 | Imperfect Black |
| | | Sittler E3 NEW Limited supply | 3200 | 2.5 | Black |
| | | Paisley NEW Limited supply | 2625 | 0.3 | Imperfect Yellow |
| ਬ | | OAC Strive | 2650 | 0.4 | Imperfect Yellow |
| ntion | None | OAC Kamran | 2725 | 0.6 | Imperfect Yellow |
| Conventional | - Hollo | Inwood nEW | 2875 | 1.4 | Imperfect Yellow |
| ၁ | | OAC Union | 2875 | 1.4 | Yellow |
| | | OAC Bruton | 2975 | 2.0 | Yellow |
| | | AAC Wigle | 3150 | 2.5 | Yellow |
| - Average: AA - A | hous Ausroas: ND - Nood | e Placement Avoid placing on | norgo whore | field has a hist | one of the engineed |

A = Average; AA = Above Average; NP = Needs Placement. Avoid placing on acres where field has a history of the assigned Seeds per lb: VL = Very Large < 2000; L = Large 2000-2275; M = Medium 2275-2725; S = Small > 2725 † Please check with your seed supplier for actual seed size.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Doundup Ready 2 Xtent® soybeans. NOT ALL formulations of dicamba, glyphosate or guldrosinate are approved for in-crop use with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

| | | | | MANAGE | MENT | _ | | | | | | |
|------------------------------|-----------------|---------|----------------|------------------|--------------|----------------|-----------------------------|---|--|-----------------------------|--|--|
| Seeds per lb [†] | Plant Height | Lodging | Canopy Type | Row Width (") | Soil Type | White Mould | SCN Resistance Source | Phytophthora Root Rot Field Tolerance | Phytophthora Root Rot Resistance Gene(s) | Sudden Death Syndrome | | |
| - | Medium-Tall | AA | Bush | 7-30 | All | AA | No gene | А | 1c | - 1 | | |
| М | Medium-Tall | Α | Medium-Thin | 7-30 | All | AA | No gene | AA | 1k | Α | | |
| М | Medium-Tall | AA | Medium-Thin | 7-30 | All | AA | PI 88788 | Α | 3a | AA | | |
| L | Medium | AA | Medium | 7-30 | All | AA | PI 88788 | AA | 1k, 3a | AA | | |
| S | Medium-Tall | AA | Medium | 7-30 | Clay | AA | PI 88788 | AA | 1c, 1k | A | | |
| S | Tall | NP | Medium | 7-30 | All | AA | PI 88788 | AA | 1c | Α | | |
| М | Medium | AA | Medium | 7-30 | All | Α | PI 88788 | AA | 1c, 3a | AA | | |
| М | Medium | AA | Medium | 7-30 | All | AA | PI 88788 | А | 1c | AA | | |
| М | Tall | AA | Medium | 7-30 | All | AA | PI 88788 | AA | 3a | Α | | |
| - | Medium-Tall | Α | Medium-Bush | - | All | А | Peking | A | 1k | Α | | |
| S | Medium | AA | Medium | 7-30 | All | AA | No gene | А | No gene | - | | |
| М | Medium-Tall | AA | Medium | 7-30 | All | AA | PI 88788 | А | 3a | AA | | |
| М | Medium-Tall | AA | Medium | 7-30 | All | AA | PI 88788 | А | 1c | Α | | |
| S | Medium-Tall | А | Medium | 7-30 | All | Α | PI 88788 | AA | 1k | Α | | |
| - | Medium-Tall | AA | Medium | - | All | AA | Peking | AA | 3a | А | | |
| - | Medium-Tall | A | Medium | - | All | А | Peking | A | No gene | Α | | |
| - | Medium | AA | Medium-Thin | 7-15 | All | - | PI 88788 | А | 1c | - | | |
| VL | Tall | А | Medium-Thin | 7-15 | All | AA | No gene | AA | - | Α | | |
| VL | Medium-Short | Α | Medium-Thin | 7-15 | Loam | Α | PI 88788 | NP | - | AA | | |
| L | Medium | А | Medium-Thin | 7-30 | All | AA | PI 88788 | AA | 1c | AA | | |
| М | Medium | AA | Medium-Thin | 7-15 | All | AA | PI 88788 | AA | - | AA | | |
| VL | Medium-Tall | Α | Medium-Bush | 7-30 | All | AA | PI 88788 | AA | - | AA | | |
| L | Medium-Tall | AA | Medium | 7-30 | All | AA | PI 88788 | А | - | Α | | |

trait, i.e. history of white mould; "-" = Data not sufficient for rating.

Data values were collected under different management practices at different locations in different years, and are for comparison purposes only. For more data see Ontario Soybean Performance Trials: GoCrops.ca

Roundup Ready 2 Xtend® soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Plants that are not tolerant to glyphosate may be damaged or killed if exposed to those herbicides. Plants that are not tolerant to glyphosate, dicamba and/or glufosinate may be damaged or killed if exposed to those herbicides. Plants that are not tolerant to dicamba may be damaged or killed if exposed to those herbicides. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

Roundup Ready 2 Xtend[®], Roundup Ready 2 Yield[®], Roundup Ready[®] and XtendFlex[®] are registered trademarks of Bayer Group. Used under license. LibertyLink[®] and LibertyLink 1000[®] are registered trademarks of BASF. Used under license. ©2025 Bayer Group. All rights reserved.





Enlist E3TM soybeans contain the Enlist E3 trait that provides crop safety for use of labelled over-the-top applications of glyphosate, glufosinate and 2,4-0 herbicides featuring Colex-D[®] technology when applied according to label directions. Following burndown, the only 2,4-0 containing herbicide products that the may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labelled for use on Enlist crops. 2,4-0 products that foo not contain Colex-D technology are not authorized for use in conjunction with Enlist E3 soybeans.

WARNING: Enlist E3 soybeans are tolerant of over-the top applications of glyphosate, glufosinate, and 2,4-0. Accidental application of incompatible herbicides to this

WANNINE: Linist L3 sopleans are tolerant of over-the top applications of glyptosate, guitosinate, and 2,4-tJ. Accidental application of incompatible herbicides to this variety could result in total crop loss. When using 2,4-tJ Denticides, grower agrees to nity use 2,4-tJ products that contain Colest, befonlogy authorized for use in conjunction with Enlist Soybeans. Always read and follow herbicide label directions prior to use. Enlist 1™ and Enlist Duo™ are the only 2,4-tJ products authorized for use with Enlist crops. Consult Enlist herbicide labels for weed species controlled. Additional product-specific stewardship requirements for Enlist crops, including the Enlist™ Product Use Guide, can be found at www.EnlistCanada.ca. Always read and follow label directions.

The transgenic stylean event in the Enlist E3™ stylean was jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. ® ™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Dow AgroSciences LLC.






To learn more about Plant Breeders' Rights (PBR) visit Seeds-Canada.ca



Scan here

Spring Barley






| Туре | Variety | riety Area(s) Yield Heading Maturity Index (days) (days) | | Lodging 0 = standing 9 = flat | Plant Height (cm) | Test Weight (kg/hL) | Thousand Kernel Weight (g) | | |
|-------|-----------------|---|-------|-------------------------------------|-------------------------|---------------------------|----------------------------------|------|------|
| 2-Row | Esma | 2 & 3 | 98.5 | 58 | 80 | 2.2 | 64 | 61.1 | 45.5 |
| MO | AAC Cranbrook 🕦 | 2 & 3 | 105.5 | 59 | 83 | 1.4 | 80 | 60.8 | 43.5 |
| 6-Row | Dignity | 2 & 3 | 99.0 | 56 | 84 | 1.0 | 80 | 61.6 | 42.3 |

Data values were collected under different management practices at different locations over three years, and are for comparison purposes only. For more data see Ontario Spring Cereal Performance Trials: GoCrops.ca

Winter Barley




| SU Ru | Ar | Areas 1, 2 & 3 | | | | | | | |
|---|-------------|----------------|------------------|--|--|--|--|--|--|
| 2-Row Winter Barley | | | | | | | | | |
| VUA Lodging | P00R 5 4 | 3 | EXCELLENT 2 1 | | | | | | |
| Test Weight ✓ excellent winter survival ✓ high test weight | | | | | | | | | |
| ✓ suited to ir | • | agement | t | | | | | | |

| Туре | Variety | Area(s) | Yield Index | Winter Survival (%) | Heading (days) | Maturity (days) | Lodging 0 = standing 9 = flat | Plant Height (cm) | Test Weight (kg/hL) | Thousand Kernel Weight (g) |
|-------|-----------------|----------|----------------|---------------------------|-------------------|--------------------|-------------------------------------|-------------------------|---------------------------|----------------------------------|
| MO | LCS Calypso | 1, 2 & 3 | 96 | 97 | 150 | 186 | 3.6 | 90.3 | 62.4 | 47.7 |
| 2-Row | SU Ruzena 🗓 VUA | 1, 2 & 3 | 99 | 97 | 149 | 188 | 3.0 | 79.4 | 61.4 | 44.4 |

Data values were collected under different management practices at different locations over two years, and are for comparison purposes only. For more data see Ontario Winter Barley Performance Trials: GoCrops.ca
VUA = Variety is subject to a Variety Use Agreement.

Oats





| AAC I | Nig | ht | | Area 5 |
|---|-----------|--------|----|---------------|
| White H | ulled | I Oa | it | NEW |
| 91) | P00R 5 | 4 | 3 | EXCELLENT 2 1 |
| Lodging Straw Yield | | | | 7 |
| excellent asuitable foand the M | r northe | rn Ont | | nepec |

| Туре | Variety | Area(s) | Yield Index | Heading (days) | Maturity (days) | Lodging 0 = standing 9 = flat | Plant Height (cm) | Test Weight (kg/hL) | Crown Rust 0 = low 9 = high |
|--------------|------------------------|---------|----------------|-------------------|--------------------|-------------------------------------|-------------------------|---------------------------|-----------------------------------|
| | AAC Basil | 2 & 3 | 115 | 58 | 95 | 3.6 | 96 | 41.0 | 3.7 |
| Hulled | AAC Bullet | 2 & 3 | 90 | 58 | 94 | 4.8 | 96 | 42.3 | 6.3 |
| White Hulled | AAC Nicolas 🐽 | 5 | 98 | 61 | 97 | 2.1 | 105 | 44.6 | - |
| 5 | AAC Wight 🌘 NEW | 5 | 105 | 60 | 97 | 1.3 | 104 | 44.2 | - |

[&]quot;-" = Data not sufficient for rating.

Data values were collected under different management practices at different locations over three years, and are for comparison purposes only. For more data see Ontario Spring Cereal Performance Trials: GoCrops.ca

Winter Wheat

OAC Constellation Areas 1,2&3 Soft Red Winter Wheat POOR 5 4 3 EXCELLENT 2 1 Lodging Test Weight

- strong straw with short to medium plant height
- very good tolerance to leaf and stripe rust
- excellent grade retention
- responds well to intensive management

OAC Moon Areas 1,2&3 Soft Red Winter Wheat Poor 4 3 EXCELLENT 2 1 Lodging Test Weight racehorse' variety will push yield boundaries

- excellent standability
- rewards intensive management with yield response

| OAC | Virg | 0 | Ar | eas 1,2&3 |
|---------|-----------|------|----|---------------|
| Soft Re | d Wi | nter | Wh | eat |
| 91 | P00R 5 | 4 | 3 | EXCELLENT 2 1 |
| Lodging | | | | |

- excellent adaptation to Ontario conditions
- ✓ well-rounded disease defense package

Test Weight

slightly taller plant height and 1-2 days later maturing than OAC Constellation

| Туре | Variety | Area(s) | Yield Index | Heading (days) | Maturity (days) | Lodging 0 = standing 9 = flat | Plant Height (cm) | Straw Yield (t/ha) | Test Weight (kg/hL) | Thousand Kernel Weight (g) | Awned | Fusarium Rating* |
|--------|---------------------|----------|----------------|-------------------|--------------------|-------------------------------------|-------------------------|--------------------------|---------------------------|----------------------------------|-------|---------------------|
| Winter | OAC Constellation 🌚 | 1, 2 & 3 | 105 | 150 | 186 | 1.5 | 86 | 5.0 | 76.4 | 36.5 | Yes | MS |
| Red | OAC Moon | 1, 2 & 3 | 109 | 149 | 188 | 0.6 | 84 | 4.7 | 73.4 | 29.6 | Yes | MS |
| Soft | OAC Virgo | 1, 2 & 3 | 108 | 151 | 187 | 1.2 | 90 | 4.8 | 75.8 | 35.4 | No | MS |

*Fusarium Rating: MS = Moderately Susceptible





Genes that fit your farm:

SeCan retailers have local, independent facilities across Canada to bring you genes that fit your farm.

For contact information or to find your nearest SeCan retailer, call: 866-797-7874 or scan here:

| Find Products - Locate Aetaller | Locate Aetaller | Locate Aetaller | Locate Retailer | Locate



Phil Bailey
Eastern
Business Manager
(613) 698-8268
pbailey@secan.com
× @SeCanPhil



Shannon Bieman
Marketing Representative
Western Ontario
(519) 496-6196
sbieman@secan.com

© @SeCanShannon



Nick Cowan
Marketing Representative
South West Ontario
(519) 320-7434
ncowan@secan.com



Matt Hooyer Product Development Lead (289) 698-8647 mhooyer@secan.com