

## References

1. Abbott J, Tomassen S, Lane L, Bishop K, Thomas N. Assessment of benign paroxysmal positional vertigo in medical patients admitted with falls in a district general hospital. *Clinical Medicine*. 2016;16(4):335-338.
2. Andera L, Azeredo WJ, Greene JS, Sun H, Walter J. Optimizing Testing for BPPV - The Loaded Dix-Hallpike. *J Int Adv Otol*. 2020 Aug;16(2):171-175. doi: 10.5152/iao.2020.7444. PMID: 32784153; PMCID: PMC7419087.
3. Agarwal Y, Carey JP, Della Santina CC, Schubert MC, Minor LB. Disorders of balance and vestibular function in US adults: data from the National Health and Nutrition Examination Survey, 2001-2004. *Arch Intern Med*. 2009;169(10):938-944
4. Agrawal, Y. et al. Presbyvestibulopathy: Diagnostic criteria Consensus document of the classification committee of the Bárány Society. *VES* 29, 161–170 (2019).
5. Agrawal, Y., Pineault, K. G. & Semenov, Y. R. Health-related quality of life and economic burden of vestibular loss in older adults. *Laryngoscope Investig Otolaryngol* 3, 8–15 (2018).
6. Arshad Q, Seemungal BM. Age-Related Vestibular Loss: Current Understanding and Future Research Directions. *Front Neurol*. 2016 Dec 19;7:231. doi: 10.3389/fneur.2016.00231. Erratum in: *Front Neurol*. 2017 Aug 21;8:391. PMID: 28066316; PMCID: PMC5165261.
7. Barin, K. (2016) Clinical Neurophysiology of Vestibular Compensation, In Balance Function Assessment and Management, 2<sup>nd</sup> ed, Jacobson GP and Shephard NT, eds.
8. Bazoni JA, Mendes WS, Meneses-Barriviera CL, Melo JJ, Costa Vde S, Teixeira Dde C, Marchiori LL (2014) Physical activity in the prevention of benign paroxysmal positional vertigo: probable association. *Int Arch Otorhinolaryngol* 18(4):387–390. <https://doi.org/10.1055/s-0034-1384815>
9. Benecke H, Agus S, Kuessner D, Goodall G, Strupp M. The burden and impact of vertigo: findings from the REVERT patient registry. *Front Neurol*. 2013;2(4):136.
10. Bhattacharyya, N. & Baugh, Reginald & Orvidas, L. & Barrs, David & Bronston, L.J. & Cass, S. & Chalian, Ara & Desmond, Alan & Earll, J.M. & Fife, Terry & Fuller, D.C. & Judge, James & Mann, N.R. & Rosenfeld, Richard & Schuring, L.T. & Steiner, R.W. & Whitney, Susan & Haidari, J.. (2008). American Academy of Otolaryngology-Head and Neck Surgery Foundation Clinical Practice Guideline benign paroxysmal positional vertigo. *Otolaryngol Head Neck Surg*. 139.
11. Bhattacharyya, Neil & Gubbels, Samuel & Schwartz, Seth & Edlow, Jonathan & El-Kashlan, Hussam & Fife, Terry & Holmberg, Janene & Mahoney, Kathryn & Hollingsworth, Deena & Roberts, Richard & Seidman, Michael & Steiner, Robert & Do, Betty & Voelker, Courtney & Waguespack, Richard & Corrigan, Maureen. (2017). Clinical Practice Guideline: Benign Paroxysmal Positional Vertigo (Update). *Otolaryngology Head and Neck Surgery*. 156. S1-S47. 10.1177/0194599816689667.
12. Chen J, Zhang S, Cui K, Liu C. Risk factors for benign paroxysmal positional vertigo recurrence: a systematic review and meta-analysis. *J Neurol*. 2021 Nov;268(11):4117-4127. doi: 10.1007/s00415-020-10175-0. Epub 2020 Aug 24. PMID: 32839838.
13. Cohen HS. Side-lying as an alternative to the Dix-Hallpike test of the posterior canal. *Otol Neurotol*. 2004 Mar;25(2):130-4. doi: 10.1097/00129492-200403000-00008. PMID: 15021771.
14. Davis LE. Dizziness in elderly men. *J Am Geriatr Soc*. 1994 Nov;42(11):1184-8. doi: 10.1111/j.1532-5415.1994.tb06986.x. PMID: 7963205.
15. Dunlap, P. M., Holmberg, J. M. & Whitney, S. L. Vestibular rehabilitation: advances in peripheral and central vestibular disorders. *Current Opinion in Neurology* 32, 137–144 (2019).

16. Fancello V, Hatzopoulos S, Santopietro G, Fancello G, Palma S, Skarżyński PH, Bianchini C, Ciorba A. Vertigo in the Elderly: A Systematic Literature Review. *Journal of Clinical Medicine*. 2023; 12(6):2182. <https://doi.org/10.3390/jcm12062182>
17. Fatima SN, Tanveer F, Shoukat F, Ahmad A, Siddique K. Effects of balance training with and without gaze stabilization exercises on clinical outcomes in elderly patients with chronic dizziness: A randomized controlled trial. *J Bodyw Mov Ther*. 2022 Oct;32:46-50. doi: 10.1016/j.jbmt.2022.05.007. Epub 2022 May 19. PMID: 36180158.
18. Figtree WVC, Menant JC, Chau AT, Hübner PP, Lord SR and Migliaccio AA (2021) Prevalence of Vestibular Disorders in Independent People Over 50 That Experience Dizziness. *Front. Neurol*. 12:658053. doi: 10.3389/fneur.2021.658053
19. Functional Dizziness. FND Guide. <https://neurosymptoms.org/wp-content/uploads/2020/11/Dizziness-PPPD-information-sheet-v2.pdf>
20. Gaikwad SB, Johnson EG, Nelson TC, Ambode OI, Albalwi AA, Alharbi AA, Daher NS. Effect of Gaze Stability Exercises on Chronic Motion Sensitivity: A Randomized Controlled Trial. *J Neurol Phys Ther*. 2018 Apr;42(2):72-79. doi: 10.1097/NPT.0000000000000216. PMID: 29547480.
21. Grill E, Strupp M, Müller M, Klaus J. Health services utilization of patients with vertigo in primary care: a retrospective cohort study. *J Neurol*. 2014;261:1492-1498.
22. Halker RB, Barrs DM, Wellik KE, Wingerchuk DM, Demaerschalk BM. Establishing a diagnosis of benign paroxysmal positional vertigo through the dix-hallpike and side-lying maneuvers: a critically appraised topic. *Neurologist*. 2008 May;14(3):201-4. doi: 10.1097/NRL.0b013e31816f2820. PMID: 18469678.
23. Hall, Courtney D. PT, PhD; Herdman, Susan J. PT, PhD, FAPTA; Whitney, Susan L. DPT, PhD, NCS, ATC, FAPTA; Anson, Eric R. PT, PhD; Carender, Wendy J. PT, MPT, NCS; Hoppes, Carrie W. PT, PhD, NCS, OCS, ATC; Cass, Stephen P. MD, MPH; Christy, Jennifer B. PT, PhD; Cohen, Helen S. OTR, EdD, FAOTA; Fife, Terry D. MD, FAAN, FANS; Furman, Joseph M. MD, PhD; Shepard, Neil T. PhD; Clendaniel, Richard A. PT, PhD; Dishman, J. Donald DC, MSc, FIACN, FIBE; Goebel, Joel A. MD, FACS, FRCS; Meldrum, Dara MSc, PhD; Ryan, Cynthia MBA; Wallace, Richard L. MSLS, EdD, AHIP; Woodward, Nakia J. MSIS. Vestibular Rehabilitation for Peripheral Vestibular Hypofunction: An Updated Clinical Practice Guideline From the Academy of Neurologic Physical Therapy of the American Physical Therapy Association. *Journal of Neurologic Physical Therapy* 46(2):p 118-177, April 2022. | DOI: 10.1097/NPT.0000000000000382
24. Hall, Courtney D. PT, PhD; Heusel-Gillig, Lisa PT, DPT; Tusa, Ronald J. MD, PhD; Herdman, Susan J. PT, PhD. Efficacy of Gaze Stability Exercises in Older Adults With Dizziness. *Journal of Neurologic Physical Therapy* 34(2):p 64-69, June 2010. | DOI: 10.1097/NPT.0b013e3181d6d6d8
25. Han BI, Song HS, Kim JS. Vestibular rehabilitation therapy: review of indications, mechanisms, and key exercises. *J Clin Neurol*. 2011 Dec;7(4):184-96. doi: 10.3988/jcn.2011.7.4.184. Epub 2011 Dec 29. PMID: 22259614; PMCID: PMC3259492.
26. Hawke LJ, Barr CJ, McLoughlin JV. The frequency and impact of undiagnosed benign paroxysmal positional vertigo in outpatients with high falls risk. *Age Ageing*. 2021 Nov 10;50(6):2025-2030. doi: 10.1093/ageing/afab122. PMID: 34120167
27. Herdman S, Hoder J. *Vestibular Rehabilitation*. 4<sup>th</sup> ed. Philadelphia, PA; 2014:324-354.
28. Hornbrook MC, Stevens VJ, Wingfield DJ, Hollis JF, Greenlick MR, Ory MG. Preventing falls among community-dwelling older persons: results from a randomized trial. *Gerontologist*. 1994; 34: 16–23.
29. <https://www.hearingresources.com/menieres-disease/>

30. Iwasaki S, Yamasoba T. Dizziness and Imbalance in the Elderly: Age-related Decline in the Vestibular System. *Aging Dis.* 2014 Feb 9;6(1):38-47. doi: 10.14336/AD.2014.0128. PMID: 25657851; PMCID: PMC4306472.
31. J.-S. Kim, S.-Y. Oh, S.-H. Lee, J.-H. Kang, D.U. Kim, S.-H. Jeong, K.-D. Choi, I.-S. Moon, B.-K. Kim, H.J. Oh, H.J. Kim. Randomized clinical trial for apogeotropic horizontal canal benign paroxysmal positional vertigo. *Neurology* Jan 2012, 78 (3) 159-166; DOI: 10.1212/WNL.0b013e31823fcd26
32. Jumani K, Powell J. Benign Paroxysmal Positional Vertigo: Management and Its Impact on Falls. *Annals of Otology, Rhinology & Laryngology.* 2017;126(8):602-605. doi:10.1177/0003489417718847
33. Kannus P, Parkkari J, Koskinen S, Niemi S, Palvanen M, Järvinen M, Vuori I. Fall-induced injuries and deaths among older adults. *JAMA.* 1999 May 26;281(20):1895-9. doi: 10.1001/jama.281.20.1895. PMID: 10349892.
34. Katsarkas A. Dizziness in aging: the clinical experience. *Geriatrics.* 2008;63:18–20.
35. Kattah JC, et al. HINTS to Diagnose Stroke in the Acute Vestibular Syndrome: Three-step bedside oculomotor examination more sensitive than early MRI Diffusion-weighted imaging. *Stroke.* 2009; 40: 3504-3510.
36. Kim HA, Lee H. Recent Advances in Understanding Audiovestibular Loss of a Vascular Cause. *J Stroke.* 2017 Jan;19(1):61-66. doi: 10.5853/jos.2016.00857. Epub 2016 Dec 12. PMID: 28030893; PMCID: PMC5307938.
37. Korres S, Balatsouras DG, Kaberos A, Economou C, Kandiloros D, Ferekidis E. Occurrence of semicircular canal involvement in benign paroxysmal positional vertigo. *Otol Neurotol.* 2002; 23(6): 926-932.
38. Liu D-H, Kuo C-H, Wang C-T, Chiu C-C, Chen T-J, Hwang D-K and Kao C-L (2017) Age-Related Increases in Benign Paroxysmal Positional Vertigo Are Reversed in Women Taking Estrogen Replacement Therapy: A Population-Based Study in Taiwan. *Front. Aging Neurosci.* 9:404. doi: 10.3389/fnagi.2017.00404
39. Lyndon J Hawke, Christopher J Barr, James V McLoughlin, The frequency and impact of undiagnosed benign paroxysmal positional vertigo in outpatients with high falls risk, *Age and Ageing*, Volume 50, Issue 6, November 2021, Pages 2025–2030, <https://doi.org/10.1093/ageing/afab122>
40. M. von Brevern, P. Bertholon, T. Brandt, T. Fife, T. Imai, D. Nuti, D. Newman-Toker. Benign paroxysmal positional vertigo: diagnostic criteria. *J. Vestib. Res.*, 25 (2015), pp. 105-117
41. Maarsingh OR, Dros J, Schellevis FG, van Weert HC, Bindels PJ, Horst HE. Dizziness reported by elderly patients in family practice: prevalence, incidence, and clinical characteristics. *BMC Fam Pract.* 2010 Jan 11;11:2. doi: 10.1186/1471-2296-11-2. PMID: 20064231; PMCID: PMC2817676.
42. Miao, H.L., Zhang, D.Y., Wang, T., Jiao, X.T., Jiao, L.Q. (2020). Clinical Importance of the Posterior Inferior Cerebellar Artery: A Review of the Literature. *International Journal of Medical Sciences*, 17(18), 3005-3019. <https://doi.org/10.7150/ijms.49137>.
43. Mueller M, Strobl R, Jahn K, Linkohr B, Peters A, Grill E. Burden of disability attributable to vertigo and dizziness in the aged: results from the KORA-Age study. *Eur J Public Health.* 2014 Oct;24(5):802-7. doi: 10.1093/eurpub/ckt171. Epub 2013 Nov 8. PMID: 24213583.
44. Neuhauser HK, von Brevern M, Radtke A, Lezius F, Feldmann M, Ziese T, et al. Epidemiology of vestibular vertigo: a neurotologic survey of the general population. *Neurology.* (2005) 65:898–904. doi: 10.1212/01.wnl.0000175987.59991.3d
45. Oghalai JS, Manolidis S, Barth JL, Stewart MG, Jenkins HA. Unrecognized benign paroxysmal positional vertigo in elderly patients. *Otolaryngol Head Neck Surg.* 2000;122(5):630–634.

46. Physical Therapists as Practitioners of Choice to Rehabilitate Persons with Vestibular-Related Balance Disorders (House of Delegates 05-07-18-18). [http://www.apta.org/AM/Template.cfm?Section=Policies\\_and\\_Bylaws&TEMPLATE=/CM/ontentDisplay.cfm&CONTENTID=67331](http://www.apta.org/AM/Template.cfm?Section=Policies_and_Bylaws&TEMPLATE=/CM/ontentDisplay.cfm&CONTENTID=67331). Accessed July 17, 2010.
47. Roberts DS, Lin HW, Bhattacharyya N. Health care practice patterns for balance disorders in the elderly. *Laryngoscope*. 2013 Oct;123(10):2539-43. doi: 10.1002/lary.24087. Epub 2013 May 29. PMID: 23720236.
48. Roh M, Lee E. Effects of gaze stability exercises on cognitive function, dynamic postural ability, balance confidence, and subjective health status in old people with mild cognitive impairment. *J Exerc Rehabil*. 2019 Apr 26;15(2):270-274. doi: 10.12965/jer.1938026.013. PMID: 31111012; PMCID: PMC6509452.
49. The American Academy of Otolaryngology (2008) updated the clinical practice guidelines for BPPV
50. Vanni, Simone & Pecci, Rudi & Edlow, Jonathan & Nazerian, Peiman & Santimone, Rossana & Pepe, Giuseppe & Moretti, Marco & Pavellini, Andrea & Caviglioli, Cosimo & Casula, Claudia & Bigiarini, Sofia & Vannucchi, Paolo & Grifoni, Stefano. (2017). Differential Diagnosis of Vertigo in the Emergency Department: A Prospective Validation Study of the STANDING Algorithm. *Frontiers in Neurology*. 8. 590. 10.3389/fneur.2017.00590.
51. Vannucchi, P., Giannoni, B., and Pagnini, P. 'Treatment of Horizontal Semicircular Canal Benign Paroxysmal Positional Vertigo'. 1 Jan. 1997 : 1 – 6.
52. von Brevern M, Radtke A, Lezius F, Feldmann M, Ziese T, Lempert T, Neuhauser H. Epidemiology of benign paroxysmal positional vertigo: a population based study. *J Neurol Neurosurg Psychiatry*. 2007;78(7):710. Epub 2006 Nov 29.
53. Wang H, Yu D, Song N, Yin S. Delayed diagnosis and treatment of benign paroxysmal positional vertigo associated with current practice. *Eur Arch Otorhinolaryngol*. 2014;271:261-264
54. Whitney SL, Wrisley DM, Marchetti GF, Furman JM. The effect of age on vestibular rehabilitation outcomes. *Laryngoscope*. 2002; 112: 1785-1790.
55. Zhang L, Jiang W, Tang L, Liu H, Li F. Older patients with persistent postural-perceptual dizziness exhibit fewer emotional disorders and lower vertigo scores. *Sci Rep*. 2022 Jul 13;12(1):11908. doi: 10.1038/s41598-022-15987-w. PMID: 35831350; PMCID: PMC9279357.