

2024 PBA WEBER 45 V1



Oil Pattern Distance **Forward Oil Total Tank Configuration**

45 14.5 mL A Only **Reverse Brush Drop Reverse Oil Total Tank A Conditioner**

39 14.1 mL Oil Per Board **Volume Oil Total Tank B Conditioner**

50 ul 28.6 mL

2 4L 4R 1 18 3 A 29 7.6 3 6L 6R 1 18 3 A 29 7.6 4 8L 8R 1 18 3 A 25 10.1 5 10L 10R 1 18 3 A 21 12.6 6 12L 10R 1 18 3 A 19 15.1 7 14L 12R 2 18 3 A 30 17.6 8 16L 14R 2 18 3 A 22 22.7 9 2L 2R 0 18 3 A 0 27.8 10 2L 2R 0 22 3 A 0 33.0		START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
3 6L 6R 1 18 3 A 29 7.6 4 8L 8R 1 18 3 A 25 10.1 5 10L 10R 1 18 3 A 21 12.6 6 12L 10R 1 18 3 A 19 15.1 7 14L 12R 2 18 3 A 30 17.6 8 16L 14R 2 18 3 A 22 22.7 9 2L 2R 0 18 3 A 0 27.8 10 2L 2R 0 22 3 A 0 33.0	1	2L	2R	3	18	3	Α	111	0.0	5.1	5.1	5550
4 8L 8R 1 18 3 A 25 10.1 5 10L 10R 1 18 3 A 21 12.6 6 12L 10R 1 18 3 A 19 15.1 7 14L 12R 2 18 3 A 30 17.6 8 16L 14R 2 18 3 A 22 22.7 9 2L 2R 0 18 3 A 0 27.8 10 2L 2R 0 22 3 A 0 33.0	2	4L	4R	1	18	3	Α	33	5.1	7.6	2.5	1650
5 10L 10R 1 18 3 A 21 12.6 6 12L 10R 1 18 3 A 19 15.1 7 14L 12R 2 18 3 A 30 17.6 8 16L 14R 2 18 3 A 22 22.7 9 2L 2R 0 18 3 A 0 27.8 10 2L 2R 0 22 3 A 0 33.0	3	6L	6R	1	18	3	Α	29	7.6	10.1	2.5	1450
6 12L 10R 1 18 3 A 19 15.1 7 14L 12R 2 18 3 A 30 17.6 8 16L 14R 2 18 3 A 22 22.7 9 2L 2R 0 18 3 A 0 27.8 10 2L 2R 0 22 3 A 0 33.0	4	8L	8R	1	18	3	Α	25	10.1	12.6	2.5	1250
7 14L 12R 2 18 3 A 30 17.6 8 16L 14R 2 18 3 A 22 22.7 9 2L 2R 0 18 3 A 0 27.8 10 2L 2R 0 22 3 A 0 33.0	5	10L	10R	1	18	3	Α	21	12.6	15.1	2.5	1050
8 16L 14R 2 18 3 A 22 22.7 9 2L 2R 0 18 3 A 0 27.8 10 2L 2R 0 22 3 A 0 33.0	6	12L	10R	1	18	3	Α	19	15.1	17.6	2.5	950
9 2L 2R 0 18 3 A 0 27.8 10 2L 2R 0 22 3 A 0 33.0	7	14L	12R	2	18	3	Α	30	17.6	22.7	5.1	1500
10 2L 2R 0 22 3 A 0 33.0	8	16L	14R	2	18	3	Α	22	22.7	27.8	5.1	1100
	9	2L	2R	0	18	3	Α	0	27.8	33.0	5.2	0
	10	2L	2R	0	22	3	Α	0	33.0	38.0	5.0	0
11 2L 2R 0 26 3 A 0 38.0	11	2L	2R	0	26	3	Α	0	38.0	45.0	7.0	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	Α	0	45.0	35.0	-10.0	0
2	13L	13R	3	18	3	Α	45	35.0	27.4	-7.6	2250
3	11L	11R	3	18	3	Α	57	27.4	19.8	-7.6	2850
4	9L	9R	2	18	3	Α	46	19.8	14.7	-5.1	2300
5	2L	2R	1	18	3	Α	37	14.7	12.2	-2.5	1850
6	7L	7R	1	18	3	Α	27	12.2	9.7	-2.5	1350
7	3L	5R	1	14	3	Α	33	9.7	7.8	-1.9	1650
8	2L	2R	1	14	3	Α	37	7.8	5.9	-1.9	1850
9	2L	2R	0	14	3	Α	0	5.9	0.0	-5.9	0

Cleaner Ratio Main Mix Cleaner Ratio Back End Mix Cleaner Ratio Back End Distance Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

NA NA NA Forward Reverse Combined



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	MIddle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3,24	1.76	1.07	1.02	1.67	3.43

