

## **PBA BALLARD 36 (2025)**



Oil Pattern Distance **Forward Oil Total Tank Configuration** 

36 17.97 mL **A Only**  **Reverse Brush Drop Reverse Oil Total Tank A Conditioner** 

36 11.835 mL **KEGEL**  Oil Per Board **Volume Oil Total Tank B Conditioner** 

Multi ul 29.805 mL **KEGEL** 

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	55	14	3	Α	37	0.0	0.0	0.0	2035
2	3L	4R	1	50	14	3	Α	34	0.0	1.9	1.9	1700
3	4L	4R	3	45	14	3	Α	99	1.9	7.8	5.9	4455
4	6L	5R	5	40	18	3	Α	150	7.8	20.5	12.7	6000
5	8L	6R	4	35	18	3	Α	108	20.5	30.7	10.2	3780
6	2L	2R	0	35	10	3	Α	0	30.7	36.0	5.3	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	26	3	Α	0	36.0	26.0	-10.0	0
2	7L	6R	2	45	18	3	Α	56	26.0	20.9	-5.1	2520
3	6L	5R	2	45	18	3	Α	60	20.9	15.8	-5.1	2700
4	5L	4R	2	45	14	3	Α	64	15.8	11.9	-3.9	2880
5	4L	3R	1	50	10	3	Α	34	11.9	10.5	-1.4	1700
6	2L	2R	1	55	10	3	Α	37	10.5	9.1	-1.4	2035
7	2L	2R	0	50	10	3	Α	0	9.1	0.0	-9.1	0

Cleaner Ratio Main Mix Cleaner Ratio Back End Mix Cleaner Ratio Back End Distance Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

1500 1200 NA NA NA Forward Reverse Combined



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	1.93	1	1	1	1	1.48

