



PBA HOLMAN 38 (2025)




Oil Pattern Distance	38	Reverse Brush Drop	38	Oil Per Board	Multi ul
Forward Oil Total	16.63 mL	Reverse Oil Total	16.37 mL	Volume Oil Total	33 mL
Tank Configuration	A Only	Tank A Conditioner	KEGEL	Tank B Conditioner	KEGEL

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	3	55	14	3	A	111	0.0	3.9	3.9	6105
2	2L	4R	1	55	14	3	A	35	3.9	5.8	1.9	1925
3	5L	6R	1	50	18	3	A	30	5.8	8.3	2.5	1500
4	8L	8R	2	50	18	3	A	50	8.3	13.4	5.1	2500
5	11L	10R	3	50	18	3	A	60	13.4	21.0	7.6	3000
6	13L	12R	2	50	18	3	A	32	21.0	26.1	5.1	1600
7	2L	2R	0	50	18	3	A	0	26.1	31.0	4.9	0
8	2L	2R	0	50	22	3	A	0	31.0	38.0	7.0	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	30	3	A	0	38.0	35.0	-3.0	0
2	12L	10R	2	50	22	3	A	38	35.0	28.8	-6.2	1900
3	10L	9R	2	50	18	3	A	44	28.8	23.7	-5.1	2200
4	9L	8R	2	50	18	3	A	48	23.7	18.6	-5.1	2400
5	7L	7R	2	50	18	3	A	54	18.6	13.5	-5.1	2700
6	6L	6R	1	50	18	3	A	29	13.5	11.0	-2.5	1450
7	4L	4R	1	50	14	3	A	33	11.0	9.1	-1.9	1650
8	2L	2R	2	55	14	3	A	74	9.1	5.2	-3.9	4070
9	2L	2R	0	55	14	3	A	0	5.2	0.0	-5.2	0

Cleaner Ratio Main Mix NA Forward
Cleaner Ratio Back End Mix NA Reverse
Cleaner Ratio Back End Distance NA Combined
Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.8	1.37	1	1	1.19	2.94

