


Oil Pattern Distance	45	Reverse Brush Drop	39	Oil Per Board	Multi ul
Forward Oil Total	17.44 mL	Reverse Oil Total	17.135 mL	Volume Oil Total	34.575 mL
Tank Configuration	A Only	Tank A Conditioner	KEGEL	Tank B Conditioner	KEGEL

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	60	14	3	A	74	0.0	1.9	1.9	4440
2	2L	2R	2	50	14	3	A	74	1.9	5.8	3.9	3700
3	2L	2R	2	40	14	3	A	74	5.8	9.7	3.9	2960
4	5L	6R	1	40	18	3	A	30	9.7	12.2	2.5	1200
5	8L	8R	1	40	18	3	A	25	12.2	14.7	2.5	1000
6	12L	11R	4	40	18	3	A	72	14.7	24.9	10.2	2880
7	15L	14R	3	35	18	3	A	36	24.9	32.5	7.6	1260
8	2L	2R	0	35	22	3	A	0	32.5	39.0	6.5	0
9	2L	2R	0	35	22	2	A	0	39.0	45.0	6.0	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	40	30	3	A	0	45.0	34.0	-11.0	0
2	14L	13R	2	40	18	3	A	28	34.0	28.9	-5.1	1120
3	13L	12R	1	45	18	3	A	16	28.9	26.4	-2.5	720
4	11L	11R	1	45	18	3	A	19	26.4	23.9	-2.5	855
5	10L	10R	1	50	18	3	A	21	23.9	21.4	-2.5	1050
6	9L	9R	1	50	18	3	A	23	21.4	18.9	-2.5	1150
7	7L	8R	1	50	18	3	A	26	18.9	16.4	-2.5	1300
8	6L	7R	2	50	14	3	A	56	16.4	12.5	-3.9	2800
9	2L	2R	4	55	14	4	A	148	12.5	4.6	-7.9	8140
10	2L	2R	0	50	14	4	A	0	4.6	0.0	-4.6	0



Cleaner Ratio Main Mix                    NA      Forward  
 Cleaner Ratio Back End Mix            NA      Reverse  
 Cleaner Ratio Back End Distance      NA      Combined

Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.16	1.48	1.05	1.02	1.41	2.31

