

Certificate of Analysis

Ceapro Product Name: **CP Oat Avenanthramide Extract**
 Ceapro Product Number: **902-3043**
 Lot Number: **ED26G3**
 Manufacturing Date: **July, 2026**
 Expiry Date: **July, 2027**
 Storage Conditions: **Store at controlled room temperature only. Protect from light. Any unused portion should be kept sealed in the original container to avoid any contamination.**
 Sales Order Number: **3457**
 Client Purchase Order Number: **385911**

Product Characteristics	Specification	Analysis
Color	Pale yellow - brown	Brown
Appearance	Clear-hazy liquid	Clear
Odor	Ceapro Reference Standard	Pass
Physical-chemical Properties		
Avenanthramides ¹ , AV-A, AV-B and AV-C (ppm)	100.0-120.0	120.0
Protein ² (%)	<2.00	0.41
Turbidity ³ (NTU) @ 25°C	<20.00	7.99
pH @ 25°C	3.50-5.00	4.76
Microbiological Properties		
Aerobic Plate Count ⁴ (cfu/mL)	max 100	<1
Yeasts & Moulds ⁵ (cfu/mL)	max 10	<5
Gram Negative Bacteria (cfu/mL)	Absent	Absent
[<i>Escherichia coli</i> ⁶ , <i>Pseudomonas aeruginosa</i> ⁷ , and <i>Salmonella spp</i> ⁸]		
Staphylococcus aureus ⁹ (cfu/mL)	Absent	Absent
Gram negative Rods	Absent	Absent
Residual Solvent ¹⁰ (%)	2.5 max	1.5
Impurity:		
Diethylene Glycol ¹¹ (%)	0.10 max	<0.10
Ethylene Glycol ¹¹ (%)	0.10 max	<0.10
Preservative:		
0.2% (w/w) Potassium sorbate		

Product formulated in : glycerol and water (1:1 w/w)

References

- ¹ Assayed by Ceapro HPLC method (QC-SOP-004)
² Assayed by method of Kjeldahl: AOAC
³ Determination of Turbidity by Nephelometry (EPA Method 180.1)
⁴ Determination of the Aerobic Colony Count in Food (MFHPB-18)
⁵ Enumeration of Yeast and Moulds in Foods (MFHPB-22)
⁶ Enumeration of E.coli and Coliforms (MFHPB-34)
⁷ Enumeration of Pseudomonas spp (Proto#1008SP)
⁸ Methods for the Detection of Salmonella (MFLP-29)
⁹ Enumeration of Staphylococcus aureus in Foods (MFHPB-21)
¹⁰ Analysis of Ethanol Using Megazyme Method (QC-SOP-014)
¹¹ Analysis of Diethylene glycol by GC-FID method

The information contained herein is provided in good faith and, to the best of our knowledge, is true and correct. However, no warranty or guarantee is implied or inferred and the information may be subject to change without further notice. Ceapro Inc. products are sold with the understanding that the purchaser will conduct their own tests to determine the suitability of these products for their own intended application.

Date: August 10, 2026