

 steinel



At home on the world's roofs
Hot Air Tools for Roofing

Lighter. Hotter. More Control.

HG ROOF automatic welding machine

The STEINEL HG ROOF ensures a perfect seal every time with its high welding temps. Weighing in at only **31 pounds**, this is the lightest welder on the market. The HG ROOF is compact and ergonomic and welds up to 3 inches from the edge, reducing hand welding time and keeping your jobs running smoothly.

TECH SPECS

- 240 VAC, 60 Hz power supply
- 2000 W output
- 120-1150° F welding temp

KEY FEATURES


- Telescopic handle moves in two directions
- Welds up to 3 inches from the edge
- One-person operation
- Removable handle
- Includes metal transportation case and 3 weight plates
- Additional 2 weight plates, wire cleaning brush, replacement parts and spare heating element available



ONLY 31
POUNDS

10,000 HOUR
MOTOR LIFE

Nothing but the best. HG 2620 E for the HG ROOF



Our flagship hot air tool powers the HG ROOF.* The HG 2620 E provides the most flexibility and control for your roofing project. This user-friendly tool allows you to set 4 individually tailored programs to handle any environment. With field changeable parts and a **10,000 hour motor life**, the HG 2620 E powering the HG ROOF will keep your crews working efficiently all day long.

KEY FEATURES

- 10,000 hour motor life
- Brushless motor
- LCD Digital Display
- Field changeable heating element and power cord
- Fine dust filter
- Spare heating element available

* The 240 VAC model is used with the HG ROOF only, not for separate use.



Anything but basic. HG 2620 E hand tool



If you want the best in performance and precision, the HG 2620 E delivers 1750 W of power and allows you to set **four individually tailored programs**. Thanks to its robust design and heavy-duty 16 foot H07 rated flexible power cord with built-in strain relief, it is the safest, most dependable heat tool in the roofing industry.

TECH SPECS

- 120 VAC, 50/60 Hz power supply
- 1750 W output
- 120-1300° F temperature



KEY FEATURES

- 10,000 hour motor life
- Brushless motor
- Precise temperature control, up to 1300° F
- LCD Digital Display
- Field changeable heating element and power cord
- Fine dust filter
- Spare heating element available



All about the accessories.

HG 2620 E



Flat Angled Nozzle
20x2 mm
PN: 110049713



Flat Angled Nozzle
20x2 mm, straight
PN: 110037580



Flat Angled Nozzle
20x2 mm, 100°
PN: 106934900



Flat Angled Nozzle
40x2 mm
PN: 110049712



21 FT Power Cord
No Strain Relief
PN: 110059546



Pressure Roller
Ø 45 mm
PN: 110049584



Seam Tester
PN: 110051889



Heavy Duty Case for
20s Series Tools
PN: 110036523



Roofing Kit
PN: 110053227

- HG 2620 E heat tool
- Spare heating element
- Pressure roller Ø 45 mm
- Flat angled nozzle 40x2 mm
- Flat angled nozzle 20x2 mm, 100°
- Heavy duty carrying case

The lightweight hand-held.

HG 2220 E



ONLY 1.34
POUNDS

The HG 2220 E weighs only **1.34 pounds**. With its ergonomic lightweight design and simple push-on nozzle attachments, this hand welder is effortless to handle on any job.

120-1100°F

THUMBWHEEL
CONTROL

KEY FEATURES

- Variable temperature thumbwheel setting
- Fine dust filter
- Ergonomic soft grip handle
- Field changeable power cord
- Brush motor
- Spare heating element available

TECH SPECS

- 120 VAC, 60 Hz power supply
- 1500 W output
- 120-1100° F temperature



PN: 110025601

Accessories to enhance. HG 2220 E



Angle Slit Nozzle
40 mm
PN: 110048748



Heavy Duty Case for
20s Series Tools
PN: 110036523



Pressure Roller
Ø 45 mm
PN: 110049584



Seam Tester
PN: 110051889



Steinel America, Inc.
9051 Lyndale Ave. South
Bloomington, MN 55420

Support: (800) 852-4343
Email: sales@steinel.net

www.steinel.net



 steinel

v. 04.20