

# CUBICLES & TOILET PARTITION SYSTEMS



BUILDING VALUE SINCE 1906





# STEPS TO SPEC

## HOW TO SPECIFY BOBRICK CUBICLES & PARTITIONS



Bobrick cubicles and partitions are made-to-order products. To specify Bobrick cubicles and partitions, follow Steps to Spec, our consistent methodology for customizing your design, referenced throughout this catalog.

*For a quick specification reference, get the Bobrick Steps to Spec guide. Download yours at [bobrick.com/steps](http://bobrick.com/steps).*



### Select a System


PRIVADA® Cubicles, Evolve Cubicles or Traditional Partitions



### Select a Material

Available materials\* include Compact Grade Laminate (CGL), Solid Color Reinforced Composite (SCRC), High Pressure Laminate (HPL) and Wood Veneer Laminate.

\*Not all materials are available for each system.



### Select Privacy Options

Gap-free design, increased door and panel heights and reduced floor clearance are standard on PRIVADA and Evolve Cubicles, and optional on Traditional Partitions.



### Select Design Options

A range of colors, patterns and finishes available for all systems. With Traditional Partitions, choose mounting configuration, hardware and add dividers or screens.


# A FULL LINE OF CUBICLES & PARTITIONS

## AN ENGINEERED SELECTION

Bobrick has expanded its selection to include a full line of cubicles and toilet partitions. All Bobrick products are specially engineered with unique, rigorously tested hardware, providing an unrivaled range of design options.

## ONLINE RESOURCES


Discover a wealth of information and helpful tools at [bobrick.com](http://bobrick.com). You can also access case studies, Technical Data, Guide Specifications, BIM Objects and more. Manage projects, build your specification and generate client deliverables using Bobrick's [Digital Spec Builder](http://bobrick.com/digital-spec-builder) at [bobrick.com/digital-spec-tool](http://bobrick.com/digital-spec-tool).



## GET TO KNOW OUR SYSTEMS

Start your design by selecting one of Bobrick's cubicle and partition systems: PRIVADA Cubicles, Evolve Cubicles and Traditional Partitions.

[Evaluate systems on pages 2 and 3.](#)



## CONTENTS

- 2 ..... Select a System
- 4 ..... PRIVADA Cubicles
- 8 ..... Evolve Cubicles
- 12 ..... Traditional Partitions
- 18 ..... Material Overview
- 20 ..... Color Selection
- 25 ..... Services & Programs



# SELECT A SYSTEM

THREE UNIQUE PRODUCTS TO ACHIEVE YOUR GOALS




Prestige Properties

Bobrick now offers three cubicle and toilet partition systems to meet the needs of any building. Start by selecting a system, then refine design options using the **STEPS TO SPEC** process.

**Prestige Properties:** Class A and marquee properties require elevated design aesthetics and enhanced privacy.

**Heavy Traffic:** Buildings like schools, airports and convention centers demand durable, economical solutions that deliver day-to-day performance.

**Standard Use:** Standard offices, industrial facilities, as well as some schools and universities, require simple, budget-friendly partitions that prioritize durability and design options.



Heavy Traffic Facilities



Standard Use Buildings

## PRIVADA CUBICLES: FOR A DISTINCTIVE DESIGN




With elevated design and privacy, PRIVADA is ideal for prestige projects.

## EVOLVE CUBICLES: FOR OPTIMIZED DURABILITY & PRIVACY



Suitable for heavy traffic and standard use, Evolve provides exceptional durability and European-style privacy without compromising budgets.

## TRADITIONAL PARTITIONS: FOR OPTIONS THAT PERFORM



Our Traditional Partitions have stood the test of time. They are recommended for standard use as well as heavy traffic when budget is the overriding concern.



# PRIVADA CUBICLES

HIGH PRESSURE LAMINATE (HPL) & WOOD VENEER LAMINATE

Limited distribution

## ELEVATED DESIGN. EDUCATED DECISION.

PRIVADA Cubicles offer the elevated aesthetics, functionality and privacy that the most discerning restroom patrons have come to expect.

PRIVADA's distribution is limited. Reach out on [privadacubicles.com](http://privadacubicles.com) to be contacted by a PRIVADA representative.

### APPLICATIONS

- Class A offices
- Premium restaurants
- VIP lounges and suites



### MATERIAL PRICING & LEAD TIME

MATERIAL	HPL	Wood Veneer Laminate
Price Index	\$\$\$\$	\$\$\$\$\$
Lead Time	6-8 weeks	10-12 weeks

Price Index based on a relative scale of \$ to \$\$\$\$\$. Price and lead time estimates apply only to standard color selection.

Self-closing doors close smoothly and gradually

Interlocking panels eliminate sightlines and form flush surfaces

Award-winning occupancy indicators with discreet emergency access release

Floating effect enabled by recessed foot pedestals

PRIVADA




STEPS TO SPEC

Select a Material	Select Privacy Options	Select Design Options
<input type="checkbox"/> High Pressure Laminate (HPL) <input type="checkbox"/> Wood Veneer Laminate <b>ASTM E 84 Fire Rating:</b> Class B  <i>See page 18 for material descriptions.</i>	<b>Height Options</b> <input type="checkbox"/> <b>Standard:</b> 72" doors & panels, 9" floor clearance <input type="checkbox"/> <b>Extended:</b> 84" to 96" doors & panels, 4" floor clearance	<input type="checkbox"/> <b>Stainless Steel Pedestal</b> (Upcharge applies)  <b>Colors, Patterns &amp; Woodgrains:</b> See pages 22-23 for HPL colors and wood veneer laminates

HARDWARE & PEDESTAL

Thoughtfully crafted, minimalist hardware makes a sophisticated design statement. Stainless steel hardware with concealed fasteners and connection points come standard.



PRIVADA's signature floating effect is enabled by recessed foot pedestals, appearing suspended without compromising stability.

**DESIGNER'S NOTE**

Privacy is not just a trend—it is an expectation. Learn more by registering for our new **AIA/HSW CEU course, "Design Solutions for Restroom Privacy."**

ILLUMINATING PRIVACY & HIGH-END DESIGN

BANK GLOBAL HEADQUARTERS

When you want to invest in your employees, invest in their spaces—even the ones that customers might never see. A global, publicly-traded bank embraced that strategy in 2017, putting PRIVADA at the center of their restroom renovation. "The cubicles create a room-like environment that transcends a typical commercial look," says architectural sales representative Dena Taylor.



PROJECT DETAILS

<b>Location</b>	Pasadena, CA
<b>Architect</b>	Space Light Structure Design (Pasadena, CA)
<b>Finishes</b>	Sterling Ash by Wilsonart®



Scan the QR code to get the full case study.



# EVOLVE CUBICLES

COMPACT GRADE LAMINATE (CGL)



72" single-piece divider panels for optimized compliance with aesthetics

Fully anodized aluminum framing system provides durability

Built-in European-style privacy eliminates sightlines

Award-winning occupancy indicators with discreet emergency access release

Spring-loaded pedestal actuates soft-close door

1/2" Compact Grade Laminate doors and fascia panels

## PRIVACY & DURABILITY. EVOLVED.

Evolve Cubicles help design professionals create resilient, European-style cubicle systems without compromising project budgets.

### APPLICATIONS

- Shopping centers
- Stadia and arenas
- Airports and convention centers
- Higher education
- Class B offices
- Locker rooms

PRIVACY

DURABLE

### MATERIAL PRICING & LEAD TIME

MATERIAL	CGL
Price Index	\$\$\$
Lead Time	6-7 weeks

Price Index based on a relative scale of \$ to \$\$\$\$\$. Price and lead time estimates apply only to standard color selection.



STEPS TO SPEC

Select a Material	Select Privacy Options	Select Design Options
<input type="checkbox"/> Compact Grade Laminate <i>See page 18 for material description.</i>	<b>Height Option</b> <input type="checkbox"/> <b>Standard:</b> 72" doors & panels, 9" floor clearance (overall cubicle height of 82")	<b>Colors, Patterns &amp; Woodgrains:</b> See page 21 for CGL colors, patterns and woodgrains.

HARDWARE & PEDESTAL

Evolve's anodized aluminum hardware and fittings provide the built-in privacy and modern function that discerning projects demand.



A WHOLE NEW GAME

GLOBAL MANUFACTURER HEADQUARTERS

At a global retail goods manufacturer's headquarters, Evolve Cubicles helped deliver seamless design and a comfortable experience for employees and visitors. When the company needed an affordable, spacious privacy solution, Evolve's 72" x 72" single-piece CGL divider panels ensured a clean look with uncompromised depth.



PROJECT DETAILS

Location	El Segundo, CA	Finish	0328-FH Brushed Aluminum
----------	----------------	--------	-----------------------------

RESILIENCE FOR RETAIL

SHOPPING CENTER

For a women's and men's restroom renovation, the shopping center's internal design team knew that an appropriate cubicle system needed to stand up to periods of heavy traffic while providing a quality, private experience that customers prefer.



PROJECT DETAILS

Location	Santa Clarita, CA	Finish	0328-FH Brushed Aluminum
----------	-------------------	--------	-----------------------------



# TRADITIONAL PARTITIONS

COMPACT GRADE LAMINATE, SOLID COLOR REINFORCED COMPOSITE

& HIGH PRESSURE LAMINATE

## PERFORMANCE. PRIVACY. OPTIONS.

When budget is a priority, our Traditional Partitions deliver durability with a range of privacy and design options.

### APPLICATIONS

- Schools and universities
- Mass transit
- Standard offices
- Industrial facilities



### MATERIAL PRICING & LEAD TIME

MATERIAL	Price Index	Lead Time
<b>DuraLineSeries®</b> CGL	\$\$	10 days
<b>SierraSeries®</b> SCRC	\$\$\$	10 days
<b>DesignerSeries™</b> HPL	\$\$	10 days
<b>TrimLineSeries™</b> HPL	\$\$	20 days

Price Index based on a relative scale of \$ to \$\$\$\$\$. Price and lead time estimates apply only to standard color selection.



Four mounting configurations, including Overhead-Braced

Robust barrel hinge can be adjusted to remain in the open or closed position

Reduced-Gap and Gap-Free options

Highly durable, easily cleanable materials



STEPS TO SPEC

 Select a Material



**DuraLineSeries®**  
**Compact Grade Laminate (CGL)**

Engineered for wet and high-traffic environments, featuring a polished black edge design, wide selection of colors, patterns and woodgrains and a 25-year warranty.

*Learn how DuraLineSeries helped Vashon Island High School achieve Washington state's first all-gender school restroom on page 17.*

*See page 18 for specifications and page 20 for colors, patterns and woodgrains.*




**SierraSeries®**  
**Solid Color Reinforced Composite (SCRC)**

A solid, color-through material that is perfect for high traffic and vandal-prone applications, such as schools, with a 25-year warranty.

*Learn about SierraSeries's lasting, 15-year legacy of durability at Strasburg High School on page 17.*

*See page 18 for specifications and page 21 for colors.*




**DesignerSeries™ & TrimLineSeries™**  
**High Pressure Laminate (HPL)**

Suitable for projects from budget to prestige, our HPL series provide versatile options with our widest range of colors and finishes.

- Choose **DesignerSeries** for standard steel core stiles and 2-year limited warranty
- Choose **TrimLineSeries** for standard steel core stiles, stainless steel edge trim and 5-year limited warranty

*See page 18 for specifications and pages 22 and 23 for colors, patterns and woodgrains.*

*Visit [bobrick.com](http://bobrick.com) for information about our Budget HPL Series*



STEPS TO SPEC

 Select Privacy Options

Privacy is increasingly seen as an expectation. Gaps and sightlines are among the most common complaints about today's toilet partitions.

HEIGHT OPTIONS



- Standard Height:**  
58" doors & panels,  
12" floor clearance  
**Available On:** All Systems



- Maximum Height:**  
72" doors & panels,  
4 5/16" floor clearance  
**Available On:** All Systems



- Extended Height:**  
84" to 96" doors & panels,  
1" floor clearance  
**Available On:** DuraLineSeries CGL,  
SierraSeries SCRC (Overhead-Braced and Floor-to-Ceiling only)

GAP OPTIONS



- Standard Reduced-Gap:**  
±3/32" door-to-stile gaps,  
1/2" to 1" wall gaps  
**Available On:** All Systems



- Gap-Free Doors & Stiles:**  
Interlocking, sightline-free design  
**Available On:** DuraLineSeries CGL,  
SierraSeries SCRC

 Select Design Options

MOUNTING CONFIGURATIONS



- Floor-Anchored**



- Overhead-Braced**



- Floor-to-Ceiling**



- Ceiling-Hung**



 **Select Design Options (continued)**

**STANDARD HARDWARE:**

Standard concealed stainless steel barrel hinges adjust for partial opening or self-closing; stainless steel brackets, latch and door pull.



**HARDWARE OPTIONS**

- Heavy Duty Full-Height Stainless Steel Brackets**
- Occupancy Indicator Latch** (Standard with Extended Privacy)






**COLORS, PATTERNS & WOODGRAINS**

See pages 20-23 for standard color selections

**DIVIDERS & SCREENS**

Visit [bobrick.com](http://bobrick.com) for specifications

**STEPS TO SPEC (SUMMARY)**

 <b>Select a Material</b>	 <b>Select Privacy Options</b>	 <b>Select Design Options</b>
<ul style="list-style-type: none"> <li><input type="checkbox"/> DuraLineSeries CGL <b>ASTM E 84 Fire Ratings:</b> Class A (1180 Series) or Class B (1080 Series)</li> <li><input type="checkbox"/> SierraSeries SCRC <b>ASTM E 84 Fire Rating:</b> Class B (1090 Series)</li> <li><input type="checkbox"/> DesignerSeries HPL <b>ASTM E 84 Fire Rating:</b> Class B (1040 Series)</li> <li><input type="checkbox"/> TrimLineSeries HPL <b>ASTM E 84 Fire Rating:</b> Class B (1030 Series)</li> </ul> <p>Visit <a href="http://bobrick.com">bobrick.com</a> for Budget HPL 1550, 1540 and 1530 Series.</p>	<p><b>Height Options</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Standard:</b> 58" doors &amp; panels, 12" floor clearance <b>Available On:</b> All Systems</li> <li><input type="checkbox"/> <b>Maximum</b> 72" doors &amp; panels, 4 5/16" floor clearance <b>Available On:</b> All Systems</li> <li><input type="checkbox"/> <b>Extended:</b> 84" to 96" doors &amp; panels, 1" floor clearance <b>Available On:</b> DuraLineSeries, SierraSeries (Overhead-Braced and Floor-to-Ceiling only)</li> </ul> <p><b>Gap Options</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Standard Reduced-Gap</b> <b>Available On:</b> All Systems</li> <li><input type="checkbox"/> <b>Gap-Free Doors &amp; Stiles</b> <b>Available On:</b> DuraLineSeries, SierraSeries</li> </ul>	<p><b>Hardware Options</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Heavy Duty Full-Height Stainless Steel Brackets</li> <li><input type="checkbox"/> Occupancy Indicator Latch (Standard with Extended Privacy)</li> </ul> <p><b>Mounting Configurations</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Floor-Anchored</li> <li><input type="checkbox"/> Overhead-Braced</li> <li><input type="checkbox"/> Floor-to-Ceiling</li> <li><input type="checkbox"/> Ceiling-Hung</li> </ul> <p><b>Colors, Patterns &amp; Woodgrains:</b> See pages 20-23 for CGL, SCRC and HPL colors</p>




**A FIRST FOR PRIVACY**  
**VASHON ISLAND HIGH SCHOOL**

Vashon Island High School, just outside of Seattle, recently became home to the first all-gender school restroom in Washington state. Bobrick DuraLineSeries, Gap-Free, Maximum Height partitions with heavy duty, full-height brackets were pivotal to achieving the necessary privacy and durability that school restrooms often demand.

**PROJECT DETAILS**

<b>Location</b>	Vashon, WA
<b>Finish</b>	4878-60 Wilsonart® Pewter Mesh



Scan the QR code to get the full case study.



**A LESSON IN DURABILITY**

**STRASBURG HIGH SCHOOL**

When Strasburg High School replaced its original wood partitions from the 1960s, the new installation turned out to be virtually ageless. After 15 years and counting, SierraSeries partitions are still providing outstanding damage resistance. The school reports the installation is still holding up like new.

**PROJECT DETAILS**

<b>Location</b>	Strasburg, CO
<b>Finish</b>	SCO1 Golden Khaki




Scan the QR code to get the full case study.



## COMPACT GRADE LAMINATE (CGL)

**Material Specification:** Solidly fused plastic laminate with matte-finish melamine surfaces; integrally bonded colored face sheets and black phenolic-resin core. Wilsonart® SOLICOR™ color-through CGL also available with core to match surface.




- Scratch, moisture, impact and graffiti resistant
- Class A or B ASTM E 84 classification
- Wide selection of colors and patterns

**Available on:** Evolve Cubicles, Traditional DuraLineSeries

## SIERRASERIES (SCRC)

**Material Specification:** Dyed wood fibrous material reinforced with polycarbonate and phenolic resins fused into a homogeneous piece.




- Solid color-through material
- Scratch, dent, moisture and impact resistant with Graffiti-Off surfaces
- Class B ASTM E 84 classification
- Through-bolted panel-to-stile bracket, keeper and robe hook

**Exclusively Available on:** Traditional SierraSeries

## HIGH PRESSURE LAMINATE (HPL)

**Material Specification:** High Pressure Laminate with a 45 lb density, industrial grade, resin-impregnated particle board substrate. Wood Veneer Laminate substitutes decorative paper with wood veneer.



- 1" doors, stiles and panels
- Impact and graffiti resistant
- Class B ASTM E 84 classification

**Available on:** PRIVADA Cubicles, Traditional DesignerSeries, Traditional TrimLineSeries, Budget HPL Series

### DESIGNER'S NOTE

All Bobrick cubicle and partition materials comply with applicable U.S. fire codes. Get ASTM E 84 test documentation and more at [bobrick.com](http://bobrick.com).

## DURABILITY COMPARISON

### Scratch, Dent and Graffiti Resistance

Compared to competitive materials, Bobrick materials perform exceptionally well for scratch, dent and graffiti resistance when subjected to industry-standard ASTM test protocols. Consider the relative price of Bobrick's high performance substrates and it's clear: Bobrick materials are the pinnacle of value.

	Material	Price Index	Scratch Resistance ASTM D 2197 Weight Required to Scratch	Impact Resistance ASTM D 2794 Visible Damage, Inches-Pounds Per Force (lbf)	Graffiti Resistance ASTM D 6578 Marks Removed (Out of 6)	Interior Finish Classification ASTM E 84
Bobrick Materials	Compact Grade Laminate (CGL) (Black Core)	\$\$ - \$\$\$	>10kg	168" -lbf	5	Class A or B
	Solid Color Reinforced Composite (SCRC)	\$\$\$	6.0kg	42" -lbf	5	Class B
	High Pressure Laminate (HPL)	\$ - \$\$\$\$	>5.3kg	22" -lbf	6	Class B
Other Manufacturers' Materials	Powder-Coated Metal	\$	<0.5kg	2" -lbf	4	Class A
	Plastic (HDPE)	\$\$	<0.5kg	<1" -lbf	3	In 48 states and Washington, D.C., ASTM E 84 is not the relevant test. Must pass an unmodified NFPA 286 test.
	Stainless Steel	\$\$\$\$\$	1.0kg	2" -lbf	5	Class A

### Bobrick Materials



Compact Grade Laminate (CGL)    Solid Color Reinforced Composite (SCRC)    High Pressure Laminate (HPL)


### Other Manufacturers' Materials



Powder-Coated Metal    Plastic (HDPE)    Stainless Steel




CGL STANDARD COLORS & PATTERNS



SOLID COLOR CGL: WILSONART® SOLICOR™ COLORS & PATTERNS

Note: Made to order; lead times apply. Samples can be requested from the manufacturer.




\*Standard color by FUNDERMAX available on Evolve Cubicles and allows for single panel width up to 72", eliminating use of additional hardware. Meets Class A fire rating without upcharge.

Wilsonart® SOLICOR™ is a specialty laminate with a solid color core to match the surface. Hundreds of additional CGL colors are available from our partners; additional lead time will apply. Please consult with ABET LAMINATI®, ARBORITE®, FORMICA®, Wilsonart® or FUNDERMAX® for color options.

ABET LAMINATI is a trademark of ABET Inc. and ABET LAMINATI S.p.A. ARBORITE and Wilsonart are registered trademarks of Wilsonart Engineered Surfaces and Wilsonart International, Inc. SOLICOR is a trademark of Wilsonart Engineered Surfaces and Wilsonart International, Inc. FORMICA and the FORMICA Anvil logo are registered trademarks of The Diller Corporation. © 2015 The Diller Corporation. FUNDERMAX is a registered trademark of FUNDERMAX GmbH.



SCRC STANDARD COLORS



SCRC minor edge nicks and random color variations are normal consequences of manufacturing material containing natural fibers. Material can vary in color between thicknesses and production batches.

Trespa is a registered trademark of Trespa International BV.



PERFORMANCE SPOTLIGHT

SCRC: Hard to Scratch. Easy to Clean.

The proof is in the testing. SCRC offers the performance you need for high traffic and vandal-prone restrooms.



5 out of 6 marks removed

The ASTM D 6578 graffiti resistance test consists of preparing material samples with marks from six staining agents. After 24 hours, the marks are cleaned until they are removed.

Five out of six marks were removed from SCRC.






Zero scratches under 6 kg of weight

In the ASTM D 2197 scratch resistance test procedure, weights up to 10 kg (22 lbs) are added to a scraper and a material sample is dragged beneath the scraper. When a scratch occurs, the weight is recorded.

SCRC did not scratch with 6 kilograms of weight.



## HPL STANDARD COLORS & PATTERNS

				
Designer White D354-60	White Carrara 4924-38	Antique White 1572-60	Natural Almond D30-60	Beige 1530-60
				
Grey 1500-60	Satin Stainless 4830K-18*	Platinum D315-60	Desert Zephyr 4841-60	Natural Canvas 7022-58
				
Grey Nebula 4622-60	Pewter Mesh 4878-38	Evening Tigris 4674-60	Natural Tigris 4669-60	Wheat Strand 6212-58
				
Slate Grey D91-60	Shadow D96-60	Tungsten EV 4814-60	Spiced Zephyr 4859-60	Windswept Bronze 4794-60
				
Burnt Strand 6307-58	Graphite Nebula 4623-60	Green Tigris 4667-60	Chestnut Woodline 5884-58	Chocolate Warp 5881-58
				
Navy Grafix 7018-58	Brittany Blue D321-60	Smokey Brown Pear 5488-58	Figured Mahogany 7040A-60	Xanadu 7945K-38*
				
Spectrum Blue 851-58	Hollyberry D307-60	Leaf Green 8820-58	Basalt Slate 3690-58	Black 1595-60

\*Premium colors carry an upcharge not to exceed 10% of total cost. Panels over 60" wide with directional patterns and finishes will be spliced, joining the 2 pieces on the particle board at an additional charge. HPL colors are printed reproductions and are for descriptive purposes only. Refer to manufacturer's samples for absolute color fidelity. Refer to bobrick.com and iBob for additional information on lead times on Wilsonart and FORMICA colors.


























Wilsonart is a registered trademark of Wilsonart International, Inc.; FORMICA, and the FORMICA Anvil logo are registered trademarks of The Diller Corporation. © 2015 The Diller Corporation.

 Wilsonart



## WOOD VENEER LAMINATES

Note: Made to order; lead times apply. Samples can be requested from the manufacturer.

				
Honey Annigre 913	Executive Mahogany 920	Spanish Mahogany 921	American Cherry 925	Canadian Maple 926
				
Renaissance Cherry 953	Brown Annigre 974	Amber Bamboo 975	Tropical Zebrawood 976	Bog Oak 977
				
American Walnut 978	Teak 980	Modern Makore 981	Golden Oak 983	Ashened Oak 985
				
Prairie Oak 986	Australian Eucalyptus 988	Smoked Eucalyptus 989	American Elm 991	Cabinetry Walnut 992
				
Gallery Walnut 994	Blond Sycamore 995	Coastal Eucalyptus 997	Vintage Limba 998	Natural Eucalyptus 999

Laminart is a trademark proprietary to Laminart LLC.

  
A WILSONART COMPANY





# WHY BOBRICK?

## PORTFOLIO OF VALUES

### BOBRICK

Architects, developers and facility managers have selected Bobrick's performance-engineered cubicles and partitions with confidence since 1970. As the market leader, Bobrick delivers building owner value through design excellence, multiple options, code compliance and long-lasting durability.

### DESIGN

Specifiers choose from a variety of materials including Compact Grade Laminate (CGL), Solid Color Reinforced Composite (SCRC) and High Pressure Laminate (HPL) with a substantial selection of colors, patterns and woodgrains. Mounting configurations, Gap-Free® and Maximum Height privacy and hardware options are available.

### DURABLE

CGL, SCRC and HPL are first quality, extra-durable cubicle and partition materials that score exceptionally high for graffiti-, impact- and scratch-resistance. Excellent maintainability is another measure of durability and results in long-term performance, minimizing costly repair and replacement expense.

### SUSTAINABLE

Hardware is fabricated of 50%-70% post-industrial recycled stainless steel. Regional manufacturing and distribution facilities within 500 miles of 70% of the U.S. population conserve transportation energy consumption. Bobrick cubicles and partitions can contribute to LEED points.

### COMPLIANT

Bobrick cubicles and partitions comply with the latest ASTM E 84 Flame Spread and Smoke Development index requirements for Interior Finishes. Bobrick will gladly provide accessibility consultation, including wheelchair accessibility compartment layouts, approaches, turning radiuses and reach range compliance.

### HYGIENIC

Cleanability is a key factor in maintaining cubicles and partitions in a sanitary condition. CGL and SCRC surfaces, including doors, stiles and panels, feature Graffiti-Off® non-porous surfaces for easy graffiti removal and disinfection. Other materials with porous textures make cleaning more difficult.

### PRIVACY

Architects and designers acknowledge that privacy is playing an increasingly vital role in restroom design. Bobrick answers these needs with privacy options on all of our cubicles and partitions.

# THE BOBRICK ADVANTAGE


## VALUE-ADDED SERVICES & PROGRAMS

### UNPARALLELED EXPERTISE

Bobrick is proud to offer industry-leading products and expertise. For indispensable design, compliance and logistics support, find your architectural representative and other resources at [bobrick.com](http://bobrick.com).



Planning Guide for Accessible Restrooms



Washroom Accessories Catalog

### RapidResponse®

When you require delivery on a tight deadline, Bobrick can ship certain materials within 2, 5, 10 and 20 days upon order approval.



### BOBRICK COMPLIES

All Bobrick cubicle and partition materials are compliant with applicable fire code requirements.




### SPANNING THE CONTINENT

Bobrick's regional manufacturing and distribution facilities are within 500 miles of 70% of the U.S. population, conserving transportation energy consumption and contributing to LEED Regional Materials credits.



### LOCATIONS

- **Bobrick Washroom Equipment, Inc. Corporate Office**  
Los Angeles, California
- **Bobrick Mid-Continent**  
Jackson, Tennessee
- **Bobrick Eastern Division**  
Clifton Park, New York



[500 mi. radius]





BUILDING VALUE SINCE 1906

[Bobrick.com](http://Bobrick.com)

<b>U.S. Corporate Office</b>	818.982.9600	<a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>
<b>Canadian Offices</b>	877.423.6555 Eastern Canada	<a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>
	877.423.6444 Western Canada	
<b>International Customer Sales</b>	+1.818.764.1000	<a href="mailto:international@bobrick.com">international@bobrick.com</a>
<b>GAMCO Commercial Restroom Accessories</b> A Division of Bobrick	818.982.9600	<a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>
<b>Koala Kare Products</b> A Division of Bobrick	888.733.3456	<a href="mailto:customerservice@koalabear.com">customerservice@koalabear.com</a>
<b>Thrislington Cubicles</b> A Division of Bobrick	+44 (0)12 4452 0677	<a href="mailto:sales@thrislington-us.com">sales@thrislington-us.com</a>

Thrislington Cubicles, a Bobrick division, produces bespoke, high-end customized cubicles in a variety of materials, including glass. Explore options for your project at [thrislingtoncubicles.com](http://thrislingtoncubicles.com).

 **thrislington cubicles**

Colors are printed reproductions and are for descriptive purposes only. Refer to manufacturer’s samples for absolute color fidelity. Color guides and samples are available from Bobrick on request. Material can vary in color between thicknesses and production batches. Where color consistency is critical, Traditional Compact Laminate DuraLineSeries 1080 is recommended. Discoloration of the edges may occur in environments with significant light exposure. Visit [bobrick.com](http://bobrick.com) for the latest colors, patterns and woodgrains.

**For product warranty information, please visit [bobrick.com](http://bobrick.com)**

