



UTTAR PRADESH POLLUTION CONTROL BOARD

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. - 129990/UPPCB/Saharanpur(UPPCBRO)/CTO/water/SAHARANPUR/2021

Dated : 29/06/2021

To ,

Shri BHANU PRATAP

M/s GANIX RUBBER RECYCLING PRIVATE LIMITED

**KHASRA NO. 358, VILLAGE NANHEDA BAKKAL AMBALA ROAD TEHSIL &
DISTRICT SAHARANPUR,247001
SAHARANPUR**

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. GANIX RUBBER RECYCLING PRIVATE LIMITED

Reference Application No :12596782

Dated :29/06/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. GANIX RUBBER RECYCLING PRIVATE LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 25/06/2021 to 31/07/2026 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

SHIV

RAM

MAURYA

Digitally signed

by SHIV RAM

MAURYA

Date: 2021.06.29

17:28:34 +05'30'

REGIONAL OFFICER

SAHARANPUR

**Enclosed : As above
(condition of consent):**

Copy to:

REGIONAL OFFICER

SAHARANPUR

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.GANIX RUBBER RECYCLING PRIVATE LIMITED vide

Consent Order No. 12596782/ Water

Dated : 29/06/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of RUBBER COMPOUND-03 M.T./DAY, TYRE RECYCLING -05 M.T./DAY .
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge,KL/day	Treatment facility and discharge point
1	Domestic	0.5	Septic Tank

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	Total Suspended Solids	As per EPA norms
2	COD	As per EPA norms
3	BOD	As per EPA norms

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

SHIV
RAM
MAURYA

Digitally signed
by SHIV RAM
MAURYA
Date: 2021.06.29
17:28:45 +05'30'

This Consent is granted on the recommendation of RO and subject to following conditions: This Consent/Renewal of Consent is for:

- a) The Compliance to the norms for emission as prescribed in schedule-1 of environment (protection) Rules, 1986 as may be prescribed by the Board.
 - b) Noise and ambient air quality to be maintained within Ambient Air Quality Standards for noise as specified in schedule III of afore said Rules.
 - c) The effluent (domestic /industrial) conforming to the limits as prescribed in Schedule-I or Schedule-VI of Environment Protection Rules 1986 as amended or as may be prescribed by the Board.
1. Pollution Control Devices provided by the Unit shall be operated and maintained to achieve the norms as prescribed in Environment (Protection) Act, 1986 as amended from time to time.
 2. The State Board reserves the right to revoke/review and alter the conditions of consent as the case may be.
 3. Unit shall not undertake the expansion activity/ or additional product in the existing Unit without obtaining consent from State Board.
 4. Unit Shall not discharge any kind of Industrial effluent.
 5. This consent is only Valid for Domestic Discharge.
 6. Unit shall comply with the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016.
 7. Unit Shall comply all the provision of Plastic Waste Management Rules, 2016.
 8. Unit shall comply all the provisions of Solid waste Management rules 2016.
 9. Unit shall not pollute any water sources in the area like drinking source, pond or well etc.
 10. Unit Shall develop green belt 10 meter or 33% of Total area (whichever is less).
 11. Unit shall maintain the stack height of D.G. set as per EPA Norms.
 12. No debris shall be thrown along the roads or water course and the debris shall be either utilized or disposed in designated dumping sites.
 13. No change or alteration of the industrial plant is to be made without the prior permission of the Board. Any change in the particulars furnished and/or in the identity of the occupier/authorized agent is to be intimated to the Board forthwith.
 14. The project proponent shall be liable to clear any past/current liability on account of difference consent fees if detected at any subsequent stage.
 15. In case of process disturbance/failure of pollution control equipments, the respective Units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.
 16. If operations are planned to be done with backup power, the generator shall have adequate capacity to run all the associated pollution control devices.
 17. There shall not be any fugitive emission from the plant or premises.
 18. Arrangements of rainwater harvesting shall be provided and maintained.
 19. This consent can be Revoked if a public Grievance is received and confirmed against the industry
 20. The emission/effluent shall be got sampled and tested by the Unit as well as concerned Regional Office as prescribed and further renewal shall be dependent up on the results of samples so collected and tested.
 21. Adequate fire protection equipment shall be provided in the Unit and the Unit shall submit NOC from the Department of fire & safety.
 22. Unit shall submit map of unit approved by competent authority within 03 months.
 23. The unit shall installed water meter on the water intake point.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

**SHIV
RAM
MAURYA**

Digitally signed
by SHIV RAM
MAURYA
Date: 2021.06.29
17:28:55 +05'30'

**REGIONAL OFFICER
SAHARANPUR**