

FLIGHT PLAN & SITE SURVEY

Mission 2026-07-08

July 8, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

MISSION 2026-07-08

FLIGHT DETAILS

Reference No:	FFAFF2
Pilot Name:	
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 8, 2026 6:10 PM
Flight End:	July 8, 2026 8:10 PM


LOCATION DETAILS

Latitude:	42° 9' 57.92" N (42.166)
Longitude:	83° 2' 53.09" W (-83.048)
Field Elevation:	594 ft MSL
Altitude / Radius:	400 ft / 200 m (0.11 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZYZ / 905-676-4509

REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

3 NEW Map Layers.




MAP LAYER UPDATE

 **Active wildfires** **New!**

 **Wildfire hotspots** **New!**

 **NOTAMs** **New!**



EXISTING PLANNING LAYERS

☒ National Parks

☒ Aerodromes

☒ Population Density

☒ VNC / VTA Charts

☒ CFS Data

See the full airspace picture before you fly.

Available on mobile and web platforms

www.rpaswilco.com 

Flight Map & MODEL Details

MISSION LOCATION SURVEY

MODEL SPECIFICATIONS

MANUFACTURER

Chaos600

MODEL

Bell 206 Longranger

REGISTRATION

ADVANCED OPS

No

SAFETY ASSURANCE

Controlled Airspace	N/A
Near People	N/A
Over People	N/A


MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	42° 9' 57.92" N 42.166	83° 2' 53.09" W -83.048
 Pilot	42° 10' 1.67" N 42.1671	83° 2' 56.89" W -83.0491

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	Windsor, ON [TA]	700AGL	18000MSL
E	Southern Ontario Low Level Control Area a) [CAE]	2500MSL	6500MSL

Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION


WINDSOR (CYQG - AERODROME - Cert)	Lat: 42.276	Long: -82.955	14.426KM	7.79NM	NE
Operator: YOUR QUICK GATEWAY (WINDSOR) INCORPORATED.: PHONE: 519-969-2430, POST: UNKNOWN FIR Contact: 905-676-4509					
ESSEX (CNE9 - AERODROME - Reg)	Lat: 42.096	Long: -82.879	15.973KM	8.62NM	SE
Operator: P. & A. HARRINGTON: PHONE: 519-776-7441, POST: UNKNOWN FIR Contact: 905-676-4509					
HARROW (CGL2 - AERODROME - Reg)	Lat: 42.059	Long: -82.841	20.822KM	11.24NM	SE
Operator: LOUIS & THERESE LEVESQUE: PHONE: 519-733-2935, POST: UNKNOWN FIR Contact: 905-676-4509					
BILLING AIRSTRIP (CEB8 - AERODROME - Reg)	Lat: 42.187	Long: -82.782	22.049KM	11.91NM	E
Operator: PAM/ERIK BILLING: PHONE: 519-723-4479, POST: UNKNOWN FIR Contact: 905-676-4509					
COTTAM (CRB2 - AERODROME - Reg)	Lat: 42.14	Long: -82.653	32.697KM	17.65NM	E
Operator: R.I. BELL: PHONE: 519-839-4369, POST: UNKNOWN FIR Contact: 905-676-4509					

ONTARIO

AERODROME / FACILITY DIRECTORY

WINDSOR ON

CYQG



REF	N42 16 34 W82 57 19 Adj SE 7°W (2011) UTC-5(4) Elev 622' A5000 LO6 HI5 T2 CAP
OPR	Your Quick Gateway (Windsor) Inc. 519-969-2430 10-02Z± Cert
PF	A-2,3,6,7,8 C-4,5
CUST	AOE/325 (450 with staged off loading) 888-226-7277 13-05Z±
FLT PLN	Pilots to open/ close VFR flt plan with London rdo 123.375 or by phone. For altn method to file, close & rcv IFR Flt Pln/clnc see PRO
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
WX	METAR AUTO H24 (See COMM). TAF H24, issue times: 00, 06, 12, 18Z, WxCam.
SERVICES	Call out chg may be levied for one or more svcs.
FUEL	100LL, JA-1 FSII (avbl), HPR
OIL	All
S	1,2,3,4,5,6
ARFF	PARTICIPATING CAT 5 1030-0315Z±, O/T call out chgs may be levied.
SUP FL	D-ice
JASU	NC-10A/A1/B/C; DC:2000 AMP, 45kW, 28V; AC:90 KVA, 115/200V, 3 phase, 400 Hz.
PVT ADV	Great Lakes Flight Centre 122.95 519-969-7052 and 866-817-5266 Fax 519-969-3205 Air-Way Aviation 129.55 519-972-7244 Fax 519-972-7744 Gateway Aviation (World Aviation Services) 123.5 226-782-3581
MIL CON	Gateway Aviation Windsor 226-782-3581

ONTARIO

AERODROME / FACILITY DIRECTORY

WINDSOR ON (Cont'd)

CYQG

RWY DATA	Rwy 07(070°)/25(250°) 9000x200 ASPH Thld 07 displ 902'. Thld 25 displ 1143' Rwy 12(123°)/30(303°) 5150x150 ASPH Thld 12 displ 570'. Thld 30 displ 321'
RWY CERT	Rwy 07 RVR 1200(1/4sm)/Rwy 25 RVR 1200(1/4sm) AGN IV Rwy 12/30 AGN IIIB
TWY CERT	Twy: E AGN II Twy: I AGN IIIA
TWY RCR	Twy E uncontrolled. Twy I width 50'. 519-791-1663 10-05Z† CRFI Hrs extended as conds or usage warrant. PCN
LIGHTING	07-AD AS(TE HI) P2, 25-AN(TE HI) P2, 12-AD(TE ME) P2, 30-(TE ME) P2 ARCAL-124.7 type K when TWR clsd
COMM	RCO London rdo 123.375 (FISE) 126.7(bcast) ATIS 134.5 12-03Z† GND 121.7 12-03Z† TWR 124.7 (E) 12-03Z† (emerg only 519-969-3751) MF tfc 124.7 03-12Z† 6NM shape irregular to below 3000 ASL (CAR 602.98) ARR/DEP Detroit 118.95 132.35 134.3 284.0 (E) VFR ADV Windsor Area-Detroit Apch Ctl 134.3 AWOS 134.5 03-12Z†
NAV	DME IQG 110.3 Ch 40 N42 16 52 W82 56 49 (633') ILS IQG 110.3 (Rwy 25)
PRO	When oprg VFR over Canadian Territory within the Detroit TCA (see VTPC) ctc Detroit apch ctl 134.3. Avoid Riverside descent area unless authorized by ATC. (Acft departing the Windsor area northbound or enroute to Detroit should remain W of Belle Isle or E of the Windsor class E airspace.) IFR tfc inbound Detroit City Airport Rwy 33 descending within the Riverside Descent Area from 3000 ASL. To file, close & rcv IFR Flt Pln/clnc when oprg in the Detroit TCA, ctc London FIC on 123.375 or by phone 1-866-541-4104. Pilots are requested to avoid flight below 2000 ASL when flying over the Jack Miner Bird Sanctuary (Kingsville ON, N42 04 00 W82 45 00) & over Point Pelee National Park.
CAUTION	Blasting areas may be active Mon-Fri 13-22Z† 1NM radius of N42 09 19 W83 00 21 and N42 05 21 W83 05 06 to 500 AGL. Migratory birds in vic of aprt Mar - May & Oct - Nov.


ONTARIO

AERODROME / FACILITY DIRECTORY

ESSEX ON

CNE9

REF	N42 05 45 W82 52 46 4SW 7°W UTC-5(4) Elev 620' A5000
OPR	P. & A. Harrington 519-776-7441 Reg
PF	C-1,2,3,5 D-4,6
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
S	2,3,5
RWY DATA	Rwy 09/27 1935x70 GRASS
TWY	Twy at hg entrance only.
RCR	No win maint. A/D clsd in hvy rain periods. Call ahead to confirm rwy has dried up enough to land on.
COMM	ATF tfc 122.8 5NM 3600 ASL
PRO	
CAUTION	Ditches at Thlds 09 & 27 and along rwy sides. Wind shear fr hg with N/NE/NW winds. Trees on apch to Rwy 27. Bldg at edge of Rwy 09/27.




ONTARIO

AERODROME/FACILITY DIRECTORY

HARROW ON

CGL2

REF	N42 03 34 W82 50 27 3.8ENE 7°W UTC-5(4) Elev 610' A5000
OPR	Louis & Thérèse Levesque 519-733-2935 Reg PN
PF	C-1,2 E-3,4,5,6
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	
RCR	Rwy 01/19 3000x100 GRASS Thlds 01 & 19 displ 400'. Rwy soft when wet. Opr Ltd win maint
COMM	ATF tfc 122.9 5NM 3600 ASL
PRO	
CAUTION	Trees 500' fr Thld Rwy 01, 60 AGL. Marked hydro poles 400' fr Thld Rwy 19 (buried hydro line). Essex A/D 3NM NW.




ONTARIO

AERODROME / FACILITY DIRECTORY

ESSEX / BILLING AIRSTRIP ON

CEB8

REF	N42 11 12 W82 46 56 1.9E 7°W UTC-5(4) Elev 630' A5000
OPR	Pam/Erik Billing 519-723-4479 Reg PN
PF	B-1,2 C-3 D-4,6
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL (D) Emerg only
OIL	100 Emerg only
S	5
RWY DATA	Rwy 10(099°)/28(279°) 2025x100 GRASS
RCR	Opr Ltd win maint. Rwy may be soft when wet.
CAUTION	Water lagoons 1500' SW of Thld 10, possible bird hazard. Ditch at Thld 28. Hydro wires along road near Thld 10. Wind turbine 0.5NM SW of Thld 10 1017 ASL (394 AGL). Numerous wind turbines in vic.




ONTARIO

AERODROME / FACILITY DIRECTORY

COTTAM ON

CRB2

REF	N42 08 24 W82 39 10 4E 7°W UTC-5(4) Elev 635' A5000
OPR	R. I. Bell 519-839-4369 Reg PPR
PF	C-1,2 D-3,4,5,6
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 01/19 2000x60 GRASS Thld 01 displ 400'.
RCR	Opr Ltd win maint
COMM	
ATF	tfc 122.9 5NM 3600 ASL




PRO	Pilots are requested to avoid flt below 2000 ASL when flying over the Jack Miner Bird Sanctuary (Kingsville, Ont N42 04 W82 45) & over Point Pelee National Park.
CAUTION	Bldgs & unmarked poles aprx 400' fr Thld 01. Ditch adj E Thld 01 & 19. Trees on apch to Rwy 01. Cultivated fields at both edges of Rwy 01/19.


Graphical Area Forecast

ISSUE TIME + 00 HR

CLOUDS AND WEATHER



TURBULENCE, ICING AND FREEZING LEVEL



ISSUE TIME + 06 HR

[illegible]

ISSUE TIME + 12 HR

[illegible]

G7FACN33 CWA0
REGION
ONTARIO - QUÉBEC
ICE TURB & FZL VL
ISSUED AT 08/07/2026 1725Z
VALID AT 09/07/2026 0600Z

LEGEND/LEGENDE

MOD ICE MOD TURB
 SEV ICE SEV TURB

0 60 120 180 NM
 (True at 60% - Valid at 60%)

HST ASL UNLS NOTED
 CB TCU AND ACC IMPLY SIG TURB AND ICE
 CB IMPLIES LVL WS
 NL-LOT NINE ICIC ABV FZL VL UNLS
 NOTED - LST TURB UNLS NOTED

COMMENTS/COMMENTAIRES

NAV CANADA

ALL NAV CANADA CONTENTS INCLUDE
 a) navigation, vessel tracking,
 information architecture and coding
 b) copyright of, or licensed by,
 the Government of Canada
 c) reproduction of this content
 requires the prior written consent of
 NAV CANADA. Reproduction of this
 content without the prior written
 consent of NAV CANADA is prohibited.
 All rights reserved. No part of this
 publication may be reproduced, stored
 in a retrieval system, or transmitted,
 in any form or by any means,
 electronic, mechanical, photocopying,
 recording, or by any information
 storage and retrieval system, without
 the prior written permission of NAV
 CANADA.

Aerodrome Information

METAR, TAF & NOTAM

WINDSOR - CYQG - Cert

WEATHER DATA

METAR

Wind from southwest at 8 kt gusting 15 kt; visibility 9 SM; clr clouds; temperature 30 C, dewpoint 19 C; altimeter 29.95 inHg.
METAR CYQG 082100Z AUTO 23008G15KT 9SM CLR 30/19 A2995 RMK SLP141 DENSITY ALT 2500FT=

TAF

Valid 0818Z to 0918Z; initial: Wind from west-southwest at 12 kt; visibility greater than 6 SM; scattered clouds at 6,000 ft; broken clouds at 6,000 ft; from 0900Z: Wind from south-southwest at 5 kt; visibility greater than 6 SM; skc clouds; from 0912Z: Wind from variable at 3 kt; visibility greater than 6 SM; broken clouds at 4,000 ft; from 0917Z: Wind from west at 10 kt; visibility greater than 6 SM; overcast clouds at 4,000 ft; broken clouds at 1,200 ft; overcast clouds at 2,500 ft; weather: heavy thunderstorm rain, mist.
TAF CYQG 081740Z 0818/0918 24012KT P6SM SCT060 TEMPO 0818/0824 BKN060 FM090000 21005KT P6SM SKC FM091200 VRB03KT P6SM BKN040 FM091700 26010KT P6SM -SHRA OVC040 PROB30 0917/0918 VRB20G35KT 2SM +TSRA BR BKN012 OVC025CB RMK FCST BASED ON AUTO OBS. NXT FCST BY 090000Z=

NOTAM

FACILITY **RAW TEXT** Effective: 2026-07-08T20:18:00.000Z - 2026-07-09T04:18:00.000Z
(S8074/26 NOTAMR S8060/26
Q) CZYZ/QFAXX/IV/NB0/A/000/999/4217N08257W005
A) CYQG B) 2607082018 C) 2607090418
E) RSC 07 6/6/6 DRY, DRY, DRY. VALID JUL 08 2018 - JUL 09 0418.

RSC 25 6/6/6 DRY, DRY, DRY. VALID JUL 08 2018 - JUL 09 0418.

RSC 12/30 DRY. VALID JUL 08 2018 - JUL 09 0418.

ADDN NON-GRF/TALPA INFO:

RMK: TWY ALPHA, CHARLIE, DELTA, ECHO, FOXTROT, GOLF, HOTEL, INDIA, 202607082018, DRY.
RMK: APN APRON I, APRON III, 202607082018, DRY.)

FACILITY **RAW TEXT** Effective: 2026-07-01T13:34:00.000Z - 2026-10-01T13:30:00.000Z
(D2361/26 NOTAMR D0878/26
Q) CZYZ/QFAAH/IV/BO/A/000/999/4217N08257W005
A) CYQG B) 2607011334 C) 2610011330EST
E) AD OPR HR OF OPS: 1030-0200)

FACILITY **RAW TEXT** Effective: 2026-07-01T13:34:00.000Z - 2026-10-01T13:30:00.000Z
(D2360/26 NOTAMR D0879/26
Q) CZYZ/QFAAH/IV/BO/A/000/999/4217N08257W005
A) CYQG B) 2607011334 C) 2610011330EST
E) RWY COND REPORT (RCR) HR OF OPS: 1030-0200)

FACILITY **RAW TEXT** Effective: 2026-07-01T13:33:00.000Z - 2026-10-01T13:30:00.000Z
(D2359/26 NOTAMR D0880/26
Q) CZYZ/QFFAH/IV/BO/A/000/999/4217N08257W005
A) CYQG B) 2607011333 C) 2610011330EST
E) ACFT RESCUE AND FIRE FIGHTING (ARFF) HR OF OPS: 1030-0200)

LIGHTING **RAW TEXT** Effective: 2026-05-12T13:35:00.000Z - 2026-08-11T14:00:00.000Z
(D1627/26 NOTAMR D0459/26
Q) CZYZ/QLAAS/IV/NB0/A/000/999/4217N08257W005
A) CYQG B) 2605121335 C) 2608111400EST
E) LOW INTST APCH LGT RWY 07 AND 12 U/S)

OBSTRUCTION_LIGHT **RAW TEXT** Effective: 2026-05-12T09:51:00.000Z - 2026-08-10T23:59:00.000Z
(U0830/26 NOTAMR U0829/26
Q) CZYZ/QOLAS/IV/M/AE/000/009/4214N08253W005
A) CYQG B) 2605120951 C) 2608102359
E) OBST LGT U/S TOWER 421424N 0825259W (APRX 3.9NM SE AD) 157FT AGL, 807FT AMSL.)

Aerodrome Information

METAR, TAF & NOTAM

Area-wide NOTAMs

NOTAM

OBSTRUCTION_LIGHT **WIDE-AREA** **RAW TEXT** Effective: 2026-06-25T14:30:56.911Z - 2026-07-22T23:59:00.000Z

(G1985/26 NOTAMN
Q) CZXX/QOATT/IV/B0/E/000/999/5245N09040W999
A) CZWG CZYZ B) 2607090901 C) 2607222359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT (AIRAC CANADA) ISSUES 16/2026 TO 21/2026 WEF 09 JUL 2026. AIP CANADA, CANADA FLT SUPPLEMENT (CFS), CANADA AIR PILOT (CAP), RESTRICTED CANADA AIR PILOT (RCAP), DESIGNATED AIRSPACE HANDBOOK (DAH), TERMINAL, LOW AND HIGH ENR CHARTS AMENDED.)

AIRSPACE_ORGANISATION **WIDE-AREA** **RAW TEXT** Effective: 2026-06-09T18:08:27.672Z - 2026-07-08T23:59:00.000Z

(G1767/26 NOTAMN
Q) CYYZ/QACLP/IV/NB0/E/000/999/4729N08055W999
A) CYYZ B) 2606102359 C) 2607082359
E) DUE TO SYSTEM CAPACITY: PPR REQUIREMENTS IN ACCORDANCE WITH CAR 602.96(3) WILL BE STRICTLY ENFORCED FOR ALL NON SKED ACFT ARR AT TORONTO/LESTER B. PEARSON INTL AIRPORT (CYYZ). THE ASSIGNED SLOT IDENTIFIER SHALL BE ENTERED IN ITEM 18 OF THE ICAO FLIGHT PLAN USING THE RMK/ FIELD. DO NOT INCLUDE ANY SPECIAL CHARACTERS IN THE RMK/FIELD. NON SKED ACFT WITHOUT APPROVED PPR OR CONFIRMED SLOT TIME CAN ANTICIPATE DIVERSION. EXC IN AN EMERG, IN FLT REROUTING REQUESTS WILL NOT BE ACCEPTED OVER THIS PERIOD.)

OBSTRUCTION_LIGHT **RAW TEXT** Effective: 2026-06-05T15:37:00.000Z - 2026-09-04T16:00:00.000Z

(U1001/26 NOTAMR U0416/26
Q) CYYZ/QOLAS/IV/M/E/000/009/4216N08242W002
A) CYYZ B) 2606051537 C) 2609041600EST
E) OBST LGT U/S TOWER 421534N 0824220W (APRX 6NM NE ESSEX/BILLING AIRSTRIP AD (CEB8)) 295FT AGL, 895FT AMSL.)

OBSTRUCTION_LIGHT **WIDE-AREA** **RAW TEXT** Effective: 2026-05-12T17:43:00.000Z - 2026-08-10T18:00:00.000Z

(G1363/26 NOTAMN
Q) CZXX/QOEXX/IV/NB0/E/000/999/5245N09040W999
A) CZWG CZYZ B) 2605121743 C) 2608101800EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN MALI. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL EQUAL TO OR ABOVE FL320 IN THE PORTIONS OF FIR DAKAR (G000) AND FIR NIAMEY (DRRR) LOCATED IN THE TERRITORY OF MALI DUE TO THE POTENTIAL RISK FROM MILITANT ACTIVITY AND ANTI-AIRCRAFT WEAPONRY.)

OBSTRUCTION_LIGHT **WIDE-AREA** **RAW TEXT** Effective: 2026-05-12T17:37:00.000Z - 2026-08-10T18:00:00.000Z

(G1362/26 NOTAMN
Q) CZXX/QOEXX/IV/NB0/E/000/999/5245N09040W999
A) CZWG CZYZ B) 2605121737 C) 2608101800EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN MYANMAR. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL AT OR ABOVE FL260 IN FIR YANGON (VYYF) DUE TO THE RISK FROM ANTI-AIRCRAFT WEAPONRY.)

OBSTRUCTION_LIGHT **WIDE-AREA** **RAW TEXT** Effective: 2026-04-28T15:28:00.000Z - 2026-07-27T18:00:00.000Z

(G1192/26 NOTAMR G0290/26
Q) CZXX/QOECH/IV/NB0/E/000/999/5518N09358W999
A) CZWG CZYZ B) 2604281528 C) 2607271800EST
E) ALL ACFT, REGARDLESS OF THE STATE OF REGISTRY, DIRECTLY OR INDIRECTLY OWNED, CHARTERED, LEASED, OPERATED OR OTHERWISE CONTROLLED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BELARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE LAWS OF THE RUSSIAN FEDERATION OR BELARUS, AND ALL OPERATORS HOLDING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BELARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERFLY CANADA'S TERRITORIAL AIRSPACE (INCLUDING FLT WITHIN 12NM OF CANADA'S COASTS). EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INFLIGHT EMERG.

ALL AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.

HUMANITARIAN, SAR, MEDEVAC AND ANY OTHER FLT SEEKING AN EXCEPTION TO THIS RESTRICTION MUST RECEIVE AUTH GRANTED AFTER 27 FEB 2022 FM THE MINISTER OF TRANSPORT TO OPERATE IN CANADA'S TERRITORIAL AIRSPACE. AFFECTED ACFT WISHING TO OBTAIN SUCH AN AUTH OR CLR INTO CANADA'S TERRITORIAL AIRSPACE MAY APPLY TO THE MINISTER OF TRANSPORT AT 1-877-992-6853 OR 1-613-992-6853 OR BY EMAIL AT OPERATIONS.AVIATION(AT)TC.GC.CA.)

