



Flight Plan & Site Survey

Created using **RPAS Wilco®**

Reference No:	1FE0BB
Title:	Mission 2025-08-07
Pilot Name:	[REDACTED]
Pilot Certificate:	[REDACTED]
Flight Start:	August 7, 2025 8:06 PM
Flight End:	August 7, 2025 10:06 PM
Flight Area (Latitude):	42° 10' 12.79" N (42.17)
Flight Area (Longitude):	83° 2' 48.68" W (-83.047)
Altitude - Radius:	Alt: 200 ft - Rad: 100 m (0.05 nm)
Classification:	UNCONTROLLED
FIR - Contact:	CZYZ - 905-676-4509

Please ensure you received all required authorizations prior to flight.

Disclaimer

This Site Survey was created using RPAS Wilco by AIM Robotics. The flight plan contained is intended only for RPAS flights on the date/time and location specified. The user accepts all responsibility for the accuracy and completeness of the information contained.

For the complete Terms & Conditions, see

<https://rpaswilco.com/#/tnc>

Included

- Site Survey
- Obstacles (if available)
- Nearby Aerodromes
- Canadian Aviation Regulations
- GFA
- Aerodrome Supplements
 - METAR & TAF (if available)
 - NOTAMs
 - CFS

RPAS

WILCO DRONE INSURANCE



Plan fast.
Fly sooner.
Stay covered.

ONLY

\$299

PER CALENDAR YEAR

✓ Up to \$10M in Coverage

✓ Made for recreational pilots

✓ Covers multiple drones

✓ Available across Canada

✓ Built into RPAS Wilco & Backed by MAAC

**SCAN
ME!**





RPAS Specification


- **Manufacturer:**
Chaos600
- **Model:**
Bell 206 Longranger
- **Registration Number:**
- **Eligible for advanced operations:**
No
- **Manufacturer RPAS safety assurance:**
 - Controlled Airspace: N/A
 - Near People: N/A
 - Over People: N/A

Mission Location Details

	Latitude	Longitude
 MODEL	42° 10' 12.79" N (42.17)	83° 2' 48.68" W (-83.047)



Airspace Classification




Overlying Airspaces

Class	Name	Floor	Ceiling
E	Southern Ontario Low Level Control Area CAE	2500MSL	6500MSL
C	Detroit, ON TCA	3000MSL	4000MSL
C	Detroit, ON TCA	4000MSL	6000MSL
C	Detroit, ON TCA	6000MSL	10000MSL
E	Windsor, ON TA	700AGL	12500MSL
B	Windsor, ON TA	12500MSL	18000MSL
E	Southern Ontario Low Level Control Area CAE	6500MSL	12500MSL
B	Southern Ontario Low Level Control Area CAE	12500MSL	18000MSL

Nearest Aerodromes & Distance from Operation

WINDSOR (CYQG - AERODROME - Cert)	Lat: 42.276	Long: -82.955	13.984KM	7.55NM	NE
ESSEX (CNE9 - AERODROME - Reg)	Lat: 42.096	Long: -82.879	16.115KM	8.7NM	SE
HARROW (CGL2 - AERODROME - Reg)	Lat: 42.059	Long: -82.841	21.006KM	11.34NM	SE
BILLING AIRSTRIP (CEB8 - AERODROME - Reg)	Lat: 42.187	Long: -82.782	21.904KM	11.83NM	E
COTTAM (CRB2 - AERODROME - Reg)	Lat: 42.14	Long: -82.653	32.64KM	17.62NM	E

CYQG



REF	N42 16 34 W82 57 19 Adj SE 7°W (2011) UTC-5(4) Elev 622' A5000 LO6 HI5 T2 CAP
OPR	Your Quick Gateway (Windsor) Inc. 519-969-2430 10-02Z± Cert
PF	A-2,3,6,7,8 C-4,5
CUST	AOE/325 (450 with staged off loading) 888-226-7277 13-05Z±
FLT PLN	Pilots to open/ close VFR flt plan with London rdo 123.375 or by phone. For altm method to file, close & rcv IFR Flt Pln/clnc see PRO
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
WX	METAR AUTO H24 (See COMM). TAF H24, issue times: 00, 06, 12, 18Z, WxCam.
SERVICES	Call out chg may be levied for one or more svcs.
FUEL	100LL, JA-1 FSII (avbl), HPR
OIL	All
S	1,2,3,4,5,6
ARFF	PARTICIPATING CAT 5 1030-0315Z±, O/T call out chgs may be levied.
SUP FL	D-ice
JASU	NC-10A/A1B/C; DC:2000 AMP, 45kW, 28V; AC:90 KVA, 115/200V, 3 phase, 400 Hz.
PVT ADV	Great Lakes Flight Centre 122.95 519-969-7052 and 866-817-5266 Fax 519-969-3205 Air-Way Aviation 129.55 519-972-7244 Fax 519-972-7744 Gateway Aviation (World Aviation Services) 123.5 226-782-3581
MIL CON	Gateway Aviation Windsor 226-782-3581

ONTARIO

AERODROME / FACILITY DIRECTORY

WINDSOR ON (Cont'd)

CYQG

RWY DATA	Rwy 07(070°)/25(250°) 9000x200 ASPH Thld 07 displ 902'. Thld 25 displ 1143' Rwy 12(123°)/30(303°) 5150x150 ASPH Thld 12 displ 570'. Thld 30 displ 321' Rwy 07 RVR 1200(1/4sm)/Rwy 25 RVR 1200(1/4sm) AGN IV Rwy 12/30 AGN IIIB
RWY CERT	
TWY CERT	Twy: E AGN II Twy: I AGN IIIA
TWY RCR	Twy E uncontrolled. Twy I width 50'. 519-791-1663 10-05Z† CRFI Hrs extended as conds or usage warrant. PCN
LIGHTING	07-AD AS(TE HI) P2, 25-AN(TE HI) P2, 12-AD(TE ME) P2, 30-(TE ME) P2 ARCAL-124.7 type K when TWR clsd
COMM	RCO London rdo 123.375 (FISE) 126.7(bcast) ATIS 134.5 12-03Z† GND 121.7 12-03Z† TWR 124.7 (E) 12-03Z† (emerg only 519-969-3751) MF tfc 124.7 03-12Z† 6NM shape irregular to below 3000 ASL (CAR 602.98) ARR/DEP Detroit 118.95 132.35 134.3 284.0 (E) VFR ADV Windsor Area-Detroit Apch Ctl 134.3 AWOS 134.5 03-12Z†
NAV	DME IQG 110.3 Ch 40 N42 16 52 W82 56 49 (633') ILS IQG 110.3 (Rwy 25)
PRO	When oprg VFR over Canadian Territory within the Detroit TCA (see VTPC) ctc Detroit apch ctl 134.3. Avoid Riverside descent area unless authorized by ATC. (Acft departing the Windsor area northbound or enroute to Detroit should remain W of Belle Isle or E of the Windsor class E airspace.) IFR tfc inbound Detroit City Airport Rwy 33 descending within the Riverside Descent Area from 3000 ASL. To file, close & rcv IFR Flt Pln/clnc when oprg in the Detroit TCA, ctc London FIC on 123.375 or by phone 1-866-541-4104. Pilots are requested to avoid flight below 2000 ASL when flying over the Jack Miner Bird Sanctuary (Kingsville ON, N42 04 00 W82 45 00) & over Point Pelee National Park.
CAUTION	Blasting areas may be active Mon-Fri 13-22Z† 1NM radius of N42 09 19 W83 00 21 and N42 05 21 W83 05 06 to 500 AGL. Migratory birds in vic of aprt Mar - May & Oct - Nov.


ONTARIO

AERODROME / FACILITY DIRECTORY

ESSEX ON

CNE9

REF	N42 05 45 W82 52 46 4SW 7°W UTC-5(4) Elev 620' A5000
OPR	P. & A. Harrington 519-776-7441 Reg
PF	C-1,2,3,5 D-4,6
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
S	2,3,5
RWY DATA	Rwy 09/27 1935x70 GRASS
TWY	Twy at hg entrance only.
RCR	No win maint. A/D clsd in hvy rain periods. Call ahead to confirm rwy has dried up enough to land on.
COMM	ATF tfc 122.8 5NM 3600 ASL
PRO	
CAUTION	Ditches at Thlds 09 & 27 and along rwy sides. Wind shear fr hg with N/NE/NW winds. Trees on apch to Rwy 27. Bldg at edge of Rwy 09/27.




ONTARIO

AERODROME/FACILITY DIRECTORY

HARROW ON

CGL2

REF	N42 03 34 W82 50 27 3.8ENE 7°W UTC-5(4) Elev 610' A5000
OPR	Louis & Thérèse Levesque 519-733-2935 Reg PN
PF	C-1,2 E-3,4,5,6
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	
RCR	Rwy 01/19 3000x100 GRASS Thlds 01 & 19 displ 400'. Rwy soft when wet. Opr Ltd win maint
COMM	ATF tfc 122.9 5NM 3600 ASL
PRO	Pilots are requested to avoid flt below 2000 ASL when flying over the Jack Miner Bird Sanctuary (Kingsville, Ontario N42 04 W82 45) & over Point Pelee National Park.
CAUTION	Trees 500' fr Thld Rwy 01, 60 AGL. Marked hydro poles 400' fr Thld Rwy 19 (buried hydro line). Essex A/D 3NM NW.




ONTARIO

AERODROME / FACILITY DIRECTORY

ESSEX / BILLING AIRSTRIP ON

CEB8

REF	N42 11 12 W82 46 56 1.9E 7°W UTC-5(4) Elev 630' A5000
OPR	Pam/Erik Billing 519-723-4479 Reg PN
PF	B-1,2 C-3 D-4,6
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL (D) Emerg only
OIL	100 Emerg only
S	5
RWY DATA	Rwy 10(099°)/28(279°) 2025x100 GRASS
RCR	Opr Ltd win maint. Rwy may be soft when wet.
CAUTION	Water lagoons 1500' SW of Thld 10, possible bird hazard. Ditch at Thld 28. Hydro wires along road near Thld 10. Wind turbine 0.5NM SW of Thld 10 1017 ASL (394 AGL). Numerous wind turbines in vic.




ONTARIO

AERODROME / FACILITY DIRECTORY

COTTAM ON

CRB2

REF	N42 08 24 W82 39 10 4E 7°W UTC-5(4) Elev 635' A5000
OPR	R. I. Bell 519-839-4369 Reg PPR
PF	C-1,2 D-3,4,5,6
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 01/19 2000x60 GRASS Thld 01 displ 400'.
RCR	Opr Ltd win maint
COMM	
ATF	tfc 122.9 5NM 3600 ASL



PRO	Pilots are requested to avoid flt below 2000 ASL when flying over the Jack Miner Bird Sanctuary (Kingsville, Ont N42 04 W82 45) & over Point Pelee National Park.
CAUTION	Bldgs & unmarked poles aprx 400' fr Thld 01. Ditch adj E Thld 01 & 19. Trees on apch to Rwy 01. Cultivated fields at both edges of Rwy 01/19.

Canadian Aviation Regulations

Division III — General Operating and Flight Rules

For full listing please visit : <https://laws-lois.justice.gc.ca/eng/regulations/SOR-96-433/FullText.html#s-901.27>

Visual Line-of-sight

- **901.11 (1)** Subject to subsection (2), no pilot shall operate a remotely piloted aircraft system unless the pilot or a visual observer has the aircraft in visual line-of-sight at all times during flight.
- **(2)** A pilot may operate a remotely piloted aircraft system without the pilot or a visual observer having the aircraft in visual line-of-sight if the operation is conducted in accordance with a special flight operations certificate — RPAS issued under section 903.03.

Procedures

- **901.23 (1)** No pilot shall operate a remotely piloted aircraft system unless the following procedures are established:
 - **(a)** normal operating procedures, including pre-flight, take-off, launch, approach, landing and recovery procedures; and
 - **(b)** emergency procedures, including with respect to
 - **(i)** a control station failure,
 - **(ii)** an equipment failure,
 - **(iii)** a failure of the remotely piloted aircraft,
 - **(iv)** a loss of the command and control link,
 - **(v)** a fly-away, and
 - **(vi)** flight termination.
- **(2)** If the manufacturer of the remotely piloted aircraft system provides instructions with respect to the topics referred to in paragraphs (1)(a) and (b), the procedures established under subsection (1) shall reflect those instructions.
- **(3)** No pilot shall conduct the take-off or launch of a remotely piloted aircraft unless the procedures referred to in subsection (1) are reviewed before the flight by, and are immediately available to, each crew member.
- **(4)** No pilot shall operate a remotely piloted aircraft system unless the operation is conducted in accordance with the procedures referred to in subsection (1).

Site Survey

901.27 No pilot shall operate a remotely piloted aircraft system unless, before commencing operations, they determine that the site for take-off, launch, landing or recovery is suitable for the proposed operation by conducting a site survey that takes into account the following factors:

- **(a)** the boundaries of the area of operation;
- **(b)** the type of airspace and the applicable regulatory requirements;
- **(c)** the altitudes and routes to be used on the approach to and departure from the area of operation;
- **(d)** the proximity of manned aircraft operations;
- **(e)** the proximity of aerodromes, airports and heliports;
- **(f)** the location and height of obstacles, including wires, masts, buildings, cell phone towers and wind turbines;
- **(g)** the predominant weather and environmental conditions for the area of operation; and
- **(h)** the horizontal distances from persons not involved in the operation.

Operations at or in the Vicinity of an Aerodrome, Airport or Heliport


- **901.47 (1)** No pilot shall operate a remotely piloted aircraft at or near an aerodrome that is listed in the *Canada Flight Supplement* or the *Water Aerodrome Supplement* in a manner that could interfere with an aircraft operating in the established traffic pattern.
- **(2)** Subject to section 901.73, no pilot shall operate a remotely piloted aircraft at a distance of less than
 - **(a)** three nautical miles from the centre of an airport; and
 - **(b)** one nautical mile from the centre of a heliport.
- **(3)** No pilot shall operate a remotely piloted aircraft at a distance of less than three nautical miles from the centre of an aerodrome operated under the authority of the Minister of National Defence unless the operation is conducted in accordance with a special flight operations certificate — RPAS issued under section 903.03.

Records


- **901.48 (1)** Every owner of a remotely piloted aircraft system shall keep the following records:
 - **(a)** a record containing the names of the pilots and other crew members who are involved in each flight and, in respect of the system, the time of each flight or series of flights; and
 - **(b)** a record containing the particulars of any mandatory action and any other maintenance action, modification or repair performed on the system, including
 - **(i)** the names of the persons who performed them,
 - **(ii)** the dates they were undertaken,
 - **(iii)** in the case of a modification, the manufacturer, model and a description of the part or equipment installed to modify the system, and
 - **(iv)** if applicable, any instructions provided to complete the work.
- **(2)** Every owner of a remotely piloted aircraft system shall ensure that the records referred to in subsection (1) are made available to the Minister on request and are retained for a period of
 - **(a)** in the case of the records referred to in paragraph (1)(a), 12 months after the day on which they are created; and
 - **(b)** in the case of the records referred to in paragraph (1)(b), 24 months after the day on which they are created.
- **(3)** Every owner of a remotely piloted aircraft system who transfers ownership of the system to another person shall, at the time of transfer, also deliver to that person all of the records referred to in paragraph (1)(b).




GFA Issue time + 00 hr - CLOUDS AND WEATHER




GFA Issue time + 00 hr - TURBULENCE, ICING AND FREEZING LEVEL




GFA Issue time + 06 hr - CLOUDS AND WEATHER




GFA Issue time + 06 hr - TURBULENCE, ICING AND FREEZING LEVEL



GFA Issue time + 12 hr - CLOUDS AND WEATHER



GFA Issue time + 12 hr - TURBULENCE, ICING AND FREEZING LEVEL





Flight Plan & Site Survey

WINDSOR - CYQG - Cert

METAR

METAR CYQG 072300Z AUTO 15006KT 9SM CLR 27/16 A3016 RMK SLP214 DENSITY ALT 1900FT=

TAF

TAF CYQG 071740Z 0718/0818 VRB03KT P6SM SCT050 OVC190
FM072100 16008KT P6SM FEW060
FM080000 15008KT P6SM SKC
FM080600 15005KT 6SM BR SKC PROB30 0806/0812 2SM BR
FM081200 19008KT P6SM FEW050
FM081500 20010KT P6SM SCT050
RMK FCST BASED ON AUTO OBS. NXT FCST BY 080000Z=

NOTAM

(G2790/25 NOTAMN
Q) CZYZ/QCAAS/IV/BO/E/000/180/4435N07948W200
A) CZYZ B) 2508071913 C) 2508082359
E) TORONTO CENTRE PERIPHERAL STATION (PAL) 124.025MHZ
AT MIDLAND U/S)

(S9874/25 NOTAMR S9859/25
Q) CZYZ/QFAXX/IV/NBO/A/000/999/4217N08257W005
A) CYQG B) 2508071623 C) 2508080023
E) RSC 07 6/6/6 DRY, DRY, DRY. VALID AUG 07 1623 - AUG 08 0023.

RSC 25 6/6/6 DRY, DRY, DRY. VALID AUG 07 1623 - AUG 08 0023.

RSC 12/30 DRY. VALID AUG 07 1623 - AUG 08 0023.

ADDN NON-GRF/TALPA INFO:

RMK: TWY TWY ALPHA, CHARLIE, DELTA, ECHO, FOXTROT, GOLF, HOTEL,
INDIA, 202508071623, DRY.

RMK: APN APN APRON I, APRON III, 202508071623, DRY.)

(G2761/25 NOTAMN
Q) CZYZ/QCAAS/IV/BO/AE/000/180/4302N08110W200
A) CYXU B) 2508081230 C) 2508081930
E) TORONTO CENTRE PERIPHERAL STATION (PAL) 135.3MHZ AT LONDON U/S)

(G2731/25 NOTAMN
Q) CZYZ/QARCH/IV/BO/E/000/999/4729N08055W999
A) CZYZ B) 2508070901 C) PERM
E) AMEND PUBLICATIONS:
DELETE: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK NELIE ARR
DELETE: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK NELIE ARR
DELETE: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK NELIE ARR
DELETE: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK WIPOR ARR
DELETE: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK WIPOR ARR
DELETE: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK WIPOR ARR
ADD: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS NELIE ARR
ADD: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS NELIE ARR
ADD: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS NELIE ARR
ADD: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS WIPOR ARR
ADD: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS WIPOR ARR
ADD: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS WIPOR ARR)

(G2539/25 NOTAMR G1039/25
Q) CZXX/QOEXX/IV/NBO/E/000/999/5245N09040W999
A) CZWG CZYZ B) 2507251454 C) 2510251400EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC
OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT
REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL
AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E -
010000N 0253000E - 050000S 0253000E - 050000S 0292200E -

010000N 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM
ANTI-AIRCRAFT WEAPONRY.)

(D2340/25 NOTAMR D1105/25
Q) CYYZ/QOBCE/IV/M/AE/000/008/4218N08254W005
A) CYQG B) 2507171102 C) 2508151600EST
E) MULTIPLE MOBILE CRANES WITHIN 1641FT RADIUS CENTRED ON 421736N
0825410W APRX 1.9NM BFR DTHR 25 AND 1950FT SOUTH EXTENDED RCL.
145FT AGL 746FT AMSL. LGTD, NOT PAINTED.)

(G1701/25 NOTAMN
Q) CYYZ/QARCH/IV/BO/E/000/999/4729N08055W999
A) CYYZ B) 2506111252 C) PERM
E) AMEND PUBLICATIONS: AMEND MANDATORY IFR ROUTES:
DELETE: CYFD H DEP TO NW JET RNAV MUSIT
DELETE: CYHM H DEP TO NW RNAV NUBER MUSIT
DELETE: CYKF H DEP TO NW RNAV MUSIT
DELETE: CYXU H AND L DEP TO NW RNAV MUSIT
ADD: CYFD H DEP TO NW JET RNAV MUSIT SSM
ADD: CYHM H DEP TO NW RNAV NUBER MUSIT SSM
ADD: CYKF H DEP TO NW RNAV MUSIT SSM
ADD: CYXU H AND L DEP TO NW RNAV MUSIT SSM)

(D1354/25 NOTAMR D0402/25
Q) CYYZ/QLAAS/IV/NBO/A/000/999/4217N08257W005
A) CYQG B) 2505141429 C) 2508131500EST
E) LOW INTST APCH LGT RWY 07 AND 12 U/S)

(G3517/24 NOTAMN
Q) CYYZ/QARXX/IV/NBO/E/000/999/4729N08055W999
A) CYYZ B) 2412260901 C) PERM
E) AMEND PUBLICATIONS:
AMEND MANDATORY IFR ROUTES: DELETE: CYKF H AND L ARR FR E A160
AND ABV RNAV TUKIR Q806 ILUSI ERBAL MAPEM DELETE: CYTZ H AND L
ARR FR N RNAV DUTUD KENLU KIVUN UKROX DELETE: CYTZ H AND L ARR
FR NW RNAV WALPP IKLUX KIVUN UKROX)

ESSEX - CNE9 - Reg

NOTAM

(G2761/25 NOTAMN
Q) CZYZ/QCAAS/IV/BO/AE/000/180/4302N08110W200
A) CYXU B) 2508081230 C) 2508081930
E) TORONTO CENTRE PERIPHERAL STATION (PAL) 135.3MHZ AT LONDON U/S)

(G2731/25 NOTAMN
Q) CZYZ/QARCH/IV/BO/E/000/999/4729N08055W999
A) CZYZ B) 2508070901 C) PERM
E) AMEND PUBLICATIONS:
DELETE: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK NELIE ARR
DELETE: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK NELIE ARR
DELETE: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK NELIE ARR
DELETE: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK WIPOR ARR
DELETE: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK WIPOR ARR
DELETE: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK WIPOR ARR
ADD: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS NELIE ARR
ADD: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS NELIE ARR
ADD: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS NELIE ARR
ADD: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS WIPOR ARR
ADD: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS WIPOR ARR
ADD: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS WIPOR ARR)

(G2539/25 NOTAMR G1039/25
Q) CZXX/QOEXX/IV/NBO/E/000/999/5245N09040W999
A) CZWG CZYZ B) 2507251454 C) 2510251400EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC
OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT
REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL
AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E -
010000N 0253000E - 050000S 0253000E - 050000S 0292200E -
010000N 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM
ANTI-AIRCRAFT WEAPONRY.)

(G1701/25 NOTAMN
Q) CZYZ/QARCH/IV/BO/E/000/999/4729N08055W999
A) CZYZ B) 2506111252 C) PERM
E) AMEND PUBLICATIONS: AMEND MANDATORY IFR ROUTES:
DELETE: CYFD H DEP TO NW JET RNAV MUSIT
DELETE: CYHM H DEP TO NW RNAV NUBER MUSIT
DELETE: CYKF H DEP TO NW RNAV MUSIT
DELETE: CYXU H AND L DEP TO NW RNAV MUSIT
ADD: CYFD H DEP TO NW JET RNAV MUSIT SSM
ADD: CYHM H DEP TO NW RNAV NUBER MUSIT SSM
ADD: CYKF H DEP TO NW RNAV MUSIT SSM
ADD: CYXU H AND L DEP TO NW RNAV MUSIT SSM)

(G3517/24 NOTAMN
Q) CZYZ/QARXX/IV/NBO/E/000/999/4729N08055W999
A) CZYZ B) 2412260901 C) PERM
E) AMEND PUBLICATIONS:
AMEND MANDATORY IFR ROUTES: DELETE: CYKF H AND L ARR FR E A160
AND ABV RNAV TUKIR Q806 ILUSI ERBAL MAPEM DELETE: CYTZ H AND L
ARR FR N RNAV DUTUD KENLU KIVUN UKROX DELETE: CYTZ H AND L ARR
FR NW RNAV WALPP IKLUX KIVUN UKROX)

HARROW - CGL2 - Reg

NOTAM

(G2761/25 NOTAMN
Q) CZYZ/QCAAS/IV/BO/AE/000/180/4302N08110W200
A) CYXU B) 2508081230 C) 2508081930
E) TORONTO CENTRE PERIPHERAL STATION (PAL) 135.3MHZ AT LONDON U/S)

(G2731/25 NOTAMN
Q) CZYZ/QARCH/IV/BO/E/000/999/4729N08055W999
A) CZYZ B) 2508070901 C) PERM
E) AMEND PUBLICATIONS:
DELETE: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK NELIE ARR
DELETE: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK NELIE ARR
DELETE: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK NELIE ARR
DELETE: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK WIPOR ARR
DELETE: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK WIPOR ARR
DELETE: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK WIPOR ARR
ADD: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS NELIE ARR
ADD: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS NELIE ARR
ADD: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS NELIE ARR
ADD: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS WIPOR ARR
ADD: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS WIPOR ARR
ADD: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS WIPOR ARR)

(G2539/25 NOTAMR G1039/25
Q) CZXX/QOEXX/IV/NBO/E/000/999/5245N09040W999
A) CZWG CZYZ B) 2507251454 C) 2510251400EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC
OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT
REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL
AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E -
010000N 0253000E - 050000S 0253000E - 050000S 0292200E -
010000N 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM
ANTI-AIRCRAFT WEAPONRY.)

(G1701/25 NOTAMN
Q) CZYZ/QARCH/IV/BO/E/000/999/4729N08055W999
A) CZYZ B) 2506111252 C) PERM
E) AMEND PUBLICATIONS: AMEND MANDATORY IFR ROUTES:
DELETE: CYFD H DEP TO NW JET RNAV MUSIT
DELETE: CYHM H DEP TO NW RNAV NUBER MUSIT
DELETE: CYKF H DEP TO NW RNAV MUSIT
DELETE: CYXU H AND L DEP TO NW RNAV MUSIT
ADD: CYFD H DEP TO NW JET RNAV MUSIT SSM
ADD: CYHM H DEP TO NW RNAV NUBER MUSIT SSM
ADD: CYKF H DEP TO NW RNAV MUSIT SSM
ADD: CYXU H AND L DEP TO NW RNAV MUSIT SSM)

(G3517/24 NOTAMN
Q) CZYZ/QARXX/IV/NBO/E/000/999/4729N08055W999
A) CZYZ B) 2412260901 C) PERM
E) AMEND PUBLICATIONS:
AMEND MANDATORY IFR ROUTES: DELETE: CYKF H AND L ARR FR E A160
AND ABV RNAV TUKIR Q806 ILUSI ERBAL MAPEM DELETE: CYTZ H AND L
ARR FR N RNAV DUTUD KENLU KIVUN UKROX DELETE: CYTZ H AND L ARR
FR NW RNAV WALPP IKLUX KIVUN UKROX)



BILLING AIRSTRIP - CEB8 - Reg

NOTAM

(G2790/25 NOTAMN

Q) CYYZ/QCAAS/IV/BO/E/000/180/4435N07948W200

A) CYYZ B) 2508071913 C) 2508082359

E) TORONTO CENTRE PERIPHERAL STATION (PAL) 124.025MHZ

AT MIDLAND U/S)

(G2761/25 NOTAMN

Q) CYYZ/QCAAS/IV/BO/AE/000/180/4302N08110W200

A) CYXU B) 2508081230 C) 2508081930

E) TORONTO CENTRE PERIPHERAL STATION (PAL) 135.3MHZ AT LONDON U/S)

(G2731/25 NOTAMN

Q) CYYZ/QARCH/IV/BO/E/000/999/4729N08055W999

A) CYYZ B) 2508070901 C) PERM

E) AMEND PUBLICATIONS:

DELETE: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK NELIE ARR

DELETE: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK NELIE ARR

DELETE: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK NELIE ARR

DELETE: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK WIPOR ARR

DELETE: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK WIPOR ARR

DELETE: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK WIPOR ARR

ADD: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS NELIE ARR

ADD: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS NELIE ARR

ADD: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS NELIE ARR

ADD: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS WIPOR ARR

ADD: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS WIPOR ARR

ADD: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS WIPOR ARR)

(G2539/25 NOTAMR G1039/25

Q) CZXX/QOEXX/IV/NBO/E/000/999/5245N09040W999

A) CZWG CYYZ B) 2507251454 C) 2510251400EST

E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC
OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT
REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL
AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E -
010000N 0253000E - 050000S 0253000E - 050000S 0292200E -
010000N 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM
ANTI-AIRCRAFT WEAPONRY.)

(G1701/25 NOTAMN

Q) CYYZ/QARCH/IV/BO/E/000/999/4729N08055W999

A) CYYZ B) 2506111252 C) PERM

E) AMEND PUBLICATIONS: AMEND MANDATORY IFR ROUTES:

DELETE: CYFD H DEP TO NW JET RNAV MUSIT

DELETE: CYHM H DEP TO NW RNAV NUBER MUSIT

DELETE: CYKF H DEP TO NW RNAV MUSIT

DELETE: CYXU H AND L DEP TO NW RNAV MUSIT

ADD: CYFD H DEP TO NW JET RNAV MUSIT SSM

ADD: CYHM H DEP TO NW RNAV NUBER MUSIT SSM

ADD: CYKF H DEP TO NW RNAV MUSIT SSM

ADD: CYXU H AND L DEP TO NW RNAV MUSIT SSM)

(G3517/24 NOTAMN

Q) CYYZ/QARXX/IV/NBO/E/000/999/4729N08055W999

A) CYYZ B) 2412260901 C) PERM

E) AMEND PUBLICATIONS:

AMEND MANDATORY IFR ROUTES: DELETE: CYKF H AND L ARR FR E A160

AND ABV RNAV TUKIR Q806 ILUSI ERBAL MAPEM DELETE: CYTZ H AND L
ARR FR N RNAV DUTUD KENLU KIVUN UKROX DELETE: CYTZ H AND L ARR
FR NW RNAV WALPP IKLUX KIVUN UKROX)



COTTAM - CRB2 - Reg

NOTAM

(G2790/25 NOTAMN

Q) CZZY/QCAAS/IV/BO/E/000/180/4435N07948W200

A) CZZY B) 2508071913 C) 2508082359

E) TORONTO CENTRE PERIPHERAL STATION (PAL) 124.025MHZ

AT MIDLAND U/S)

(G2761/25 NOTAMN

Q) CZZY/QCAAS/IV/BO/AE/000/180/4302N08110W200

A) CYXU B) 2508081230 C) 2508081930

E) TORONTO CENTRE PERIPHERAL STATION (PAL) 135.3MHZ AT LONDON U/S)

(G2731/25 NOTAMN

Q) CZZY/QARCH/IV/BO/E/000/999/4729N08055W999

A) CZZY B) 2508070901 C) PERM

E) AMEND PUBLICATIONS:

DELETE: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK NELIE ARR

DELETE: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK NELIE ARR

DELETE: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK NELIE ARR

DELETE: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
HNK WIPOR ARR

DELETE: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 KODEY HNK WIPOR ARR

DELETE: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL HNK WIPOR ARR

ADD: CYYZ H DEP TO KISP JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS NELIE ARR

ADD: CYYZ H DEP TO KISP NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS NELIE ARR

ADD: CYYZ H AND L DEP TO KISP NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS NELIE ARR

ADD: CYYZ H DEP TO KPVD JET RNAV KEPTA DEP BMPAH AEVON EXTOL
MEMMS WIPOR ARR

ADD: CYYZ H DEP TO KPVD NONJET, N0320 AND ABV RNAV TEVAD DEP
AHPAH Q140 MEMMS WIPOR ARR

ADD: CYYZ H AND L DEP TO KPVD NONJET, N0319 AND BLW RNAV MAVAN
DEP BMPAH AEVON EXTOL MEMMS WIPOR ARR)

(U1330/25 NOTAMR U0767/25

Q) CZZY/QOLAS/IV/M/AE/000/011/4204N08240W005

A) CXXX B) 2508021939 C) 2511012000EST

E) CRB2 COTTAM

OBST LGT U/S TOWER 420410N 0823958W (APRX 4.3NM SSW AD) 302FT
AGL, 1026FT AMSL.)

(G2539/25 NOTAMR G1039/25

Q) CZXX/QOEXX/IV/NBO/E/000/999/5245N09040W999

A) CZWG CZZY B) 2507251454 C) 2510251400EST

E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC
OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT
REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL
AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E -
010000N 0253000E - 050000S 0253000E - 050000S 0292200E -
010000N 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM
ANTI-AIRCRAFT WEAPONRY.)

(G1701/25 NOTAMN

Q) CZZY/QARCH/IV/BO/E/000/999/4729N08055W999

A) CZZY B) 2506111252 C) PERM

E) AMEND PUBLICATIONS: AMEND MANDATORY IFR ROUTES:

DELETE: CYFD H DEP TO NW JET RNAV MUSIT

DELETE: CYHM H DEP TO NW RNAV NUBER MUSIT

DELETE: CYKF H DEP TO NW RNAV MUSIT

DELETE: CYXU H AND L DEP TO NW RNAV MUSIT

ADD: CYFD H DEP TO NW JET RNAV MUSIT SSM

ADD: CYHM H DEP TO NW RNAV NUBER MUSIT SSM

ADD: CYKF H DEP TO NW RNAV MUSIT SSM

ADD: CYXU H AND L DEP TO NW RNAV MUSIT SSM)

(G3517/24 NOTAMN

Q) CZZY/QARXX/IV/NBO/E/000/999/4729N08055W999

A) CZZY B) 2412260901 C) PERM

E) AMEND PUBLICATIONS:

AMEND MANDATORY IFR ROUTES: DELETE: CYKF H AND L ARR FR E A160

AND ABV RNAV TUKIR Q806 ILUSI ERBAL MAPEM DELETE: CYTZ H AND L
ARR FR N RNAV DUTUD KENLU KIVUN UKROX DELETE: CYTZ H AND L ARR
FR NW RNAV WALPP IKLUX KIVUN UKROX)