

basic education

Department: Basic Education **REPUBLIC OF SOUTH AFRICA**

NATIONAL SENIOR CERTIFICATE

GRADE 12

TECHNICAL MATHEMATICS P2

.....................

NOVEMBER 2024

MARKS: 150

1

Т

TIME: 3 hours

This question paper consists of 15 pages and a 2-page information sheet.

Please turn over

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

- 1. This question paper consists of 11 questions.
- 2. Answer ALL the questions in the SPECIAL ANSWER BOOK provided.
- 3. Clearly show ALL calculations, diagrams, graphs, etc. that you used in determining your answers.
- 4. Answers only will NOT necessarily be awarded full marks.
- 5. If necessary, round off answers to TWO decimal places, unless stated otherwise.
- 6. Diagrams are NOT necessarily drawn to scale.
- 7. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
- 8. An information sheet with formulae is included at the end of the question paper.
- 9. Write neatly and legibly.

3 NSC Confidential

QUESTION 1

The diagram below shows $\triangle ABC$ with vertices A(6; 0), B(3; -1) and C(4; -4). CA is produced to form the angle of inclination, θ , with the positive x-axis. M is the midpoint of CA.



1.1	Determine the gradient of AC.	(2)
1.2	Hence, determine the size of angle θ .	(2)
1.3	Determine the length of BC.	(2)
1.4	Determine the coordinates of M.	(2)
1.5	Determine the equation of the line through M, perpendicular to CA, in the form $y = \dots$	(4) [12]

2.1 In the diagram below, O is the centre of the circle defined by $x^2 + y^2 = r^2$ PR is a tangent to the circle at point P. Point S is an *x*-intercept of the circle. Point R is the *y*-intercept of line PR.



2.1.1Determine the equation of the circle.(2)2.1.2Write down the coordinates of S.(2)2.1.3Determine the equation of the tangent in the form
$$y = ...$$
(4)2.1.4Write down the y-coordinate of point R.(1)Given: $\frac{x^2}{1} + \frac{y^2}{9} = 1$ (1)2.2.1Express the equation in the form $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ (1)2.2.2Hence, sketch the graph of the ellipse.(2)

Copyright reserved

2.2

3.1 Given:
$$A = \frac{17}{60}\pi$$
 rad and $B = 34^{\circ}$

Use a calculator to determine the following:

3.1.1 Convert
$$\frac{17}{60}\pi$$
 rad to degrees. (1)

3.1.2
$$\sqrt{\text{cosec B}}$$
 (2)

3.1.3
$$\tan(A + B)$$
 (2)

3.2 In the diagram below, T(-5; n) is a point in a Cartesian plane. OT = 13 units and θ is an angle of inclination.



Without using a calculator, determine the value of the following:

3.2.1 $\sec \theta$	(1)
---------------------	----	---

3.2.2
$$1 + \sin^2 \theta$$
 (4)

3.3 Determine the value(s) of x if
$$2\sin x = 3\cos x$$
 for $x \in [180^\circ; 360^\circ]$ (4)

[14]

[13]

[12]

QUESTION 4

4.1 Simplify the following:

4.1.1
$$\sin(2\pi - x)$$
 (1)

4.1.2
$$\cos(180^\circ - x)$$
 (1)

4.1.3
$$\frac{\cot(180^\circ + x) \cdot \sin(2\pi - x)}{\cos(180^\circ - x) \cdot \cos(360^\circ - x) + 2\cos^2(180^\circ + x)}$$
(6)

4.2 Answer the following questions:

4.2.1 Complete the identity:
$$1 - \sin^2 \theta = \dots$$
 (1)

4.2.2 Hence, prove that
$$\frac{1}{\sin \theta} - \frac{\sin \theta}{1 + \cos \theta} = \cot \theta$$
 (4)

QUESTION 5

Given the functions defined by $f(x) = \tan x$ and $g(x) = \sin 2x$ for $x \in [0^\circ; 180^\circ]$

5.1	Sketch the indicate A	e graphs of f and g on the same set of axes on the grid provided. Clearly LL the asymptotes, intercepts with the axes and turning points.	(6)
5.2	Use your graphs to write down the following:		
	5.2.1	The period of g	(1)
	5.2.2	TWO values of x for which $f(x) = g(x)$	(2)
	5.2.3	The amplitude of $2g(x)$	(1)
	5.2.4	The resultant (new) equation h , if:	
		 The period of g is halved, and The range is -5 ≤ y ≤ 5 	(2)

In the diagram below, T, R and N are points in the same horizontal plane. PT \perp TR

The angle of elevation of P from R is 52° .

 $\hat{RTN} = 26^{\circ}$ and $\hat{TRN} = 142^{\circ}$ TN = 18 units



6.4 Determine: $\frac{\text{Area of } \Delta \text{TRN}}{\text{Area of } \Delta \text{PRT}}$ (5) [11]

6.1

6.2

6.3

Give reasons for your statements in QUESTIONS 7, 8 and 9.

QUESTION 7

In the diagram below, O is the centre of circle ABCD. AOM is a straight line. M is the midpoint of chord DC.

 $ON \perp AD$

 $\stackrel{\scriptscriptstyle\wedge}{\mathrm{D}}=65^{\,\circ}$



7.1 Write down the reason why $\hat{M}_1 = 90^{\circ}$

(1)

(1)

(3)

(3) [**12**]

- 7.2 Hence, write down the reason why DMON is a cyclic quadrilateral.
- 7.3 Complete the following table:

STATEMENT	REASON	
$\hat{\mathbf{O}}_1 = \dots$	Opposite ∠s of cyclic quad	(1
$\hat{\mathbf{B}} = \dots$	Opposite ∠s of cyclic quad	(1)
DN =		(2)

- 7.4 Prove that $\triangle ADM \equiv \triangle ACM$, stating reasons.
- 7.5 Show, with reasons, that AOCB is not a cyclic quadrilateral.

8.1 In the diagram below, O is the centre of circle PSTRN. Chords TR and SN are extended to meet at M such that NM = NR. $\hat{O}_1 = 136^\circ$ and $\hat{S}_2 = 48^\circ$



Determine, stating reasons, the size of EACH of the following angles:

8.1.1	\mathbf{S}_1	(3)

8.1.2 \hat{N}_2 (6)

- 8.2 In the diagram below, PT is a tangent to circle PQR at P.
 - SR is drawn so that RS \parallel PT

$$\hat{\mathbf{P}}_1 = 57^\circ$$

$$\hat{R}_{1} = 108^{\circ}$$



8.2.1	Determine, stating reasons, the size of $\hat{\mathbf{R}}_2$.	(2)

8.2.2 Show, stating reasons, that $\hat{Q} = S\hat{R}P$ (4) [15]

In $\triangle RST$ below, P is a point on RS. V and W are points on RT so that PV || SW.

- PT and SW intersect at Q.
- W is the midpoint of VT.
- PS = 9 cm, WT = 6 cm, RV = 2 cm and QW = 1.5 cm



9.5	Hence, determine the length of SW.	(2) [11]
9.4	Prove that \triangle RPV \triangle RSW, stating reasons.	(3)
9.3	Write down the length of PV, stating a reason.	(2)
9.2	Hence, determine the length of RP, stating reasons.	(3)
9.1	Write down the length of VW.	(1)

- 10.1 The picture and diagram below show a bicycle wheel. The diagram models the circular path of the rotating wheel.
 - The radius of the wheel is 40 cm.
 - AB represents a chord of the circle with centre O.
 - h is the minor height of the segment in relation to chord AB.



If the wheel rotates at 48 revolutions per minute, answer the following questions:

10.1.1	Convert the rotation frequency of 48 revolutions per minute to revolutions per second.	(1)
10.1.2	Write down the length of the radius of the wheel in metres.	(1)
10.1.3	Hence, write down the length of the diameter in metres.	(1)
10.1.4	Hence, determine the circumferential velocity of a point on the circumference of the wheel, in metres per second.	(3)
10.1.5	If it is further given that $h = 8$ cm, determine the length of AB in cm.	(4)

- 10.2 The picture below shows 3 meshed gears. The diagram below the picture models this scenario.
 - The driver gear (centre A) has a radius of 10 cm, while the smaller gears (centre B and centre C) have radii of 8 cm and 6 cm respectively.
 - The gears touch at points D, E and F.
 - Points D, E and F lie on the sides of \triangle ABC.
 - The shaded sector GBH has a central angle of 75°
 - Arc DF subtends a central angle of θ



10.2.1	Convert 75° to radians.	(1)
10.2.2	Hence, calculate the area of the shaded sector GBH.	(3)
10.2.3	Write down the length of AC	(1)
10.2.4	Determine the length of arc DF.	(5)

[20]

- 11.1 The diagram below models the picture of a wall with a shaded irregular plastered section.
 - The dimensions of the wall: length = 3 m and width = 2 m
 - The irregular plastered section has a straight side of x cm, divided into 4 equal parts, as shown.
 - The ordinates dividing these parts are 1,2 m; 1,15 m; 1,25 m; 1,1 m and 0,9 m respectively.
 - The length from the floor to the 0,9 m ordinate is equal to 1,2 m.





11.1.1	Determine the numerical value of x	(1)
11.1.2	Hence, determine the width of each equal part.	(1)

- 11.1.3 Hence, determine the area of the shaded irregular plastered section. (3)
- 11.1.4 Determine whether R1 700 will be sufficient to plaster the rest of the wall, if the cost for plastering, including material and labour, is R300 per square metre. (5)

- 11.2 The picture below shows a pillar cap that is placed on top of pillars of boundary walls. The diagram alongside models the pillar cap with the following dimensions:
 - The pyramid section has a square base of lengths 60 cm by 60 cm and a slant height of 50 cm.
 - The rectangular prism section has the same square base dimensions as the pyramid and a height of 10 cm.
 - *x* cm represents the vertical height of the pyramid section.



The following formulae may be used: Surface area of rectangular prism = 2lb + 2lh + 2bhVolume of rectangular prism = lbh

Volume of pyramid = $\frac{1}{3}$ × Area of base × \perp height

11.2.1	Determine the surface area of the rectangular prism section of the pillar cap.	(3)
11.2.2	Determine the value of x , the vertical height of the pyramid.	(2)
11.2.3	Determine the total volume of ONE pillar cap.	(3) [18]

INFORMATION SHEET: TECHNICAL MATHEMATICS

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \qquad x = -\frac{b}{2a} \qquad y = \frac{4ac - b^2}{4a}$$

$$a^* = b \Leftrightarrow x = \log_a b, \quad a > 0, a \neq 1 \text{ and } b > 0$$

$$A = P(1 + ni) \qquad A = P(1 - ni) \qquad A = P(1 + i)^n \qquad A = P(1 - i)^n$$

$$i_{eff} = \left(1 + \frac{i}{m}\right)^m - 1$$

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

$$jk x^n dx = k \cdot \frac{x^{n+1}}{n+1} + C \quad , n \neq -1$$

$$\int \frac{k}{x} dx = k \cdot \ln x + C, \quad x > 0$$

$$jk a^{nx} dx = k \cdot \frac{a^{nx}}{n \ln a} + C \quad , a > 0$$

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} \qquad M\left(\frac{x_2 + x_1}{2}; \frac{y_2 + y_1}{2}\right)$$

$$y = mx + c \qquad y - y_1 = m(x - x_1) \qquad m = \frac{y_2 - y_1}{x_2 - x_1} \qquad \tan \theta = m$$

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

$$\ln AABC: \frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C} \qquad a^2 = b^2 + c^2 - 2bc \cdot \cos A$$

$$Area of \Delta ABC = \frac{1}{2} ab. \sin C$$

 π rad = 180° Angular velocity = $\omega = 2 \pi n$ where n = rotation frequency Angular velocity = $\omega = 360^{\circ} n$ where *n* = rotation frequency Circumferential velocity $= v = \pi D n$ where D = diameter and n = rotation frequency Circumferential velocity $= v = \omega r$ where ω = angular velocity and *r* = radius Arc length = $s = r\theta$ where *r* = radius and θ = central angle in radians Area of a sector $=\frac{rs}{2}$ where r = radius, s = arc lengthArea of a sector $=\frac{r^2\theta}{2}$ where r = radius and $\theta =$ central angle in radians $4h^2 - 4dh + x^2 = 0$ where h = height of segment, d = diameter of circle and x =length of chord

 $A_{T} = a(m_{1} + m_{2} + m_{3} + ... + m_{n})$ where a = width of equal parts, $m_{1} = \frac{o_{1} + o_{2}}{2}$ $o_{n} = n^{th}$ ordinate and n = number of ordinates

OR

$$A_{T} = a \left(\frac{o_{1} + o_{n}}{2} + o_{2} + o_{3} + \dots + o_{n-1} \right)$$
where $a =$ width of equal parts, $o_{n} = n^{th}$ ordinate and $n =$ number of ordinates