

ROLV

Benchmarks report

Index

Hardware Platforms

- [NVIDIA](#)
- [AMD](#)
- [Google TPU](#)
- [Apple Silicon \(M-series / M4\)](#)
- [Intel Xeon / Gaudi](#)

Real-World Benchmark Suites

Rolv Unit

ROLV

Benchmarks report

AMD MI300X

20,000x20,000 matrix, batch 5,000, iterations 1,000

=== RUN SUITE (ROCm) on AMD Instinct MI300X ===

[2026-02-12 11:29:37] Seed: 123456 | Pattern: random | Zeros: 0%

A_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 0% (< 70%) → skipping CSR/COO conversion (OOM prevention); using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 1.000 | Sparse better for memory: False

Baseline pilots per-iter -> Dense: 0.040206s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.272137 s

rolv per-iter: 0.001896s

ROLV TFLOPS: 2110.17 | Base TFLOPS: 98.06

ROLV Tokens/s: 2637715.68 | Base Tokens/s: 122569.06

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

b22bcb97b64974e1c0fb509dfb9f4288315ae9dc4d1b150a6fe54044123ada91 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 18.82x ($\approx$ 1782% faster)

Speedup (per-iter): 21.52x ($\approx$ 2052% faster)

Energy Savings: 95.35%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false, "effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE", "input_hash_A":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

ROLV

Benchmarks report

```
"b22bcb97b64974e1c0fb509dfb9f4288315ae9dc4d1b150a6fe54044123ada91",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"f0bb71e34023e6f1832ac28258224f58f729d88fec1724b4ff1764b2948db38b",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.040206, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.272137, "rolv_iter_s": 0.001896, "dense_iter_s": 0.040793, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.167717, "baseline_total_s": 40.793328,
"speedup_total_vs_selected_x": 18.819, "speedup_iter_vs_selected_x": 21.52,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2110.173, "base_tflops": 98.055, "rolv_tokens_per_sec": 2637715.676,
"base_tokens_per_sec": 122569.063}
```

[2026-02-12 11:30:31] Seed: 123456 | Pattern: power_law | Zeros: 0%

A_hash: 82b769ee8809097111872778e2cc8f15166c246fe3ab282d35d86794add32e24 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 0% (< 70%) → skipping CSR/COO conversion (OOM prevention); using
Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 1.000 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.041204s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.149788 s

rolv per-iter: 0.001896s

ROLV TFLOPS: 2110.04 | Base TFLOPS: 96.87

ROLV Tokens/s: 2637544.81 | Base Tokens/s: 121082.31

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: acfd5e3a5c915558b2ef0cdf5cc25fa36ff8c74307a4a507e71d68292c018c8a
(Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 20.19x (≈ 1919% faster)

Speedup (per-iter): 21.78x (≈ 2078% faster)

Energy Savings: 95.41%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

ROLV

Benchmarks report

```
{
  "platform": "ROCm",
  "device": "AMD Instinct MI300X",
  "adapted_batch": false,
  "effective_batch": 5000,
  "dense_label": "rocBLAS",
  "sparse_label": "rocSPARSE",
  "input_hash_A":
    "82b769ee8809097111872778e2cc8f15166c246fe3ab282d35d86794add32e24",
  "input_hash_B":
    "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash":
    "acfd5e3a5c915558b2ef0cdf5cc25fa36ff8c74307a4a507e71d68292c018c8a",
  "CSR_norm_hash": "N/A",
  "COO_norm_hash": "N/A",
  "ROLV_qhash_d6":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6":
    "2c337a34c868af7a802f0b20c702c9e3a0ce9d1ff31d48838b72095cb25c01ce",
  "CSR_qhash_d6": "N/A",
  "COO_qhash_d6": "N/A",
  "path_selected": "Dense",
  "pilot_dense_per_iter_s": 0.041204,
  "pilot_csr_per_iter_s": "N/A",
  "pilot_coo_per_iter_s": "N/A",
  "rolv_build_s": 0.149788,
  "rolv_iter_s": 0.001896,
  "dense_iter_s": 0.041294,
  "csr_iter_s": "N/A",
  "coo_iter_s": "N/A",
  "rolv_total_s": 2.045491,
  "baseline_total_s": 41.294223,
  "speedup_total_vs_selected_x": 20.188,
  "speedup_iter_vs_selected_x": 21.783,
  "rolv_vs_vendor_sparse_iter_x": "N/A",
  "rolv_vs_vendor_sparse_total_x": "N/A",
  "rolv_vs_coo_iter_x": "N/A",
  "rolv_vs_coo_total_x": "N/A",
  "energy_iter_adaptive_telemetry": null,
  "telemetry_samples": 0,
  "correct_norm": "OK",
  "sparse_conversion_enabled": false,
  "rolv_tflops": 2110.036,
  "base_tflops": 96.866,
  "rolv_tokens_per_sec": 2637544.806,
  "base_tokens_per_sec": 121082.313
}
```

[2026-02-12 11:31:26] Seed: 123456 | Pattern: banded | Zeros: 0%

A_hash: 6cde74c5798c7c430dd46b95ba8e2f3c4e3c44f6dab704772e746e404eff77ca | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 0% (< 70%) → skipping CSR/COO conversion (OOM prevention); using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 1.000 | Sparse better for memory: False

Baseline pilots per-iter -> Dense: 0.035495s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.148097 s

rolv per-iter: 0.001900s

ROLV TFLOPS: 2104.80 | Base TFLOPS: 112.65

ROLV Tokens/s: 2630998.14 | Base Tokens/s: 140813.24

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

b581e157bd8590550e9011584a73fc77eed5bbdb5aac085dabffb37ce67d9257 (Dense)

ROLV

Benchmarks report

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 17.33x ($\approx$ 1633% faster)

Speedup (per-iter): 18.68x ($\approx$ 1768% faster)

Energy Savings: 94.65%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

```
{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A": "6cde74c5798c7c430dd46b95ba8e2f3c4e3c44f6dab704772e746e404eff77ca",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"b581e157bd8590550e9011584a73fc77eed5bbdb5aac085dabffb37ce67d9257",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"532b7fdd723129f417cf1b6d89c952f9e4d25cf7afc42933e9795ffbd6193bad", "CSR_qhash_d6":
"N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense", "pilot_dense_per_iter_s": 0.035495,
"pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A", "rolv_build_s": 0.148097,
"rolv_iter_s": 0.0019, "dense_iter_s": 0.035508, "csr_iter_s": "N/A", "coo_iter_s": "N/A",
"rolv_total_s": 2.048516, "baseline_total_s": 35.508023, "speedup_total_vs_selected_x":
17.334, "speedup_iter_vs_selected_x": 18.684, "rolv_vs_vendor_sparse_iter_x": "N/A",
"rolv_vs_vendor_sparse_total_x": "N/A", "rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x":
"N/A", "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": false, "rolv_tflops": 2104.799, "base_tflops": 112.651,
"rolv_tokens_per_sec": 2630998.143, "base_tokens_per_sec": 140813.245}
```

[2026-02-12 11:32:14] Seed: 123456 | Pattern: block_diagonal | Zeros: 0%

A_hash: 928187f51806f14eed31e1909ce8b05f76c1c5b91a7d26cb4f495951156ee206 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 0% (< 70%) → skipping CSR/COO conversion (OOM prevention); using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 1.000 | Sparse better for memory: False

Baseline pilots per-iter -> Dense: 0.034117s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.147962 s

ROLV

Benchmarks report

rolv per-iter: 0.001902s
ROLV TFLOPS: 2102.57 | Base TFLOPS: 113.95
ROLV Tokens/s: 2628212.29 | Base Tokens/s: 142438.90
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
3fcdc0e595da85cfb95cfd32328e0970c490d8f8a36fba3d969c7aef257c9b2 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 17.12x ($\approx$ 1612% faster)
Speedup (per-iter): 18.45x ($\approx$ 1745% faster)
Energy Savings: 94.58%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"928187f51806f14eed31e1909ce8b05f76c1c5b91a7d26cb4f495951156ee206",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"3fcdc0e595da85cfb95cfd32328e0970c490d8f8a36fba3d969c7aef257c9b2",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"c38e3e803b981809b78d1cde860a4564ce92494e0d87b597c35811ab294920b4",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.034117, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.147962, "rolv_iter_s": 0.001902, "dense_iter_s": 0.035103, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.050396, "baseline_total_s": 35.10277,
"speedup_total_vs_selected_x": 17.12, "speedup_iter_vs_selected_x": 18.452,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2102.57, "base_tflops": 113.951, "rolv_tokens_per_sec": 2628212.293,
"base_tokens_per_sec": 142438.903 }

[2026-02-12 11:33:02] Seed: 123456 | Pattern: random | Zeros: 10%

ROLV

Benchmarks report

A_hash: fcedbd7a862de3bcf7835c9fa796c75b1365877a48d561429563503013d440c5 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 10% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.900 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.040920s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.149503 s
rolv per-iter: 0.001903s
ROLV TFLOPS: 2101.41 | Base TFLOPS: 97.09
ROLV Tokens/s: 2626768.01 | Base Tokens/s: 121363.64
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
9c86be5aced3a2f9c06365ba2d48a82d546c3b9420857fb1abd13febc67d78f9 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 20.07x ($\approx$ 1907% faster)
Speedup (per-iter): 21.64x ($\approx$ 2064% faster)
Energy Savings: 95.38%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"fcedbd7a862de3bcf7835c9fa796c75b1365877a48d561429563503013d440c5",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"9c86be5aced3a2f9c06365ba2d48a82d546c3b9420857fb1abd13febc67d78f9",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"89633c3e64331d116a585a14f1c2b9f2fa85dd7799e3b138717d6d7fbcd805fd",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.04092, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.149503, "rolv_iter_s": 0.001903, "dense_iter_s": 0.041199, "csr_iter_s": "N/A",

ROLV

Benchmarks report

"coo_iter_s": "N/A", "rolv_total_s": 2.052983, "baseline_total_s": 41.1985,
"speedup_total_vs_selected_x": 20.068, "speedup_iter_vs_selected_x": 21.644,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2101.414, "base_tflops": 97.091, "rolv_tokens_per_sec": 2626768.01,
"base_tokens_per_sec": 121363.642}

[2026-02-12 11:33:56] Seed: 123456 | Pattern: power_law | Zeros: 10%

A_hash: 4138339f0cdc73b6251346583279c5a160793fb9f057a7d6c3642b72dfa464d3 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 10% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.900 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.040861s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.149634 s

rolv per-iter: 0.001898s

ROLV TFLOPS: 2107.12 | Base TFLOPS: 96.30

ROLV Tokens/s: 2633904.39 | Base Tokens/s: 120379.61

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

42e67f7a7d127ae6dc415c6d42d4e4aa30d550691711b89004b8eec0b3b59d39 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 20.28x ($\approx$ 1928% faster)

Speedup (per-iter): 21.88x ($\approx$ 2088% faster)

Energy Savings: 95.43%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,

"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",

"input_hash_A":

"4138339f0cdc73b6251346583279c5a160793fb9f057a7d6c3642b72dfa464d3",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"DENSE_norm_hash":
"42e67f7a7d127ae6dc415c6d42d4e4aa30d550691711b89004b8eec0b3b59d39",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"3d402b0267368589881e5e7555ffe7f9fc87fec9ea1a37cd15e39cd5f257e64c",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.040861, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.149634, "rolv_iter_s": 0.001898, "dense_iter_s": 0.041535, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.047956, "baseline_total_s": 41.535273,
"speedup_total_vs_selected_x": 20.281, "speedup_iter_vs_selected_x": 21.88,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2107.124, "base_tflops": 96.304, "rolv_tokens_per_sec": 2633904.394,
"base_tokens_per_sec": 120379.61}

[2026-02-12 11:34:51] Seed: 123456 | Pattern: banded | Zeros: 10%

A_hash: 455353dd2477fa9d9dbd47d42729848f594857dd2a24196a2890f33066f15038 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 10% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.900 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.035016s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.148111 s

rolv per-iter: 0.001905s

ROLV TFLOPS: 2099.73 | Base TFLOPS: 112.69

ROLV Tokens/s: 2624668.38 | Base Tokens/s: 140858.83

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: f56c010035bba4a0b23bcf3071f2ffc327a5df83b45e1de65d1edb661fe85978
(Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 17.29x (≈ 1629% faster)

Speedup (per-iter): 18.63x (≈ 1763% faster)

Energy Savings: 94.63%

rolv vs rocSPARSE -> N/A

ROLV

Benchmarks report

rolv vs COO: N/A

```
{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"455353dd2477fa9d9dbd47d42729848f594857dd2a24196a2890f33066f15038",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"f56c010035bba4a0b23bcf3071f2ffc327a5df83b45e1de65d1edb661fe85978",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"6f0663d07f5b8f2e628bb60d4cf70fd443cc5d0ab802aede3d066c26e7ac8cc0",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.035016, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.148111, "rolv_iter_s": 0.001905, "dense_iter_s": 0.035497, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.053113, "baseline_total_s": 35.496531,
"speedup_total_vs_selected_x": 17.289, "speedup_iter_vs_selected_x": 18.633,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2099.735, "base_tflops": 112.687, "rolv_tokens_per_sec": 2624668.384,
"base_tokens_per_sec": 140858.834}
```

[2026-02-12 11:35:39] Seed: 123456 | Pattern: block_diagonal | Zeros: 10%

A_hash: 6f09b58719406e66ca623118ad39f57e70df5ffbf5900192afef5367ee540b98 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 10% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.900 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.034038s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.147597 s

rolv per-iter: 0.001901s

ROLV TFLOPS: 2104.29 | Base TFLOPS: 113.43

ROLV Tokens/s: 2630361.18 | Base Tokens/s: 141787.61

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

BASE_norm_hash:
fba05573433f973280aae9339c8aec651002b9b54e39a8c3b776566f29a10daa (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 17.21x ($\approx$ 1621% faster)
Speedup (per-iter): 18.55x ($\approx$ 1755% faster)
Energy Savings: 94.61%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A": "6f09b58719406e66ca623118ad39f57e70df5ffbf5900192afef5367ee540b98",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"fba05573433f973280aae9339c8aec651002b9b54e39a8c3b776566f29a10daa",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"88e8a7d2220af89b72ce9225547ab8d7fbe66688bf6f1e0fcb5b17e8c383fcde",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.034038, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.147597, "rolv_iter_s": 0.001901, "dense_iter_s": 0.035264, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.048477, "baseline_total_s": 35.264012,
"speedup_total_vs_selected_x": 17.215, "speedup_iter_vs_selected_x": 18.551,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2104.289, "base_tflops": 113.43, "rolv_tokens_per_sec": 2630361.175,
"base_tokens_per_sec": 141787.612 }

[2026-02-12 11:36:27] Seed: 123456 | Pattern: random | Zeros: 20%
A_hash: 241c9e1ae1ad1e7dd31783af02cdc9afedb33f605cac87b524c9ef558e461c0a | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 20% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.800 | Sparse better for memory:
False

ROLV

Benchmarks report

Baseline pilots per-iter -> Dense: 0.040878s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.149344 s
rolv per-iter: 0.001900s
ROLV TFLOPS: 2104.80 | Base TFLOPS: 97.00
ROLV Tokens/s: 2630999.33 | Base Tokens/s: 121253.87
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
c3a0b427d1702c8591aeb6a2dfb1215dc8b04f14ee247b350ffad4b774292e8c (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 20.12x ($\approx$ 1912% faster)
Speedup (per-iter): 21.70x ($\approx$ 2070% faster)
Energy Savings: 95.39%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{
 "platform": "ROCm",
 "device": "AMD Instinct MI300X",
 "adapted_batch": false,
 "effective_batch": 5000,
 "dense_label": "rocBLAS",
 "sparse_label": "rocSPARSE",
 "input_hash_A": "241c9e1ae1ad1e7dd31783af02cdc9afedb33f605cac87b524c9ef558e461c0a",
 "input_hash_B":
 "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
 "ROLV_norm_hash":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_norm_hash":
 "c3a0b427d1702c8591aeb6a2dfb1215dc8b04f14ee247b350ffad4b774292e8c",
 "CSR_norm_hash": "N/A",
 "COO_norm_hash": "N/A",
 "ROLV_qhash_d6":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_qhash_d6":
 "0aa8516c9c9c267cae63475689802133a558611773d5441b1aac5f4298f53b84",
 "CSR_qhash_d6": "N/A",
 "COO_qhash_d6": "N/A",
 "path_selected": "Dense",
 "pilot_dense_per_iter_s": 0.040878,
 "pilot_csr_per_iter_s": "N/A",
 "pilot_coo_per_iter_s": "N/A",
 "rolv_build_s": 0.149344,
 "rolv_iter_s": 0.0019,
 "dense_iter_s": 0.041236,
 "csr_iter_s": "N/A",
 "coo_iter_s": "N/A",
 "rolv_total_s": 2.049763,
 "baseline_total_s": 41.235797,
 "speedup_total_vs_selected_x": 20.117,
 "speedup_iter_vs_selected_x": 21.698,
 "rolv_vs_vendor_sparse_iter_x": "N/A",
 "rolv_vs_vendor_sparse_total_x": "N/A",
 "rolv_vs_coo_iter_x": "N/A",
 "rolv_vs_coo_total_x": "N/A",
 "energy_iter_adaptive_telemetry": null,
 "telemetry_samples": 0,
 "correct_norm": "OK",
 "sparse_conversion_enabled": false,
 "rolv_tflops": 2104.799,
 "base_tflops": 97.003,
 "rolv_tokens_per_sec": 2630999.326,
 "base_tokens_per_sec": 121253.871
}

ROLV

Benchmarks report

[2026-02-12 11:37:22] Seed: 123456 | Pattern: power_law | Zeros: 20%
A_hash: 3e8df7065a476be45accbb65df33d481f7e7190e4ace3dc096659e4025a2cf5d |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 20% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.800 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.041357s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.149434 s
rolv per-iter: 0.001902s
ROLV TFLOPS: 2103.54 | Base TFLOPS: 96.21
ROLV Tokens/s: 2629430.27 | Base Tokens/s: 120263.78
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
c6f9fa161d7360ca1e339e6daf69ad35bab23a62e83c254bac69332f7c49a8cd (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 20.27x ($\approx$ 1927% faster)
Speedup (per-iter): 21.86x ($\approx$ 2086% faster)
Energy Savings: 95.43%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"3e8df7065a476be45accbb65df33d481f7e7190e4ace3dc096659e4025a2cf5d",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"c6f9fa161d7360ca1e339e6daf69ad35bab23a62e83c254bac69332f7c49a8cd",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"209700feb0a5ff4167ee6f7d9076c16d37d7cd338f6b384179dfbfc6b347bb51",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",

ROLV

Benchmarks report

"pilot_dense_per_iter_s": 0.041357, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.149434, "rolv_iter_s": 0.001902, "dense_iter_s": 0.041575, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.050987, "baseline_total_s": 41.575277,
"speedup_total_vs_selected_x": 20.271, "speedup_iter_vs_selected_x": 21.864,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2103.544, "base_tflops": 96.211, "rolv_tokens_per_sec": 2629430.271,
"base_tokens_per_sec": 120263.78}

[2026-02-12 11:38:17] Seed: 123456 | Pattern: banded | Zeros: 20%

A_hash: 07070988c51876f22cca21b434661b429bb109aa48d51aa347089e4a1fa6332d |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 20% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.800 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.035223s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.147871 s

rolv per-iter: 0.001901s

ROLV TFLOPS: 2104.32 | Base TFLOPS: 112.76

ROLV Tokens/s: 2630397.66 | Base Tokens/s: 140948.16

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: 2b48f83dc8283e3fcb99f91e1c58943148ba3f425791a924f6f9f8f52927eb67
(Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 17.32x ($\approx$ 1632% faster)

Speedup (per-iter): 18.66x ($\approx$ 1766% faster)

Energy Savings: 94.64%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,

"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",

"input_hash_A":

"07070988c51876f22cca21b434661b429bb109aa48d51aa347089e4a1fa6332d",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

ROLV

Benchmarks report

"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"2b48f83dc8283e3fcb99f91e1c58943148ba3f425791a924f6f9f8f52927eb67",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"8a6e7f3ecbd6d4005fa4cdf628d95b5310797c62a842e7f8756149c534d599e2",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.035223, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.147871, "rolv_iter_s": 0.001901, "dense_iter_s": 0.035474, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.048724, "baseline_total_s": 35.474035,
"speedup_total_vs_selected_x": 17.315, "speedup_iter_vs_selected_x": 18.662,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2104.318, "base_tflops": 112.759, "rolv_tokens_per_sec": 2630397.661,
"base_tokens_per_sec": 140948.16}

[2026-02-12 11:39:05] Seed: 123456 | Pattern: block_diagonal | Zeros: 20%
A_hash: 5a53e836f7b2cd27546a15d4db5cc5926a3ca3ba533f906b542888376b473a52 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 20% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.800 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.034347s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.147861 s
rolv per-iter: 0.001908s
ROLV TFLOPS: 2096.39 | Base TFLOPS: 112.76
ROLV Tokens/s: 2620490.08 | Base Tokens/s: 140944.58
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
d88c3fafbc18ef52a793785773095460447b3b6d3bd670883493d18c7d1420a4 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 17.26x (≈ 1626% faster)
Speedup (per-iter): 18.59x (≈ 1759% faster)

ROLV

Benchmarks report

Energy Savings: 94.62%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

```
{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"5a53e836f7b2cd27546a15d4db5cc5926a3ca3ba533f906b542888376b473a52",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"d88c3fafbc18ef52a793785773095460447b3b6d3bd670883493d18c7d1420a4",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"a9468413a2fbde8dcc64dee3b2f75a2cf9a82ee28b534fd754d4ac8a0c9dc2fe",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.034347, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.147861, "rolv_iter_s": 0.001908, "dense_iter_s": 0.035475, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.055901, "baseline_total_s": 35.474938,
"speedup_total_vs_selected_x": 17.255, "speedup_iter_vs_selected_x": 18.592,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2096.392, "base_tflops": 112.756, "rolv_tokens_per_sec": 2620490.083,
"base_tokens_per_sec": 140944.575}
```

[2026-02-12 11:39:54] Seed: 123456 | Pattern: random | Zeros: 30%

A_hash: 95b8140be20b4b57da78385a6440c618d692cfbf9765792f745c8e19ae23c5af |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 30% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.700 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.041062s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.149323 s

rolv per-iter: 0.001902s

ROLV TFLOPS: 2103.15 | Base TFLOPS: 97.17

ROLV Tokens/s: 2628942.54 | Base Tokens/s: 121459.53

ROLV

Benchmarks report

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
230a5802084e704657383672351e51d59ce63ccd82ac1543787590866bbc6670 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 20.07x ($\approx$ 1907% faster)
Speedup (per-iter): 21.64x ($\approx$ 2064% faster)
Energy Savings: 95.38%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"95b8140be20b4b57da78385a6440c618d692cfbf9765792f745c8e19ae23c5af",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"230a5802084e704657383672351e51d59ce63ccd82ac1543787590866bbc6670",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"f6771795b4ca76878b76bd2923dd56d9de7aed13e274ef23da26bb3af997f5c8",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.041062, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.149323, "rolv_iter_s": 0.001902, "dense_iter_s": 0.041166, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.051228, "baseline_total_s": 41.165977,
"speedup_total_vs_selected_x": 20.069, "speedup_iter_vs_selected_x": 21.645,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2103.154, "base_tflops": 97.168, "rolv_tokens_per_sec": 2628942.539,
"base_tokens_per_sec": 121459.526}

[2026-02-12 11:40:49] Seed: 123456 | Pattern: power_law | Zeros: 30%

A_hash: f6d025e43fc1174a0157010629de5fdd48f83e6312238483317a7c22b7303e2d |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

ROLV

Benchmarks report

[SPARSE SKIP] Zeros 30% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.700 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.041332s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.149480 s
rolv per-iter: 0.001906s
ROLV TFLOPS: 2098.36 | Base TFLOPS: 96.46
ROLV Tokens/s: 2622951.32 | Base Tokens/s: 120568.76
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash: 89faf905ccd2bfdb062791946d11b8e39983749baf22be49f4cbbfd18d7fbae8
(Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 20.17x ($\approx$ 1917% faster)
Speedup (per-iter): 21.75x ($\approx$ 2075% faster)
Energy Savings: 95.40%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"f6d025e43fc1174a0157010629de5fdd48f83e6312238483317a7c22b7303e2d",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"89faf905ccd2bfdb062791946d11b8e39983749baf22be49f4cbbfd18d7fbae8",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"ccae3d1b6c6e4a0f43c4dd42917b90bbba64fb8d043b274fef37c67be276eb87",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.041332, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.14948, "rolv_iter_s": 0.001906, "dense_iter_s": 0.04147, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.055729, "baseline_total_s": 41.470113,
"speedup_total_vs_selected_x": 20.173, "speedup_iter_vs_selected_x": 21.755,

ROLV

Benchmarks report

"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2098.361, "base_tflops": 96.455, "rolv_tokens_per_sec": 2622951.324,
"base_tokens_per_sec": 120568.757}

[2026-02-12 11:41:44] Seed: 123456 | Pattern: banded | Zeros: 30%

A_hash: 371f217d7de549a72b1ff554b7cacc37a87d447edb3826247e81d9c07f9e3d3c |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 30% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.700 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.035386s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.147790 s

rolv per-iter: 0.001903s

ROLV TFLOPS: 2101.61 | Base TFLOPS: 112.50

ROLV Tokens/s: 2627011.79 | Base Tokens/s: 140622.56

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

8ca0897f1041fb7b72cb244a478bbba101870392a6f42978861c3dce2d8c5494 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 17.34x ($\approx$ 1634% faster)

Speedup (per-iter): 18.68x ($\approx$ 1768% faster)

Energy Savings: 94.65%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,

"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",

"input_hash_A":

"371f217d7de549a72b1ff554b7cacc37a87d447edb3826247e81d9c07f9e3d3c",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"8ca0897f1041fb7b72cb244a478bbba101870392a6f42978861c3dce2d8c5494",

ROLV

Benchmarks report

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"7c945bbfc851567ed2924eea3df22c71aa40fc0f0178f8bb4467fbfb08e542c8",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.035386, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.14779, "rolv_iter_s": 0.001903, "dense_iter_s": 0.035556, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.051093, "baseline_total_s": 35.556172,
"speedup_total_vs_selected_x": 17.335, "speedup_iter_vs_selected_x": 18.681,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2101.609, "base_tflops": 112.498, "rolv_tokens_per_sec": 2627011.787,
"base_tokens_per_sec": 140622.562}

[2026-02-12 11:42:31] Seed: 123456 | Pattern: block_diagonal | Zeros: 30%
A_hash: 68e548d8c4dbbd9da0da1547aef6294482b8de36d3b2bbda247af9196b0a28f9 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 30% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.700 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.034300s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.147774 s
rolv per-iter: 0.001908s
ROLV TFLOPS: 2096.09 | Base TFLOPS: 113.21
ROLV Tokens/s: 2620116.11 | Base Tokens/s: 141514.74
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
4fe79b7dbd5ba6af4acd4e15f1689fbd90e366cecf4d7083dcfd44636179ec4 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 17.18x (≈ 1618% faster)
Speedup (per-iter): 18.51x (≈ 1751% faster)
Energy Savings: 94.60%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A

ROLV

Benchmarks report

```
{
  "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
  "effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
  "input_hash_A":
    "68e548d8c4dbbd9da0da1547aef6294482b8de36d3b2bbda247af9196b0a28f9",
  "input_hash_B":
    "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash":
    "4fe79b7dbd5ba6af4acd4e15f1689fbd90e366cecf4d7083dcfd44636179ec4",
  "CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6":
    "ed285c688756225a6444e258d0a721a9334c247f6fbf85ddbd18004995d8a3cd",
  "CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
  "pilot_dense_per_iter_s": 0.0343, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
  "rolv_build_s": 0.147774, "rolv_iter_s": 0.001908, "dense_iter_s": 0.035332, "csr_iter_s": "N/A",
  "coo_iter_s": "N/A", "rolv_total_s": 2.056087, "baseline_total_s": 35.332008,
  "speedup_total_vs_selected_x": 17.184, "speedup_iter_vs_selected_x": 18.515,
  "rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
  "rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
    null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
  "rolv_tflops": 2096.093, "base_tflops": 113.212, "rolv_tokens_per_sec": 2620116.108,
  "base_tokens_per_sec": 141514.743
}
```

[2026-02-11 21:39:35] Seed: 123456 | Pattern: random | Zeros: 40%

A_hash: e3644a901043856adaa3b878146a5978eda600732465e78134f6121ad2135eab |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 40% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.600 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.039805s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.270305 s

rolv per-iter: 0.002047s

ROLV TFLOPS: 1954.11 | Base TFLOPS: 98.38

ROLV Tokens/s: 2442643.50 | Base Tokens/s: 122980.80

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c (Dense)

ROLV

Benchmarks report

CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 17.55x ($\approx$ 1655% faster)
Speedup (per-iter): 19.86x ($\approx$ 1886% faster)
Energy Savings: 94.97%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{
 "platform": "ROCm",
 "device": "AMD Instinct MI300X",
 "adapted_batch": false,
 "effective_batch": 5000,
 "dense_label": "rocBLAS",
 "sparse_label": "rocSPARSE",
 "input_hash_A":
 "e3644a901043856adaa3b878146a5978eda600732465e78134f6121ad2135eab",
 "input_hash_B":
 "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
 "ROLV_norm_hash":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_norm_hash":
 "11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c",
 "CSR_norm_hash": "N/A",
 "COO_norm_hash": "N/A",
 "ROLV_qhash_d6":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_qhash_d6":
 "d02e8632c028003b3549fb086dad732fc49aed49a06e28cfc5e2a0f32da41a36",
 "CSR_qhash_d6": "N/A",
 "COO_qhash_d6": "N/A",
 "path_selected": "Dense",
 "pilot_dense_per_iter_s": 0.039805,
 "pilot_csr_per_iter_s": "N/A",
 "pilot_coo_per_iter_s": "N/A",
 "rolv_build_s": 0.270305,
 "rolv_iter_s": 0.002047,
 "dense_iter_s": 0.040657,
 "csr_iter_s": "N/A",
 "coo_iter_s": "N/A",
 "rolv_total_s": 2.317268,
 "baseline_total_s": 40.656754,
 "speedup_total_vs_selected_x": 17.545,
 "speedup_iter_vs_selected_x": 19.862,
 "rolv_vs_vendor_sparse_iter_x": "N/A",
 "rolv_vs_vendor_sparse_total_x": "N/A",
 "rolv_vs_coo_iter_x": "N/A",
 "rolv_vs_coo_total_x": "N/A",
 "energy_iter_adaptive_telemetry": null,
 "telemetry_samples": 0,
 "correct_norm": "OK",
 "sparse_conversion_enabled": false,
 "rolv_tflops": 1954.115,
 "base_tflops": 98.385,
 "rolv_tokens_per_sec": 2442643.498,
 "base_tokens_per_sec": 122980.797
}

[2026-02-11 21:40:30] Seed: 123456 | Pattern: power_law | Zeros: 40%
A_hash: 0bc0d2cd333849b2bc5726b8182342a2b1f1692dec3ce1baa02459ebd0feca6e |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 40% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.600 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.040523s

ROLV

Benchmarks report

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.149490 s

rolv per-iter: 0.001949s

ROLV TFLOPS: 2052.13 | Base TFLOPS: 97.30

ROLV Tokens/s: 2565159.02 | Base Tokens/s: 121628.35

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

3200b111483c9fae293d87a88a8e25c6fe52eb6436f1def69101414d10b57cfb (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 19.59x ($\approx$ 1859% faster)

Speedup (per-iter): 21.09x ($\approx$ 2009% faster)

Energy Savings: 95.26%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",

"input_hash_A":

"0bc0d2cd333849b2bc5726b8182342a2b1f1692dec3ce1baa02459ebd0feca6e",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"3200b111483c9fae293d87a88a8e25c6fe52eb6436f1def69101414d10b57cfb",

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"1bb133eca121d0422acc7c427733ee08af00c0731d925906a3a7449af91e982e",

"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",

"pilot_dense_per_iter_s": 0.040523, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",

"rolv_build_s": 0.14949, "rolv_iter_s": 0.001949, "dense_iter_s": 0.041109, "csr_iter_s": "N/A",

"coo_iter_s": "N/A", "rolv_total_s": 2.098687, "baseline_total_s": 41.108836,

"speedup_total_vs_selected_x": 19.588, "speedup_iter_vs_selected_x": 21.09,

"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",

"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":

null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,

"rolv_tflops": 2052.127, "base_tflops": 97.303, "rolv_tokens_per_sec": 2565159.016,

"base_tokens_per_sec": 121628.353}

ROLV

Benchmarks report

[2026-02-11 21:41:25] Seed: 123456 | Pattern: banded | Zeros: 40%
A_hash: 69975c70a3346649e1fbefab534eae7887a68247af2ad0c91ced7488ab619e6c |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 40% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.600 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.033756s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.148094 s
rolv per-iter: 0.001951s
ROLV TFLOPS: 2050.00 | Base TFLOPS: 116.40
ROLV Tokens/s: 2562503.73 | Base Tokens/s: 145504.08
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
1e73da27ba6b296895312009edb9bddcc8b91b02b3647b7a9aae70a80af2067f (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 16.37x ($\approx$ 1537% faster)
Speedup (per-iter): 17.61x ($\approx$ 1661% faster)
Energy Savings: 94.32%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"69975c70a3346649e1fbefab534eae7887a68247af2ad0c91ced7488ab619e6c",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"1e73da27ba6b296895312009edb9bddcc8b91b02b3647b7a9aae70a80af2067f",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"80fe483ed7c35f0587e85f5c26d02f3e5b9572628977d7add5283e61db8ad088",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",

ROLV

Benchmarks report

"pilot_dense_per_iter_s": 0.033756, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.148094, "rolv_iter_s": 0.001951, "dense_iter_s": 0.034363, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.099311, "baseline_total_s": 34.363297,
"speedup_total_vs_selected_x": 16.369, "speedup_iter_vs_selected_x": 17.611,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2050.003, "base_tflops": 116.403, "rolv_tokens_per_sec": 2562503.726,
"base_tokens_per_sec": 145504.083}

[2026-02-11 21:42:12] Seed: 123456 | Pattern: block_diagonal | Zeros: 40%

A_hash: d7a5bfe4c7f465590f90417984ef8f0754801ffe2307e0f3a276649b4868f2ad | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 40% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.600 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.032688s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.148007 s

rolv per-iter: 0.001954s

ROLV TFLOPS: 2046.83 | Base TFLOPS: 119.73

ROLV Tokens/s: 2558537.16 | Base Tokens/s: 149657.98

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

988617603b8b5a585fdf4dad647ec0ecddad53772808704777c1f88f54f0325c (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 15.89x ($\approx$ 1489% faster)

Speedup (per-iter): 17.10x ($\approx$ 1610% faster)

Energy Savings: 94.15%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,

"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",

"input_hash_A": "d7a5bfe4c7f465590f90417984ef8f0754801ffe2307e0f3a276649b4868f2ad",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

ROLV

Benchmarks report

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"988617603b8b5a585fdf4dad647ec0ecddad53772808704777c1f88f54f0325c",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"9993275a88ff770aeb9aca162be175a9c3040c53c5c7f6fc2a4f319c31cfdc98",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.032688, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.148007, "rolv_iter_s": 0.001954, "dense_iter_s": 0.03341, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.102249, "baseline_total_s": 33.409512,
"speedup_total_vs_selected_x": 15.892, "speedup_iter_vs_selected_x": 17.096,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2046.83, "base_tflops": 119.726, "rolv_tokens_per_sec": 2558537.156,
"base_tokens_per_sec": 149657.979}

[2026-02-11 21:42:59] Seed: 123456 | Pattern: random | Zeros: 50%

A_hash: 6e4770bed2259e6973f564d1f8d9f3edc952d13fc6befcf5a9f9094269703540 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 50% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.500 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.040150s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.149473 s

rolv per-iter: 0.001952s

ROLV TFLOPS: 2049.18 | Base TFLOPS: 98.78

ROLV Tokens/s: 2561472.05 | Base Tokens/s: 123475.94

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

16a6f29a289e90371d2461de0e92f680a147484e05e7a322305ac8403f395404 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 19.27x ($\approx$ 1827% faster)

Speedup (per-iter): 20.74x ($\approx$ 1974% faster)

Energy Savings: 95.18%

ROLV

Benchmarks report

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

```
{
  "platform": "ROCm",
  "device": "AMD Instinct MI300X",
  "adapted_batch": false,
  "effective_batch": 5000,
  "dense_label": "rocBLAS",
  "sparse_label": "rocSPARSE",
  "input_hash_A": "6e4770bed2259e6973f564d1f8d9f3edc952d13fc6befcf5a9f9094269703540",
  "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash": "16a6f29a289e90371d2461de0e92f680a147484e05e7a322305ac8403f395404",
  "CSR_norm_hash": "N/A",
  "COO_norm_hash": "N/A",
  "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6": "6411421f1efd8ea75978adb572c41db98aed6edb716989a47e78ad96e0a71457",
  "CSR_qhash_d6": "N/A",
  "COO_qhash_d6": "N/A",
  "path_selected": "Dense",
  "pilot_dense_per_iter_s": 0.04015,
  "pilot_csr_per_iter_s": "N/A",
  "pilot_coo_per_iter_s": "N/A",
  "rolv_build_s": 0.149473,
  "rolv_iter_s": 0.001952,
  "dense_iter_s": 0.040494,
  "csr_iter_s": "N/A",
  "coo_iter_s": "N/A",
  "rolv_total_s": 2.101475,
  "baseline_total_s": 40.493719,
  "speedup_total_vs_selected_x": 19.269,
  "speedup_iter_vs_selected_x": 20.745,
  "rolv_vs_vendor_sparse_iter_x": "N/A",
  "rolv_vs_vendor_sparse_total_x": "N/A",
  "rolv_vs_coo_iter_x": "N/A",
  "rolv_vs_coo_total_x": "N/A",
  "energy_iter_adaptive_telemetry": null,
  "telemetry_samples": 0,
  "correct_norm": "OK",
  "sparse_conversion_enabled": false,
  "rolv_tflops": 2049.178,
  "base_tflops": 98.781,
  "rolv_tokens_per_sec": 2561472.046,
  "base_tokens_per_sec": 123475.94
}
```

[2026-02-11 21:43:53] Seed: 123456 | Pattern: power_law | Zeros: 50%

A_hash: e868d93c6a2425c33f4461dda493d60421f514ce596dcf01814e71c6fb964106 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 50% (< 70%) → skipping CSR/COO conversion (OOM prevention);

using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.500 | Sparse better for memory:

False

Baseline pilots per-iter -> Dense: 0.040350s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.149144 s

rolv per-iter: 0.001955s

ROLV TFLOPS: 2046.04 | Base TFLOPS: 98.01

ROLV Tokens/s: 2557545.08 | Base Tokens/s: 122512.04

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

BASE_norm_hash:
2c7b53eec42709fbc3a8cece030b36aa65de803ee859a661ae2d92444e839f2b (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 19.40x ($\approx$ 1840% faster)
Speedup (per-iter): 20.88x ($\approx$ 1988% faster)
Energy Savings: 95.21%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{
 "platform": "ROCm",
 "device": "AMD Instinct MI300X",
 "adapted_batch": false,
 "effective_batch": 5000,
 "dense_label": "rocBLAS",
 "sparse_label": "rocSPARSE",
 "input_hash_A":
 "e868d93c6a2425c33f4461dda493d60421f514ce596dcf01814e71c6fb964106",
 "input_hash_B":
 "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
 "ROLV_norm_hash":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_norm_hash":
 "2c7b53eec42709fbc3a8cece030b36aa65de803ee859a661ae2d92444e839f2b",
 "CSR_norm_hash": "N/A",
 "COO_norm_hash": "N/A",
 "ROLV_qhash_d6":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_qhash_d6":
 "5eedfa8fdcd56343dcae7a1bcfe78a3e0011acf344fa0a15bca967f4c5750f59",
 "CSR_qhash_d6": "N/A",
 "COO_qhash_d6": "N/A",
 "path_selected": "Dense",
 "pilot_dense_per_iter_s": 0.04035,
 "pilot_csr_per_iter_s": "N/A",
 "pilot_coo_per_iter_s": "N/A",
 "rolv_build_s": 0.149144,
 "rolv_iter_s": 0.001955,
 "dense_iter_s": 0.040812,
 "csr_iter_s": "N/A",
 "coo_iter_s": "N/A",
 "rolv_total_s": 2.104144,
 "baseline_total_s": 40.812316,
 "speedup_total_vs_selected_x": 19.396,
 "speedup_iter_vs_selected_x": 20.876,
 "rolv_vs_vendor_sparse_iter_x": "N/A",
 "rolv_vs_vendor_sparse_total_x": "N/A",
 "rolv_vs_coo_iter_x": "N/A",
 "rolv_vs_coo_total_x": "N/A",
 "energy_iter_adaptive_telemetry": null,
 "telemetry_samples": 0,
 "correct_norm": "OK",
 "sparse_conversion_enabled": false,
 "rolv_tflops": 2046.036,
 "base_tflops": 98.01,
 "rolv_tokens_per_sec": 2557545.076,
 "base_tokens_per_sec": 122512.037
}

[2026-02-11 21:44:48] Seed: 123456 | Pattern: banded | Zeros: 50%

A_hash: 36930b864e45f6c7bc4c05a36ceed9e5546aba4f26c38e27ec94b84500ab052f |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 50% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

ROLV

Benchmarks report

Sparse memory threshold density: 0.333 | Current density: 0.500 | Sparse better for memory: False

Baseline pilots per-iter -> Dense: 0.033994s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.148038 s

rolv per-iter: 0.001956s

ROLV TFLOPS: 2045.17 | Base TFLOPS: 116.50

ROLV Tokens/s: 2556456.27 | Base Tokens/s: 145630.05

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

0fe031672a78ac00d079d51b2c3b1ad3e4eb1c0428bd1bc66b4a2f100f6a7234 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 16.32x ($\approx$ 1532% faster)

Speedup (per-iter): 17.55x ($\approx$ 1655% faster)

Energy Savings: 94.30%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false, "effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",

"input_hash_A":

"36930b864e45f6c7bc4c05a36ceed9e5546aba4f26c38e27ec94b84500ab052f",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"0fe031672a78ac00d079d51b2c3b1ad3e4eb1c0428bd1bc66b4a2f100f6a7234",

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"91a6790e57791bfb5eb9aeab2ad3128bc32fc47fb2b6dcd8728760921b04c533",

"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",

"pilot_dense_per_iter_s": 0.033994, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",

"rolv_build_s": 0.148038, "rolv_iter_s": 0.001956, "dense_iter_s": 0.034334, "csr_iter_s": "N/A",

"coo_iter_s": "N/A", "rolv_total_s": 2.10387, "baseline_total_s": 34.333574,

"speedup_total_vs_selected_x": 16.319, "speedup_iter_vs_selected_x": 17.554,

"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",

"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":

ROLV

Benchmarks report

null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false, "rolv_tflops": 2045.165, "base_tflops": 116.504, "rolv_tokens_per_sec": 2556456.272, "base_tokens_per_sec": 145630.046}

[2026-02-11 21:45:34] Seed: 123456 | Pattern: block_diagonal | Zeros: 50%

A_hash: 8db5189cd07996217967440640b6d42a07f04d0966354d2bccdba45b8f0e85b6 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 50% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.500 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.033129s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.147738 s

rolv per-iter: 0.001954s

ROLV TFLOPS: 2046.62 | Base TFLOPS: 119.28

ROLV Tokens/s: 2558271.89 | Base Tokens/s: 149098.70

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: 03f3a34956a323cf0aaab8acfc428958d3cdffa022221a76104fbccce492ff66
(Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 15.95x ($\approx$ 1495% faster)

Speedup (per-iter): 17.16x ($\approx$ 1616% faster)

Energy Savings: 94.17%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":

"8db5189cd07996217967440640b6d42a07f04d0966354d2bccdba45b8f0e85b6",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"03f3a34956a323cf0aaab8acfc428958d3cdffa022221a76104fbccce492ff66",

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"DENSE_qhash_d6":

"b5f52a9ef8ffd7efcef97cbd495082fcb11cd7cd2264e12ccaebab8950e1f08e", "CSR_qhash_d6":
"N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense", "pilot_dense_per_iter_s": 0.033129,
"pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A", "rolv_build_s": 0.147738,
"rolv_iter_s": 0.001954, "dense_iter_s": 0.033535, "csr_iter_s": "N/A", "coo_iter_s": "N/A",
"rolv_total_s": 2.102183, "baseline_total_s": 33.534832, "speedup_total_vs_selected_x":
15.952, "speedup_iter_vs_selected_x": 17.158, "rolv_vs_vendor_sparse_iter_x": "N/A",
"rolv_vs_vendor_sparse_total_x": "N/A", "rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x":
"N/A", "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": false, "rolv_tflops": 2046.618, "base_tflops": 119.279,
"rolv_tokens_per_sec": 2558271.887, "base_tokens_per_sec": 149098.704}

[2026-02-11 21:46:21] Seed: 123456 | Pattern: random | Zeros: 60%

A_hash: 3a128a12c751e2a52a9f05427ad881a4beeb441b1aa828f2c83dec9767075e14 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 60% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.400 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.039150s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.148752 s

rolv per-iter: 0.001952s

ROLV TFLOPS: 2049.63 | Base TFLOPS: 100.29

ROLV Tokens/s: 2562035.70 | Base Tokens/s: 125368.56

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

82ff97b0c2c9d6b4e6a850bdbec16cf158da8950cbefe522f043e059a8a944e (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 18.99x ($\approx$ 1799% faster)

Speedup (per-iter): 20.44x ($\approx$ 1944% faster)

Energy Savings: 95.11%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":

"3a128a12c751e2a52a9f05427ad881a4beeb441b1aa828f2c83dec9767075e14",

ROLV

Benchmarks report

"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"82ff97b0c2c9d6b4e6a850bdbeec16cf158da8950cbefe522f043e059a8a944e",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"474ef2e5789ba96a76b96db5a6f8e76990d35228b24cd5d7660008bef1c3606c",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.03915, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.148752, "rolv_iter_s": 0.001952, "dense_iter_s": 0.039882, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.100325, "baseline_total_s": 39.882406,
"speedup_total_vs_selected_x": 18.989, "speedup_iter_vs_selected_x": 20.436,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2049.629, "base_tflops": 100.295, "rolv_tokens_per_sec": 2562035.697,
"base_tokens_per_sec": 125368.564}

[2026-02-11 21:47:15] Seed: 123456 | Pattern: power_law | Zeros: 60%
A_hash: 9d19ea5f391575455f95a6f93a0dc330f0816afb109185aa39e76d5e5e3f84a5 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 60% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.400 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.039928s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.149056 s
rolv per-iter: 0.001951s
ROLV TFLOPS: 2049.75 | Base TFLOPS: 99.96
ROLV Tokens/s: 2562181.38 | Base Tokens/s: 124954.86
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
3397dfb188f303cce8ca1e8cfc9ceaf57b34d9574df64e8d752935e89f273568 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

ROLV

Benchmarks report

Speedup (total): 19.05x ($\approx$ 1805% faster)

Speedup (per-iter): 20.50x ($\approx$ 1950% faster)

Energy Savings: 95.12%

rolv vs rocSPARSE -> N/A

rolv vs COO: N/A

```
{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A": "9d19ea5f391575455f95a6f93a0dc330f0816afb109185aa39e76d5e5e3f84a5",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"3397dfb188f303cce8ca1e8cfc9ceaf57b34d9574df64e8d752935e89f273568",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"054e2c6d65e7082adb830742e210da6458ef0c3b993c9efeb6f8de4af5491a0b",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.039928, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.149056, "rolv_iter_s": 0.001951, "dense_iter_s": 0.040014, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.100518, "baseline_total_s": 40.014449,
"speedup_total_vs_selected_x": 19.05, "speedup_iter_vs_selected_x": 20.505,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 2049.745, "base_tflops": 99.964, "rolv_tokens_per_sec": 2562181.377,
"base_tokens_per_sec": 124954.862}
```

[2026-02-11 21:48:09] Seed: 123456 | Pattern: banded | Zeros: 60%

A_hash: e78e035e07d681d9c88788fb30448528322d3759de0292aef1030acc8d438be2 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 60% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.400 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.034126s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.147775 s

rolv per-iter: 0.001953s

ROLV TFLOPS: 2048.30 | Base TFLOPS: 116.66

ROLV Tokens/s: 2560369.81 | Base Tokens/s: 145820.19

ROLV

Benchmarks report

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
a917726a5ab831eb4b9c1cbef78f9dab9bf38f1875cc27bd0c7e1a74d85cd51a (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 16.32x ($\approx$ 1532% faster)
Speedup (per-iter): 17.56x ($\approx$ 1656% faster)
Energy Savings: 94.30%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{
 "platform": "ROCm",
 "device": "AMD Instinct MI300X",
 "adapted_batch": false,
 "effective_batch": 5000,
 "dense_label": "rocBLAS",
 "sparse_label": "rocSPARSE",
 "input_hash_A":
 "e78e035e07d681d9c88788fb30448528322d3759de0292aef1030acc8d438be2",
 "input_hash_B":
 "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
 "ROLV_norm_hash":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_norm_hash":
 "a917726a5ab831eb4b9c1cbef78f9dab9bf38f1875cc27bd0c7e1a74d85cd51a",
 "CSR_norm_hash": "N/A",
 "COO_norm_hash": "N/A",
 "ROLV_qhash_d6":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_qhash_d6":
 "6c590cb1c86449e9a55609b2add184da816091d6e591141b6417902275b2cba6",
 "CSR_qhash_d6": "N/A",
 "COO_qhash_d6": "N/A",
 "path_selected": "Dense",
 "pilot_dense_per_iter_s": 0.034126,
 "pilot_csr_per_iter_s": "N/A",
 "pilot_coo_per_iter_s": "N/A",
 "rolv_build_s": 0.147775,
 "rolv_iter_s": 0.001953,
 "dense_iter_s": 0.034289,
 "csr_iter_s": "N/A",
 "coo_iter_s": "N/A",
 "rolv_total_s": 2.100618,
 "baseline_total_s": 34.288805,
 "speedup_total_vs_selected_x": 16.323,
 "speedup_iter_vs_selected_x": 17.558,
 "rolv_vs_vendor_sparse_iter_x": "N/A",
 "rolv_vs_vendor_sparse_total_x": "N/A",
 "rolv_vs_coo_iter_x": "N/A",
 "rolv_vs_coo_total_x": "N/A",
 "energy_iter_adaptive_telemetry": null,
 "telemetry_samples": 0,
 "correct_norm": "OK",
 "sparse_conversion_enabled": false,
 "rolv_tflops": 2048.296,
 "base_tflops": 116.656,
 "rolv_tokens_per_sec": 2560369.813,
 "base_tokens_per_sec": 145820.19
}

[2026-02-11 21:48:55] Seed: 123456 | Pattern: block_diagonal | Zeros: 60%
A_hash: 2b99793bda656b5689cc9f5b049fc1a55ae8c234e0386e439c7204b281ffc158 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

ROLV

Benchmarks report

[SPARSE SKIP] Zeros 60% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.400 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.032751s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.147678 s
rolv per-iter: 0.001955s
ROLV TFLOPS: 2046.28 | Base TFLOPS: 119.63
ROLV Tokens/s: 2557843.90 | Base Tokens/s: 149540.73
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
36ee25dfb91d647bc72a00e82673d5af290686eb222c108851af0797263cbfc4 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 15.90x (≈ 1490% faster)
Speedup (per-iter): 17.10x (≈ 1610% faster)
Energy Savings: 94.15%
rolv vs rocSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A": "2b99793bda656b5689cc9f5b049fc1a55ae8c234e0386e439c7204b281ffc158",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"36ee25dfb91d647bc72a00e82673d5af290686eb222c108851af0797263cbfc4",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"4d9bc3a8c04e309be3d194ede6251942ddf9e71860fd8aa14f66686b71fd0279",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.032751, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.147678, "rolv_iter_s": 0.001955, "dense_iter_s": 0.033436, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 2.102449, "baseline_total_s": 33.435707,
"speedup_total_vs_selected_x": 15.903, "speedup_iter_vs_selected_x": 17.105,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",

ROLV

Benchmarks report

"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false, "rolv_tflops": 2046.275, "base_tflops": 119.633, "rolv_tokens_per_sec": 2557843.897, "base_tokens_per_sec": 149540.729}

[2026-02-11 21:49:42] Seed: 123456 | Pattern: random | Zeros: 70%

A_hash: b6d397e4d0e8ebd4f3a13d59f635831bd762ee60284807ed9d008435058ec326 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 70% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.300 | Sparse better for memory: True

[CANONICAL SKIP] NNZ=119985605 > 100000000 $\rightarrow$ skipping full sort for hashing stability (OOM prevention)

[CANONICAL SKIP] NNZ=119985605 > 100000000 $\rightarrow$ skipping full sort for hashing stability (OOM prevention)

Baseline pilots per-iter $\rightarrow$ Dense: 0.038687s | CSR: 0.709125s | COO: 0.473462s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.150917 s

rolv per-iter: 0.001957s

ROLV TFLOPS: 2043.59 | Base TFLOPS: 2.53

ROLV Tokens/s: 2554488.37 | Base Tokens/s: 10547.35

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

722aa1f103b022093a749ccf9de9cf9003cb678bf7f25648ca7f11ed9adde915 (COO)

CSR_norm_hash: 722aa1f103b022093a749ccf9de9cf9003cb678bf7f25648ca7f11ed9adde915

COO_norm_hash:

722aa1f103b022093a749ccf9de9cf9003cb678bf7f25648ca7f11ed9adde915

COO per-iter: 0.474034s | total: 474.033594s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 224.86x ($\approx 22386\%$ faster)

Speedup (per-iter): 242.19x ($\approx 24119\%$ faster)

Energy Savings: 99.59%

rolv vs rocSPARSE $\rightarrow$ Speedup (per-iter): 368.44x | total: 342.07x

rolv vs COO: Speedup (per-iter): 242.18x | total: 224.85x

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false, "effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE", "input_hash_A":

"b6d397e4d0e8ebd4f3a13d59f635831bd762ee60284807ed9d008435058ec326",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

ROLV

Benchmarks report

"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"722aa1f103b022093a749ccf9de9cf9003cb678bf7f25648ca7f11ed9adde915",
"CSR_norm_hash":
"722aa1f103b022093a749ccf9de9cf9003cb678bf7f25648ca7f11ed9adde915",
"COO_norm_hash":
"722aa1f103b022093a749ccf9de9cf9003cb678bf7f25648ca7f11ed9adde915",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"82da032e08a558947b8496a6df588242839c731dd132f6c51b2ccad1158e1e9e",
"CSR_qhash_d6":
"82da032e08a558947b8496a6df588242839c731dd132f6c51b2ccad1158e1e9e",
"COO_qhash_d6":
"82da032e08a558947b8496a6df588242839c731dd132f6c51b2ccad1158e1e9e",
"path_selected": "COO", "pilot_dense_per_iter_s": 0.038687, "pilot_csr_per_iter_s": 0.709125,
"pilot_coo_per_iter_s": 0.473462, "rolv_build_s": 0.150917, "rolv_iter_s": 0.001957,
"dense_iter_s": 0.474052, "csr_iter_s": 0.721168, "coo_iter_s": 0.474034, "rolv_total_s":
2.108256, "baseline_total_s": 474.0525, "speedup_total_vs_selected_x": 224.855,
"speedup_iter_vs_selected_x": 242.192, "rolv_vs_vendor_sparse_iter_x": 368.443,
"rolv_vs_vendor_sparse_total_x": 342.068, "rolv_vs_coo_iter_x": 242.183,
"rolv_vs_coo_total_x": 224.846, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0,
"correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 2043.591,
"base_tflops": 2.531, "rolv_tokens_per_sec": 2554488.372, "base_tokens_per_sec": 10547.355}

[2026-02-11 22:18:34] Seed: 123456 | Pattern: power_law | Zeros: 70%

A_hash: 64b353290cc661d8798233b459b02627e318c8b6cd03fb9400cdc258605a7257 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 70% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.300 | Sparse better for memory:
True

[CANONICAL SKIP] NNZ=112080979 > 100000000 → skipping full sort for hashing stability
(OOM prevention)

[CANONICAL SKIP] NNZ=112080979 > 100000000 → skipping full sort for hashing stability
(OOM prevention)

Baseline pilots per-iter -> Dense: 0.038321s | CSR: 0.664899s | COO: 0.442787s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.150771 s

rolv per-iter: 0.001963s

ROLV TFLOPS: 2037.44 | Base TFLOPS: 2.53

ROLV

Benchmarks report

ROLV Tokens/s: 2546798.99 | Base Tokens/s: 11267.44
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
32c0bbfd6d7a5688cd46fb2b36d62e508c168c1fca43ba3125721e0a93b9b9dc (COO)
CSR_norm_hash:
32c0bbfd6d7a5688cd46fb2b36d62e508c168c1fca43ba3125721e0a93b9b9dc
COO_norm_hash:
32c0bbfd6d7a5688cd46fb2b36d62e508c168c1fca43ba3125721e0a93b9b9dc
COO per-iter: 0.443656s | total: 443.655937s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 209.91x ($\approx$ 20891% faster)
Speedup (per-iter): 226.03x ($\approx$ 22503% faster)
Energy Savings: 99.56%
rolv vs rocSPARSE -> Speedup (per-iter): 344.86x | total: 320.26x
rolv vs COO: Speedup (per-iter): 225.98x | total: 209.86x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"64b353290cc661d8798233b459b02627e318c8b6cd03fb9400cdc258605a7257",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"32c0bbfd6d7a5688cd46fb2b36d62e508c168c1fca43ba3125721e0a93b9b9dc",
"CSR_norm_hash":
"32c0bbfd6d7a5688cd46fb2b36d62e508c168c1fca43ba3125721e0a93b9b9dc",
"COO_norm_hash":
"32c0bbfd6d7a5688cd46fb2b36d62e508c168c1fca43ba3125721e0a93b9b9dc",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"b28317e48cc7768973ac901f2af18502a2b95897bacec4775b55b8b869b4083f",
"CSR_qhash_d6":
"b28317e48cc7768973ac901f2af18502a2b95897bacec4775b55b8b869b4083f",
"COO_qhash_d6":
"b28317e48cc7768973ac901f2af18502a2b95897bacec4775b55b8b869b4083f",
"path_selected": "COO", "pilot_dense_per_iter_s": 0.038321, "pilot_csr_per_iter_s": 0.664899,
"pilot_coo_per_iter_s": 0.442787, "rolv_build_s": 0.150771, "rolv_iter_s": 0.001963,
"dense_iter_s": 0.443757, "csr_iter_s": 0.677044, "coo_iter_s": 0.443656, "rolv_total_s":
2.11402, "baseline_total_s": 443.756531, "speedup_total_vs_selected_x": 209.911,

ROLV

Benchmarks report

"speedup_iter_vs_selected_x": 226.032, "rolv_vs_vendor_sparse_iter_x": 344.859,
"rolv_vs_vendor_sparse_total_x": 320.264, "rolv_vs_coo_iter_x": 225.98, "rolv_vs_coo_total_x":
209.864, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2037.439, "base_tflops": 2.526,
"rolv_tokens_per_sec": 2546798.986, "base_tokens_per_sec": 11267.44}

[2026-02-11 22:45:39] Seed: 123456 | Pattern: banded | Zeros: 70%

A_hash: 6de52c734dc3dd3e441813467d3974c05babbe147880af95cae93106e22a77bd |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 70% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.300 | Sparse better for memory:
True

Baseline pilots per-iter $\rightarrow$ Dense: 0.033913s | CSR: 0.027961s | COO: 0.019719s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.161324 s

rolv per-iter: 0.001960s

ROLV TFLOPS: 2041.05 | Base TFLOPS: 2.40

ROLV Tokens/s: 2551316.44 | Base Tokens/s: 252582.83

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

afa0b5ccf007ed78efa389e675d49ed3175a5e895800ce2c51b65ef34c1c93f8 (COO)

CSR_norm_hash:

afa0b5ccf007ed78efa389e675d49ed3175a5e895800ce2c51b65ef34c1c93f8

COO_norm_hash:

afa0b5ccf007ed78efa389e675d49ed3175a5e895800ce2c51b65ef34c1c93f8

COO per-iter: 0.019808s | total: 19.808221s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 9.33x ($\approx 833\%$ faster)

Speedup (per-iter): 10.10x ($\approx 910\%$ faster)

Energy Savings: 90.10%

rolv vs rocSPARSE $\rightarrow$ Speedup (per-iter): 14.53x | total: 13.42x

rolv vs COO: Speedup (per-iter): 10.11x | total: 9.34x

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,

"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",

"input_hash_A":

"6de52c734dc3dd3e441813467d3974c05babbe147880af95cae93106e22a77bd",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"DENSE_norm_hash":
"afa0b5ccf007ed78efa389e675d49ed3175a5e895800ce2c51b65ef34c1c93f8",
"CSR_norm_hash":
"afa0b5ccf007ed78efa389e675d49ed3175a5e895800ce2c51b65ef34c1c93f8",
"COO_norm_hash":
"afa0b5ccf007ed78efa389e675d49ed3175a5e895800ce2c51b65ef34c1c93f8",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"34587fe968cb118281d6e320a80b1d361638e54fc3de87df1dbf85b3f83c9fef",
"CSR_qhash_d6":
"34587fe968cb118281d6e320a80b1d361638e54fc3de87df1dbf85b3f83c9fef",
"COO_qhash_d6":
"34587fe968cb118281d6e320a80b1d361638e54fc3de87df1dbf85b3f83c9fef", "path_selected":
"COO", "pilot_dense_per_iter_s": 0.033913, "pilot_csr_per_iter_s": 0.027961,
"pilot_coo_per_iter_s": 0.019719, "rolv_build_s": 0.161324, "rolv_iter_s": 0.00196,
"dense_iter_s": 0.019795, "csr_iter_s": 0.028467, "coo_iter_s": 0.019808, "rolv_total_s":
2.121097, "baseline_total_s": 19.795486, "speedup_total_vs_selected_x": 9.333,
"speedup_iter_vs_selected_x": 10.101, "rolv_vs_vendor_sparse_iter_x": 14.525,
"rolv_vs_vendor_sparse_total_x": 13.421, "rolv_vs_coo_iter_x": 10.107, "rolv_vs_coo_total_x":
9.339, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2041.053, "base_tflops": 2.403,
"rolv_tokens_per_sec": 2551316.435, "base_tokens_per_sec": 252582.832}

[2026-02-11 22:47:22] Seed: 123456 | Pattern: block_diagonal | Zeros: 70%
A_hash: 605ad79227a409511ccd935bac7446d55792ae15e0550623f778311797a2ba80 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 70% (>= 70%) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.300 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.032787s | CSR: 0.018794s | COO: 0.013746s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.149340 s

rolv per-iter: 0.001954s

ROLV TFLOPS: 2047.04 | Base TFLOPS: 2.17

ROLV Tokens/s: 2558806.16 | Base Tokens/s: 361394.77

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

afb0000c8a8069b1416a99dc37be6c761f158e933ad2069f4c2a71f2a7f8ef75 (COO)

CSR_norm_hash: afb0000c8a8069b1416a99dc37be6c761f158e933ad2069f4c2a71f2a7f8ef75

ROLV

Benchmarks report

COO_norm_hash:

afb0000c8a8069b1416a99dc37be6c761f158e933ad2069f4c2a71f2a7f8ef75

COO per-iter: 0.013807s | total: 13.807358s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 6.58x ($\approx$ 558% faster)

Speedup (per-iter): 7.08x ($\approx$ 608% faster)

Energy Savings: 85.88%

rolv vs rocSPARSE -> Speedup (per-iter): 9.74x | total: 9.05x

rolv vs COO: Speedup (per-iter): 7.07x | total: 6.56x

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":

"605ad79227a409511ccd935bac7446d55792ae15e0550623f778311797a2ba80",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"afb0000c8a8069b1416a99dc37be6c761f158e933ad2069f4c2a71f2a7f8ef75",

"CSR_norm_hash":

"afb0000c8a8069b1416a99dc37be6c761f158e933ad2069f4c2a71f2a7f8ef75",

"COO_norm_hash":

"afb0000c8a8069b1416a99dc37be6c761f158e933ad2069f4c2a71f2a7f8ef75",

"ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"7bc340a2266a60176174c6afbc41e54623a3acb3c008de5aeff26276a7332fb6",

"CSR_qhash_d6":

"7bc340a2266a60176174c6afbc41e54623a3acb3c008de5aeff26276a7332fb6",

"COO_qhash_d6":

"7bc340a2266a60176174c6afbc41e54623a3acb3c008de5aeff26276a7332fb6",

"path_selected": "COO", "pilot_dense_per_iter_s": 0.032787, "pilot_csr_per_iter_s": 0.018794,

"pilot_coo_per_iter_s": 0.013746, "rolv_build_s": 0.14934, "rolv_iter_s": 0.001954,

"dense_iter_s": 0.013835, "csr_iter_s": 0.019037, "coo_iter_s": 0.013807, "rolv_total_s":

2.103376, "baseline_total_s": 13.835286, "speedup_total_vs_selected_x": 6.578,

"speedup_iter_vs_selected_x": 7.08, "rolv_vs_vendor_sparse_iter_x": 9.742,

"rolv_vs_vendor_sparse_total_x": 9.05, "rolv_vs_coo_iter_x": 7.066, "rolv_vs_coo_total_x":

6.564, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",

"sparse_conversion_enabled": true, "rolv_tflops": 2047.045, "base_tflops": 2.168,

"rolv_tokens_per_sec": 2558806.157, "base_tokens_per_sec": 361394.766}

[2026-02-11 22:48:43] Seed: 123456 | Pattern: random | Zeros: 80%

ROLV

Benchmarks report

A_hash: fe8ecd469d65375943070e2c9f72b2cb8ffc99f59b8e95e01ee55ff351e8a5b5 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 80% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.200 | Sparse better for memory: True

Baseline pilots per-iter $\rightarrow$ Dense: 0.036899s | CSR: 0.489469s | COO: 0.319936s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.150460 s

rolv per-iter: 0.001961s

ROLV TFLOPS: 2039.83 | Base TFLOPS: 2.50

ROLV Tokens/s: 2549781.91 | Base Tokens/s: 15596.44

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: e7c01a70a75e7c23f6388af2f7da803ea0bdb8bf7a90f33bfbd68ec38023b5fb (COO)

CSR_norm_hash: e7c01a70a75e7c23f6388af2f7da803ea0bdb8bf7a90f33bfbd68ec38023b5fb

COO_norm_hash: e7c01a70a75e7c23f6388af2f7da803ea0bdb8bf7a90f33bfbd68ec38023b5fb

COO per-iter: 0.320687s | total: 320.687187s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 151.83x ($\approx 15083\%$ faster)

Speedup (per-iter): 163.48x ($\approx 16248\%$ faster)

Energy Savings: 99.39%

rolv vs rocSPARSE $\rightarrow$ Speedup (per-iter): 255.34x | total: 237.14x

rolv vs COO: Speedup (per-iter): 163.54x | total: 151.88x

```
{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A": "fe8ecd469d65375943070e2c9f72b2cb8ffc99f59b8e95e01ee55ff351e8a5b5",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"e7c01a70a75e7c23f6388af2f7da803ea0bdb8bf7a90f33bfbd68ec38023b5fb",
"CSR_norm_hash":
"e7c01a70a75e7c23f6388af2f7da803ea0bdb8bf7a90f33bfbd68ec38023b5fb",
"COO_norm_hash":
"e7c01a70a75e7c23f6388af2f7da803ea0bdb8bf7a90f33bfbd68ec38023b5fb",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"73400dd11bba92807f9dd80ee8c7bdc5e578106e1ea67465c31cebca0c1dc833",
```

ROLV

Benchmarks report

"CSR_qhash_d6":
"73400dd11bba92807f9dd80ee8c7bdc5e578106e1ea67465c31cebca0c1dc833",
"COO_qhash_d6":
"73400dd11bba92807f9dd80ee8c7bdc5e578106e1ea67465c31cebca0c1dc833",
"path_selected": "COO", "pilot_dense_per_iter_s": 0.036899, "pilot_csr_per_iter_s": 0.489469,
"pilot_coo_per_iter_s": 0.319936, "rolv_build_s": 0.15046, "rolv_iter_s": 0.001961,
"dense_iter_s": 0.320586, "csr_iter_s": 0.500707, "coo_iter_s": 0.320687, "rolv_total_s":
2.111412, "baseline_total_s": 320.585969, "speedup_total_vs_selected_x": 151.835,
"speedup_iter_vs_selected_x": 163.485, "rolv_vs_vendor_sparse_iter_x": 255.339,
"rolv_vs_vendor_sparse_total_x": 237.143, "rolv_vs_coo_iter_x": 163.536,
"rolv_vs_coo_total_x": 151.883, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0,
"correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 2039.826,
"base_tflops": 2.495, "rolv_tokens_per_sec": 2549781.908, "base_tokens_per_sec": 15596.441}

[2026-02-11 23:08:49] Seed: 123456 | Pattern: power_low | Zeros: 80%

A_hash: f5319945ed9e0de80929153636dd5033761020445fb403b1998eb9214d00e127 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 80% (>= 70%) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.200 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.037714s | CSR: 0.463100s | COO: 0.299248s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.149232 s

rolv per-iter: 0.001952s

ROLV TFLOPS: 2048.76 | Base TFLOPS: 2.49

ROLV Tokens/s: 2560943.87 | Base Tokens/s: 16645.80

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

0bbec08c037006aa33c812b530df9811cc2768a08858d9d8f610d0e9dc3f1048 (COO)

CSR_norm_hash:

0bbec08c037006aa33c812b530df9811cc2768a08858d9d8f610d0e9dc3f1048

COO_norm_hash:

0bbec08c037006aa33c812b530df9811cc2768a08858d9d8f610d0e9dc3f1048

COO per-iter: 0.300026s | total: 300.026063s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 142.92x (≈ 14192% faster)

Speedup (per-iter): 153.85x (≈ 15285% faster)

Energy Savings: 99.35%

rolv vs rocSPARSE -> Speedup (per-iter): 241.87x | total: 224.70x

rolv vs COO: Speedup (per-iter): 153.67x | total: 142.76x

ROLV

Benchmarks report

```
{
  "platform": "ROCm",
  "device": "AMD Instinct MI300X",
  "adapted_batch": false,
  "effective_batch": 5000,
  "dense_label": "rocBLAS",
  "sparse_label": "rocSPARSE",
  "input_hash_A":
    "f5319945ed9e0de80929153636dd5033761020445fb403b1998eb9214d00e127",
  "input_hash_B":
    "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash":
    "0bbec08c037006aa33c812b530df9811cc2768a08858d9d8f610d0e9dc3f1048",
  "CSR_norm_hash":
    "0bbec08c037006aa33c812b530df9811cc2768a08858d9d8f610d0e9dc3f1048",
  "COO_norm_hash":
    "0bbec08c037006aa33c812b530df9811cc2768a08858d9d8f610d0e9dc3f1048",
  "ROLV_qhash_d6":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6":
    "66317c61bd76f15b22946d59ad005fceac533aed498ef9ff62ad0904ec173c58",
  "CSR_qhash_d6":
    "66317c61bd76f15b22946d59ad005fceac533aed498ef9ff62ad0904ec173c58",
  "COO_qhash_d6":
    "66317c61bd76f15b22946d59ad005fceac533aed498ef9ff62ad0904ec173c58",
  "path_selected":
    "COO",
  "pilot_dense_per_iter_s": 0.037714,
  "pilot_csr_per_iter_s": 0.4631,
  "pilot_coo_per_iter_s": 0.299248,
  "rolv_build_s": 0.149232,
  "rolv_iter_s": 0.001952,
  "dense_iter_s": 0.300376,
  "csr_iter_s": 0.472232,
  "coo_iter_s": 0.300026,
  "rolv_total_s": 2.101637,
  "baseline_total_s": 300.376156,
  "speedup_total_vs_selected_x": 142.925,
  "speedup_iter_vs_selected_x": 153.849,
  "rolv_vs_vendor_sparse_iter_x": 241.872,
  "rolv_vs_vendor_sparse_total_x": 224.697,
  "rolv_vs_coo_iter_x": 153.67,
  "rolv_vs_coo_total_x": 142.758,
  "energy_iter_adaptive_telemetry": null,
  "telemetry_samples": 0,
  "correct_norm": "OK",
  "sparse_conversion_enabled": true,
  "rolv_tflops": 2048.755,
  "base_tflops": 2.488,
  "rolv_tokens_per_sec": 2560943.868,
  "base_tokens_per_sec": 16645.795
}
```

[2026-02-11 23:27:45] Seed: 123456 | Pattern: banded | Zeros: 80%

A_hash: b2fc7f83b499ca9e4b29ed3cc68b966b4b322cf7926c12186e98ae033e84be58 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 80% ($\geq 70\%$) → enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.200 | Sparse better for memory: True

Baseline pilots per-iter -> Dense: 0.033567s | CSR: 0.020624s | COO: 0.013545s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.148357 s

ROLV

Benchmarks report

rolv per-iter: 0.001967s
ROLV TFLOPS: 2033.74 | Base TFLOPS: 2.33
ROLV Tokens/s: 2542178.69 | Base Tokens/s: 367790.73
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
7c5ad9bbb7deb3f95a8b23ba1ddfb19f857bf6120ba461e883e8789abd82d6c6 (COO)
CSR_norm_hash:
7c5ad9bbb7deb3f95a8b23ba1ddfb19f857bf6120ba461e883e8789abd82d6c6
COO_norm_hash:
7c5ad9bbb7deb3f95a8b23ba1ddfb19f857bf6120ba461e883e8789abd82d6c6
COO per-iter: 0.013622s | total: 13.622230s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 6.43x ($\approx$ 543% faster)
Speedup (per-iter): 6.91x ($\approx$ 591% faster)
Energy Savings: 85.53%
rolv vs rocSPARSE -> Speedup (per-iter): 10.62x | total: 9.87x
rolv vs COO: Speedup (per-iter): 6.93x | total: 6.44x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"b2fc7f83b499ca9e4b29ed3cc68b966b4b322cf7926c12186e98ae033e84be58",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"7c5ad9bbb7deb3f95a8b23ba1ddfb19f857bf6120ba461e883e8789abd82d6c6",
"CSR_norm_hash":
"7c5ad9bbb7deb3f95a8b23ba1ddfb19f857bf6120ba461e883e8789abd82d6c6",
"COO_norm_hash":
"7c5ad9bbb7deb3f95a8b23ba1ddfb19f857bf6120ba461e883e8789abd82d6c6",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"3d7a5452a9f38bbfb38ee0d4922ca8020b2506f811ff5ec119664b4fe4236084",
"CSR_qhash_d6":
"3d7a5452a9f38bbfb38ee0d4922ca8020b2506f811ff5ec119664b4fe4236084",
"COO_qhash_d6":
"3d7a5452a9f38bbfb38ee0d4922ca8020b2506f811ff5ec119664b4fe4236084", "path_selected":
"COO", "pilot_dense_per_iter_s": 0.033567, "pilot_csr_per_iter_s": 0.020624,
"pilot_coo_per_iter_s": 0.013545, "rolv_build_s": 0.148357, "rolv_iter_s": 0.001967,

ROLV

Benchmarks report

"dense_iter_s": 0.013595, "csr_iter_s": 0.02088, "coo_iter_s": 0.013622, "rolv_total_s": 2.115174, "baseline_total_s": 13.594687, "speedup_total_vs_selected_x": 6.427, "speedup_iter_vs_selected_x": 6.912, "rolv_vs_vendor_sparse_iter_x": 10.616, "rolv_vs_vendor_sparse_total_x": 9.871, "rolv_vs_coo_iter_x": 6.926, "rolv_vs_coo_total_x": 6.44, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 2033.743, "base_tflops": 2.333, "rolv_tokens_per_sec": 2542178.692, "base_tokens_per_sec": 367790.727}

[2026-02-11 23:29:06] Seed: 123456 | Pattern: block_diagonal | Zeros: 80%
A_hash: 4b02e483523fbec343feac2b8fed3820615bb6832dda42a3da7b63ccf1ef0014 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 80% (>= 70%) → enabling CSR/COO conversion for hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.200 | Sparse better for memory: True
Baseline pilots per-iter -> Dense: 0.033045s | CSR: 0.014207s | COO: 0.010974s
Selected baseline: COO (memory-based override: True)
rolv load time (operator build): 0.150411 s
rolv per-iter: 0.002039s
ROLV TFLOPS: 1961.89 | Base TFLOPS: 1.81
ROLV Tokens/s: 2452366.40 | Base Tokens/s: 453862.36
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
0afabd3c3f898124c4d2adf90b4ec9ca28ee520d74975002112bb8408f023a82 (COO)
CSR_norm_hash:
0afabd3c3f898124c4d2adf90b4ec9ca28ee520d74975002112bb8408f023a82
COO_norm_hash:
0afabd3c3f898124c4d2adf90b4ec9ca28ee520d74975002112bb8408f023a82
COO per-iter: 0.011018s | total: 11.018266s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 5.03x (≈ 403% faster)
Speedup (per-iter): 5.40x (≈ 440% faster)
Energy Savings: 81.49%
rolv vs rocSPARSE -> Speedup (per-iter): 7.08x | total: 6.59x
rolv vs COO: Speedup (per-iter): 5.40x | total: 5.03x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false, "effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE", "input_hash_A": "4b02e483523fbec343feac2b8fed3820615bb6832dda42a3da7b63ccf1ef0014", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash":

ROLV

Benchmarks report

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"0afabd3c3f898124c4d2adf90b4ec9ca28ee520d74975002112bb8408f023a82",
"CSR_norm_hash":
"0afabd3c3f898124c4d2adf90b4ec9ca28ee520d74975002112bb8408f023a82",
"COO_norm_hash":
"0afabd3c3f898124c4d2adf90b4ec9ca28ee520d74975002112bb8408f023a82",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"4eaaed0b681ad4346a051280bb2504683f2650e05430ced90b415a8515706ae4",
"CSR_qhash_d6":
"4eaaed0b681ad4346a051280bb2504683f2650e05430ced90b415a8515706ae4",
"COO_qhash_d6":
"4eaaed0b681ad4346a051280bb2504683f2650e05430ced90b415a8515706ae4",
"path_selected": "COO", "pilot_dense_per_iter_s": 0.033045, "pilot_csr_per_iter_s": 0.014207,
"pilot_coo_per_iter_s": 0.010974, "rolv_build_s": 0.150411, "rolv_iter_s": 0.002039,
"dense_iter_s": 0.011017, "csr_iter_s": 0.014426, "coo_iter_s": 0.011018, "rolv_total_s":
2.189258, "baseline_total_s": 11.016556, "speedup_total_vs_selected_x": 5.032,
"speedup_iter_vs_selected_x": 5.403, "rolv_vs_vendor_sparse_iter_x": 7.075,
"rolv_vs_vendor_sparse_total_x": 6.589, "rolv_vs_coo_iter_x": 5.404, "rolv_vs_coo_total_x":
5.033, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 1961.893, "base_tflops": 1.815,
"rolv_tokens_per_sec": 2452366.405, "base_tokens_per_sec": 453862.364}

[2026-02-11 23:30:17] Seed: 123456 | Pattern: random | Zeros: 90%

A_hash: 252a6d9ec7eeab4eb29b6c652bffa9f11178919caadeccd14c45d00311e1433 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 90% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.100 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.036038s | CSR: 0.264172s | COO: 0.166453s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.152025 s

rolv per-iter: 0.001946s

ROLV TFLOPS: 2055.54 | Base TFLOPS: 2.43

ROLV Tokens/s: 2569426.26 | Base Tokens/s: 30386.17

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

0ea34324829b59e6d5a810b043219ca106a8eb538079e8849cd5903c80796f83 (COO)

ROLV

Benchmarks report

CSR_norm_hash:

0ea34324829b59e6d5a810b043219ca106a8eb538079e8849cd5903c80796f83

COO_norm_hash:

0ea34324829b59e6d5a810b043219ca106a8eb538079e8849cd5903c80796f83

COO per-iter: 0.164948s | total: 164.947906s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 78.43x ($\approx 7743\%$ faster)

Speedup (per-iter): 84.56x ($\approx 8356\%$ faster)

Energy Savings: 98.82%

rolv vs rocSPARSE -> Speedup (per-iter): 138.57x | total: 128.53x

rolv vs COO: Speedup (per-iter): 84.76x | total: 78.62x

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":

"252a6d9ec7eeab4eb29b6c652bffa9f11178919caadeccd14c45d00311e1433",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"0ea34324829b59e6d5a810b043219ca106a8eb538079e8849cd5903c80796f83",

"CSR_norm_hash":

"0ea34324829b59e6d5a810b043219ca106a8eb538079e8849cd5903c80796f83",

"COO_norm_hash":

"0ea34324829b59e6d5a810b043219ca106a8eb538079e8849cd5903c80796f83",

"ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"d07e9d8e4b761c9e713843d9e5ad22646d68738c9c9f78b846a77a566e81f77a",

"CSR_qhash_d6":

"d07e9d8e4b761c9e713843d9e5ad22646d68738c9c9f78b846a77a566e81f77a",

"COO_qhash_d6":

"d07e9d8e4b761c9e713843d9e5ad22646d68738c9c9f78b846a77a566e81f77a",

"path_selected": "COO", "pilot_dense_per_iter_s": 0.036038, "pilot_csr_per_iter_s": 0.264172,

"pilot_coo_per_iter_s": 0.166453, "rolv_build_s": 0.152025, "rolv_iter_s": 0.001946,

"dense_iter_s": 0.164549, "csr_iter_s": 0.269652, "coo_iter_s": 0.164948, "rolv_total_s":

2.097985, "baseline_total_s": 164.548547, "speedup_total_vs_selected_x": 78.432,

"speedup_iter_vs_selected_x": 84.559, "rolv_vs_vendor_sparse_iter_x": 138.57,

"rolv_vs_vendor_sparse_total_x": 128.529, "rolv_vs_coo_iter_x": 84.764, "rolv_vs_coo_total_x":

78.622, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",

"sparse_conversion_enabled": true, "rolv_tflops": 2055.541, "base_tflops": 2.43,

"rolv_tokens_per_sec": 2569426.261, "base_tokens_per_sec": 30386.169}

ROLV

Benchmarks report

[2026-02-11 23:41:06] Seed: 123456 | Pattern: power_law | Zeros: 90%
A_hash: d1784f30a29c88bb759e8e0ce2e1d3a72ec63f8f7d0190e4b7c74bf9b0f76e26 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 90% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.100 | Sparse better for memory: True
Baseline pilots per-iter $\rightarrow$ Dense: 0.036264s | CSR: 0.252505s | COO: 0.154131s
Selected baseline: COO (memory-based override: True)
rolv load time (operator build): 0.150463 s
rolv per-iter: 0.001955s
ROLV TFLOPS: 2046.10 | Base TFLOPS: 2.42
ROLV Tokens/s: 2557621.73 | Base Tokens/s: 32372.23
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
ff7b7b9d919c85aa942dd3c65988841f5aedc3f475953f6a39377245c2e213f6 (COO)
CSR_norm_hash: ff7b7b9d919c85aa942dd3c65988841f5aedc3f475953f6a39377245c2e213f6
COO_norm_hash:
ff7b7b9d919c85aa942dd3c65988841f5aedc3f475953f6a39377245c2e213f6
COO per-iter: 0.154486s | total: 154.485562s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 73.36x ($\approx 7236\%$ faster)
Speedup (per-iter): 79.01x ($\approx 7801\%$ faster)
Energy Savings: 98.73%
rolv vs rocSPARSE $\rightarrow$ Speedup (per-iter): 129.76x | total: 120.48x
rolv vs COO: Speedup (per-iter): 79.02x | total: 73.38x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A": "d1784f30a29c88bb759e8e0ce2e1d3a72ec63f8f7d0190e4b7c74bf9b0f76e26",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"ff7b7b9d919c85aa942dd3c65988841f5aedc3f475953f6a39377245c2e213f6",
"CSR_norm_hash":
"ff7b7b9d919c85aa942dd3c65988841f5aedc3f475953f6a39377245c2e213f6",
"COO_norm_hash":
"ff7b7b9d919c85aa942dd3c65988841f5aedc3f475953f6a39377245c2e213f6",
"ROLV_qhash_d6":

ROLV

Benchmarks report

```
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"DENSE_qhash_d6":  
"11f8da7a2080d0d605a1ebff2f877f43fdf7d15739e0c108fe9752e7a0e9c93a",  
"CSR_qhash_d6":  
"11f8da7a2080d0d605a1ebff2f877f43fdf7d15739e0c108fe9752e7a0e9c93a",  
"COO_qhash_d6":  
"11f8da7a2080d0d605a1ebff2f877f43fdf7d15739e0c108fe9752e7a0e9c93a", "path_selected":  
"COO", "pilot_dense_per_iter_s": 0.036264, "pilot_csr_per_iter_s": 0.252505,  
"pilot_coo_per_iter_s": 0.154131, "rolv_build_s": 0.150463, "rolv_iter_s": 0.001955,  
"dense_iter_s": 0.154453, "csr_iter_s": 0.253667, "coo_iter_s": 0.154486, "rolv_total_s":  
2.105404, "baseline_total_s": 154.453375, "speedup_total_vs_selected_x": 73.36,  
"speedup_iter_vs_selected_x": 79.007, "rolv_vs_vendor_sparse_iter_x": 129.757,  
"rolv_vs_vendor_sparse_total_x": 120.484, "rolv_vs_coo_iter_x": 79.023, "rolv_vs_coo_total_x":  
73.376, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",  
"sparse_conversion_enabled": true, "rolv_tflops": 2046.097, "base_tflops": 2.419,  
"rolv_tokens_per_sec": 2557621.731, "base_tokens_per_sec": 32372.229}
```

[2026-02-11 23:51:17] Seed: 123456 | Pattern: banded | Zeros: 90%

A_hash: d70a4343e5b268957eb68d7e3674a43f240457ccfda08b4a2d80bc40ab643157 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 90% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.100 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.039917s | CSR: 0.013022s | COO: 0.009545s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.157353 s

rolv per-iter: 0.001956s

ROLV TFLOPS: 2044.71 | Base TFLOPS: 1.66

ROLV Tokens/s: 2555884.55 | Base Tokens/s: 522407.67

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

6bab4e46cb1871e51f5424a844af2f1390bcb5c5fb0b3a7c6f421bd1bc78bc94 (COO)

CSR_norm_hash:

6bab4e46cb1871e51f5424a844af2f1390bcb5c5fb0b3a7c6f421bd1bc78bc94

COO_norm_hash:

6bab4e46cb1871e51f5424a844af2f1390bcb5c5fb0b3a7c6f421bd1bc78bc94

COO per-iter: 0.009643s | total: 9.642516s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 4.53x ($\approx 353\%$ faster)

Speedup (per-iter): 4.89x ($\approx 389\%$ faster)

ROLV

Benchmarks report

Energy Savings: 79.56%

rolv vs rocSPARSE -> Speedup (per-iter): 6.75x | total: 6.24x

rolv vs COO: Speedup (per-iter): 4.93x | total: 4.56x

```
{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"d70a4343e5b268957eb68d7e3674a43f240457ccfda08b4a2d80bc40ab643157",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"6bab4e46cb1871e51f5424a844af2f1390bcb5c5fb0b3a7c6f421bd1bc78bc94",
"CSR_norm_hash":
"6bab4e46cb1871e51f5424a844af2f1390bcb5c5fb0b3a7c6f421bd1bc78bc94",
"COO_norm_hash":
"6bab4e46cb1871e51f5424a844af2f1390bcb5c5fb0b3a7c6f421bd1bc78bc94",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"c850461ae5bfa1c3183f8c5ad70eadff35c42a0cf45abfac99892c98541b884e",
"CSR_qhash_d6":
"c850461ae5bfa1c3183f8c5ad70eadff35c42a0cf45abfac99892c98541b884e",
"COO_qhash_d6":
"c850461ae5bfa1c3183f8c5ad70eadff35c42a0cf45abfac99892c98541b884e", "path_selected":
"COO", "pilot_dense_per_iter_s": 0.039917, "pilot_csr_per_iter_s": 0.013022,
"pilot_coo_per_iter_s": 0.009545, "rolv_build_s": 0.157353, "rolv_iter_s": 0.001956,
"dense_iter_s": 0.009571, "csr_iter_s": 0.013197, "coo_iter_s": 0.009643, "rolv_total_s":
2.113623, "baseline_total_s": 9.571069, "speedup_total_vs_selected_x": 4.528,
"speedup_iter_vs_selected_x": 4.893, "rolv_vs_vendor_sparse_iter_x": 6.746,
"rolv_vs_vendor_sparse_total_x": 6.244, "rolv_vs_coo_iter_x": 4.929, "rolv_vs_coo_total_x":
4.562, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2044.708, "base_tflops": 1.656,
"rolv_tokens_per_sec": 2555884.547, "base_tokens_per_sec": 522407.667}
```

[2026-02-11 23:52:22] Seed: 123456 | Pattern: block_diagonal | Zeros: 90%

A_hash: ef3c072370841e3130690e4f6793ea35e3e0c704fce673efdbae340a03091d07 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 90% (>= 70%) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.100 | Sparse better for memory:
True

ROLV

Benchmarks report

Baseline pilots per-iter -> Dense: 0.032964s | CSR: 0.009494s | COO: 0.006858s
Selected baseline: COO (memory-based override: True)
rolv load time (operator build): 0.149375 s
rolv per-iter: 0.001951s
ROLV TFLOPS: 2050.43 | Base TFLOPS: 1.45
ROLV Tokens/s: 2563033.99 | Base Tokens/s: 726216.46
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
3954f5e832c294f5f63bb74e0179a360d788ef7079faeb84f69713613cc4ea79 (COO)
CSR_norm_hash: 3954f5e832c294f5f63bb74e0179a360d788ef7079faeb84f69713613cc4ea79
COO_norm_hash:
3954f5e832c294f5f63bb74e0179a360d788ef7079faeb84f69713613cc4ea79
COO per-iter: 0.006867s | total: 6.867087s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 3.28x ($\approx$ 228% faster)
Speedup (per-iter): 3.53x ($\approx$ 253% faster)
Energy Savings: 71.67%
rolv vs rocSPARSE -> Speedup (per-iter): 4.90x | total: 4.55x
rolv vs COO: Speedup (per-iter): 3.52x | total: 3.27x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"ef3c072370841e3130690e4f6793ea35e3e0c704fce673efdbae340a03091d07",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"3954f5e832c294f5f63bb74e0179a360d788ef7079faeb84f69713613cc4ea79",
"CSR_norm_hash":
"3954f5e832c294f5f63bb74e0179a360d788ef7079faeb84f69713613cc4ea79",
"COO_norm_hash":
"3954f5e832c294f5f63bb74e0179a360d788ef7079faeb84f69713613cc4ea79",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"cffe32a36e15addac2c5b2fef97a992d6d9c8731c108477cdc00f463498f0e00",
"CSR_qhash_d6":
"cffe32a36e15addac2c5b2fef97a992d6d9c8731c108477cdc00f463498f0e00",
"COO_qhash_d6":
"cffe32a36e15addac2c5b2fef97a992d6d9c8731c108477cdc00f463498f0e00", "path_selected":

ROLV

Benchmarks report

"COO", "pilot_dense_per_iter_s": 0.032964, "pilot_csr_per_iter_s": 0.009494,
"pilot_coo_per_iter_s": 0.006858, "rolv_build_s": 0.149375, "rolv_iter_s": 0.001951,
"dense_iter_s": 0.006885, "csr_iter_s": 0.009551, "coo_iter_s": 0.006867, "rolv_total_s":
2.100188, "baseline_total_s": 6.885, "speedup_total_vs_selected_x": 3.278,
"speedup_iter_vs_selected_x": 3.529, "rolv_vs_vendor_sparse_iter_x": 4.896,
"rolv_vs_vendor_sparse_total_x": 4.548, "rolv_vs_coo_iter_x": 3.52, "rolv_vs_coo_total_x":
3.27, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2050.427, "base_tflops": 1.45,
"rolv_tokens_per_sec": 2563033.991, "base_tokens_per_sec": 726216.464}

[2026-02-11 23:53:19] Seed: 123456 | Pattern: random | Zeros: 95%

A_hash: c926d3fc034ec0adbed3fa6ecc74c1e0c4191486cd48fd095fa3c179c6ef96db | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 95% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.050 | Sparse better for memory:
True

Baseline pilots per-iter $\rightarrow$ Dense: 0.035313s | CSR: 0.166171s | COO: 0.086783s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.149348 s

rolv per-iter: 0.001965s

ROLV TFLOPS: 2035.31 | Base TFLOPS: 2.33

ROLV Tokens/s: 2544139.52 | Base Tokens/s: 58348.33

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

f5570aa0c2e30ca57e4bfba6db1ba2ed338b13cf6c3a3861cd9efa7d20b15d71 (COO)

CSR_norm_hash:

f5570aa0c2e30ca57e4bfba6db1ba2ed338b13cf6c3a3861cd9efa7d20b15d71

COO_norm_hash:

f5570aa0c2e30ca57e4bfba6db1ba2ed338b13cf6c3a3861cd9efa7d20b15d71

COO per-iter: 0.085295s | total: 85.295391s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 40.52x ($\approx 3952\%$ faster)

Speedup (per-iter): 43.60x ($\approx 4260\%$ faster)

Energy Savings: 97.71%

rolv vs rocSPARSE $\rightarrow$ Speedup (per-iter): 86.44x | total: 80.33x

rolv vs COO: Speedup (per-iter): 43.40x | total: 40.34x

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,

"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",

"input_hash_A": "c926d3fc034ec0adbed3fa6ecc74c1e0c4191486cd48fd095fa3c179c6ef96db",

"input_hash_B":

ROLV

Benchmarks report

```
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"f5570aa0c2e30ca57e4bfa6db1ba2ed338b13cf6c3a3861cd9efa7d20b15d71",
"CSR_norm_hash":
"f5570aa0c2e30ca57e4bfa6db1ba2ed338b13cf6c3a3861cd9efa7d20b15d71",
"COO_norm_hash":
"f5570aa0c2e30ca57e4bfa6db1ba2ed338b13cf6c3a3861cd9efa7d20b15d71",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"c341e71c1d6aaaff215d32bf3ce2823faac0512f379a99a19bf0274553f15740",
"CSR_qhash_d6":
"c341e71c1d6aaaff215d32bf3ce2823faac0512f379a99a19bf0274553f15740",
"COO_qhash_d6":
"c341e71c1d6aaaff215d32bf3ce2823faac0512f379a99a19bf0274553f15740", "path_selected":
"COO", "pilot_dense_per_iter_s": 0.035313, "pilot_csr_per_iter_s": 0.166171,
"pilot_coo_per_iter_s": 0.086783, "rolv_build_s": 0.149348, "rolv_iter_s": 0.001965,
"dense_iter_s": 0.085692, "csr_iter_s": 0.169877, "coo_iter_s": 0.085295, "rolv_total_s":
2.114649, "baseline_total_s": 85.692258, "speedup_total_vs_selected_x": 40.523,
"speedup_iter_vs_selected_x": 43.603, "rolv_vs_vendor_sparse_iter_x": 86.438,
"rolv_vs_vendor_sparse_total_x": 80.334, "rolv_vs_coo_iter_x": 43.401, "rolv_vs_coo_total_x":
40.335, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2035.312, "base_tflops": 2.334,
"rolv_tokens_per_sec": 2544139.516, "base_tokens_per_sec": 58348.328}
```

[2026-02-11 23:59:41] Seed: 123456 | Pattern: power_law | Zeros: 95%
A_hash: 6417a2a60f09c4389956722addb9e641d9618bcfe0eae0e987dfe602dfefb429 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 95% (>= 70%) → enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.050 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.035697s | CSR: 0.161849s | COO: 0.079997s
Selected baseline: COO (memory-based override: True)
rolv load time (operator build): 0.149013 s
rolv per-iter: 0.001959s
ROLV TFLOPS: 2042.15 | Base TFLOPS: 2.34
ROLV Tokens/s: 2552685.92 | Base Tokens/s: 62501.70
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

BASE_norm_hash: e1a90360ba8f3a6ce55dff4d1515996f6b04b522f024ed9ab8124c98d9cb2cf (COO)
CSR_norm_hash: e1a90360ba8f3a6ce55dff4d1515996f6b04b522f024ed9ab8124c98d9cb2cf
COO_norm_hash: e1a90360ba8f3a6ce55dff4d1515996f6b04b522f024ed9ab8124c98d9cb2cf
COO per-iter: 0.080004s | total: 80.004430s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 37.95x ($\approx$ 3695% faster)
Speedup (per-iter): 40.84x ($\approx$ 3984% faster)
Energy Savings: 97.55%
rolv vs rocSPARSE -> Speedup (per-iter): 84.20x | total: 78.25x
rolv vs COO: Speedup (per-iter): 40.85x | total: 37.96x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false, "effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE", "input_hash_A": "6417a2a60f09c4389956722addb9e641d9618bcfe0eae0e987dfe602fdefb429", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "e1a90360ba8f3a6ce55dff4d1515996f6b04b522f024ed9ab8124c98d9cb2cf", "CSR_norm_hash": "e1a90360ba8f3a6ce55dff4d1515996f6b04b522f024ed9ab8124c98d9cb2cf", "COO_norm_hash": "e1a90360ba8f3a6ce55dff4d1515996f6b04b522f024ed9ab8124c98d9cb2cf", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "100de79f25f9eba2174c313cdd119f1094c254144c65bddf7539fe46bd2b2afb", "CSR_qhash_d6": "100de79f25f9eba2174c313cdd119f1094c254144c65bddf7539fe46bd2b2afb", "COO_qhash_d6": "100de79f25f9eba2174c313cdd119f1094c254144c65bddf7539fe46bd2b2afb", "path_selected": "COO", "pilot_dense_per_iter_s": 0.035697, "pilot_csr_per_iter_s": 0.161849, "pilot_coo_per_iter_s": 0.079997, "rolv_build_s": 0.149013, "rolv_iter_s": 0.001959, "dense_iter_s": 0.079998, "csr_iter_s": 0.164932, "coo_iter_s": 0.080004, "rolv_total_s": 2.107734, "baseline_total_s": 79.997828, "speedup_total_vs_selected_x": 37.954, "speedup_iter_vs_selected_x": 40.842, "rolv_vs_vendor_sparse_iter_x": 84.204, "rolv_vs_vendor_sparse_total_x": 78.251, "rolv_vs_coo_iter_x": 40.845, "rolv_vs_coo_total_x": 37.958, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 2042.149, "base_tflops": 2.335, "rolv_tokens_per_sec": 2552685.917, "base_tokens_per_sec": 62501.697 }

ROLV

Benchmarks report

[2026-02-12 00:05:49] Seed: 123456 | Pattern: banded | Zeros: 95%
A_hash: f9841b629a96caca12ae5093b69047a66277d824418f1f09df0d2ec6bec61381 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 95% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.050 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.033535s | CSR: 0.008897s | COO: 0.006171s
Selected baseline: COO (memory-based override: True)
rolv load time (operator build): 0.148702 s
rolv per-iter: 0.001957s
ROLV TFLOPS: 2044.44 | Base TFLOPS: 1.28
ROLV Tokens/s: 2555545.68 | Base Tokens/s: 808220.04
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
a00aed09a9ca1a80f3acaafa376dc0e568949aeb81fcc547c28bc98683803a08 (COO)
CSR_norm_hash:
a00aed09a9ca1a80f3acaafa376dc0e568949aeb81fcc547c28bc98683803a08
COO_norm_hash:
a00aed09a9ca1a80f3acaafa376dc0e568949aeb81fcc547c28bc98683803a08
COO per-iter: 0.006205s | total: 6.205067s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 2.94x ($\approx 194\%$ faster)
Speedup (per-iter): 3.16x ($\approx 216\%$ faster)
Energy Savings: 68.37%
rolv vs rocSPARSE -> Speedup (per-iter): 4.61x | total: 4.28x
rolv vs COO: Speedup (per-iter): 3.17x | total: 2.95x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"f9841b629a96caca12ae5093b69047a66277d824418f1f09df0d2ec6bec61381",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"a00aed09a9ca1a80f3acaafa376dc0e568949aeb81fcc547c28bc98683803a08",
"CSR_norm_hash":
"a00aed09a9ca1a80f3acaafa376dc0e568949aeb81fcc547c28bc98683803a08",
"COO_norm_hash":
"a00aed09a9ca1a80f3acaafa376dc0e568949aeb81fcc547c28bc98683803a08",

ROLV

Benchmarks report

"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"9c378462296ec1cacef0a364ddaeebca041f1cfda7d5705308d0e32cbdf1f369",
"CSR_qhash_d6":
"9c378462296ec1cacef0a364ddaeebca041f1cfda7d5705308d0e32cbdf1f369",
"COO_qhash_d6":
"9c378462296ec1cacef0a364ddaeebca041f1cfda7d5705308d0e32cbdf1f369", "path_selected":
"COO", "pilot_dense_per_iter_s": 0.033535, "pilot_csr_per_iter_s": 0.008897,
"pilot_coo_per_iter_s": 0.006171, "rolv_build_s": 0.148702, "rolv_iter_s": 0.001957,
"dense_iter_s": 0.006186, "csr_iter_s": 0.009018, "coo_iter_s": 0.006205, "rolv_total_s":
2.105231, "baseline_total_s": 6.186434, "speedup_total_vs_selected_x": 2.939,
"speedup_iter_vs_selected_x": 3.162, "rolv_vs_vendor_sparse_iter_x": 4.609,
"rolv_vs_vendor_sparse_total_x": 4.284, "rolv_vs_coo_iter_x": 3.171, "rolv_vs_coo_total_x":
2.947, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2044.437, "base_tflops": 1.281,
"rolv_tokens_per_sec": 2555545.684, "base_tokens_per_sec": 808220.04}

[2026-02-12 00:06:43] Seed: 123456 | Pattern: block_diagonal | Zeros: 95%
A_hash: 743ed1c8dc03a5de5d0b131edc508c8c9e30dc02e5406aeb9cb6e8c0ce493874 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 95% (>= 70%) → enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.050 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.032441s | CSR: 0.006942s | COO: 0.004713s
Selected baseline: COO (memory-based override: True)
rolv load time (operator build): 0.149086 s
rolv per-iter: 0.001952s
ROLV TFLOPS: 2048.82 | Base TFLOPS: 1.05
ROLV Tokens/s: 2561021.37 | Base Tokens/s: 1057731.70
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
cb31498379c907686529a18f196926f32e7b1052704f4ed5aaebf0f0e0ed14b1 (COO)
CSR_norm_hash:
cb31498379c907686529a18f196926f32e7b1052704f4ed5aaebf0f0e0ed14b1
COO_norm_hash:
cb31498379c907686529a18f196926f32e7b1052704f4ed5aaebf0f0e0ed14b1
COO per-iter: 0.004736s | total: 4.736420s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 2.25x (≈ 125% faster)

ROLV

Benchmarks report

Speedup (per-iter): 2.42x ($\approx$ 142% faster)

Energy Savings: 58.70%

rolv vs rocSPARSE -> Speedup (per-iter): 3.57x | total: 3.32x

rolv vs COO: Speedup (per-iter): 2.43x | total: 2.25x

```
{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"743ed1c8dc03a5de5d0b131edc508c8c9e30dc02e5406aeb9cb6e8c0ce493874",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"cb31498379c907686529a18f196926f32e7b1052704f4ed5aaebf0f0e0ed14b1",
"CSR_norm_hash":
"cb31498379c907686529a18f196926f32e7b1052704f4ed5aaebf0f0e0ed14b1",
"COO_norm_hash":
"cb31498379c907686529a18f196926f32e7b1052704f4ed5aaebf0f0e0ed14b1",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"efbe0ca36ca8f3c6721275268db28beadf0ad8a4b2a7aa76452f596348100e65",
"CSR_qhash_d6":
"efbe0ca36ca8f3c6721275268db28beadf0ad8a4b2a7aa76452f596348100e65",
"COO_qhash_d6":
"efbe0ca36ca8f3c6721275268db28beadf0ad8a4b2a7aa76452f596348100e65",
"path_selected": "COO", "pilot_dense_per_iter_s": 0.032441, "pilot_csr_per_iter_s": 0.006942,
"pilot_coo_per_iter_s": 0.004713, "rolv_build_s": 0.149086, "rolv_iter_s": 0.001952,
"dense_iter_s": 0.004727, "csr_iter_s": 0.006971, "coo_iter_s": 0.004736, "rolv_total_s":
2.101432, "baseline_total_s": 4.727097, "speedup_total_vs_selected_x": 2.249,
"speedup_iter_vs_selected_x": 2.421, "rolv_vs_vendor_sparse_iter_x": 3.571,
"rolv_vs_vendor_sparse_total_x": 3.317, "rolv_vs_coo_iter_x": 2.426, "rolv_vs_coo_total_x":
2.254, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2048.817, "base_tflops": 1.055,
"rolv_tokens_per_sec": 2561021.367, "base_tokens_per_sec": 1057731.699}
```

[2026-02-12 00:07:32] Seed: 123456 | Pattern: random | Zeros: 99%

A_hash: 9fde8b5d279f5d4d8297c2b0a4f006d0bf2475b62e6dabc7da09b547c8edbc8a |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 99% ($\geq$ 70%) $\rightarrow$ enabling CSR/COO conversion for hashing/timing

ROLV

Benchmarks report

Sparse memory threshold density: 0.333 | Current density: 0.010 | Sparse better for memory: True

Baseline pilots per-iter -> Dense: 0.035028s | CSR: 0.065526s | COO: 0.020288s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.148619 s

rolv per-iter: 0.001951s

ROLV TFLOPS: 2049.82 | Base TFLOPS: 1.96

ROLV Tokens/s: 2562271.77 | Base Tokens/s: 245511.39

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:
cc8c3cc839a9d0c5930d0938d01d9bd2a7f5d66f47fcce4e53dec39e0dc7faa9 (COO)

CSR_norm_hash:
cc8c3cc839a9d0c5930d0938d01d9bd2a7f5d66f47fcce4e53dec39e0dc7faa9

COO_norm_hash:
cc8c3cc839a9d0c5930d0938d01d9bd2a7f5d66f47fcce4e53dec39e0dc7faa9

COO per-iter: 0.020486s | total: 20.485928s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 9.70x ($\approx$ 870% faster)

Speedup (per-iter): 10.44x ($\approx$ 944% faster)

Energy Savings: 90.42%

rolv vs rocSPARSE -> Speedup (per-iter): 34.36x | total: 31.93x

rolv vs COO: Speedup (per-iter): 10.50x | total: 9.76x

{"platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"9fde8b5d279f5d4d8297c2b0a4f006d0bf2475b62e6dabc7da09b547c8edbc8a",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"cc8c3cc839a9d0c5930d0938d01d9bd2a7f5d66f47fcce4e53dec39e0dc7faa9",
"CSR_norm_hash":
"cc8c3cc839a9d0c5930d0938d01d9bd2a7f5d66f47fcce4e53dec39e0dc7faa9",
"COO_norm_hash":
"cc8c3cc839a9d0c5930d0938d01d9bd2a7f5d66f47fcce4e53dec39e0dc7faa9",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"18a55821ec1e53d19620c8b3fdf1bd7dc27837e4d3f0bc4b8bb33ab2e24117eb",
"CSR_qhash_d6":

ROLV

Benchmarks report

"18a55821ec1e53d19620c8b3fdf1bd7dc27837e4d3f0bc4b8bb33ab2e24117eb",
"COO_qhash_d6":
"18a55821ec1e53d19620c8b3fdf1bd7dc27837e4d3f0bc4b8bb33ab2e24117eb",
"path_selected": "COO", "pilot_dense_per_iter_s": 0.035028, "pilot_csr_per_iter_s": 0.065526,
"pilot_coo_per_iter_s": 0.020288, "rolv_build_s": 0.148619, "rolv_iter_s": 0.001951,
"dense_iter_s": 0.020366, "csr_iter_s": 0.067058, "coo_iter_s": 0.020486, "rolv_total_s":
2.100013, "baseline_total_s": 20.365654, "speedup_total_vs_selected_x": 9.698,
"speedup_iter_vs_selected_x": 10.436, "rolv_vs_vendor_sparse_iter_x": 34.364,
"rolv_vs_vendor_sparse_total_x": 31.932, "rolv_vs_coo_iter_x": 10.498, "rolv_vs_coo_total_x":
9.755, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2049.817, "base_tflops": 1.964,
"rolv_tokens_per_sec": 2562271.774, "base_tokens_per_sec": 245511.385}

[2026-02-12 00:09:55] Seed: 123456 | Pattern: power_law | Zeros: 99%

A_hash: 3884cba828aa7a1488fc132da5edbcb037e4d5cda60d2548cbb05d1438117888 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 99% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.010 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.035183s | CSR: 0.062542s | COO: 0.019319s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.148755 s

rolv per-iter: 0.001957s

ROLV TFLOPS: 2043.87 | Base TFLOPS: 1.93

ROLV Tokens/s: 2554838.91 | Base Tokens/s: 257795.21

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

c3e9496be8a189fc75d306823ff6359f8fa3b5aa5557bbc72bae19d4a7ed7d5d (COO)

CSR_norm_hash:

c3e9496be8a189fc75d306823ff6359f8fa3b5aa5557bbc72bae19d4a7ed7d5d

COO_norm_hash:

c3e9496be8a189fc75d306823ff6359f8fa3b5aa5557bbc72bae19d4a7ed7d5d

COO per-iter: 0.019480s | total: 19.480160s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 9.21x ($\approx 821\%$ faster)

Speedup (per-iter): 9.91x ($\approx 891\%$ faster)

Energy Savings: 89.91%

rolv vs rocSPARSE -> Speedup (per-iter): 32.63x | total: 30.33x

rolv vs COO: Speedup (per-iter): 9.95x | total: 9.25x

ROLV

Benchmarks report

```
{
  "platform": "ROCm",
  "device": "AMD Instinct MI300X",
  "adapted_batch": false,
  "effective_batch": 5000,
  "dense_label": "rocBLAS",
  "sparse_label": "rocSPARSE",
  "input_hash_A":
    "3884cba828aa7a1488fc132da5edbc037e4d5cda60d2548cbb05d1438117888",
  "input_hash_B":
    "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash":
    "c3e9496be8a189fc75d306823ff6359f8fa3b5aa5557bbc72bae19d4a7ed7d5d",
  "CSR_norm_hash":
    "c3e9496be8a189fc75d306823ff6359f8fa3b5aa5557bbc72bae19d4a7ed7d5d",
  "COO_norm_hash":
    "c3e9496be8a189fc75d306823ff6359f8fa3b5aa5557bbc72bae19d4a7ed7d5d",
  "ROLV_qhash_d6":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6":
    "570879d26c1763504bd05013868ba03d6e5c343019d405fbb6664799c3446a0a",
  "CSR_qhash_d6":
    "570879d26c1763504bd05013868ba03d6e5c343019d405fbb6664799c3446a0a",
  "COO_qhash_d6":
    "570879d26c1763504bd05013868ba03d6e5c343019d405fbb6664799c3446a0a",
  "path_selected": "COO",
  "pilot_dense_per_iter_s": 0.035183,
  "pilot_csr_per_iter_s": 0.062542,
  "pilot_coo_per_iter_s": 0.019319,
  "rolv_build_s": 0.148755,
  "rolv_iter_s": 0.001957,
  "dense_iter_s": 0.019395,
  "csr_iter_s": 0.063864,
  "coo_iter_s": 0.01948,
  "rolv_total_s": 2.105826,
  "baseline_total_s": 19.39524,
  "speedup_total_vs_selected_x": 9.21,
  "speedup_iter_vs_selected_x": 9.91,
  "rolv_vs_vendor_sparse_iter_x": 32.632,
  "rolv_vs_vendor_sparse_total_x": 30.327,
  "rolv_vs_coo_iter_x": 9.954,
  "rolv_vs_coo_total_x": 9.251,
  "energy_iter_adaptive_telemetry": null,
  "telemetry_samples": 0,
  "correct_norm": "OK",
  "sparse_conversion_enabled": true,
  "rolv_tflops": 2043.871,
  "base_tflops": 1.927,
  "rolv_tokens_per_sec": 2554838.906,
  "base_tokens_per_sec": 257795.208
}
```

[2026-02-12 00:12:13] Seed: 123456 | Pattern: banded | Zeros: 99%

A_hash: 1b643fe5ac4811868b9b5bfee7d7ed4d02a612b4add98ac2d0f399d014599b67 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 99% ($\geq 70\%$) → enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.010 | Sparse better for memory: True

Baseline pilots per-iter -> Dense: 0.034045s | CSR: 0.005398s | COO: 0.003297s

Selected baseline: COO (memory-based override: True)

rolv load time (operator build): 0.149180 s

ROLV

Benchmarks report

rolv per-iter: 0.001955s
ROLV TFLOPS: 2046.44 | Base TFLOPS: 0.48
ROLV Tokens/s: 2558051.40 | Base Tokens/s: 1525048.40
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
2974cb2e57d28e2c52f6b64f51fb5c2c10ab828f6e7279b652ec7d4c7fa407ad (COO)
CSR_norm_hash:
2974cb2e57d28e2c52f6b64f51fb5c2c10ab828f6e7279b652ec7d4c7fa407ad
COO_norm_hash:
2974cb2e57d28e2c52f6b64f51fb5c2c10ab828f6e7279b652ec7d4c7fa407ad
COO per-iter: 0.003282s | total: 3.282230s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 1.56x ($\approx$ 56% faster)
Speedup (per-iter): 1.68x ($\approx$ 68% faster)
Energy Savings: 40.38%
rolv vs rocSPARSE -> Speedup (per-iter): 2.78x | total: 2.58x
rolv vs COO: Speedup (per-iter): 1.68x | total: 1.56x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false,
"effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE",
"input_hash_A":
"1b643fe5ac4811868b9b5bfee7d7ed4d02a612b4add98ac2d0f399d014599b67",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"2974cb2e57d28e2c52f6b64f51fb5c2c10ab828f6e7279b652ec7d4c7fa407ad",
"CSR_norm_hash":
"2974cb2e57d28e2c52f6b64f51fb5c2c10ab828f6e7279b652ec7d4c7fa407ad",
"COO_norm_hash":
"2974cb2e57d28e2c52f6b64f51fb5c2c10ab828f6e7279b652ec7d4c7fa407ad",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"36fab0207e13e7ae08a8c6db45526167c20c66464e356ba7cd4969570c1cb52",
"CSR_qhash_d6":
"36fab0207e13e7ae08a8c6db45526167c20c66464e356ba7cd4969570c1cb52",
"COO_qhash_d6":
"36fab0207e13e7ae08a8c6db45526167c20c66464e356ba7cd4969570c1cb52",
"path_selected": "COO", "pilot_dense_per_iter_s": 0.034045, "pilot_csr_per_iter_s": 0.005398,
"pilot_coo_per_iter_s": 0.003297, "rolv_build_s": 0.14918, "rolv_iter_s": 0.001955,

ROLV

Benchmarks report

"dense_iter_s": 0.003279, "csr_iter_s": 0.005433, "coo_iter_s": 0.003282, "rolv_total_s": 2.103793, "baseline_total_s": 3.278584, "speedup_total_vs_selected_x": 1.558, "speedup_iter_vs_selected_x": 1.677, "rolv_vs_vendor_sparse_iter_x": 2.779, "rolv_vs_vendor_sparse_total_x": 2.582, "rolv_vs_coo_iter_x": 1.679, "rolv_vs_coo_total_x": 1.56, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 2046.441, "base_tflops": 0.483, "rolv_tokens_per_sec": 2558051.404, "base_tokens_per_sec": 1525048.399}

[2026-02-12 00:12:58] Seed: 123456 | Pattern: block_diagonal | Zeros: 99%
A_hash: d78e202117fb1b5ee60605254db62aa72b0d2b72a9d6ceec1a84ad78c44df368 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 99% (>= 70%) → enabling CSR/COO conversion for hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.010 | Sparse better for memory: True
Baseline pilots per-iter -> Dense: 0.032737s | CSR: 0.004712s | COO: 0.003002s
Selected baseline: COO (memory-based override: True)
rolv load time (operator build): 0.149412 s
rolv per-iter: 0.001948s
ROLV TFLOPS: 2053.19 | Base TFLOPS: 0.33
ROLV Tokens/s: 2566483.10 | Base Tokens/s: 1664243.17
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
81df416748e59ff8fb7b3e31c4a3a74db121c9fc011e70c1604e496e3b107c2b (COO)
CSR_norm_hash:
81df416748e59ff8fb7b3e31c4a3a74db121c9fc011e70c1604e496e3b107c2b
COO_norm_hash:
81df416748e59ff8fb7b3e31c4a3a74db121c9fc011e70c1604e496e3b107c2b
COO per-iter: 0.003009s | total: 3.008636s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 1.43x (≈ 43% faster)
Speedup (per-iter): 1.54x (≈ 54% faster)
Energy Savings: 35.15%
rolv vs rocSPARSE -> Speedup (per-iter): 2.43x | total: 2.26x
rolv vs COO: Speedup (per-iter): 1.54x | total: 1.43x
{ "platform": "ROCm", "device": "AMD Instinct MI300X", "adapted_batch": false, "effective_batch": 5000, "dense_label": "rocBLAS", "sparse_label": "rocSPARSE", "input_hash_A": "d78e202117fb1b5ee60605254db62aa72b0d2b72a9d6ceec1a84ad78c44df368", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

ROLV

Benchmarks report

"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"81df416748e59ff8fb7b3e31c4a3a74db121c9fc011e70c1604e496e3b107c2b",
"CSR_norm_hash":
"81df416748e59ff8fb7b3e31c4a3a74db121c9fc011e70c1604e496e3b107c2b",
"COO_norm_hash":
"81df416748e59ff8fb7b3e31c4a3a74db121c9fc011e70c1604e496e3b107c2b",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"72ae2e8b1b11989b240bd407be5eae8d1ffdbf75beeacce50c056cdb544c412f",
"CSR_qhash_d6":
"72ae2e8b1b11989b240bd407be5eae8d1ffdbf75beeacce50c056cdb544c412f",
"COO_qhash_d6":
"72ae2e8b1b11989b240bd407be5eae8d1ffdbf75beeacce50c056cdb544c412f",
"path_selected": "COO", "pilot_dense_per_iter_s": 0.032737, "pilot_csr_per_iter_s": 0.004712,
"pilot_coo_per_iter_s": 0.003002, "rolv_build_s": 0.149412, "rolv_iter_s": 0.001948,
"dense_iter_s": 0.003004, "csr_iter_s": 0.004733, "coo_iter_s": 0.003009, "rolv_total_s":
2.097604, "baseline_total_s": 3.004369, "speedup_total_vs_selected_x": 1.432,
"speedup_iter_vs_selected_x": 1.542, "rolv_vs_vendor_sparse_iter_x": 2.429,
"rolv_vs_vendor_sparse_total_x": 2.256, "rolv_vs_coo_iter_x": 1.544, "rolv_vs_coo_total_x":
1.434, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 2053.186, "base_tflops": 0.331,
"rolv_tokens_per_sec": 2566483.097, "base_tokens_per_sec": 1664243.167}

=== FOOTER REPORT (ROCm) ===

- Aggregate speedup (total vs selected): 38.52x ($\approx$ 3752% faster)
- Aggregate speedup (per-iter vs selected): 41.51x ($\approx$ 4051% faster)
- Aggregate energy savings (proxy vs selected): 87.6%
- Verification: TF32 off, deterministic algorithms, CSR canonicalization, CPU-fp64 normalization and SHA-256 hashing.

{"platform": "ROCm", "device": "AMD Instinct MI300X",
"aggregate_speedup_total_vs_selected_x": 38.52, "aggregate_speedup_iter_vs_selected_x":
41.507, "aggregate_energy_savings_pct": 87.628, "verification": "TF32 off, deterministic
algorithms, CSR canonicalization, CPU-fp64 normalization, SHA-256 hashing"}

=== Timing & Energy Measurement Explanation ===

1. Per-iteration timing:

- Each library (Dense GEMM, CSR SpMM, rolv) is warmed up for a fixed number of iterations.

ROLV

Benchmarks report

- Then 'iters' iterations are executed, with synchronization to ensure all GPU/TPU work is complete.

- The average time per iteration is reported as `<library>_iter_s`.

2. Build/setup time:

- For rolv, operator construction (tiling, quantization, surrogate build) is timed separately as `rolv_build_s`.

- Vendor baselines (Dense/CSR) have negligible build cost, so only per-iter times are used.

3. Total time:

- For each library, total runtime = build/setup time + (per-iter time × number of iterations).

- Example: `rolv_total_s = rolv_build_s + rolv_iter_s * iters`

`baseline_total_s = baseline_iter_s * iters`

- This ensures all overheads are included, so comparisons are fair.

4. Speedup calculation:

- Speedup (per-iter) = `baseline_iter_s / rolv_iter_s`

- Speedup (total) = `baseline_total_s / rolv_total_s`

- Both metrics are reported to show raw kernel efficiency and end-to-end cost.

5. Energy measurement:

- Proxy energy savings are computed from per-iter times:

`energy_savings_pct = 100 × (1 - rolv_iter_s / baseline_iter_s)`

- If telemetry is enabled (NVML/ROCM SMI), instantaneous power samples (W) are integrated over time to yield Joules (trapz).

- Telemetry totals, when collected, are reported as `energy_iter_adaptive_telemetry` in the JSON payload.

6. Fairness guarantee:

- All libraries run the same matrix/vector inputs (identical seeds, identical input hashes).

- All outputs are normalized in CPU-fp64 before hashing to remove backend-specific numeric artifacts.

- CSR canonicalization (sorted indices) stabilizes sparse ordering and ensures reproducible hashes.

- All times include warmup, synchronization, and build/setup costs (for rolv) so speedups and energy savings are directly comparable across Dense, CSR, and rolv.

Imagination is the Only Limitation to Innovation

Rolv E. Heggenhougen

=====

ROLV

Benchmarks report

NVIDIA B200

20,000x20,000 matrix, batch 5,000, iterations 1000

=== RUN SUITE (CUDA) on NVIDIA B200 ===

[2026-02-11 22:50:57] Seed: 123456 | Pattern: random | Zeros: 0%
A_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 0% (< 70%) → skipping CSR/COO conversion (OOM prevention); using
Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 1.000 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.061878s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.250851 s
/tmp/ipykernel_321/54878460.py:509: UserWarning: Sparse CSR tensor support is in beta
state. If you miss a functionality in the sparse tensor support, please submit a feature request to
<https://github.com/pytorch/pytorch/issues>. (Triggered internally at
/pytorch/aten/src/ATen/SparseCsrTensorImpl.cpp:53.)
self.small = small.to_sparse_csr()
rolv per-iter: 0.000979s
ROLV TFLOPS: 4087.24 | Base TFLOPS: 64.64
ROLV Tokens/s: 5109052.90 | Base Tokens/s: 80800.88
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
b22bcb97b64974e1c0fb509dfb9f4288315ae9dc4d1b150a6fe54044123ada91 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 50.33x (≈ 4933% faster)
Speedup (per-iter): 63.23x (≈ 6223% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

ROLV

Benchmarks report

"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"b22bcb97b64974e1c0fb509dfb9f4288315ae9dc4d1b150a6fe54044123ada91",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"f0bb71e34023e6f1832ac28258224f58f729d88fec1724b4ff1764b2948db38b",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061878, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.250851, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061881, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.229506, "baseline_total_s": 61.880512,
"speedup_total_vs_selected_x": 50.33, "speedup_iter_vs_selected_x": 63.23,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4087.242, "base_tflops": 64.641, "rolv_tokens_per_sec": 5109052.896,
"base_tokens_per_sec": 80800.883}

[2026-02-11 22:52:09] Seed: 123456 | Pattern: power_law | Zeros: 0%

A_hash: 82b769ee8809097111872778e2cc8f15166c246fe3ab282d35d86794add32e24 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 0% (< 70%) → skipping CSR/COO conversion (OOM prevention); using
Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 1.000 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061878s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.184724 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4086.18 | Base TFLOPS: 64.64

ROLV Tokens/s: 5107728.36 | Base Tokens/s: 80793.84

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: acfd5e3a5c915558b2ef0cdf5cc25fa36ff8c74307a4a507e71d68292c018c8a
(Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.18x (≈ 5218% faster)

Speedup (per-iter): 63.22x (≈ 6222% faster)

ROLV

Benchmarks report

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

```
{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"82b769ee8809097111872778e2cc8f15166c246fe3ab282d35d86794add32e24",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"acfd5e3a5c915558b2ef0cdf5cc25fa36ff8c74307a4a507e71d68292c018c8a",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"2c337a34c868af7a802f0b20c702c9e3a0ce9d1ff31d48838b72095cb25c01ce",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061878, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.184724, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061886, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.163633, "baseline_total_s": 61.885902,
"speedup_total_vs_selected_x": 53.183, "speedup_iter_vs_selected_x": 63.219,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4086.183, "base_tflops": 64.635, "rolv_tokens_per_sec": 5107728.363,
"base_tokens_per_sec": 80793.845}
```

[2026-02-11 22:53:20] Seed: 123456 | Pattern: banded | Zeros: 0%

A_hash: 6cde74c5798c7c430dd46b95ba8e2f3c4e3c44f6dab704772e746e404eff77ca | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 0% (< 70%) → skipping CSR/COO conversion (OOM prevention); using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 1.000 | Sparse better for memory: False

Baseline pilots per-iter -> Dense: 0.061890s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.185154 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.30 | Base TFLOPS: 64.64

ROLV Tokens/s: 5106625.43 | Base Tokens/s: 80794.97

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

BASE_norm_hash:
b581e157bd8590550e9011584a73fc77eed5bbdb5aac085dabffb37ce67d9257 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.15x ($\approx$ 5215% faster)
Speedup (per-iter): 63.20x ($\approx$ 6220% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000, "dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A": "6cde74c5798c7c430dd46b95ba8e2f3c4e3c44f6dab704772e746e404eff77ca", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "b581e157bd8590550e9011584a73fc77eed5bbdb5aac085dabffb37ce67d9257", "CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "532b7fdd723129f417cf1b6d89c952f9e4d25cf7afc42933e9795ffbd6193bad", "CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense", "pilot_dense_per_iter_s": 0.06189, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A", "rolv_build_s": 0.185154, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061885, "csr_iter_s": "N/A", "coo_iter_s": "N/A", "rolv_total_s": 1.164274, "baseline_total_s": 61.885043, "speedup_total_vs_selected_x": 53.153, "speedup_iter_vs_selected_x": 63.205, "rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A", "rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false, "rolv_tflops": 4085.3, "base_tflops": 64.636, "rolv_tokens_per_sec": 5106625.429, "base_tokens_per_sec": 80794.967 }

[2026-02-11 22:54:30] Seed: 123456 | Pattern: block_diagonal | Zeros: 0%
A_hash: 928187f51806f14eed31e1909ce8b05f76c1c5b91a7d26cb4f495951156ee206 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 0% (< 70%) → skipping CSR/COO conversion (OOM prevention); using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 1.000 | Sparse better for memory: False
Baseline pilots per-iter -> Dense: 0.061878s
Selected baseline: Dense (memory-based override: False)

ROLV

Benchmarks report

rolv load time (operator build): 0.185334 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4085.19 | Base TFLOPS: 64.65
ROLV Tokens/s: 5106486.64 | Base Tokens/s: 80807.34
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
3fcdc0e595da85cfb95cfd32328e0970c490d8f8a36fba3d969c7aef257c9b2 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.14x ($\approx$ 5214% faster)
Speedup (per-iter): 63.19x ($\approx$ 6219% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{
 "platform": "CUDA",
 "device": "NVIDIA B200",
 "adapted_batch": false,
 "effective_batch": 5000,
 "dense_label": "cuBLAS",
 "sparse_label": "cuSPARSE",
 "input_hash_A":
 "928187f51806f14eed31e1909ce8b05f76c1c5b91a7d26cb4f495951156ee206",
 "input_hash_B":
 "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
 "ROLV_norm_hash":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_norm_hash":
 "3fcdc0e595da85cfb95cfd32328e0970c490d8f8a36fba3d969c7aef257c9b2",
 "CSR_norm_hash": "N/A",
 "COO_norm_hash": "N/A",
 "ROLV_qhash_d6":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_qhash_d6":
 "c38e3e803b981809b78d1cde860a4564ce92494e0d87b597c35811ab294920b4",
 "CSR_qhash_d6": "N/A",
 "COO_qhash_d6": "N/A",
 "path_selected": "Dense",
 "pilot_dense_per_iter_s": 0.061878,
 "pilot_csr_per_iter_s": "N/A",
 "pilot_coo_per_iter_s": "N/A",
 "rolv_build_s": 0.185334,
 "rolv_iter_s": 0.000979,
 "dense_iter_s": 0.061876,
 "csr_iter_s": "N/A",
 "coo_iter_s": "N/A",
 "rolv_total_s": 1.16448,
 "baseline_total_s": 61.875566,
 "speedup_total_vs_selected_x": 53.136,
 "speedup_iter_vs_selected_x": 63.193,
 "rolv_vs_vendor_sparse_iter_x": "N/A",
 "rolv_vs_vendor_sparse_total_x": "N/A",
 "rolv_vs_coo_iter_x": "N/A",
 "rolv_vs_coo_total_x": "N/A",
 "energy_iter_adaptive_telemetry":
 null,
 "telemetry_samples": 0,
 "correct_norm": "OK",
 "sparse_conversion_enabled": false,
 "rolv_tflops": 4085.189,
 "base_tflops": 64.646,
 "rolv_tokens_per_sec": 5106486.641,
 "base_tokens_per_sec": 80807.341
}

[2026-02-11 22:55:41] Seed: 123456 | Pattern: random | Zeros: 10%

ROLV

Benchmarks report

A_hash: fcedbd7a862de3bcf7835c9fa796c75b1365877a48d561429563503013d440c5 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 10% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.900 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.061879s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.182718 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4085.88 | Base TFLOPS: 64.63
ROLV Tokens/s: 5107348.14 | Base Tokens/s: 80790.29
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
9c86be5aced3a2f9c06365ba2d48a82d546c3b9420857fb1abd13febc67d78f9 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.27x ($\approx$ 5227% faster)
Speedup (per-iter): 63.22x ($\approx$ 6222% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"fcedbd7a862de3bcf7835c9fa796c75b1365877a48d561429563503013d440c5",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"9c86be5aced3a2f9c06365ba2d48a82d546c3b9420857fb1abd13febc67d78f9",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"89633c3e64331d116a585a14f1c2b9f2fa85dd7799e3b138717d6d7fbcd805fd",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061879, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.182718, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061889, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.1617, "baseline_total_s": 61.888629,

ROLV

Benchmarks report

"speedup_total_vs_selected_x": 53.274, "speedup_iter_vs_selected_x": 63.217,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.879, "base_tflops": 64.632, "rolv_tokens_per_sec": 5107348.141,
"base_tokens_per_sec": 80790.286}

[2026-02-11 22:56:52] Seed: 123456 | Pattern: power_law | Zeros: 10%

A_hash: 4138339f0cdc73b6251346583279c5a160793fb9f057a7d6c3642b72dfa464d3 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 10% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.900 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061878s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.185764 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.22 | Base TFLOPS: 64.64

ROLV Tokens/s: 5106526.75 | Base Tokens/s: 80797.57

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

42e67f7a7d127ae6dc415c6d42d4e4aa30d550691711b89004b8eec0b3b59d39 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.12x ($\approx$ 5212% faster)

Speedup (per-iter): 63.20x ($\approx$ 6220% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"4138339f0cdc73b6251346583279c5a160793fb9f057a7d6c3642b72dfa464d3",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"42e67f7a7d127ae6dc415c6d42d4e4aa30d550691711b89004b8eec0b3b59d39",

ROLV

Benchmarks report

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"3d402b0267368589881e5e7555ffe7f9fc87fec9ea1a37cd15e39cd5f257e64c",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061878, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.185764, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061883, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.164903, "baseline_total_s": 61.883047,
"speedup_total_vs_selected_x": 53.123, "speedup_iter_vs_selected_x": 63.201,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.221, "base_tflops": 64.638, "rolv_tokens_per_sec": 5106526.748,
"base_tokens_per_sec": 80797.573}

[2026-02-11 22:58:04] Seed: 123456 | Pattern: banded | Zeros: 10%

A_hash: 455353dd2477fa9d9dbd47d42729848f594857dd2a24196a2890f33066f15038 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 10% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.900 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061887s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.182744 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.82 | Base TFLOPS: 64.64

ROLV Tokens/s: 5107273.95 | Base Tokens/s: 80797.72

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: f56c010035bba4a0b23bcf3071f2ffc327a5df83b45e1de65d1edb661fe85978
(Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.27x ($\approx$ 5227% faster)

Speedup (per-iter): 63.21x ($\approx$ 6221% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

ROLV

Benchmarks report

```
{
  "platform": "CUDA",
  "device": "NVIDIA B200",
  "adapted_batch": false,
  "effective_batch": 5000,
  "dense_label": "cuBLAS",
  "sparse_label": "cuSPARSE",
  "input_hash_A": "455353dd2477fa9d9dbd47d42729848f594857dd2a24196a2890f33066f15038",
  "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash": "f56c010035bba4a0b23bcf3071f2ffc327a5df83b45e1de65d1edb661fe85978",
  "CSR_norm_hash": "N/A",
  "COO_norm_hash": "N/A",
  "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6": "6f0663d07f5b8f2e628bb60d4cf70fd443cc5d0ab802aede3d066c26e7ac8cc0",
  "CSR_qhash_d6": "N/A",
  "COO_qhash_d6": "N/A",
  "path_selected": "Dense",
  "pilot_dense_per_iter_s": 0.061887,
  "pilot_csr_per_iter_s": "N/A",
  "pilot_coo_per_iter_s": "N/A",
  "rolv_build_s": 0.182744,
  "rolv_iter_s": 0.000979,
  "dense_iter_s": 0.061883,
  "csr_iter_s": "N/A",
  "coo_iter_s": "N/A",
  "rolv_total_s": 1.16174,
  "baseline_total_s": 61.882937,
  "speedup_total_vs_selected_x": 53.267,
  "speedup_iter_vs_selected_x": 63.211,
  "rolv_vs_vendor_sparse_iter_x": "N/A",
  "rolv_vs_vendor_sparse_total_x": "N/A",
  "rolv_vs_coo_iter_x": "N/A",
  "rolv_vs_coo_total_x": "N/A",
  "energy_iter_adaptive_telemetry": null,
  "telemetry_samples": 0,
  "correct_norm": "OK",
  "sparse_conversion_enabled": false,
  "rolv_tflops": 4085.819,
  "base_tflops": 64.638,
  "rolv_tokens_per_sec": 5107273.95,
  "base_tokens_per_sec": 80797.716
}
```

[2026-02-11 22:59:14] Seed: 123456 | Pattern: block_diagonal | Zeros: 10%
A_hash: 6f09b58719406e66ca623118ad39f57e70df5ffbf5900192afef5367ee540b98 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 10% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.900 | Sparse better for memory: False
Baseline pilots per-iter -> Dense: 0.061888s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.185184 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4085.26 | Base TFLOPS: 64.64
ROLV Tokens/s: 5106578.00 | Base Tokens/s: 80799.87
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash: fba05573433f973280aae9339c8aec651002b9b54e39a8c3b776566f29a10daa (Dense)
CSR_norm_hash: N/A

ROLV

Benchmarks report

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.15x ($\approx$ 5215% faster)

Speedup (per-iter): 63.20x ($\approx$ 6220% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

```
{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"6f09b58719406e66ca623118ad39f57e70df5ffbf5900192afef5367ee540b98", "input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"fba05573433f973280aae9339c8aec651002b9b54e39a8c3b776566f29a10daa",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"88e8a7d2220af89b72ce9225547ab8d7fbe66688bf6f1e0fcb5b17e8c383fcde",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061888, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.185184, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061881, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.164313, "baseline_total_s": 61.881285,
"speedup_total_vs_selected_x": 53.148, "speedup_iter_vs_selected_x": 63.2,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.262, "base_tflops": 64.64, "rolv_tokens_per_sec": 5106577.998,
"base_tokens_per_sec": 80799.873}
```

[2026-02-11 23:00:26] Seed: 123456 | Pattern: random | Zeros: 20%

A_hash: 241c9e1ae1ad1e7dd31783af02cdc9afedb33f605cac87b524c9ef558e461c0a | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 20% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.800 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061884s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.186743 s

rolv per-iter: 0.000979s

ROLV

Benchmarks report

ROLV TFLOPS: 4085.91 | Base TFLOPS: 64.64
ROLV Tokens/s: 5107381.26 | Base Tokens/s: 80796.85
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
c3a0b427d1702c8591aeb6a2dfb1215dc8b04f14ee247b350ffad4b774292e8c (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.09x ($\approx$ 5209% faster)
Speedup (per-iter): 63.21x ($\approx$ 6221% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"241c9e1ae1ad1e7dd31783af02cdc9afedb33f605cac87b524c9ef558e461c0a", "input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"c3a0b427d1702c8591aeb6a2dfb1215dc8b04f14ee247b350ffad4b774292e8c",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"0aa8516c9c9c267cae63475689802133a558611773d5441b1aac5f4298f53b84",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061884, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.186743, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061884, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.165718, "baseline_total_s": 61.883602,
"speedup_total_vs_selected_x": 53.086, "speedup_iter_vs_selected_x": 63.213,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.905, "base_tflops": 64.637, "rolv_tokens_per_sec": 5107381.257,
"base_tokens_per_sec": 80796.849}

[2026-02-11 23:01:38] Seed: 123456 | Pattern: power_law | Zeros: 20%
A_hash: 3e8df7065a476be45accbb65df33d481f7e7190e4ace3dc096659e4025a2cf5d |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

ROLV

Benchmarks report

[SPARSE SKIP] Zeros 20% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.800 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.061885s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.183277 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4085.73 | Base TFLOPS: 64.63
ROLV Tokens/s: 5107164.74 | Base Tokens/s: 80793.48
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
c6f9fa161d7360ca1e339e6daf69ad35bab23a62e83c254bac69332f7c49a8cd (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.24x ($\approx$ 5224% faster)
Speedup (per-iter): 63.21x ($\approx$ 6221% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"3e8df7065a476be45accbb65df33d481f7e7190e4ace3dc096659e4025a2cf5d",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"c6f9fa161d7360ca1e339e6daf69ad35bab23a62e83c254bac69332f7c49a8cd",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"209700feb0a5ff4167ee6f7d9076c16d37d7cd338f6b384179dfbfc6b347bb51",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061885, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.183277, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061886, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.162294, "baseline_total_s": 61.886184,
"speedup_total_vs_selected_x": 53.245, "speedup_iter_vs_selected_x": 63.213,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",

ROLV

Benchmarks report

"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false, "rolv_tflops": 4085.732, "base_tflops": 64.635, "rolv_tokens_per_sec": 5107164.737, "base_tokens_per_sec": 80793.478}

[2026-02-11 23:02:50] Seed: 123456 | Pattern: banded | Zeros: 20%

A_hash: 07070988c51876f22cca21b434661b429bb109aa48d51aa347089e4a1fa6332d |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 20% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.800 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061885s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.184937 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.54 | Base TFLOPS: 64.63

ROLV Tokens/s: 5106930.41 | Base Tokens/s: 80791.45

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: 2b48f83dc8283e3fcb99f91e1c58943148ba3f425791a924f6f9f8f52927eb67
(Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.17x ($\approx$ 5217% faster)

Speedup (per-iter): 63.21x ($\approx$ 6221% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"07070988c51876f22cca21b434661b429bb109aa48d51aa347089e4a1fa6332d",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"2b48f83dc8283e3fcb99f91e1c58943148ba3f425791a924f6f9f8f52927eb67",

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"DENSE_qhash_d6":
"8a6e7f3ecbd6d4005fa4cdf628d95b5310797c62a842e7f8756149c534d599e2",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061885, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.184937, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061888, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.163999, "baseline_total_s": 61.887734,
"speedup_total_vs_selected_x": 53.168, "speedup_iter_vs_selected_x": 63.211,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.544, "base_tflops": 64.633, "rolv_tokens_per_sec": 5106930.408,
"base_tokens_per_sec": 80791.453}

[2026-02-11 23:04:00] Seed: 123456 | Pattern: block_diagonal | Zeros: 20%
A_hash: 5a53e836f7b2cd27546a15d4db5cc5926a3ca3ba533f906b542888376b473a52 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 20% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.800 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.061883s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.187612 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4084.82 | Base TFLOPS: 64.64
ROLV Tokens/s: 5106020.04 | Base Tokens/s: 80804.19
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
d88c3fafbc18ef52a793785773095460447b3b6d3bd670883493d18c7d1420a4 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.03x ($\approx$ 5203% faster)
Speedup (per-iter): 63.19x ($\approx$ 6219% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"5a53e836f7b2cd27546a15d4db5cc5926a3ca3ba533f906b542888376b473a52",

ROLV

Benchmarks report

"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"d88c3fafbc18ef52a793785773095460447b3b6d3bd670883493d18c7d1420a4",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"a9468413a2fbde8dcc64dee3b2f75a2cf9a82ee28b534fd754d4ac8a0c9dc2fe",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061883, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.187612, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061878, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.166849, "baseline_total_s": 61.877977,
"speedup_total_vs_selected_x": 53.03, "speedup_iter_vs_selected_x": 63.19,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4084.816, "base_tflops": 64.643, "rolv_tokens_per_sec": 5106020.036,
"base_tokens_per_sec": 80804.194}

[2026-02-11 23:05:12] Seed: 123456 | Pattern: random | Zeros: 30%

A_hash: 95b8140be20b4b57da78385a6440c618d692cfbf9765792f745c8e19ae23c5af |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 30% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.700 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061893s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.185779 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4086.23 | Base TFLOPS: 64.63

ROLV Tokens/s: 5107785.69 | Base Tokens/s: 80790.68

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

230a5802084e704657383672351e51d59ce63ccd82ac1543787590866bbc6670 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

ROLV

Benchmarks report

Speedup (total): 53.14x ($\approx$ 5214% faster)

Speedup (per-iter): 63.22x ($\approx$ 6222% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

```
{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"95b8140be20b4b57da78385a6440c618d692cfbf9765792f745c8e19ae23c5af",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"230a5802084e704657383672351e51d59ce63ccd82ac1543787590866bbc6670",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"f6771795b4ca76878b76bd2923dd56d9de7aed13e274ef23da26bb3af997f5c8",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061893, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.185779, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061888, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.164677, "baseline_total_s": 61.888324,
"speedup_total_vs_selected_x": 53.138, "speedup_iter_vs_selected_x": 63.222,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4086.229, "base_tflops": 64.633, "rolv_tokens_per_sec": 5107785.688,
"base_tokens_per_sec": 80790.683}
```

[2026-02-11 23:06:24] Seed: 123456 | Pattern: power_law | Zeros: 30%

A_hash: f6d025e43fc1174a0157010629de5fdd48f83e6312238483317a7c22b7303e2d |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 30% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.700 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061878s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.196813 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.46 | Base TFLOPS: 64.64

ROLV Tokens/s: 5106828.21 | Base Tokens/s: 80799.23

ROLV

Benchmarks report

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash: 89faf905ccd2bfdb062791946d11b8e39983749baf22be49f4cbbfd18d7fbae8
(Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 52.63x ($\approx$ 5163% faster)
Speedup (per-iter): 63.20x ($\approx$ 6220% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"f6d025e43fc1174a0157010629de5fdd48f83e6312238483317a7c22b7303e2d",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"89faf905ccd2bfdb062791946d11b8e39983749baf22be49f4cbbfd18d7fbae8",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"ccae3d1b6c6e4a0f43c4dd42917b90bbba64fb8d043b274fef37c67be276eb87",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061878, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.196813, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061882, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.175895, "baseline_total_s": 61.881777,
"speedup_total_vs_selected_x": 52.625, "speedup_iter_vs_selected_x": 63.204,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.463, "base_tflops": 64.639, "rolv_tokens_per_sec": 5106828.213,
"base_tokens_per_sec": 80799.231 }

[2026-02-11 23:07:35] Seed: 123456 | Pattern: banded | Zeros: 30%

A_hash: 371f217d7de549a72b1ff554b7cacc37a87d447edb3826247e81d9c07f9e3d3c |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 30% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

ROLV

Benchmarks report

Sparse memory threshold density: 0.333 | Current density: 0.700 | Sparse better for memory: False

Baseline pilots per-iter -> Dense: 0.061882s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.185741 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.14 | Base TFLOPS: 64.64

ROLV Tokens/s: 5106429.03 | Base Tokens/s: 80796.41

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:
8ca0897f1041fb7b72cb244a478bbba101870392a6f42978861c3dce2d8c5494 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.12x ($\approx$ 5212% faster)

Speedup (per-iter): 63.20x ($\approx$ 6220% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000, "dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A": "371f217d7de549a72b1ff554b7cacc37a87d447edb3826247e81d9c07f9e3d3c", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "8ca0897f1041fb7b72cb244a478bbba101870392a6f42978861c3dce2d8c5494", "CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "7c945bbfc851567ed2924eea3df22c71aa40fc0f0178f8bb4467fbfb08e542c8", "CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense", "pilot_dense_per_iter_s": 0.061882, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A", "rolv_build_s": 0.185741, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061884, "csr_iter_s": "N/A", "coo_iter_s": "N/A", "rolv_total_s": 1.164899, "baseline_total_s": 61.883941, "speedup_total_vs_selected_x": 53.124, "speedup_iter_vs_selected_x": 63.201, "rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A", "rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,

ROLV

Benchmarks report

"rolv_tflops": 4085.143, "base_tflops": 64.637, "rolv_tokens_per_sec": 5106429.027,
"base_tokens_per_sec": 80796.405}

[2026-02-11 23:08:47] Seed: 123456 | Pattern: block_diagonal | Zeros: 30%

A_hash: 68e548d8c4dbbd9da0da1547aef6294482b8de36d3b2bbda247af9196b0a28f9 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 30% (< 70%) → skipping CSR/COO conversion (OOM prevention);

using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.700 | Sparse better for memory:

False

Baseline pilots per-iter -> Dense: 0.061880s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.184477 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.22 | Base TFLOPS: 64.65

ROLV Tokens/s: 5106527.07 | Base Tokens/s: 80808.84

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

4fe79b7dbd5ba6af4acd4e15f1689fbd90e366cecf4d7083dcfd44636179ec4 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.17x ($\approx$ 5217% faster)

Speedup (per-iter): 63.19x ($\approx$ 6219% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"68e548d8c4dbbd9da0da1547aef6294482b8de36d3b2bbda247af9196b0a28f9",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"4fe79b7dbd5ba6af4acd4e15f1689fbd90e366cecf4d7083dcfd44636179ec4",

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"ed285c688756225a6444e258d0a721a9334c247f6fbf85ddbd18004995d8a3cd",

ROLV

Benchmarks report

"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.06188, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.184477, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061874, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.163616, "baseline_total_s": 61.874422,
"speedup_total_vs_selected_x": 53.174, "speedup_iter_vs_selected_x": 63.193,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.222, "base_tflops": 64.647, "rolv_tokens_per_sec": 5106527.067,
"base_tokens_per_sec": 80808.836}

[2026-02-11 23:09:58] Seed: 123456 | Pattern: random | Zeros: 40%

A_hash: e3644a901043856adaa3b878146a5978eda600732465e78134f6121ad2135eab |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 40% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.600 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061913s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.254724 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.59 | Base TFLOPS: 64.64

ROLV Tokens/s: 5106988.99 | Base Tokens/s: 80799.76

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 50.16x ($\approx$ 4916% faster)

Speedup (per-iter): 63.21x ($\approx$ 6221% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"e3644a901043856adaa3b878146a5978eda600732465e78134f6121ad2135eab",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

ROLV

Benchmarks report

"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"d02e8632c028003b3549fb086dad732fc49aed49a06e28cfc5e2a0f32da41a36",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061913, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.254724, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061881, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.233775, "baseline_total_s": 61.881375,
"speedup_total_vs_selected_x": 50.156, "speedup_iter_vs_selected_x": 63.206,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.591, "base_tflops": 64.64, "rolv_tokens_per_sec": 5106988.988,
"base_tokens_per_sec": 80799.756}

[2026-02-11 23:11:11] Seed: 123456 | Pattern: power_law | Zeros: 40%

A_hash: 0bc0d2cd333849b2bc5726b8182342a2b1f1692dec3ce1baa02459ebd0fecae6e |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 40% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.600 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061894s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.182440 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.98 | Base TFLOPS: 64.64

ROLV Tokens/s: 5107474.24 | Base Tokens/s: 80804.98

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

3200b111483c9fae293d87a88a8e25c6fe52eb6436f1def69101414d10b57cfb (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.28x (≈ 5228% faster)

Speedup (per-iter): 63.21x (≈ 6221% faster)

ROLV

Benchmarks report

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

```
{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"0bc0d2cd333849b2bc5726b8182342a2b1f1692dec3ce1baa02459ebd0feca6e",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"3200b111483c9fae293d87a88a8e25c6fe52eb6436f1def69101414d10b57cfb",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"1bb133eca121d0422acc7c427733ee08af00c0731d925906a3a7449af91e982e",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061894, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.18244, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061877, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.161397, "baseline_total_s": 61.877371,
"speedup_total_vs_selected_x": 53.278, "speedup_iter_vs_selected_x": 63.207,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.979, "base_tflops": 64.644, "rolv_tokens_per_sec": 5107474.239,
"base_tokens_per_sec": 80804.984}
```

[2026-02-11 23:12:22] Seed: 123456 | Pattern: banded | Zeros: 40%

A_hash: 69975c70a3346649e1fbefab534eae7887a68247af2ad0c91ced7488ab619e6c |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 40% (< 70%) → skipping CSR/COO conversion (OOM prevention);

using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.600 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061874s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.185083 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.20 | Base TFLOPS: 64.64

ROLV Tokens/s: 5106501.92 | Base Tokens/s: 80802.76

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

BASE_norm_hash:

1e73da27ba6b296895312009edb9bddcc8b91b02b3647b7a9aae70a80af2067f (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.15x ($\approx$ 5215% faster)

Speedup (per-iter): 63.20x ($\approx$ 6220% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

```
{
  "platform": "CUDA",
  "device": "NVIDIA B200",
  "adapted_batch": false,
  "effective_batch": 5000,
  "dense_label": "cuBLAS",
  "sparse_label": "cuSPARSE",
  "input_hash_A":
    "69975c70a3346649e1fbefab534eae7887a68247af2ad0c91ced7488ab619e6c",
  "input_hash_B":
    "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash":
    "1e73da27ba6b296895312009edb9bddcc8b91b02b3647b7a9aae70a80af2067f",
  "CSR_norm_hash": "N/A",
  "COO_norm_hash": "N/A",
  "ROLV_qhash_d6":
    "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6":
    "80fe483ed7c35f0587e85f5c26d02f3e5b9572628977d7add5283e61db8ad088",
  "CSR_qhash_d6": "N/A",
  "COO_qhash_d6": "N/A",
  "path_selected": "Dense",
  "pilot_dense_per_iter_s": 0.061874,
  "pilot_csr_per_iter_s": "N/A",
  "pilot_coo_per_iter_s": "N/A",
  "rolv_build_s": 0.185083,
  "rolv_iter_s": 0.000979,
  "dense_iter_s": 0.061879,
  "csr_iter_s": "N/A",
  "coo_iter_s": "N/A",
  "rolv_total_s": 1.164227,
  "baseline_total_s": 61.879078,
  "speedup_total_vs_selected_x": 53.15,
  "speedup_iter_vs_selected_x": 63.197,
  "rolv_vs_vendor_sparse_iter_x": "N/A",
  "rolv_vs_vendor_sparse_total_x": "N/A",
  "rolv_vs_coo_iter_x": "N/A",
  "rolv_vs_coo_total_x": "N/A",
  "energy_iter_adaptive_telemetry":
    null,
  "telemetry_samples": 0,
  "correct_norm": "OK",
  "sparse_conversion_enabled": false,
  "rolv_tflops": 4085.202,
  "base_tflops": 64.642,
  "rolv_tokens_per_sec": 5106501.92,
  "base_tokens_per_sec": 80802.755
}
```

[2026-02-11 23:13:31] Seed: 123456 | Pattern: block_diagonal | Zeros: 40%

A_hash: d7a5bfe4c7f465590f90417984ef8f0754801ffe2307e0f3a276649b4868f2ad | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 40% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.600 | Sparse better for memory:
False

ROLV

Benchmarks report

Baseline pilots per-iter -> Dense: 0.061871s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.185652 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4085.49 | Base TFLOPS: 64.65
ROLV Tokens/s: 5106863.55 | Base Tokens/s: 80817.60
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
988617603b8b5a585fdf4dad647ec0ecddad53772808704777c1f88f54f0325c (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.12x ($\approx$ 5212% faster)
Speedup (per-iter): 63.19x ($\approx$ 6219% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{
 "platform": "CUDA",
 "device": "NVIDIA B200",
 "adapted_batch": false,
 "effective_batch": 5000,
 "dense_label": "cuBLAS",
 "sparse_label": "cuSPARSE",
 "input_hash_A":
 "d7a5bfe4c7f465590f90417984ef8f0754801ffe2307e0f3a276649b4868f2ad",
 "input_hash_B":
 "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
 "ROLV_norm_hash":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_norm_hash":
 "988617603b8b5a585fdf4dad647ec0ecddad53772808704777c1f88f54f0325c",
 "CSR_norm_hash": "N/A",
 "COO_norm_hash": "N/A",
 "ROLV_qhash_d6":
 "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
 "DENSE_qhash_d6":
 "9993275a88ff770aeb9aca162be175a9c3040c53c5c7f6fc2a4f319c31cfdc98",
 "CSR_qhash_d6": "N/A",
 "COO_qhash_d6": "N/A",
 "path_selected": "Dense",
 "pilot_dense_per_iter_s": 0.061871,
 "pilot_csr_per_iter_s": "N/A",
 "pilot_coo_per_iter_s": "N/A",
 "rolv_build_s": 0.185652,
 "rolv_iter_s": 0.000979,
 "dense_iter_s": 0.061868,
 "csr_iter_s": "N/A",
 "coo_iter_s": "N/A",
 "rolv_total_s": 1.164726,
 "baseline_total_s": 61.867715,
 "speedup_total_vs_selected_x": 53.118,
 "speedup_iter_vs_selected_x": 63.19,
 "rolv_vs_vendor_sparse_iter_x": "N/A",
 "rolv_vs_vendor_sparse_total_x": "N/A",
 "rolv_vs_coo_iter_x": "N/A",
 "rolv_vs_coo_total_x": "N/A",
 "energy_iter_adaptive_telemetry": null,
 "telemetry_samples": 0,
 "correct_norm": "OK",
 "sparse_conversion_enabled": false,
 "rolv_tflops": 4085.491,
 "base_tflops": 64.654,
 "rolv_tokens_per_sec": 5106863.551,
 "base_tokens_per_sec": 80817.596
}

ROLV

Benchmarks report

[2026-02-11 23:14:44] Seed: 123456 | Pattern: random | Zeros: 50%
A_hash: 6e4770bed2259e6973f564d1f8d9f3edc952d13fc6befcf5a9f9094269703540 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 50% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.500 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.061875s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.185203 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4084.36 | Base TFLOPS: 64.65
ROLV Tokens/s: 5105454.24 | Base Tokens/s: 80811.74
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
16a6f29a289e90371d2461de0e92f680a147484e05e7a322305ac8403f395404 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.13x ($\approx$ 5213% faster)
Speedup (per-iter): 63.18x ($\approx$ 6218% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"6e4770bed2259e6973f564d1f8d9f3edc952d13fc6befcf5a9f9094269703540", "input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"16a6f29a289e90371d2461de0e92f680a147484e05e7a322305ac8403f395404",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"6411421f1efd8ea75978adb572c41db98aed6edb716989a47e78ad96e0a71457",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061875, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.185203, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061872, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.164548, "baseline_total_s": 61.872199,

ROLV

Benchmarks report

"speedup_total_vs_selected_x": 53.13, "speedup_iter_vs_selected_x": 63.177,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4084.363, "base_tflops": 64.649, "rolv_tokens_per_sec": 5105454.242,
"base_tokens_per_sec": 80811.739}

[2026-02-11 23:15:55] Seed: 123456 | Pattern: power_law | Zeros: 50%

A_hash: e868d93c6a2425c33f4461dda493d60421f514ce596dcf01814e71c6fb964106 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 50% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.500 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061875s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.184641 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.33 | Base TFLOPS: 64.65

ROLV Tokens/s: 5106656.63 | Base Tokens/s: 80807.64

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

2c7b53eec42709fbc3a8cece030b36aa65de803ee859a661ae2d92444e839f2b (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.17x (≈ 5217% faster)

Speedup (per-iter): 63.20x (≈ 6220% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"e868d93c6a2425c33f4461dda493d60421f514ce596dcf01814e71c6fb964106",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"2c7b53eec42709fbc3a8cece030b36aa65de803ee859a661ae2d92444e839f2b",

ROLV

Benchmarks report

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"5eedfa8fdcd56343dcae7a1bcfe78a3e0011acf344fa0a15bca967f4c5750f59",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061875, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.184641, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061875, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.163755, "baseline_total_s": 61.875336,
"speedup_total_vs_selected_x": 53.169, "speedup_iter_vs_selected_x": 63.195,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4085.325, "base_tflops": 64.646, "rolv_tokens_per_sec": 5106656.625,
"base_tokens_per_sec": 80807.642}

[2026-02-11 23:17:06] Seed: 123456 | Pattern: banded | Zeros: 50%

A_hash: 36930b864e45f6c7bc4c05a36ceed9e5546aba4f26c38e27ec94b84500ab052f |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 50% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.500 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061882s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.181570 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.17 | Base TFLOPS: 64.64

ROLV Tokens/s: 5106458.31 | Base Tokens/s: 80803.89

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

0fe031672a78ac00d079d51b2c3b1ad3e4eb1c0428bd1bc66b4a2f100f6a7234 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.31x (≈ 5231% faster)

Speedup (per-iter): 63.20x (≈ 6220% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

ROLV

Benchmarks report

```
{
  "platform": "CUDA",
  "device": "NVIDIA B200",
  "adapted_batch": false,
  "effective_batch": 5000,
  "dense_label": "cuBLAS",
  "sparse_label": "cuSPARSE",
  "input_hash_A": "36930b864e45f6c7bc4c05a36ceed9e5546aba4f26c38e27ec94b84500ab052f",
  "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash": "0fe031672a78ac00d079d51b2c3b1ad3e4eb1c0428bd1bc66b4a2f100f6a7234",
  "CSR_norm_hash": "N/A",
  "COO_norm_hash": "N/A",
  "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6": "91a6790e57791bfb5eb9aeab2ad3128bc32fc47fb2b6dcd8728760921b04c533",
  "CSR_qhash_d6": "N/A",
  "COO_qhash_d6": "N/A",
  "path_selected": "Dense",
  "pilot_dense_per_iter_s": 0.061882,
  "pilot_csr_per_iter_s": "N/A",
  "pilot_coo_per_iter_s": "N/A",
  "rolv_build_s": 0.18157,
  "rolv_iter_s": 0.000979,
  "dense_iter_s": 0.061878,
  "csr_iter_s": "N/A",
  "coo_iter_s": "N/A",
  "rolv_total_s": 1.160722,
  "baseline_total_s": 61.878207,
  "speedup_total_vs_selected_x": 53.31,
  "speedup_iter_vs_selected_x": 63.196,
  "rolv_vs_vendor_sparse_iter_x": "N/A",
  "rolv_vs_vendor_sparse_total_x": "N/A",
  "rolv_vs_coo_iter_x": "N/A",
  "rolv_vs_coo_total_x": "N/A",
  "energy_iter_adaptive_telemetry": null,
  "telemetry_samples": 0,
  "correct_norm": "OK",
  "sparse_conversion_enabled": false,
  "rolv_tflops": 4085.167,
  "base_tflops": 64.643,
  "rolv_tokens_per_sec": 5106458.311,
  "base_tokens_per_sec": 80803.893
}
```

[2026-02-11 23:18:16] Seed: 123456 | Pattern: block_diagonal | Zeros: 50%
A_hash: 8db5189cd07996217967440640b6d42a07f04d0966354d2bccdba45b8f0e85b6 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE SKIP] Zeros 50% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.500 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.061873s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.183140 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4084.63 | Base TFLOPS: 64.65
ROLV Tokens/s: 5105790.58 | Base Tokens/s: 80812.50
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash: 03f3a34956a323cf0aaab8acfc428958d3cdffa022221a76104fbccce492ff66
(Dense)
CSR_norm_hash: N/A

ROLV

Benchmarks report

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.23x ($\approx$ 5223% faster)

Speedup (per-iter): 63.18x ($\approx$ 6218% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

```
{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"8db5189cd07996217967440640b6d42a07f04d0966354d2bccdba45b8f0e85b6",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"03f3a34956a323cf0aaab8acfc428958d3cdffa022221a76104fbccce492ff66",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"b5f52a9ef8ffd7efcef97cbd495082fcb11cd7cd2264e12ccaebab8950e1f08e", "CSR_qhash_d6":
"N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense", "pilot_dense_per_iter_s": 0.061873,
"pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A", "rolv_build_s": 0.18314, "rolv_iter_s":
0.000979, "dense_iter_s": 0.061872, "csr_iter_s": "N/A", "coo_iter_s": "N/A", "rolv_total_s":
1.162421, "baseline_total_s": 61.871613, "speedup_total_vs_selected_x": 53.227,
"speedup_iter_vs_selected_x": 63.181, "rolv_vs_vendor_sparse_iter_x": "N/A",
"rolv_vs_vendor_sparse_total_x": "N/A", "rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x":
"N/A", "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": false, "rolv_tflops": 4084.632, "base_tflops": 64.65,
"rolv_tokens_per_sec": 5105790.585, "base_tokens_per_sec": 80812.504}
```

[2026-02-11 23:19:27] Seed: 123456 | Pattern: random | Zeros: 60%

A_hash: 3a128a12c751e2a52a9f05427ad881a4beeb441b1aa828f2c83dec9767075e14 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 60% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.400 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061884s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.184973 s

rolv per-iter: 0.000979s

ROLV

Benchmarks report

ROLV TFLOPS: 4084.64 | Base TFLOPS: 64.64
ROLV Tokens/s: 5105796.95 | Base Tokens/s: 80804.02
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
82ff97b0c2c9d6b4e6a850bdbeec16cf158da8950cbefe522f043e059a8a944e (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 53.15x ($\approx$ 5215% faster)
Speedup (per-iter): 63.19x ($\approx$ 6219% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"3a128a12c751e2a52a9f05427ad881a4beeb441b1aa828f2c83dec9767075e14",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"82ff97b0c2c9d6b4e6a850bdbeec16cf158da8950cbefe522f043e059a8a944e",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"474ef2e5789ba96a76b96db5a6f8e76990d35228b24cd5d7660008bef1c3606c",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061884, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.184973, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061878, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.164252, "baseline_total_s": 61.878113,
"speedup_total_vs_selected_x": 53.148, "speedup_iter_vs_selected_x": 63.187,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4084.638, "base_tflops": 64.643, "rolv_tokens_per_sec": 5105796.949,
"base_tokens_per_sec": 80804.015}

[2026-02-11 23:20:39] Seed: 123456 | Pattern: power_law | Zeros: 60%
A_hash: 9d19ea5f391575455f95a6f93a0dc330f0816afb109185aa39e76d5e5e3f84a5 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

ROLV

Benchmarks report

[SPARSE SKIP] Zeros 60% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline
Sparse memory threshold density: 0.333 | Current density: 0.400 | Sparse better for memory:
False
Baseline pilots per-iter -> Dense: 0.061879s
Selected baseline: Dense (memory-based override: False)
rolv load time (operator build): 0.207263 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4085.23 | Base TFLOPS: 64.65
ROLV Tokens/s: 5106543.30 | Base Tokens/s: 80806.86
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
3397dfb188f303cce8ca1e8cfc9ceaf57b34d9574df64e8d752935e89f273568 (Dense)
CSR_norm_hash: N/A
COO_norm_hash: N/A
COO per-iter: N/A
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 52.15x (≈ 5115% faster)
Speedup (per-iter): 63.19x (≈ 6219% faster)
Energy Savings: 98.42%
rolv vs cuSPARSE -> N/A
rolv vs COO: N/A
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"9d19ea5f391575455f95a6f93a0dc330f0816afb109185aa39e76d5e5e3f84a5", "input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"3397dfb188f303cce8ca1e8cfc9ceaf57b34d9574df64e8d752935e89f273568",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"054e2c6d65e7082adb830742e210da6458ef0c3b993c9efeb6f8de4af5491a0b",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061879, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.207263, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061876, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.186399, "baseline_total_s": 61.875937,
"speedup_total_vs_selected_x": 52.154, "speedup_iter_vs_selected_x": 63.194,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":

ROLV

Benchmarks report

null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false, "rolv_tflops": 4085.235, "base_tflops": 64.645, "rolv_tokens_per_sec": 5106543.301, "base_tokens_per_sec": 80806.856}

[2026-02-11 23:21:50] Seed: 123456 | Pattern: banded | Zeros: 60%

A_hash: e78e035e07d681d9c88788fb30448528322d3759de0292aef1030acc8d438be2 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 60% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.400 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061879s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.183956 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.33 | Base TFLOPS: 64.64

ROLV Tokens/s: 5106664.27 | Base Tokens/s: 80804.45

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

a917726a5ab831eb4b9c1cbef78f9dab9bf38f1875cc27bd0c7e1a74d85cd51a (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.20x ($\approx$ 5220% faster)

Speedup (per-iter): 63.20x ($\approx$ 6220% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"e78e035e07d681d9c88788fb30448528322d3759de0292aef1030acc8d438be2",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"a917726a5ab831eb4b9c1cbef78f9dab9bf38f1875cc27bd0c7e1a74d85cd51a",

"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

ROLV

Benchmarks report

```
"6c590cb1c86449e9a55609b2add184da816091d6e591141b6417902275b2cba6",  
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",  
"pilot_dense_per_iter_s": 0.061879, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",  
"rolv_build_s": 0.183956, "rolv_iter_s": 0.000979, "dense_iter_s": 0.061878, "csr_iter_s": "N/A",  
"coo_iter_s": "N/A", "rolv_total_s": 1.163069, "baseline_total_s": 61.877777,  
"speedup_total_vs_selected_x": 53.202, "speedup_iter_vs_selected_x": 63.198,  
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",  
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":  
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,  
"rolv_tflops": 4085.331, "base_tflops": 64.644, "rolv_tokens_per_sec": 5106664.265,  
"base_tokens_per_sec": 80804.454}
```

[2026-02-11 23:23:00] Seed: 123456 | Pattern: block_diagonal | Zeros: 60%

A_hash: 2b99793bda656b5689cc9f5b049fc1a55ae8c234e0386e439c7204b281ffc158 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE SKIP] Zeros 60% (< 70%) → skipping CSR/COO conversion (OOM prevention);
using Dense only for baseline

Sparse memory threshold density: 0.333 | Current density: 0.400 | Sparse better for memory:
False

Baseline pilots per-iter -> Dense: 0.061879s

Selected baseline: Dense (memory-based override: False)

rolv load time (operator build): 0.185621 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4084.46 | Base TFLOPS: 64.65

ROLV Tokens/s: 5105580.56 | Base Tokens/s: 80815.18

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

36ee25dfb91d647bc72a00e82673d5af290686eb222c108851af0797263cbfc4 (Dense)

CSR_norm_hash: N/A

COO_norm_hash: N/A

COO per-iter: N/A

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 53.11x (≈ 5211% faster)

Speedup (per-iter): 63.18x (≈ 6218% faster)

Energy Savings: 98.42%

rolv vs cuSPARSE -> N/A

rolv vs COO: N/A

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"2b99793bda656b5689cc9f5b049fc1a55ae8c234e0386e439c7204b281ffc158", "input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

ROLV

Benchmarks report

"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"36ee25dfb91d647bc72a00e82673d5af290686eb222c108851af0797263cbfc4",
"CSR_norm_hash": "N/A", "COO_norm_hash": "N/A", "ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"4d9bc3a8c04e309be3d194ede6251942ddf9e71860fd8aa14f66686b71fd0279",
"CSR_qhash_d6": "N/A", "COO_qhash_d6": "N/A", "path_selected": "Dense",
"pilot_dense_per_iter_s": 0.061879, "pilot_csr_per_iter_s": "N/A", "pilot_coo_per_iter_s": "N/A",
"rolv_build_s": 0.185621, "rolv_iter_s": 0.000979, "dense_iter_s": 0.06187, "csr_iter_s": "N/A",
"coo_iter_s": "N/A", "rolv_total_s": 1.164941, "baseline_total_s": 61.869566,
"speedup_total_vs_selected_x": 53.11, "speedup_iter_vs_selected_x": 63.176,
"rolv_vs_vendor_sparse_iter_x": "N/A", "rolv_vs_vendor_sparse_total_x": "N/A",
"rolv_vs_coo_iter_x": "N/A", "rolv_vs_coo_total_x": "N/A", "energy_iter_adaptive_telemetry":
null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": false,
"rolv_tflops": 4084.464, "base_tflops": 64.652, "rolv_tokens_per_sec": 5105580.564,
"base_tokens_per_sec": 80815.178}

[2026-02-11 23:24:11] Seed: 123456 | Pattern: random | Zeros: 70%

A_hash: b6d397e4d0e8ebd4f3a13d59f635831bd762ee60284807ed9d008435058ec326 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 70% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.300 | Sparse better for memory:
True

[CANONICAL SKIP] NNZ=119985605 > 100000000 → skipping full sort for hashing stability
(OOM prevention)

[CANONICAL SKIP] NNZ=119985605 > 100000000 → skipping full sort for hashing stability
(OOM prevention)

Baseline pilots per-iter -> Dense: 0.061886s | CSR: 0.238646s | COO: 1.583729s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.186496 s

rolv per-iter: 0.000982s

ROLV TFLOPS: 4074.01 | Base TFLOPS: 5.03

ROLV Tokens/s: 5092512.21 | Base Tokens/s: 20950.79

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

b54692186a8b4713df9cf032ba4f4a0a23543701f9bd828b632cdcac503b87c3 (CSR)

CSR_norm_hash:

b54692186a8b4713df9cf032ba4f4a0a23543701f9bd828b632cdcac503b87c3

ROLV

Benchmarks report

COO_norm_hash:

1de0c09a5aaf7b713bccd11420e8d2787c105347872c067c2bf1caba1022c561

COO per-iter: 1.583571s | total: 1583.571000s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 204.27x ($\approx$ 20327% faster)

Speedup (per-iter): 243.07x ($\approx$ 24207% faster)

Energy Savings: 99.59%

rolv vs cuSPARSE -> Speedup (per-iter): 243.08x | total: 204.28x

rolv vs COO: Speedup (per-iter): 1612.87x | total: 1355.41x

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"b6d397e4d0e8ebd4f3a13d59f635831bd762ee60284807ed9d008435058ec326",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"722aa1f103b022093a749ccf9de9cf9003cb678bf7f25648ca7f11ed9adde915",

"CSR_norm_hash":

"b54692186a8b4713df9cf032ba4f4a0a23543701f9bd828b632cdcac503b87c3",

"COO_norm_hash":

"1de0c09a5aaf7b713bccd11420e8d2787c105347872c067c2bf1caba1022c561",

"ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"82da032e08a558947b8496a6df588242839c731dd132f6c51b2ccad1158e1e9e",

"CSR_qhash_d6":

"f235b9d2daa0bcce697dc310828ca7b0e9a778eada03fb7ed0ceffece7fe3ea3",

"COO_qhash_d6":

"88d11d74287f5c6f1d5169863d24cfd1a70db74c5c57b0a85c6f5a6980aca498",

"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061886, "pilot_csr_per_iter_s": 0.238646,

"pilot_coo_per_iter_s": 1.583729, "rolv_build_s": 0.186496, "rolv_iter_s": 0.000982,

"dense_iter_s": 0.238654, "csr_iter_s": 0.238668, "coo_iter_s": 1.583571, "rolv_total_s":

1.16833, "baseline_total_s": 238.654453, "speedup_total_vs_selected_x": 204.27,

"speedup_iter_vs_selected_x": 243.07, "rolv_vs_vendor_sparse_iter_x": 243.084,

"rolv_vs_vendor_sparse_total_x": 204.281, "rolv_vs_coo_iter_x": 1612.871,

"rolv_vs_coo_total_x": 1355.414, "energy_iter_adaptive_telemetry": null, "telemetry_samples":

0, "correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 4074.01,

"base_tflops": 5.028, "rolv_tokens_per_sec": 5092512.21, "base_tokens_per_sec": 20950.793}

[2026-02-11 23:59:18] Seed: 123456 | Pattern: power_law | Zeros: 70%

ROLV

Benchmarks report

A_hash: 64b353290cc661d8798233b459b02627e318c8b6cd03fb9400cdc258605a7257 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 70% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.300 | Sparse better for memory:
True
[CANONICAL SKIP] NNZ=112080979 > 100000000 $\rightarrow$ skipping full sort for hashing stability
(OOM prevention)
[CANONICAL SKIP] NNZ=112080979 > 100000000 $\rightarrow$ skipping full sort for hashing stability
(OOM prevention)
Baseline pilots per-iter $\rightarrow$ Dense: 0.061891s | CSR: 0.222045s | COO: 1.467714s
Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.186376 s
rolv per-iter: 0.000978s
ROLV TFLOPS: 4090.51 | Base TFLOPS: 5.05
ROLV Tokens/s: 5113137.53 | Base Tokens/s: 22516.73
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
4433a8a9aaf27793f90bfaa1d9714c6bd969db436bf7b698db186a37103ad271 (CSR)
CSR_norm_hash:
4433a8a9aaf27793f90bfaa1d9714c6bd969db436bf7b698db186a37103ad271
COO_norm_hash:
3be59e31fe144582906d39de76575aafaa87aa61a6708d4a1f488dc64f627935
COO per-iter: 1.468237s | total: 1468.236750s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 190.73x ($\approx 18973\%$ faster)
Speedup (per-iter): 227.08x ($\approx 22608\%$ faster)
Energy Savings: 99.56%
rolv vs cuSPARSE $\rightarrow$ Speedup (per-iter): 227.08x | total: 190.73x
rolv vs COO: Speedup (per-iter): 1501.46x | total: 1261.10x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"64b353290cc661d8798233b459b02627e318c8b6cd03fb9400cdc258605a7257",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"32c0bbfd6d7a5688cd46fb2b36d62e508c168c1fca43ba3125721e0a93b9b9dc",
"CSR_norm_hash":
"4433a8a9aaf27793f90bfaa1d9714c6bd969db436bf7b698db186a37103ad271",

ROLV

Benchmarks report

"COO_norm_hash":
"3be59e31fe144582906d39de76575aafaa87aa61a6708d4a1f488dc64f627935",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"b28317e48cc7768973ac901f2af18502a2b95897bacec4775b55b8b869b4083f",
"CSR_qhash_d6": "ccff758af7f9763e2347839a33ee4f4f6a4f3059d369c8075c247bbdd1d5effc",
"COO_qhash_d6":
"1e9db421a95d342b16d7d6b2ece6a3ae63905fb4b88e47dff79d285106fd505",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061891, "pilot_csr_per_iter_s": 0.222045,
"pilot_coo_per_iter_s": 1.467714, "rolv_build_s": 0.186376, "rolv_iter_s": 0.000978,
"dense_iter_s": 0.222057, "csr_iter_s": 0.22206, "coo_iter_s": 1.468237, "rolv_total_s":
1.164249, "baseline_total_s": 222.057156, "speedup_total_vs_selected_x": 190.73,
"speedup_iter_vs_selected_x": 227.082, "rolv_vs_vendor_sparse_iter_x": 227.085,
"rolv_vs_vendor_sparse_total_x": 190.732, "rolv_vs_coo_iter_x": 1501.459,
"rolv_vs_coo_total_x": 1261.102, "energy_iter_adaptive_telemetry": null, "telemetry_samples":
0, "correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 4090.51,
"base_tflops": 5.047, "rolv_tokens_per_sec": 5113137.53, "base_tokens_per_sec": 22516.725}

[2026-02-12 00:31:54] Seed: 123456 | Pattern: banded | Zeros: 70%

A_hash: 6de52c734dc3dd3e441813467d3974c05babbe147880af95cae93106e22a77bd |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 70% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.300 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.061908s | CSR: 0.009538s | COO: 0.064568s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.171476 s

rolv per-iter: 0.000977s

ROLV TFLOPS: 4095.81 | Base TFLOPS: 4.99

ROLV Tokens/s: 5119756.49 | Base Tokens/s: 524314.68

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

5c396d22e5e32c71e066c0151a8df586ce74b19eea0f27451cf5d0d78881bcb3 (CSR)

CSR_norm_hash:

5c396d22e5e32c71e066c0151a8df586ce74b19eea0f27451cf5d0d78881bcb3

COO_norm_hash:

cdac7a3493aca6193dd5bf2ddb435f277d0b1aee37a9da276ac67cab16faf321

COO per-iter: 0.064563s | total: 64.562527s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

ROLV

Benchmarks report

Speedup (total): 8.31x ($\approx$ 731% faster)

Speedup (per-iter): 9.76x ($\approx$ 876% faster)

Energy Savings: 89.76%

rolv vs cuSPARSE -> Speedup (per-iter): 9.74x | total: 8.29x

rolv vs COO: Speedup (per-iter): 66.11x | total: 56.23x

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000, "dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"6de52c734dc3dd3e441813467d3974c05babbe147880af95cae93106e22a77bd",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"afa0b5ccf007ed78efa389e675d49ed3175a5e895800ce2c51b65ef34c1c93f8",

"CSR_norm_hash":

"5c396d22e5e32c71e066c0151a8df586ce74b19eea0f27451cf5d0d78881bcb3",

"COO_norm_hash":

"cdac7a3493aca6193dd5bf2ddb435f277d0b1aee37a9da276ac67cab16faf321",

"ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"34587fe968cb118281d6e320a80b1d361638e54fc3de87df1dbf85b3f83c9fe",

"CSR_qhash_d6":

"ecf254977215dfd4cb57489998777d4a4b74e3f17308ecaf1e5721549267e9b9",

"COO_qhash_d6":

"1c4616aaf0d168f1fec0a4ccd1bdfba946d4a073b12703b5bca13119d6ea74d2",

"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061908, "pilot_csr_per_iter_s": 0.009538,

"pilot_coo_per_iter_s": 0.064568, "rolv_build_s": 0.171476, "rolv_iter_s": 0.000977,

"dense_iter_s": 0.009536, "csr_iter_s": 0.009512, "coo_iter_s": 0.064563, "rolv_total_s":

1.148085, "baseline_total_s": 9.536258, "speedup_total_vs_selected_x": 8.306,

"speedup_iter_vs_selected_x": 9.765, "rolv_vs_vendor_sparse_iter_x": 9.74,

"rolv_vs_vendor_sparse_total_x": 8.285, "rolv_vs_coo_iter_x": 66.109, "rolv_vs_coo_total_x":

56.235, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",

"sparse_conversion_enabled": true, "rolv_tflops": 4095.805, "base_tflops": 4.989,

"rolv_tokens_per_sec": 5119756.492, "base_tokens_per_sec": 524314.684}

[2026-02-12 00:33:29] Seed: 123456 | Pattern: block_diagonal | Zeros: 70%

A_hash: 605ad79227a409511ccd935bac7446d55792ae15e0550623f778311797a2ba80 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 70% ($\geq$ 70%) $\rightarrow$ enabling CSR/COO conversion for

hashing/timing

ROLV

Benchmarks report

Sparse memory threshold density: 0.333 | Current density: 0.300 | Sparse better for memory: True

Baseline pilots per-iter -> Dense: 0.061893s | CSR: 0.006052s | COO: 0.040304s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.183298 s

rolv per-iter: 0.000978s

ROLV TFLOPS: 4090.24 | Base TFLOPS: 4.96

ROLV Tokens/s: 5112794.47 | Base Tokens/s: 826380.45

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

341ea3f116243ac455e60cde282ac1c8206f8760c72db485b1ec771ee8d6c451 (CSR)

CSR_norm_hash:

341ea3f116243ac455e60cde282ac1c8206f8760c72db485b1ec771ee8d6c451

COO_norm_hash:

14bad168efa469815729a3492142e11df99e12c3085a75b7ea299d605b2a08cb

COO per-iter: 0.040284s | total: 40.283512s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 5.21x ($\approx$ 421% faster)

Speedup (per-iter): 6.19x ($\approx$ 519% faster)

Energy Savings: 83.84%

rolv vs cuSPARSE -> Speedup (per-iter): 6.19x | total: 5.21x

rolv vs COO: Speedup (per-iter): 41.19x | total: 34.69x

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000, "dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A": "605ad79227a409511ccd935bac7446d55792ae15e0550623f778311797a2ba80", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "afb0000c8a8069b1416a99dc37be6c761f158e933ad2069f4c2a71f2a7f8ef75", "CSR_norm_hash": "341ea3f116243ac455e60cde282ac1c8206f8760c72db485b1ec771ee8d6c451", "COO_norm_hash": "14bad168efa469815729a3492142e11df99e12c3085a75b7ea299d605b2a08cb", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "7bc340a2266a60176174c6afbc41e54623a3acb3c008de5aeff26276a7332fb6", "CSR_qhash_d6": "036d399b7b99bd7ea5891d414b9273d880e40bec9017bdd4aff06c94fa250d8c",

ROLV

Benchmarks report

"COO_qhash_d6":
"43d4d9584fe6f4d3c06da833a91efab1a389d307c625bdef81911ac33f537c0c", "path_selected":
"CSR", "pilot_dense_per_iter_s": 0.061893, "pilot_csr_per_iter_s": 0.006052,
"pilot_coo_per_iter_s": 0.040304, "rolv_build_s": 0.183298, "rolv_iter_s": 0.000978,
"dense_iter_s": 0.00605, "csr_iter_s": 0.006052, "coo_iter_s": 0.040284, "rolv_total_s":
1.161237, "baseline_total_s": 6.050482, "speedup_total_vs_selected_x": 5.21,
"speedup_iter_vs_selected_x": 6.187, "rolv_vs_vendor_sparse_iter_x": 6.189,
"rolv_vs_vendor_sparse_total_x": 5.212, "rolv_vs_coo_iter_x": 41.192, "rolv_vs_coo_total_x":
34.69, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4090.236, "base_tflops": 4.958,
"rolv_tokens_per_sec": 5112794.475, "base_tokens_per_sec": 826380.453}

[2026-02-12 00:34:34] Seed: 123456 | Pattern: random | Zeros: 80%
A_hash: fe8ecd469d65375943070e2c9f72b2cb8ffc99f59b8e95e01ee55ff351e8a5b5 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 80% (>= 70%) → enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.200 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.061880s | CSR: 0.156386s | COO: 1.023452s
Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.184935 s
rolv per-iter: 0.000978s
ROLV TFLOPS: 4088.36 | Base TFLOPS: 5.11
ROLV Tokens/s: 5110446.34 | Base Tokens/s: 31970.49
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
c10dedd549200f2db04443f630fef12734c442b77ae4fc77b1670a6c82c79f0d (CSR)
CSR_norm_hash: c10dedd549200f2db04443f630fef12734c442b77ae4fc77b1670a6c82c79f0d
COO_norm_hash:
e2a517940f7c1fe4391ba429d5124fbef4ebc51aebae9830c82c558a163e19c0
COO per-iter: 1.023052s | total: 1023.051500s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 134.44x (≈ 13344% faster)
Speedup (per-iter): 159.85x (≈ 15885% faster)
Energy Savings: 99.37%
rolv vs cuSPARSE -> Speedup (per-iter): 159.86x | total: 134.44x
rolv vs COO: Speedup (per-iter): 1045.65x | total: 879.42x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"fe8ecd469d65375943070e2c9f72b2cb8ffc99f59b8e95e01ee55ff351e8a5b5", "input_hash_B":

ROLV

Benchmarks report

```
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"e7c01a70a75e7c23f6388af2f7da803ea0bdb8bf7a90f33bfd68ec38023b5fb",
"CSR_norm_hash":
"c10dedd549200f2db04443f630fef12734c442b77ae4fc77b1670a6c82c79f0d",
"COO_norm_hash":
"e2a517940f7c1fe4391ba429d5124fbef4ebc51aebae9830c82c558a163e19c0",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"73400dd11bba92807f9dd80ee8c7bdc5e578106e1ea67465c31cebca0c1dc833",
"CSR_qhash_d6":
"3ab8ca26c79a09ebd976ee7ae743c42c2a651ee8b2affebe437069236e7b5716",
"COO_qhash_d6":
"915ea5c973c99e54e7d1bc3e32e3a0ab30d4dcd3e231aeeb5eb1858038c088b9",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.06188, "pilot_csr_per_iter_s": 0.156386,
"pilot_coo_per_iter_s": 1.023452, "rolv_build_s": 0.184935, "rolv_iter_s": 0.000978,
"dense_iter_s": 0.156394, "csr_iter_s": 0.156401, "coo_iter_s": 1.023052, "rolv_total_s":
1.163323, "baseline_total_s": 156.394203, "speedup_total_vs_selected_x": 134.437,
"speedup_iter_vs_selected_x": 159.849, "rolv_vs_vendor_sparse_iter_x": 159.855,
"rolv_vs_vendor_sparse_total_x": 134.443, "rolv_vs_coo_iter_x": 1045.65,
"rolv_vs_coo_total_x": 879.421, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0,
"correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 4088.357,
"base_tflops": 5.115, "rolv_tokens_per_sec": 5110446.34, "base_tokens_per_sec": 31970.494}
```

[2026-02-12 00:57:23] Seed: 123456 | Pattern: power_law | Zeros: 80%

A_hash: f5319945ed9e0de80929153636dd5033761020445fb403b1998eb9214d00e127 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 80% ($\geq 70\%$) → enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.200 | Sparse better for memory: True

Baseline pilots per-iter -> Dense: 0.061883s | CSR: 0.145849s | COO: 0.953677s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.188087 s

rolv per-iter: 0.000978s

ROLV TFLOPS: 4090.07 | Base TFLOPS: 5.12

ROLV Tokens/s: 5112590.26 | Base Tokens/s: 34280.94

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

BASE_norm_hash:

1bf5d5c0200102c21fbd0408401e8991a6bd7120d10a578cded25e5560461528 (CSR)

CSR_norm_hash:

1bf5d5c0200102c21fbd0408401e8991a6bd7120d10a578cded25e5560461528

COO_norm_hash: 490ec6faac15949b2d734ac5c64cd57daf7545fe3b9df059f73afbd84b28ebcd

COO per-iter: 0.954125s | total: 954.125437s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 125.08x ($\approx$ 12408% faster)

Speedup (per-iter): 149.14x ($\approx$ 14814% faster)

Energy Savings: 99.33%

rolv vs cuSPARSE -> Speedup (per-iter): 149.14x | total: 125.08x

rolv vs COO: Speedup (per-iter): 975.61x | total: 818.24x

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"f5319945ed9e0de80929153636dd5033761020445fb403b1998eb9214d00e127",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"0bbec08c037006aa33c812b530df9811cc2768a08858d9d8f610d0e9dc3f1048",

"CSR_norm_hash":

"1bf5d5c0200102c21fbd0408401e8991a6bd7120d10a578cded25e5560461528",

"COO_norm_hash":

"490ec6faac15949b2d734ac5c64cd57daf7545fe3b9df059f73afbd84b28ebcd",

"ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"66317c61bd76f15b22946d59ad005fceac533aed498ef9ff62ad0904ec173c58",

"CSR_qhash_d6":

"55411566e1757fb74625395d8ec783a0fb464810ddd8d6f13500ea9792aa0dbe",

"COO_qhash_d6":

"ba94cbb423323a37e619f762bcbfa78e97a433eea7b2c77bba8e0c4bfc955bf6",

"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061883, "pilot_csr_per_iter_s": 0.145849,

"pilot_coo_per_iter_s": 0.953677, "rolv_build_s": 0.188087, "rolv_iter_s": 0.000978,

"dense_iter_s": 0.145854, "csr_iter_s": 0.145855, "coo_iter_s": 0.954125, "rolv_total_s":

1.166065, "baseline_total_s": 145.853625, "speedup_total_vs_selected_x": 125.082,

"speedup_iter_vs_selected_x": 149.138, "rolv_vs_vendor_sparse_iter_x": 149.14,

"rolv_vs_vendor_sparse_total_x": 125.083, "rolv_vs_coo_iter_x": 975.61, "rolv_vs_coo_total_x":

818.244, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",

"sparse_conversion_enabled": true, "rolv_tflops": 4090.072, "base_tflops": 5.123,

"rolv_tokens_per_sec": 5112590.259, "base_tokens_per_sec": 34280.944}

ROLV

Benchmarks report

[2026-02-12 01:18:42] Seed: 123456 | Pattern: banded | Zeros: 80%
A_hash: b2fc7f83b499ca9e4b29ed3cc68b966b4b322cf7926c12186e98ae033e84be58 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 80% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.200 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.061881s | CSR: 0.006452s | COO: 0.043753s
Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.173604 s
rolv per-iter: 0.000977s
ROLV TFLOPS: 4092.49 | Base TFLOPS: 4.92
ROLV Tokens/s: 5115613.36 | Base Tokens/s: 775020.48
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
823edd7d2f646972b16985457b6f9e36b28fb8a1d0dbe209935efee98645587b (CSR)
CSR_norm_hash:
823edd7d2f646972b16985457b6f9e36b28fb8a1d0dbe209935efee98645587b
COO_norm_hash:
20d591b1e235097af2600b600a00117c01d3b067a8bc3d95c4c58c2766cdd1ec
COO per-iter: 0.043752s | total: 43.752477s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 5.61x ($\approx 461\%$ faster)
Speedup (per-iter): 6.60x ($\approx 560\%$ faster)
Energy Savings: 84.85%
rolv vs cuSPARSE -> Speedup (per-iter): 6.60x | total: 5.61x
rolv vs COO: Speedup (per-iter): 44.76x | total: 38.01x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"b2fc7f83b499ca9e4b29ed3cc68b966b4b322cf7926c12186e98ae033e84be58",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"7c5ad9bbb7deb3f95a8b23ba1ddfb19f857bf6120ba461e883e8789abd82d6c6",
"CSR_norm_hash":
"823edd7d2f646972b16985457b6f9e36b28fb8a1d0dbe209935efee98645587b",
"COO_norm_hash":
"20d591b1e235097af2600b600a00117c01d3b067a8bc3d95c4c58c2766cdd1ec",

ROLV

Benchmarks report

"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"3d7a5452a9f38bbfb38ee0d4922ca8020b2506f811ff5ec119664b4fe4236084",
"CSR_qhash_d6":
"c8a9101c6a3e109491851fbd569f8a4cf3dfa7b694168c4030c3067566193b54",
"COO_qhash_d6":
"de7bd43785d2beb1f92f6a9a685cb5d7775ca2fd6e817c1ad5e76fd703a36f89", "path_selected":
"CSR", "pilot_dense_per_iter_s": 0.061881, "pilot_csr_per_iter_s": 0.006452,
"pilot_coo_per_iter_s": 0.043753, "rolv_build_s": 0.173604, "rolv_iter_s": 0.000977,
"dense_iter_s": 0.006451, "csr_iter_s": 0.006455, "coo_iter_s": 0.043752, "rolv_total_s":
1.151004, "baseline_total_s": 6.451442, "speedup_total_vs_selected_x": 5.605,
"speedup_iter_vs_selected_x": 6.601, "rolv_vs_vendor_sparse_iter_x": 6.605,
"rolv_vs_vendor_sparse_total_x": 5.609, "rolv_vs_coo_iter_x": 44.764, "rolv_vs_coo_total_x":
38.012, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4092.491, "base_tflops": 4.916,
"rolv_tokens_per_sec": 5115613.362, "base_tokens_per_sec": 775020.484}

[2026-02-12 01:19:50] Seed: 123456 | Pattern: block_diagonal | Zeros: 80%
A_hash: 4b02e483523fbec343feac2b8fed3820615bb6832dda42a3da7b63ccf1ef0014 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 80% (>= 70%) → enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.200 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.061879s | CSR: 0.004174s | COO: 0.028024s
Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.186836 s
rolv per-iter: 0.000980s
ROLV TFLOPS: 4082.12 | Base TFLOPS: 4.79
ROLV Tokens/s: 5102655.12 | Base Tokens/s: 1198148.21
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
efd72038284b88418b3230ac68cef20e5a4ca9788cebc092e4db5473e8a75c4b (CSR)
CSR_norm_hash:
efd72038284b88418b3230ac68cef20e5a4ca9788cebc092e4db5473e8a75c4b
COO_norm_hash:
7669791a2b5112c77a2344390e428ecde989d90bbf2d4086c10973974669a524
COO per-iter: 0.028022s | total: 28.022135s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 3.58x (≈ 258% faster)

ROLV

Benchmarks report

Speedup (per-iter): 4.26x ($\approx$ 326% faster)

Energy Savings: 76.52%

rolv vs cuSPARSE -> Speedup (per-iter): 4.26x | total: 3.58x

rolv vs COO: Speedup (per-iter): 28.60x | total: 24.02x

```
{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"4b02e483523fbec343feac2b8fed3820615bb6832dda42a3da7b63ccf1ef0014", "input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"0afabd3c3f898124c4d2adf90b4ec9ca28ee520d74975002112bb8408f023a82",
"CSR_norm_hash":
"efd72038284b88418b3230ac68cef20e5a4ca9788cebc092e4db5473e8a75c4b",
"COO_norm_hash":
"7669791a2b5112c77a2344390e428ecde989d90bbf2d4086c10973974669a524",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"4eaaed0b681ad4346a051280bb2504683f2650e05430ced90b415a8515706ae4",
"CSR_qhash_d6":
"da22c0c8b9c8ed39bc98870f07d456cdbbf5f0aeb792e98eeb05422497c26834",
"COO_qhash_d6":
"a996a0a4169d3d88bf4fc072c91e7ffb9d74feb2ba22c5480505b2b7350c9397", "path_selected":
"CSR", "pilot_dense_per_iter_s": 0.061879, "pilot_csr_per_iter_s": 0.004174,
"pilot_coo_per_iter_s": 0.028024, "rolv_build_s": 0.186836, "rolv_iter_s": 0.00098,
"dense_iter_s": 0.004173, "csr_iter_s": 0.004173, "coo_iter_s": 0.028022, "rolv_total_s":
1.166718, "baseline_total_s": 4.173106, "speedup_total_vs_selected_x": 3.577,
"speedup_iter_vs_selected_x": 4.259, "rolv_vs_vendor_sparse_iter_x": 4.259,
"rolv_vs_vendor_sparse_total_x": 3.577, "rolv_vs_coo_iter_x": 28.597, "rolv_vs_coo_total_x":
24.018, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4082.124, "base_tflops": 4.79,
"rolv_tokens_per_sec": 5102655.119, "base_tokens_per_sec": 1198148.206}
```

[2026-02-12 01:20:39] Seed: 123456 | Pattern: random | Zeros: 90%

A_hash: 252a6d9ec7eeab4eb29b6c652bffa9f11178919caadeccd14c45d00311e1433 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 90% ($\geq$ 70%) → enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.100 | Sparse better for memory: True

Baseline pilots per-iter -> Dense: 0.061884s | CSR: 0.077493s | COO: 0.511410s

ROLV

Benchmarks report

Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.187127 s
rolv per-iter: 0.000980s
ROLV TFLOPS: 4080.49 | Base TFLOPS: 5.16
ROLV Tokens/s: 5100609.40 | Base Tokens/s: 64520.21
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
d16a6ed97d0e975a9acb3ffba8b78e505124ee3216ba1c20c762b1cf7b97c94e (CSR)
CSR_norm_hash:
d16a6ed97d0e975a9acb3ffba8b78e505124ee3216ba1c20c762b1cf7b97c94e
COO_norm_hash:
93aff0d84b70d455939358abe64e51a3ec96c24be3b6698270f7305a7b7ce708
COO per-iter: 0.511678s | total: 511.677563s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 66.38x ($\approx$ 6538% faster)
Speedup (per-iter): 79.05x ($\approx$ 7805% faster)
Energy Savings: 98.74%
rolv vs cuSPARSE -> Speedup (per-iter): 79.06x | total: 66.38x
rolv vs COO: Speedup (per-iter): 521.97x | total: 438.30x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"252a6d9ec7eeab4eb29b6c652bffba9f11178919caadeccd14c45d00311e1433",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"0ea34324829b59e6d5a810b043219ca106a8eb538079e8849cd5903c80796f83",
"CSR_norm_hash":
"d16a6ed97d0e975a9acb3ffba8b78e505124ee3216ba1c20c762b1cf7b97c94e",
"COO_norm_hash":
"93aff0d84b70d455939358abe64e51a3ec96c24be3b6698270f7305a7b7ce708",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"d07e9d8e4b761c9e713843d9e5ad22646d68738c9c9f78b846a77a566e81f77a",
"CSR_qhash_d6":
"0712959563006c7187f479e32269f41972f8ecaf74217fac460cf5ce9af452a7",
"COO_qhash_d6":
"320641875af21d0ccf3b974a6c7fd9c84050e40da5366decd2fc4398b2b3576a",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061884, "pilot_csr_per_iter_s": 0.077493,

ROLV

Benchmarks report

"pilot_coo_per_iter_s": 0.51141, "rolv_build_s": 0.187127, "rolv_iter_s": 0.00098, "dense_iter_s": 0.077495, "csr_iter_s": 0.077497, "coo_iter_s": 0.511678, "rolv_total_s": 1.167402, "baseline_total_s": 77.495094, "speedup_total_vs_selected_x": 66.383, "speedup_iter_vs_selected_x": 79.054, "rolv_vs_vendor_sparse_iter_x": 79.056, "rolv_vs_vendor_sparse_total_x": 66.384, "rolv_vs_coo_iter_x": 521.973, "rolv_vs_coo_total_x": 438.304, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 4080.488, "base_tflops": 5.161, "rolv_tokens_per_sec": 5100609.396, "base_tokens_per_sec": 64520.214}

[2026-02-12 01:32:09] Seed: 123456 | Pattern: power_law | Zeros: 90%

A_hash: d1784f30a29c88bb759e8e0ce2e1d3a72ec63f8f7d0190e4b7c74bf9b0f76e26 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 90% ($\geq 70\%$) → enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.100 | Sparse better for memory: True

Baseline pilots per-iter -> Dense: 0.061875s | CSR: 0.072390s | COO: 0.478930s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 2.277292 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4085.92 | Base TFLOPS: 5.16

ROLV Tokens/s: 5107395.27 | Base Tokens/s: 69045.20

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

24d65df78155f62fb0f4ea2e37d9c28d0ba5a884dd6da35dce06713b89b419e6 (CSR)

CSR_norm_hash:

24d65df78155f62fb0f4ea2e37d9c28d0ba5a884dd6da35dce06713b89b419e6

COO_norm_hash:

34177b99e1a2a6b26eee34bc93197791d5bf0af35477fe7327d64c01c176b15e

COO per-iter: 0.478507s | total: 478.506687s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 22.24x ($\approx 2124\%$ faster)

Speedup (per-iter): 73.97x ($\approx 7297\%$ faster)

Energy Savings: 98.65%

rolv vs cuSPARSE -> Speedup (per-iter): 73.96x | total: 22.24x

rolv vs COO: Speedup (per-iter): 488.78x | total: 146.95x

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"d1784f30a29c88bb759e8e0ce2e1d3a72ec63f8f7d0190e4b7c74bf9b0f76e26", "input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

ROLV

Benchmarks report

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"ff7b7b9d919c85aa942dd3c65988841f5aedc3f475953f6a39377245c2e213f6",
"CSR_norm_hash":
"24d65df78155f62fb0f4ea2e37d9c28d0ba5a884dd6da35dce06713b89b419e6",
"COO_norm_hash":
"34177b99e1a2a6b26eee34bc93197791d5bf0af35477fe7327d64c01c176b15e",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"11f8da7a2080d0d605a1ebff2f877f43fdf7d15739e0c108fe9752e7a0e9c93a",
"CSR_qhash_d6":
"df29ecc3a0ed412e52ec5f2850e60638529d7547e0c5786f4e110920c8af6e1a",
"COO_qhash_d6":
"0e8d8dc16ab999775ad47959970f02a5906505151e08f1a906b99209d96a5fe5",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061875, "pilot_csr_per_iter_s": 0.07239,
"pilot_coo_per_iter_s": 0.47893, "rolv_build_s": 2.277292, "rolv_iter_s": 0.000979,
"dense_iter_s": 0.072416, "csr_iter_s": 0.072404, "coo_iter_s": 0.478507, "rolv_total_s":
3.256264, "baseline_total_s": 72.416328, "speedup_total_vs_selected_x": 22.239,
"speedup_iter_vs_selected_x": 73.972, "rolv_vs_vendor_sparse_iter_x": 73.959,
"rolv_vs_vendor_sparse_total_x": 22.235, "rolv_vs_coo_iter_x": 488.785, "rolv_vs_coo_total_x":
146.95, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4085.916, "base_tflops": 5.159,
"rolv_tokens_per_sec": 5107395.268, "base_tokens_per_sec": 69045.202}

[2026-02-12 01:42:57] Seed: 123456 | Pattern: banded | Zeros: 90%

A_hash: d70a4343e5b268957eb68d7e3674a43f240457ccfda08b4a2d80bc40ab643157 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 90% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.100 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.061887s | CSR: 0.003412s | COO: 0.022444s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.173465 s

rolv per-iter: 0.000978s

ROLV TFLOPS: 4089.48 | Base TFLOPS: 4.65

ROLV Tokens/s: 5111852.98 | Base Tokens/s: 1465323.49

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

0caad1cdc416f0e7e193df764139470d5bc1e0dc5d451afedb88950e56920958 (CSR)

ROLV

Benchmarks report

CSR_norm_hash:

0caad1cdc416f0e7e193df764139470d5bc1e0dc5d451afedb88950e56920958

COO_norm_hash:

7639215a2500245433467acb237ef8cd00be86e91dc9c98d41ddc2db01bcc3b0

COO per-iter: 0.022428s | total: 22.428289s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 2.96x ($\approx$ 196% faster)

Speedup (per-iter): 3.49x ($\approx$ 249% faster)

Energy Savings: 71.33%

rolv vs cuSPARSE -> Speedup (per-iter): 3.49x | total: 2.96x

rolv vs COO: Speedup (per-iter): 22.93x | total: 19.48x

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"d70a4343e5b268957eb68d7e3674a43f240457ccfda08b4a2d80bc40ab643157",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"6bab4e46cb1871e51f5424a844af2f1390bcb5c5fb0b3a7c6f421bd1bc78bc94",

"CSR_norm_hash":

"0caad1cdc416f0e7e193df764139470d5bc1e0dc5d451afedb88950e56920958",

"COO_norm_hash":

"7639215a2500245433467acb237ef8cd00be86e91dc9c98d41ddc2db01bcc3b0",

"ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"c850461ae5bfa1c3183f8c5ad70eadff35c42a0cf45abfac99892c98541b884e",

"CSR_qhash_d6":

"2f35dd6e639139ee727a6a2939b7c298c365e0de79e4a1e8ec1f71d8836e3abd",

"COO_qhash_d6":

"878d951021dc80d625d7df507accfc01045975a890c99112c11b56f4b66c5aac",

"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061887, "pilot_csr_per_iter_s": 0.003412,

"pilot_coo_per_iter_s": 0.022444, "rolv_build_s": 0.173465, "rolv_iter_s": 0.000978,

"dense_iter_s": 0.003412, "csr_iter_s": 0.003412, "coo_iter_s": 0.022428, "rolv_total_s":

1.151584, "baseline_total_s": 3.412216, "speedup_total_vs_selected_x": 2.963,

"speedup_iter_vs_selected_x": 3.489, "rolv_vs_vendor_sparse_iter_x": 3.489,

"rolv_vs_vendor_sparse_total_x": 2.963, "rolv_vs_coo_iter_x": 22.93, "rolv_vs_coo_total_x":

19.476, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",

"sparse_conversion_enabled": true, "rolv_tflops": 4089.482, "base_tflops": 4.646,

"rolv_tokens_per_sec": 5111852.984, "base_tokens_per_sec": 1465323.492}

ROLV

Benchmarks report

[2026-02-12 01:43:38] Seed: 123456 | Pattern: block_diagonal | Zeros: 90%
A_hash: ef3c072370841e3130690e4f6793ea35e3e0c704fce673efdbae340a03091d07 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 90% (>= 70%) → enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.100 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.061870s | CSR: 0.002305s | COO: 0.014648s
Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.179988 s
rolv per-iter: 0.000980s
ROLV TFLOPS: 4082.51 | Base TFLOPS: 4.33
ROLV Tokens/s: 5103136.68 | Base Tokens/s: 2169741.37
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
b2cf2ea677080a4e2c477d71da5484ed415c79ef9672250113d7c9f29c34b753 (CSR)
CSR_norm_hash:
b2cf2ea677080a4e2c477d71da5484ed415c79ef9672250113d7c9f29c34b753
COO_norm_hash:
550e10dd4d327f63fa3bff7965510588138490b549120ee022313367fbd71f03
COO per-iter: 0.014648s | total: 14.648434s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 1.99x (≈ 99% faster)
Speedup (per-iter): 2.35x (≈ 135% faster)
Energy Savings: 57.48%
rolv vs cuSPARSE -> Speedup (per-iter): 2.35x | total: 1.99x
rolv vs COO: Speedup (per-iter): 14.95x | total: 12.63x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"ef3c072370841e3130690e4f6793ea35e3e0c704fce673efdbae340a03091d07",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"3954f5e832c294f5f63bb74e0179a360d788ef7079faeb84f69713613cc4ea79",
"CSR_norm_hash":
"b2cf2ea677080a4e2c477d71da5484ed415c79ef9672250113d7c9f29c34b753",
"COO_norm_hash":
"550e10dd4d327f63fa3bff7965510588138490b549120ee022313367fbd71f03",
"ROLV_qhash_d6":

ROLV

Benchmarks report

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"cffe32a36e15addac2c5b2fef97a992d6d9c8731c108477cdc00f463498f0e00",
"CSR_qhash_d6":
"5013ff312ad0fedcf6ad392ef524f5554291bcde50d9b64aabf5439f4bd19097",
"COO_qhash_d6":
"a2f533c4b4577b46fa20ae7c99ee084dbcec6f893be6b6140dce9de2ada0528b",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.06187, "pilot_csr_per_iter_s": 0.002305,
"pilot_coo_per_iter_s": 0.014648, "rolv_build_s": 0.179988, "rolv_iter_s": 0.00098,
"dense_iter_s": 0.002304, "csr_iter_s": 0.002304, "coo_iter_s": 0.014648, "rolv_total_s":
1.159778, "baseline_total_s": 2.304422, "speedup_total_vs_selected_x": 1.987,
"speedup_iter_vs_selected_x": 2.352, "rolv_vs_vendor_sparse_iter_x": 2.352,
"rolv_vs_vendor_sparse_total_x": 1.987, "rolv_vs_coo_iter_x": 14.951, "rolv_vs_coo_total_x":
12.63, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4082.509, "base_tflops": 4.333,
"rolv_tokens_per_sec": 5103136.685, "base_tokens_per_sec": 2169741.367}

[2026-02-12 01:44:09] Seed: 123456 | Pattern: random | Zeros: 95%

A_hash: c926d3fc034ec0adbed3fa6ecc74c1e0c4191486cd48fd095fa3c179c6ef96db | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 95% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.050 | Sparse better for memory:
True

Baseline pilots per-iter $\rightarrow$ Dense: 0.061880s | CSR: 0.038905s | COO: 0.261470s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.186579 s

rolv per-iter: 0.000978s

ROLV TFLOPS: 4092.04 | Base TFLOPS: 5.14

ROLV Tokens/s: 5115055.98 | Base Tokens/s: 128514.79

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

7dcf1103b596197a4f39cd69b0b0fe8d1892ae99dead35b31d581fdee08f8022 (CSR)

CSR_norm_hash:

7dcf1103b596197a4f39cd69b0b0fe8d1892ae99dead35b31d581fdee08f8022

COO_norm_hash:

2713c6b4d9be1286e7b08efbc8daff6756107a85ac95d3afdf7209e59c2c545e

COO per-iter: 0.261471s | total: 261.470781s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 33.42x ($\approx 3242\%$ faster)

Speedup (per-iter): 39.80x ($\approx 3880\%$ faster)

ROLV

Benchmarks report

Energy Savings: 97.49%

rolv vs cuSPARSE -> Speedup (per-iter): 39.80x | total: 33.42x

rolv vs COO: Speedup (per-iter): 267.49x | total: 224.61x

```
{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"c926d3fc034ec0adbed3fa6ecc74c1e0c4191486cd48fd095fa3c179c6ef96db", "input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"f5570aa0c2e30ca57e4bfba6db1ba2ed338b13cf6c3a3861cd9efa7d20b15d71",
"CSR_norm_hash":
"7dcf1103b596197a4f39cd69b0b0fe8d1892ae99dead35b31d581fdee08f8022",
"COO_norm_hash":
"2713c6b4d9be1286e7b08efbc8daff6756107a85ac95d3afdf7209e59c2c545e",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"c341e71c1d6aaaff215d32bf3ce2823faac0512f379a99a19bf0274553f15740",
"CSR_qhash_d6":
"966c7c222d7f09b5d87ef1eadf1b6fbc99bb9cd26f59859a261ce29aebae89d8",
"COO_qhash_d6":
"e6ac7cddcb4ac95191dfd24523b6df8b58de42ffa60762d4d3b0588724d5223d",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.06188, "pilot_csr_per_iter_s": 0.038905,
"pilot_coo_per_iter_s": 0.26147, "rolv_build_s": 0.186579, "rolv_iter_s": 0.000978,
"dense_iter_s": 0.038906, "csr_iter_s": 0.038908, "coo_iter_s": 0.261471, "rolv_total_s":
1.164086, "baseline_total_s": 38.906027, "speedup_total_vs_selected_x": 33.422,
"speedup_iter_vs_selected_x": 39.801, "rolv_vs_vendor_sparse_iter_x": 39.803,
"rolv_vs_vendor_sparse_total_x": 33.423, "rolv_vs_coo_iter_x": 267.488, "rolv_vs_coo_total_x":
224.615, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4092.045, "base_tflops": 5.14,
"rolv_tokens_per_sec": 5115055.979, "base_tokens_per_sec": 128514.792}
```

[2026-02-12 01:50:06] Seed: 123456 | Pattern: power_law | Zeros: 95%

A_hash: 6417a2a60f09c4389956722addb9e641d9618bcfe0eae0e987dfe602fdefb429 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 95% (>= 70%) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.050 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.061882s | CSR: 0.036376s | COO: 0.245064s

Selected baseline: CSR (memory-based override: True)

ROLV

Benchmarks report

rolv load time (operator build): 0.183324 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4084.58 | Base TFLOPS: 5.14
ROLV Tokens/s: 5105723.12 | Base Tokens/s: 137452.88
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
20bdd2f38cbafd1699919254a0c035c2c4ed1fc1537764bbc945101b6e813add (CSR)
CSR_norm_hash:
20bdd2f38cbafd1699919254a0c035c2c4ed1fc1537764bbc945101b6e813add
COO_norm_hash:
d602575f2c1197f666157d72199a14796e76a540ee67f79343ca27d140fc2263
COO per-iter: 0.244960s | total: 244.959625s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 31.29x ($\approx$ 3029% faster)
Speedup (per-iter): 37.15x ($\approx$ 3615% faster)
Energy Savings: 97.31%
rolv vs cuSPARSE -> Speedup (per-iter): 37.15x | total: 31.29x
rolv vs COO: Speedup (per-iter): 250.14x | total: 210.70x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"6417a2a60f09c4389956722addb9e641d9618bcfe0eae0e987dfe602fdefb429", "input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"e1a90360ba8f3a6ce55dfff4d1515996f6b04b522f024ed9ab8124c98d9cb2cf",
"CSR_norm_hash":
"20bdd2f38cbafd1699919254a0c035c2c4ed1fc1537764bbc945101b6e813add",
"COO_norm_hash":
"d602575f2c1197f666157d72199a14796e76a540ee67f79343ca27d140fc2263",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"100de79f25f9eba2174c313cdd119f1094c254144c65bddf7539fe46bd2b2afb",
"CSR_qhash_d6":
"a24fe009dae10c2d7c415a38cbee02cb6bbb9cf446d3fb16b0f87b71e45b31ad",
"COO_qhash_d6":
"b2f670a81e6e0a0e79409a6546646d483cc06969c13b40f6783eac48dba2366b",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061882, "pilot_csr_per_iter_s": 0.036376,
"pilot_coo_per_iter_s": 0.245064, "rolv_build_s": 0.183324, "rolv_iter_s": 0.000979,
"dense_iter_s": 0.036376, "csr_iter_s": 0.036377, "coo_iter_s": 0.24496, "rolv_total_s":

ROLV

Benchmarks report

1.162617, "baseline_total_s": 36.376102, "speedup_total_vs_selected_x": 31.288, "speedup_iter_vs_selected_x": 37.145, "rolv_vs_vendor_sparse_iter_x": 37.146, "rolv_vs_vendor_sparse_total_x": 31.289, "rolv_vs_coo_iter_x": 250.139, "rolv_vs_coo_total_x": 210.697, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK", "sparse_conversion_enabled": true, "rolv_tflops": 4084.578, "base_tflops": 5.136, "rolv_tokens_per_sec": 5105723.122, "base_tokens_per_sec": 137452.882}

[2026-02-12 01:55:42] Seed: 123456 | Pattern: banded | Zeros: 95%

A_hash: f9841b629a96caca12ae5093b69047a66277d824418f1f09df0d2ec6bec61381 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 95% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.050 | Sparse better for memory: True

Baseline pilots per-iter $\rightarrow$ Dense: 0.061880s | CSR: 0.001891s | COO: 0.011833s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.181116 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4086.90 | Base TFLOPS: 4.19

ROLV Tokens/s: 5108620.87 | Base Tokens/s: 2644116.11

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

ce347272364d3d3ec3a869e690fba19eef6a5b0e1a524bc8584c2ce7b002534d (CSR)

CSR_norm_hash:

ce347272364d3d3ec3a869e690fba19eef6a5b0e1a524bc8584c2ce7b002534d

COO_norm_hash:

454eeb28b9c2394bd1987c8a5ca990630fc8b2475eee71dafc563fadebd9203d

COO per-iter: 0.011835s | total: 11.834565s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 1.63x ($\approx 63\%$ faster)

Speedup (per-iter): 1.93x ($\approx 93\%$ faster)

Energy Savings: 48.24%

rolv vs cuSPARSE $\rightarrow$ Speedup (per-iter): 1.93x | total: 1.63x

rolv vs COO: Speedup (per-iter): 12.09x | total: 10.20x

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"f9841b629a96caca12ae5093b69047a66277d824418f1f09df0d2ec6bec61381",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"DENSE_norm_hash":
"a00aed09a9ca1a80f3acaafa376dc0e568949aeb81fcc547c28bc98683803a08",
"CSR_norm_hash":
"ce347272364d3d3ec3a869e690fba19eef6a5b0e1a524bc8584c2ce7b002534d",
"COO_norm_hash":
"454eeb28b9c2394bd1987c8a5ca990630fc8b2475eee71dafc563fadebd9203d",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"9c378462296ec1cacef0a364ddaeebca041f1cfda7d5705308d0e32cbdf1f369",
"CSR_qhash_d6": "d914582bcff407d02f0cba2482661dd1c40470c27f057596c87f19b2fdfff871",
"COO_qhash_d6":
"edf0ceebea42495d0d1aebcfdbc4ec9188c5703d9157ef31c108e20943f901eeb",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.06188, "pilot_csr_per_iter_s": 0.001891,
"pilot_coo_per_iter_s": 0.011833, "rolv_build_s": 0.181116, "rolv_iter_s": 0.000979,
"dense_iter_s": 0.001891, "csr_iter_s": 0.001891, "coo_iter_s": 0.011835, "rolv_total_s":
1.159853, "baseline_total_s": 1.890991, "speedup_total_vs_selected_x": 1.63,
"speedup_iter_vs_selected_x": 1.932, "rolv_vs_vendor_sparse_iter_x": 1.932,
"rolv_vs_vendor_sparse_total_x": 1.63, "rolv_vs_coo_iter_x": 12.092, "rolv_vs_coo_total_x":
10.204, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4086.897, "base_tflops": 4.19,
"rolv_tokens_per_sec": 5108620.866, "base_tokens_per_sec": 2644116.109}

[2026-02-12 01:56:09] Seed: 123456 | Pattern: block_diagonal | Zeros: 95%

A_hash: 743ed1c8dc03a5de5d0b131edc508c8c9e30dc02e5406aeb9cb6e8c0ce493874 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 95% ($\geq 70\%$) → enabling CSR/COO conversion for
hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.050 | Sparse better for memory:
True

Baseline pilots per-iter -> Dense: 0.061876s | CSR: 0.001363s | COO: 0.007934s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.181254 s

rolv per-iter: 0.000979s

ROLV TFLOPS: 4084.72 | Base TFLOPS: 3.66

ROLV Tokens/s: 5105896.87 | Base Tokens/s: 3668459.73

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

eabfb22b29c274b6ed76c73cf8f17f2b46c35705c9ae6ba6fbc653bb26fb2e39 (CSR)

CSR_norm_hash: eabfb22b29c274b6ed76c73cf8f17f2b46c35705c9ae6ba6fbc653bb26fb2e39

ROLV

Benchmarks report

COO_norm_hash:

a8758549eafc776efc72569669f0b1f3d3969611d5d6d7e2fc9f3543eb3a8d47

COO per-iter: 0.007929s | total: 7.929292s

Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified

Speedup (total): 1.17x ($\approx$ 17% faster)

Speedup (per-iter): 1.39x ($\approx$ 39% faster)

Energy Savings: 28.15%

rolv vs cuSPARSE -> Speedup (per-iter): 1.39x | total: 1.17x

rolv vs COO: Speedup (per-iter): 8.10x | total: 6.83x

{"platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,

"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":

"743ed1c8dc03a5de5d0b131edc508c8c9e30dc02e5406aeb9cb6e8c0ce493874",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"cb31498379c907686529a18f196926f32e7b1052704f4ed5aaebf0f0e0ed14b1",

"CSR_norm_hash":

"eabfb22b29c274b6ed76c73cf8f17f2b46c35705c9ae6ba6fbc653bb26fb2e39",

"COO_norm_hash":

"a8758549eafc776efc72569669f0b1f3d3969611d5d6d7e2fc9f3543eb3a8d47",

"ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"efbe0ca36ca8f3c6721275268db28beadf0ad8a4b2a7aa76452f596348100e65",

"CSR_qhash_d6":

"96e975c2f8359bce8355fbaf37be6617c5bd28d7a8a4040ddafe94c2ba59a0f9",

"COO_qhash_d6":

"44881834c12fdc4aa7f6148665ef74a47cff16abc2d2e88d6b17e3c8f7579263", "path_selected":

"CSR", "pilot_dense_per_iter_s": 0.061876, "pilot_csr_per_iter_s": 0.001363,

"pilot_coo_per_iter_s": 0.007934, "rolv_build_s": 0.181254, "rolv_iter_s": 0.000979,

"dense_iter_s": 0.001363, "csr_iter_s": 0.001363, "coo_iter_s": 0.007929, "rolv_total_s":

1.160514, "baseline_total_s": 1.36297, "speedup_total_vs_selected_x": 1.174,

"speedup_iter_vs_selected_x": 1.392, "rolv_vs_vendor_sparse_iter_x": 1.392,

"rolv_vs_vendor_sparse_total_x": 1.175, "rolv_vs_coo_iter_x": 8.097, "rolv_vs_coo_total_x":

6.833, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",

"sparse_conversion_enabled": true, "rolv_tflops": 4084.717, "base_tflops": 3.658,

"rolv_tokens_per_sec": 5105896.875, "base_tokens_per_sec": 3668459.728}

[2026-02-12 01:56:31] Seed: 123456 | Pattern: random | Zeros: 99%

ROLV

Benchmarks report

A_hash: 9fde8b5d279f5d4d8297c2b0a4f006d0bf2475b62e6dabc7da09b547c8edbc8a |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 99% ($\geq 70\%$) $\rightarrow$ enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.010 | Sparse better for memory:
True
Baseline pilots per-iter $\rightarrow$ Dense: 0.061887s | CSR: 0.008102s | COO: 0.057767s
Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.185091 s
rolv per-iter: 0.000979s
ROLV TFLOPS: 4084.71 | Base TFLOPS: 4.94
ROLV Tokens/s: 5105891.78 | Base Tokens/s: 617181.38
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash: ea7a91fc3bae27373fa37c9c168189154d650ab49714fb8c82bf8e9ffca1daf1
(CSR)
CSR_norm_hash: ea7a91fc3bae27373fa37c9c168189154d650ab49714fb8c82bf8e9ffca1daf1
COO_norm_hash: 507ef1932b9f1250c11c77a953f3c8d9f8e24b3d7e5644b0f723ef54b4bb56bf
COO per-iter: 0.057767s | total: 57.766820s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 6.96x ($\approx 596\%$ faster)
Speedup (per-iter): 8.27x ($\approx 727\%$ faster)
Energy Savings: 87.91%
rolv vs cuSPARSE $\rightarrow$ Speedup (per-iter): 8.27x | total: 6.95x
rolv vs COO: Speedup (per-iter): 58.99x | total: 49.61x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"9fde8b5d279f5d4d8297c2b0a4f006d0bf2475b62e6dabc7da09b547c8edbc8a",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"cc8c3cc839a9d0c5930d0938d01d9bd2a7f5d66f47fce4e53dec39e0dc7faa9",
"CSR_norm_hash":
"ea7a91fc3bae27373fa37c9c168189154d650ab49714fb8c82bf8e9ffca1daf1",
"COO_norm_hash":
"507ef1932b9f1250c11c77a953f3c8d9f8e24b3d7e5644b0f723ef54b4bb56bf",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"18a55821ec1e53d19620c8b3fdf1bd7dc27837e4d3f0bc4b8bb33ab2e24117eb",

ROLV

Benchmarks report

"CSR_qhash_d6":
"563d68a77037309aed22b9cfb4abed1c5450d9b5a4807366a39a82dd36a90207",
"COO_qhash_d6":
"a34cedd4eab5e3e16b67e8926d866d788e1faa791101dbbbaf8b50a7b147a768",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061887, "pilot_csr_per_iter_s": 0.008102,
"pilot_coo_per_iter_s": 0.057767, "rolv_build_s": 0.185091, "rolv_iter_s": 0.000979,
"dense_iter_s": 0.008101, "csr_iter_s": 0.008095, "coo_iter_s": 0.057767, "rolv_total_s":
1.164352, "baseline_total_s": 8.101346, "speedup_total_vs_selected_x": 6.958,
"speedup_iter_vs_selected_x": 8.273, "rolv_vs_vendor_sparse_iter_x": 8.266,
"rolv_vs_vendor_sparse_total_x": 6.952, "rolv_vs_coo_iter_x": 58.99, "rolv_vs_coo_total_x":
49.613, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4084.713, "base_tflops": 4.937,
"rolv_tokens_per_sec": 5105891.783, "base_tokens_per_sec": 617181.377}

[2026-02-12 01:57:58] Seed: 123456 | Pattern: power_law | Zeros: 99%
A_hash: 3884cba828aa7a1488fc132da5edbc037e4d5cda60d2548cbb05d1438117888 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 99% (>= 70%) → enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.010 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.061881s | CSR: 0.007581s | COO: 0.053941s
Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.183231 s
rolv per-iter: 0.000978s
ROLV TFLOPS: 4089.72 | Base TFLOPS: 4.93
ROLV Tokens/s: 5112152.21 | Base Tokens/s: 659227.86
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
ea0c757de3c257a0598e89f59ee8f024701c3bc48a1b8de3f7419d3783377769 (CSR)
CSR_norm_hash:
ea0c757de3c257a0598e89f59ee8f024701c3bc48a1b8de3f7419d3783377769
COO_norm_hash:
9a17a9b960041ef91d65a089258f97617aa782fcaa7b29f1de4893392a5af69f
COO per-iter: 0.053939s | total: 53.939430s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 6.53x (≈ 553% faster)
Speedup (per-iter): 7.75x (≈ 675% faster)
Energy Savings: 87.10%
rolv vs cuSPARSE -> Speedup (per-iter): 7.75x | total: 6.53x
rolv vs COO: Speedup (per-iter): 55.15x | total: 46.45x

ROLV

Benchmarks report

```
{
  "platform": "CUDA",
  "device": "NVIDIA B200",
  "adapted_batch": false,
  "effective_batch": 5000,
  "dense_label": "cuBLAS",
  "sparse_label": "cuSPARSE",
  "input_hash_A": "3884cba828aa7a1488fc132da5edbc037e4d5cda60d2548cbb05d1438117888",
  "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
  "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_norm_hash": "c3e9496be8a189fc75d306823ff6359f8fa3b5aa5557bbc72bae19d4a7ed7d5d",
  "CSR_norm_hash": "ea0c757de3c257a0598e89f59ee8f024701c3bc48a1b8de3f7419d3783377769",
  "COO_norm_hash": "9a17a9b960041ef91d65a089258f97617aa782fcaa7b29f1de4893392a5af69f",
  "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
  "DENSE_qhash_d6": "570879d26c1763504bd05013868ba03d6e5c343019d405fbb6664799c3446a0a",
  "CSR_qhash_d6": "0a18545ed78c26a76766af2b1285e9d94e14101d1c861baeb36768734d848ab1",
  "COO_qhash_d6": "5943267d1172269574a5f3bb7b6ad37284f79deb262e5d5314a341f1b4aa839e",
  "path_selected": "CSR",
  "pilot_dense_per_iter_s": 0.061881,
  "pilot_csr_per_iter_s": 0.007581,
  "pilot_coo_per_iter_s": 0.053941,
  "rolv_build_s": 0.183231,
  "rolv_iter_s": 0.000978,
  "dense_iter_s": 0.007585,
  "csr_iter_s": 0.007584,
  "coo_iter_s": 0.053939,
  "rolv_total_s": 1.161292,
  "baseline_total_s": 7.584631,
  "speedup_total_vs_selected_x": 6.531,
  "speedup_iter_vs_selected_x": 7.755,
  "rolv_vs_vendor_sparse_iter_x": 7.754,
  "rolv_vs_vendor_sparse_total_x": 6.531,
  "rolv_vs_coo_iter_x": 55.149,
  "rolv_vs_coo_total_x": 46.448,
  "energy_iter_adaptive_telemetry": null,
  "telemetry_samples": 0,
  "correct_norm": "OK",
  "sparse_conversion_enabled": true,
  "rolv_tflops": 4089.722,
  "base_tflops": 4.926,
  "rolv_tokens_per_sec": 5112152.207,
  "base_tokens_per_sec": 659227.864
}
```

[2026-02-12 01:59:21] Seed: 123456 | Pattern: banded | Zeros: 99%

A_hash: 1b643fe5ac4811868b9b5bfee7d7ed4d02a612b4add98ac2d0f399d014599b67 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

[SPARSE CONVERT] Zeros 99% ($\geq 70\%$) → enabling CSR/COO conversion for hashing/timing

Sparse memory threshold density: 0.333 | Current density: 0.010 | Sparse better for memory: True

Baseline pilots per-iter -> Dense: 0.061893s | CSR: 0.000684s | COO: 0.003455s

Selected baseline: CSR (memory-based override: True)

rolv load time (operator build): 0.176738 s

rolv per-iter: 0.000982s

ROLV

Benchmarks report

ROLV TFLOPS: 4073.73 | Base TFLOPS: 2.31
ROLV Tokens/s: 5092168.44 | Base Tokens/s: 7307922.60
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
3fe8ac1fab005fbd1e63982dee89afe3d065e979ad01a731d3ebf842a3648e4e (CSR)
CSR_norm_hash:
3fe8ac1fab005fbd1e63982dee89afe3d065e979ad01a731d3ebf842a3648e4e
COO_norm_hash:
68348e1c92fcda16673cd28142d8f03cd4c968d072d48eb7b66e1dab46eea3e9
COO per-iter: 0.003453s | total: 3.453347s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 0.59x ($\approx$ -41% faster)
Speedup (per-iter): 0.70x ($\approx$ -30% faster)
Energy Savings: -43.51%
rolv vs cuSPARSE -> Speedup (per-iter): 0.70x | total: 0.59x
rolv vs COO: Speedup (per-iter): 3.52x | total: 2.98x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"1b643fe5ac4811868b9b5bfee7d7ed4d02a612b4add98ac2d0f399d014599b67",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"2974cb2e57d28e2c52f6b64f51fb5c2c10ab828f6e7279b652ec7d4c7fa407ad",
"CSR_norm_hash":
"3fe8ac1fab005fbd1e63982dee89afe3d065e979ad01a731d3ebf842a3648e4e",
"COO_norm_hash":
"68348e1c92fcda16673cd28142d8f03cd4c968d072d48eb7b66e1dab46eea3e9",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"36fab0207e13e7ae08a8c6db45526167c20c66464e356ba7cd4969570c1cb52",
"CSR_qhash_d6":
"ef059811d87737b49d1022a11bffb21a5179c83ffdaf83784cd83d02836065b0",
"COO_qhash_d6":
"12aa013f5bae74e6af490a287e925086a11eea45592b23ccfe9ad8a4bdd1529a",
"path_selected": "CSR", "pilot_dense_per_iter_s": 0.061893, "pilot_csr_per_iter_s": 0.000684,
"pilot_coo_per_iter_s": 0.003455, "rolv_build_s": 0.176738, "rolv_iter_s": 0.000982,
"dense_iter_s": 0.000684, "csr_iter_s": 0.000683, "coo_iter_s": 0.003453, "rolv_total_s":
1.158638, "baseline_total_s": 0.684189, "speedup_total_vs_selected_x": 0.591,

ROLV

Benchmarks report

"speedup_iter_vs_selected_x": 0.697, "rolv_vs_vendor_sparse_iter_x": 0.696,
"rolv_vs_vendor_sparse_total_x": 0.59, "rolv_vs_coo_iter_x": 3.517, "rolv_vs_coo_total_x":
2.981, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4073.735, "base_tflops": 2.313,
"rolv_tokens_per_sec": 5092168.435, "base_tokens_per_sec": 7307922.602}

[2026-02-12 01:59:37] Seed: 123456 | Pattern: block_diagonal | Zeros: 99%
A_hash: d78e202117fb1b5ee60605254db62aa72b0d2b72a9d6ceec1a84ad78c44df368 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
[SPARSE CONVERT] Zeros 99% (>= 70%) → enabling CSR/COO conversion for
hashing/timing
Sparse memory threshold density: 0.333 | Current density: 0.010 | Sparse better for memory:
True
Baseline pilots per-iter -> Dense: 0.061879s | CSR: 0.000612s | COO: 0.002646s
Selected baseline: CSR (memory-based override: True)
rolv load time (operator build): 0.185703 s
rolv per-iter: 0.000980s
ROLV TFLOPS: 4083.31 | Base TFLOPS: 1.62
ROLV Tokens/s: 5104137.30 | Base Tokens/s: 8151294.88
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
a87d97bfb7c2c30e63f5a68be7b57390d7f240f5ad68a6c8ba553bbb6b913de8 (CSR)
CSR_norm_hash:
a87d97bfb7c2c30e63f5a68be7b57390d7f240f5ad68a6c8ba553bbb6b913de8
COO_norm_hash:
9bada77b895f804228534369db7f91978e07e5ae261e0de4212552073640e41e
COO per-iter: 0.002646s | total: 2.645754s
Correctness vs Selected Baseline: Verified | vs CSR: Verified | vs COO: Verified
Speedup (total): 0.53x (≈ -47% faster)
Speedup (per-iter): 0.63x (≈ -37% faster)
Energy Savings: -59.70%
rolv vs cuSPARSE -> Speedup (per-iter): 0.63x | total: 0.53x
rolv vs COO: Speedup (per-iter): 2.70x | total: 2.27x
{ "platform": "CUDA", "device": "NVIDIA B200", "adapted_batch": false, "effective_batch": 5000,
"dense_label": "cuBLAS", "sparse_label": "cuSPARSE", "input_hash_A":
"d78e202117fb1b5ee60605254db62aa72b0d2b72a9d6ceec1a84ad78c44df368",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":

ROLV

Benchmarks report

```
"81df416748e59ff8fb7b3e31c4a3a74db121c9fc011e70c1604e496e3b107c2b",
"CSR_norm_hash":
"a87d97bfb7c2c30e63f5a68be7b57390d7f240f5ad68a6c8ba553bbb6b913de8",
"COO_norm_hash":
"9bada77b895f804228534369db7f91978e07e5ae261e0de4212552073640e41e",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"72ae2e8b1b11989b240bd407be5eae8d1ffdbf75beeacce50c056cdb544c412f",
"CSR_qhash_d6":
"2f7bfb9127eae8277e2d1d70e892b6d1a1c2ada0aa940a4bba915f09e9f01c96",
"COO_qhash_d6":
"ca1ce780ef1b4f1ec16240fad575dc5937baf889e8fae2d9682cfba888313b31", "path_selected":
"CSR", "pilot_dense_per_iter_s": 0.061879, "pilot_csr_per_iter_s": 0.000612,
"pilot_coo_per_iter_s": 0.002646, "rolv_build_s": 0.185703, "rolv_iter_s": 0.00098,
"dense_iter_s": 0.000613, "csr_iter_s": 0.000614, "coo_iter_s": 0.002646, "rolv_total_s": 1.1653,
"baseline_total_s": 0.613399, "speedup_total_vs_selected_x": 0.526,
"speedup_iter_vs_selected_x": 0.626, "rolv_vs_vendor_sparse_iter_x": 0.626,
"rolv_vs_vendor_sparse_total_x": 0.527, "rolv_vs_coo_iter_x": 2.701, "rolv_vs_coo_total_x":
2.27, "energy_iter_adaptive_telemetry": null, "telemetry_samples": 0, "correct_norm": "OK",
"sparse_conversion_enabled": true, "rolv_tflops": 4083.31, "base_tflops": 1.62,
"rolv_tokens_per_sec": 5104137.298, "base_tokens_per_sec": 8151294.879}
```

=== FOOTER REPORT (CUDA) ===

- Aggregate speedup (total vs selected): 48.63x ($\approx$ 4763% faster)
- Aggregate speedup (per-iter vs selected): 59.00x ($\approx$ 5800% faster)
- Aggregate energy savings (proxy vs selected): 86.6%
- Verification: TF32 off, deterministic algorithms, CSR canonicalization, CPU-fp64 normalization and SHA-256 hashing.

```
{"platform": "CUDA", "device": "NVIDIA B200", "aggregate_speedup_total_vs_selected_x":
48.631, "aggregate_speedup_iter_vs_selected_x": 59.001, "aggregate_energy_savings_pct":
86.619, "verification": "TF32 off, deterministic algorithms, CSR canonicalization, CPU-fp64
normalization, SHA-256 hashing"}
```

=== Timing & Energy Measurement Explanation ===

1. Per-iteration timing:

- Each library (Dense GEMM, CSR SpMM, rolv) is warmed up for a fixed number of iterations.
- Then 'iters' iterations are executed, with synchronization to ensure all GPU/TPU work is complete.
- The average time per iteration is reported as <library>_iter_s.

ROLV

Benchmarks report

2. Build/setup time:

- For rolv, operator construction (tiling, quantization, surrogate build) is timed separately as rolv_build_s.
- Vendor baselines (Dense/CSR) have negligible build cost, so only per-iter times are used.

3. Total time:

- For each library, total runtime = build/setup time + (per-iter time × number of iterations).
- Example: rolv_total_s = rolv_build_s + rolv_iter_s * iters
baseline_total_s = baseline_iter_s * iters
- This ensures all overheads are included, so comparisons are fair.

4. Speedup calculation:

- Speedup (per-iter) = baseline_iter_s / rolv_iter_s
- Speedup (total) = baseline_total_s / rolv_total_s
- Both metrics are reported to show raw kernel efficiency and end-to-end cost.

5. Energy measurement:

- Proxy energy savings are computed from per-iter times:
$$\text{energy_savings_pct} = 100 \times (1 - \text{rolv_iter_s} / \text{baseline_iter_s})$$
- If telemetry is enabled (NVML/ROCm SMI), instantaneous power samples (W) are integrated over time to yield Joules (trapz).
- Telemetry totals, when collected, are reported as energy_iter_adaptive_telemetry in the JSON payload.

6. Fairness guarantee:

- All libraries run the same matrix/vector inputs (identical seeds, identical input hashes).
- All outputs are normalized in CPU-fp64 before hashing to remove backend-specific numeric artifacts.
- CSR canonicalization (sorted indices) stabilizes sparse ordering and ensures reproducible hashes.
- All times include warmup, synchronization, and build/setup costs (for rolv) so speedups and energy savings are directly comparable across Dense, CSR, and rolv.

Imagination is the Only Limitation to Innovation

Rolv E. Heggenhougen

=====

ROLV

Benchmarks report

NVIDIA B200

Matrix: 50000x50000, Batch: 5000, Density: 0.010 (99% sparse)
Iters: 1000, Warmup: 2

=== PATTERN: RANDOM (99% sparsity) ===

NNZ: 24,876,076

Running cuSPARSE...

cuSPARSE GPU time: 0.049292s per iter

cuSPARSE wall-clock: 0.049291s per iter

Building rolv...

rolv build: 0.088247s

rolv GPU time: 0.001932s per iter

rolv wall-clock: 0.001932s per iter

=== COMPARISON ===

Speedup wall-clock: 25.51x

Speedup GPU time: 25.51x

=== PATTERN: POWER_LAW (99% sparsity) ===

NNZ: 9,994,001

Running cuSPARSE...

cuSPARSE GPU time: 0.020129s per iter

cuSPARSE wall-clock: 0.020129s per iter

Building rolv...

rolv build: 0.111304s

rolv GPU time: 0.002177s per iter

rolv wall-clock: 0.002177s per iter

=== COMPARISON ===

Speedup wall-clock: 9.25x

Speedup GPU time: 9.25x

=== PATTERN: BANDED (99% sparsity) ===

NNZ: 989,020

Running cuSPARSE...

cuSPARSE GPU time: 0.002579s per iter

cuSPARSE wall-clock: 0.002579s per iter

ROLV

Benchmarks report

Building rolv...

rolv build: 0.087416s

rolv GPU time: 0.001932s per iter

rolv wall-clock: 0.001932s per iter

=== COMPARISON ===

Speedup wall-clock: 1.34x

Speedup GPU time: 1.34x

=== PATTERN: BLOCK_DIAGONAL (99% sparsity) ===

NNZ: 621,937

Running cuSPARSE...

cuSPARSE GPU time: 0.001928s per iter

cuSPARSE wall-clock: 0.001928s per iter

Building rolv...

rolv build: 0.086123s

rolv GPU time: 0.001932s per iter

rolv wall-clock: 0.001932s per iter

=== COMPARISON ===

Speedup wall-clock: 1.00x

Speedup GPU time: 1.00x

ROLV

Benchmarks report

INTEL ZEON

=== rolvSPARSE© Test — Pattern: random | Zeros: 0% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

/tmp/ipython-input-1690721899.py:214: UserWarning: Sparse CSR tensor support is in beta state. If you miss a functionality in the sparse tensor support, please submit a feature request to <https://github.com/pytorch/pytorch/issues>. (Triggered internally at

/pytorch/aten/src/ATen/SparseCsrTensorImpl.cpp:53.)

A_csr = torch.from_numpy(A_dense).to_sparse_csr()

rolvSPARSE© build time: 1.531923s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.282789s

rolvSPARSE© per-iter: 0.035641s

Speedup: 7.93x (693% faster)

Energy savings: 87.40%

rolv FLOPS: 15999986000 | GFLOPS: 448.92 | Tokens/s: 14029

Vendor Dense FLOPS: 16000000000 | GFLOPS: 56.58 | Tokens/s: 1768

% diff FLOPS vs dense: 693.43% | % diff Tokens vs dense: 693.43%

Vendor Sparse (CSR) FLOPS: 15999986000 | GFLOPS: 8.81 | Tokens/s: 275

% diff FLOPS vs sparse: 4994.02% | % diff Tokens vs sparse: 4994.02%

Best baseline: dense with per-iter: 0.282789s

rolv vs best baseline (dense): % diff FLOPS: 693.43% | % diff Tokens: 693.43%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.0, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":

1.5319228759999959, "rolv_iter_s": 0.03564117633699999, "baseline_iter_s":

0.28278850435899994, "speedup_x": 7.934320171846578, "speedup_pct":

693.4320171846579, "energy_savings_pct": 87.39652574711681, "A_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 10% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): c5be17e64bb88fdaaef55c89bee8f6bb06b44cccb95522984783fa1a407af37b

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 1.170126s

rolvSPARSE© vs Dense (baseline):

ROLV

Benchmarks report

Dense per-iter: 0.281204s
rolvSPARSE© per-iter: 0.036582s
Speedup: 7.69x (669% faster)
Energy savings: 86.99%
rolv FLOPS: 14398167000 | GFLOPS: 393.59 | Tokens/s: 13668
Vendor Dense FLOPS: 16000000000 | GFLOPS: 56.90 | Tokens/s: 1778
% diff FLOPS vs dense: 591.75% | % diff Tokens vs dense: 668.70%
Vendor Sparse (CSR) FLOPS: 14398167000 | GFLOPS: 7.96 | Tokens/s: 276
% diff FLOPS vs sparse: 4843.50% | % diff Tokens vs sparse: 4843.50%
Best baseline: dense with per-iter: 0.281204s
rolv vs best baseline (dense): % diff FLOPS: 591.75% | % diff Tokens: 668.70%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.1, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":
1.1701259739998022, "rolv_iter_s": 0.03658159168399971, "baseline_iter_s":
0.2812039664240001, "speedup_x": 7.687034748326571, "speedup_pct":
668.7034748326571, "energy_savings_pct": 86.99108261195651, "A_hash":
"c5be17e64bb88fdaaef55c89bee8f6bb06b44cccb95522984783fa1a407af37b", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: random | Zeros: 20% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): 6f61c579f134f056d21fd60e05d02cb4fa4eb1cd95f29a4f50df761504dee2d5
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 1.234203s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.279589s
rolvSPARSE© per-iter: 0.036995s
Speedup: 7.56x (656% faster)
Energy savings: 86.77%
rolv FLOPS: 12797727000 | GFLOPS: 345.93 | Tokens/s: 13515
Vendor Dense FLOPS: 16000000000 | GFLOPS: 57.23 | Tokens/s: 1788
% diff FLOPS vs dense: 504.49% | % diff Tokens vs dense: 655.75%
Vendor Sparse (CSR) FLOPS: 12797727000 | GFLOPS: 7.89 | Tokens/s: 308
% diff FLOPS vs sparse: 4286.78% | % diff Tokens vs sparse: 4286.78%
Best baseline: dense with per-iter: 0.279589s
rolv vs best baseline (dense): % diff FLOPS: 504.49% | % diff Tokens: 655.75%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

```
{"zeros_pct": 0.2, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":  
1.2342034459998104, "rolv_iter_s": 0.03699509308699998, "baseline_iter_s":  
0.27958935691399983, "speedup_x": 7.557471372122242, "speedup_pct":  
655.7471372122242, "energy_savings_pct": 86.7680610251629, "A_hash":  
"6f61c579f134f056d21fd60e05d02cb4fa4eb1cd95f29a4f50df761504dee2d5", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 30% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): c6809088150739dd56f1009581684604ae9f07fa6dd20a7476e8977a4b5230b8

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 1.775131s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.279525s

rolvSPARSE© per-iter: 0.037065s

Speedup: 7.54x (654% faster)

Energy savings: 86.74%

rolv FLOPS: 11203610000 | GFLOPS: 302.27 | Tokens/s: 13490

Vendor Dense FLOPS: 16000000000 | GFLOPS: 57.24 | Tokens/s: 1789

% diff FLOPS vs dense: 428.07% | % diff Tokens vs dense: 654.14%

Vendor Sparse (CSR) FLOPS: 11203610000 | GFLOPS: 7.82 | Tokens/s: 349

% diff FLOPS vs sparse: 3765.17% | % diff Tokens vs sparse: 3765.17%

Best baseline: dense with per-iter: 0.279525s

rolv vs best baseline (dense): % diff FLOPS: 428.07% | % diff Tokens: 654.14%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.3, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":  
1.7751307639991865, "rolv_iter_s": 0.03706548227599978, "baseline_iter_s":  
0.2795249479009999, "speedup_x": 7.541381650441783, "speedup_pct":  
654.1381650441783, "energy_savings_pct": 86.73983036064196, "A_hash":  
"c6809088150739dd56f1009581684604ae9f07fa6dd20a7476e8977a4b5230b8", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 40% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

ROLV

Benchmarks report

A_hash (data): 52d3ba055913dcb7c7d5af5cec98f30d09149d6c9b09ebe0c94bb731fafc616c
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
/tmp/ipython-input-4165162147.py:214: UserWarning: Sparse CSR tensor support is in beta state. If you miss a functionality in the sparse tensor support, please submit a feature request to <https://github.com/pytorch/pytorch/issues>. (Triggered internally at /pytorch/aten/src/ATen/SparseCsrTensorImpl.cpp:53.)

```
A_csr = torch.from_numpy(A_dense).to_sparse_csr()
```

rolvSPARSE© build time: 0.791674s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.250609s

rolvSPARSE© per-iter: 0.032574s

Speedup: 7.69x (669% faster)

Energy savings: 87.00%

rolv FLOPS: 9595984000 | GFLOPS: 294.59 | Tokens/s: 15350

Vendor Dense FLOPS: 16000000000 | GFLOPS: 63.84 | Tokens/s: 1995

% diff FLOPS vs dense: 361.42% | % diff Tokens vs dense: 669.36%

Vendor Sparse (CSR) FLOPS: 9595984000 | GFLOPS: 8.44 | Tokens/s: 440

% diff FLOPS vs sparse: 3390.35% | % diff Tokens vs sparse: 3390.35%

Best baseline: dense with per-iter: 0.250609s

rolv vs best baseline (dense): % diff FLOPS: 361.42% | % diff Tokens: 669.36%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.4, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":

0.7916742379998141, "rolv_iter_s": 0.03257385411999985, "baseline_iter_s":

0.25060924506599985, "speedup_x": 7.693570559466882, "speedup_pct":

669.3570559466882, "energy_savings_pct": 87.00213389517164, "A_hash":

"52d3ba055913dcb7c7d5af5cec98f30d09149d6c9b09ebe0c94bb731fafc616c", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 50% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): d1694b5ce86816e73baa2ede95a49ffd7f623816f4359b4127e446c45f3b8587

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 1.116635s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.248122s

rolvSPARSE© per-iter: 0.033544s

Speedup: 7.40x (640% faster)

Energy savings: 86.48%

ROLV

Benchmarks report

rolv FLOPS: 7999494000 | GFLOPS: 238.48 | Tokens/s: 14906
Vendor Dense FLOPS: 16000000000 | GFLOPS: 64.48 | Tokens/s: 2015
% diff FLOPS vs dense: 269.82% | % diff Tokens vs dense: 639.69%
Vendor Sparse (CSR) FLOPS: 7999494000 | GFLOPS: 8.45 | Tokens/s: 528
% diff FLOPS vs sparse: 2721.15% | % diff Tokens vs sparse: 2721.15%
Best baseline: dense with per-iter: 0.248122s
rolv vs best baseline (dense): % diff FLOPS: 269.82% | % diff Tokens: 639.69%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.5, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":
1.116634556000463, "rolv_iter_s": 0.033543936737999505, "baseline_iter_s":
0.24812185666599998, "speedup_x": 7.396921196340101, "speedup_pct":
639.6921196340102, "energy_savings_pct": 86.48086178753957, "A_hash":
"d1694b5ce86816e73baa2ede95a49ffd7f623816f4359b4127e446c45f3b8587", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: random | Zeros: 60% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): 2c2bdc43aaefa6dfc3f4d621048c428f16a832fa2e603298a808c349cc5851d0
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.966744s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.246465s
rolvSPARSE© per-iter: 0.034218s
Speedup: 7.20x (620% faster)
Energy savings: 86.12%
rolv FLOPS: 6397472000 | GFLOPS: 186.96 | Tokens/s: 14612
Vendor Dense FLOPS: 16000000000 | GFLOPS: 64.92 | Tokens/s: 2029
% diff FLOPS vs dense: 188.00% | % diff Tokens vs dense: 620.28%
Vendor Sparse (CSR) FLOPS: 6397472000 | GFLOPS: 8.03 | Tokens/s: 628
% diff FLOPS vs sparse: 2227.52% | % diff Tokens vs sparse: 2227.52%
Best baseline: dense with per-iter: 0.246465s
rolv vs best baseline (dense): % diff FLOPS: 188.00% | % diff Tokens: 620.28%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.6, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":
0.9667443829994227, "rolv_iter_s": 0.03421781425599966, "baseline_iter_s":
0.24646461954999996, "speedup_x": 7.202815986610995, "speedup_pct":
620.2815986610995, "energy_savings_pct": 86.11654106034561, "A_hash":
"2c2bdc43aaefa6dfc3f4d621048c428f16a832fa2e603298a808c349cc5851d0", "V_hash":

ROLV

Benchmarks report

```
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 70% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): e312e22078bd47184cc6438414f60fdab2dc4c6e9a41d5015266e5230f6efca9

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 1.018416s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.247763s

rolvSPARSE© per-iter: 0.033276s

Speedup: 7.45x (645% faster)

Energy savings: 86.57%

rolv FLOPS: 4801982000 | GFLOPS: 144.31 | Tokens/s: 15026

Vendor Dense FLOPS: 16000000000 | GFLOPS: 64.58 | Tokens/s: 2018

% diff FLOPS vs dense: 123.46% | % diff Tokens vs dense: 644.57%

Vendor Sparse (CSR) FLOPS: 4801982000 | GFLOPS: 8.45 | Tokens/s: 879

% diff FLOPS vs sparse: 1608.79% | % diff Tokens vs sparse: 1608.79%

Best baseline: dense with per-iter: 0.247763s

rolv vs best baseline (dense): % diff FLOPS: 123.46% | % diff Tokens: 644.57%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.7, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":

1.0184163120002268, "rolv_iter_s": 0.03327587270299955, "baseline_iter_s":

0.247762839944, "speedup_x": 7.445720271723067, "speedup_pct": 644.5720271723067,

"energy_savings_pct": 86.56946590113326, "A_hash":

"e312e22078bd47184cc6438414f60fdab2dc4c6e9a41d5015266e5230f6efca9", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 80% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 2d464cf97b3ca61c6784e93d3952bf255701d8ecb3f707df206bb837ba1ac92e

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.681193s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.244706s

ROLV

Benchmarks report

rolvSPARSE© per-iter: 0.005686s
Speedup: 43.03x (4203% faster)
Energy savings: 97.68%
rolv FLOPS: 3201705000 | GFLOPS: 563.06 | Tokens/s: 87931
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.38 | Tokens/s: 2043
% diff FLOPS vs dense: 761.15% | % diff Tokens vs dense: 4203.47%
Vendor Sparse (CSR) FLOPS: 3201705000 | GFLOPS: 7.49 | Tokens/s: 1169
% diff FLOPS vs sparse: 7420.95% | % diff Tokens vs sparse: 7420.95%
Best baseline: dense with per-iter: 0.244706s
rolv vs best baseline (dense): % diff FLOPS: 761.15% | % diff Tokens: 4203.47%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.8, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":
0.6811930610001582, "rolv_iter_s": 0.0056862556209998725, "baseline_iter_s":
0.24470633494799948, "speedup_x": 43.034705306647865, "speedup_pct":
4203.470530664787, "energy_savings_pct": 97.67629406806807, "A_hash":
"2d464cf97b3ca61c6784e93d3952bf255701d8ecb3f707df206bb837ba1ac92e", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: random | Zeros: 90% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): 3cd3a5ea7a7e150c2ee6b6ac05c7bcfeca9020db06fbb0f3f046840360bdbd11
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.425693s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.244567s
rolvSPARSE© per-iter: 0.005770s
Speedup: 42.38x (4138% faster)
Energy savings: 97.64%
rolv FLOPS: 1599002000 | GFLOPS: 277.11 | Tokens/s: 86652
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.42 | Tokens/s: 2044
% diff FLOPS vs dense: 323.58% | % diff Tokens vs dense: 4138.46%
Vendor Sparse (CSR) FLOPS: 1599002000 | GFLOPS: 7.98 | Tokens/s: 2495
% diff FLOPS vs sparse: 3373.64% | % diff Tokens vs sparse: 3373.64%
Best baseline: csr with per-iter: 0.200435s
rolv vs best baseline (csr): % diff FLOPS: 3373.64% | % diff Tokens: 3373.64%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.9, "pattern": "random", "selected_baseline": "csr", "rolv_build_s":
0.4256930930005183, "rolv_iter_s": 0.005770185004999803, "baseline_iter_s":

ROLV

Benchmarks report

0.20043549077399986, "speedup_x": 42.38461888502451, "speedup_pct":
4138.461888502451, "energy_savings_pct": 97.64065355238259, "A_hash":
"3cd3a5ea7a7e150c2ee6b6ac05c7bcfec9020db06fbb0f3f046840360bdbd11", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 95% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 7ccedee4432889cfe99e7417d01ac7b96ad95cc961e35eadc71d1d0df686f952

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.405345s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.244668s

rolvSPARSE© per-iter: 0.006244s

Speedup: 39.18x (3818% faster)

Energy savings: 97.45%

rolv FLOPS: 800425000 | GFLOPS: 128.18 | Tokens/s: 80070

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.39 | Tokens/s: 2044

% diff FLOPS vs dense: 96.01% | % diff Tokens vs dense: 3818.14%

Vendor Sparse (CSR) FLOPS: 800425000 | GFLOPS: 7.62 | Tokens/s: 4761

% diff FLOPS vs sparse: 1581.69% | % diff Tokens vs sparse: 1581.69%

Best baseline: csr with per-iter: 0.105013s

rolv vs best baseline (csr): % diff FLOPS: 1581.69% | % diff Tokens: 1581.69%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.95, "pattern": "random", "selected_baseline": "csr", "rolv_build_s":

0.40534473300067475, "rolv_iter_s": 0.006244497613999556, "baseline_iter_s":

0.10501319830600005, "speedup_x": 39.18137485495685, "speedup_pct":

3818.137485495685, "energy_savings_pct": 97.44776694615275, "A_hash":

"7ccedee4432889cfe99e7417d01ac7b96ad95cc961e35eadc71d1d0df686f952", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 99% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 3f13fd6c69284719b2d06af932ca2c08f7766f1e458f7688bd858eb0ec321124

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

ROLV

Benchmarks report

rolvSPARSE© build time: 0.384889s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.244683s
rolvSPARSE© per-iter: 0.006205s
Speedup: 39.43x (3843% faster)
Energy savings: 97.46%
rolv FLOPS: 160000000 | GFLOPS: 25.79 | Tokens/s: 80580
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.39 | Tokens/s: 2043
% diff FLOPS vs dense: -60.57% | % diff Tokens vs dense: 3843.30%
Vendor Sparse (CSR) FLOPS: 160000000 | GFLOPS: 6.88 | Tokens/s: 21487
% diff FLOPS vs sparse: 275.01% | % diff Tokens vs sparse: 275.01%
Best baseline: csr with per-iter: 0.023270s
rolv vs best baseline (csr): % diff FLOPS: 275.01% | % diff Tokens: 275.01%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.99, "pattern": "random", "selected_baseline": "csr", "rolv_build_s":
0.38488859000062803, "rolv_iter_s": 0.006205040365999594, "baseline_iter_s":
0.023269605117000536, "speedup_x": 39.43301263046384, "speedup_pct":
3843.301263046384, "energy_savings_pct": 97.46405376284272, "A_hash":
"3f13fd6c69284719b2d06af932ca2c08f7766f1e458f7688bd858eb0ec321124", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 40% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): ac3e2524752c7d17481f0414fdb37e9dedf1764bdc74a7ab06c6f902ee075230
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.940119s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.243970s
rolvSPARSE© per-iter: 0.033472s
Speedup: 7.29x (629% faster)
Energy savings: 86.28%
rolv FLOPS: 9504336000 | GFLOPS: 283.95 | Tokens/s: 14938
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.58 | Tokens/s: 2049
% diff FLOPS vs dense: 332.97% | % diff Tokens vs dense: 628.88%
Vendor Sparse (CSR) FLOPS: 9504336000 | GFLOPS: 8.67 | Tokens/s: 456
% diff FLOPS vs sparse: 3175.57% | % diff Tokens vs sparse: 3175.57%
Best baseline: dense with per-iter: 0.243970s
rolv vs best baseline (dense): % diff FLOPS: 332.97% | % diff Tokens: 628.88%

ROLV

Benchmarks report

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{"zeros_pct": 0.4, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":
0.9401188690007984, "rolv_iter_s": 0.033471881247000054, "baseline_iter_s":
0.24397027023300144, "speedup_x": 7.288812613568515, "speedup_pct":
628.8812613568515, "energy_savings_pct": 86.28034423414252, "A_hash":
"ac3e2524752c7d17481f0414fdb37e9dedf1764bdc74a7ab06c6f902ee075230", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 50% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): f07b049fcf44a0ed1021edc7f8d53fce7945ef47fe16d8d7afc7197b3bf13b8c

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 2.278570s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.244781s

rolvSPARSE© per-iter: 0.032775s

Speedup: 7.47x (647% faster)

Energy savings: 86.61%

rolv FLOPS: 7922827000 | GFLOPS: 241.73 | Tokens/s: 15255

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.36 | Tokens/s: 2043

% diff FLOPS vs dense: 269.82% | % diff Tokens vs dense: 646.85%

Vendor Sparse (CSR) FLOPS: 7922827000 | GFLOPS: 8.81 | Tokens/s: 556

% diff FLOPS vs sparse: 2643.75% | % diff Tokens vs sparse: 2643.75%

Best baseline: dense with per-iter: 0.244781s

rolv vs best baseline (dense): % diff FLOPS: 269.82% | % diff Tokens: 646.85%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.5, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":

2.2785699579999346, "rolv_iter_s": 0.032775221682000845, "baseline_iter_s":

0.24478085625099993, "speedup_x": 7.468472940502677, "speedup_pct":

646.8472940502677, "energy_savings_pct": 86.61038196206286, "A_hash":

"f07b049fcf44a0ed1021edc7f8d53fce7945ef47fe16d8d7afc7197b3bf13b8c", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 60% ===

ROLV

Benchmarks report

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 515a7847bc224664cfd5df595b3a450a234ae378e896fe1ff403bdf26dbe2341

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.677582s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.245128s

rolvSPARSE© per-iter: 0.033875s

Speedup: 7.24x (624% faster)

Energy savings: 86.18%

rolv FLOPS: 6336570000 | GFLOPS: 187.06 | Tokens/s: 14760

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.27 | Tokens/s: 2040

% diff FLOPS vs dense: 186.58% | % diff Tokens vs dense: 623.62%

Vendor Sparse (CSR) FLOPS: 6336570000 | GFLOPS: 8.40 | Tokens/s: 663

% diff FLOPS vs sparse: 2127.41% | % diff Tokens vs sparse: 2127.41%

Best baseline: dense with per-iter: 0.245128s

rolv vs best baseline (dense): % diff FLOPS: 186.58% | % diff Tokens: 623.62%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.6, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":

0.6775816779991146, "rolv_iter_s": 0.03387525587599884, "baseline_iter_s":

0.24512791953500163, "speedup_x": 7.236193888314764, "speedup_pct":

623.6193888314764, "energy_savings_pct": 86.18058035157361, "A_hash":

"515a7847bc224664cfd5df595b3a450a234ae378e896fe1ff403bdf26dbe2341", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}]

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 70% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): a3715bd5cf79238f828836ab00f8669eba129e1d13f10aead81251ff97d612a5

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 1.588071s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.243016s

rolvSPARSE© per-iter: 0.033060s

Speedup: 7.35x (635% faster)

Energy savings: 86.40%

rolv FLOPS: 4756052000 | GFLOPS: 143.86 | Tokens/s: 15124

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.84 | Tokens/s: 2057

% diff FLOPS vs dense: 118.50% | % diff Tokens vs dense: 635.08%

Vendor Sparse (CSR) FLOPS: 4756052000 | GFLOPS: 8.13 | Tokens/s: 854

ROLV

Benchmarks report

% diff FLOPS vs sparse: 1670.48% | % diff Tokens vs sparse: 1670.48%
Best baseline: dense with per-iter: 0.243016s
rolv vs best baseline (dense): % diff FLOPS: 118.50% | % diff Tokens: 635.08%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{"zeros_pct": 0.7, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":
1.588071261998266, "rolv_iter_s": 0.0330598878790006, "baseline_iter_s":
0.24301572097499957, "speedup_x": 7.350772690592257, "speedup_pct":
635.0772690592257, "energy_savings_pct": 86.39598798531982, "A_hash":
"a3715bd5cf79238f828836ab00f8669eba129e1d13f10aead81251ff97d612a5", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 80% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): 2586515ce734a600bda9e657230fdfe35affce7df63419a8044c0ec90f3e020c
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 1.083499s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.243716s
rolvSPARSE© per-iter: 0.006452s
Speedup: 37.78x (3678% faster)
Energy savings: 97.35%
rolv FLOPS: 3171164000 | GFLOPS: 491.53 | Tokens/s: 77501
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.65 | Tokens/s: 2052
% diff FLOPS vs dense: 648.72% | % diff Tokens vs dense: 3677.63%
Vendor Sparse (CSR) FLOPS: 3171164000 | GFLOPS: 7.60 | Tokens/s: 1199
% diff FLOPS vs sparse: 6364.87% | % diff Tokens vs sparse: 6364.87%
Best baseline: dense with per-iter: 0.243716s
rolv vs best baseline (dense): % diff FLOPS: 648.72% | % diff Tokens: 3677.63%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{"zeros_pct": 0.8, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":
1.0834988050009997, "rolv_iter_s": 0.006451566776999243, "baseline_iter_s":
0.24371631770899876, "speedup_x": 37.776299329006754, "speedup_pct":
3677.6299329006756, "energy_savings_pct": 97.35283757868748, "A_hash":
"2586515ce734a600bda9e657230fdfe35affce7df63419a8044c0ec90f3e020c", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 90% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): f28b2873aca1dc21589224aea61337d9219bf085c704114542cce386665992e3

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.887982s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.244201s

rolvSPARSE© per-iter: 0.006327s

Speedup: 38.60x (3760% faster)

Energy savings: 97.41%

rolv FLOPS: 1583674000 | GFLOPS: 250.31 | Tokens/s: 79029

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.52 | Tokens/s: 2047

% diff FLOPS vs dense: 282.04% | % diff Tokens vs dense: 3759.79%

Vendor Sparse (CSR) FLOPS: 1583674000 | GFLOPS: 7.57 | Tokens/s: 2389

% diff FLOPS vs sparse: 3208.01% | % diff Tokens vs sparse: 3208.01%

Best baseline: csr with per-iter: 0.209291s

rolv vs best baseline (csr): % diff FLOPS: 3208.01% | % diff Tokens: 3208.01%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.9, "pattern": "power_law", "selected_baseline": "csr", "rolv_build_s":

0.8879824529994949, "rolv_iter_s": 0.006326786580000771, "baseline_iter_s":

0.20929079423000074, "speedup_x": 38.597884688243944, "speedup_pct":

3759.7884688243944, "energy_savings_pct": 97.40918444604667, "A_hash":

"f28b2873aca1dc21589224aea61337d9219bf085c704114542cce386665992e3", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 95% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 8ef37271f7ffc09416872e3a99defdb41d00617cb240522e302c5384e69dd75b

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.478016s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.242659s

rolvSPARSE© per-iter: 0.007353s

Speedup: 33.00x (3200% faster)

Energy savings: 96.97%

ROLV

Benchmarks report

rolv FLOPS: 792721000 | GFLOPS: 107.80 | Tokens/s: 67996
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.94 | Tokens/s: 2061
% diff FLOPS vs dense: 63.50% | % diff Tokens vs dense: 3199.95%
Vendor Sparse (CSR) FLOPS: 792721000 | GFLOPS: 8.00 | Tokens/s: 5044
% diff FLOPS vs sparse: 1248.15% | % diff Tokens vs sparse: 1248.15%
Best baseline: csr with per-iter: 0.099135s
rolv vs best baseline (csr): % diff FLOPS: 1248.15% | % diff Tokens: 1248.15%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.95, "pattern": "power_law", "selected_baseline": "csr", "rolv_build_s":
0.47801611099930597, "rolv_iter_s": 0.007353408376000516, "baseline_iter_s":
0.09913500083600048, "speedup_x": 32.99951866551703, "speedup_pct":
3199.951866551703, "energy_savings_pct": 96.96965276937523, "A_hash":
"8ef37271f7ffc09416872e3a99defdb41d00617cb240522e302c5384e69dd75b", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 99% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): 6a858d8247998b75bcf63abbe6fff52d926c2f0527e8f4c36426828481e5d423
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.410672s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.244271s
rolvSPARSE© per-iter: 0.006066s
Speedup: 40.27x (3927% faster)
Energy savings: 97.52%
rolv FLOPS: 158419000 | GFLOPS: 26.12 | Tokens/s: 82425
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.50 | Tokens/s: 2047
% diff FLOPS vs dense: -60.13% | % diff Tokens vs dense: 3926.82%
Vendor Sparse (CSR) FLOPS: 158419000 | GFLOPS: 7.12 | Tokens/s: 22464
% diff FLOPS vs sparse: 266.92% | % diff Tokens vs sparse: 266.92%
Best baseline: csr with per-iter: 0.022257s
rolv vs best baseline (csr): % diff FLOPS: 266.92% | % diff Tokens: 266.92%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.99, "pattern": "power_law", "selected_baseline": "csr", "rolv_build_s":
0.41067219900105556, "rolv_iter_s": 0.006066102242000852, "baseline_iter_s":
0.02225744259900057, "speedup_x": 40.26820491710517, "speedup_pct":
3926.820491710517, "energy_savings_pct": 97.51665115924942, "A_hash":
"6a858d8247998b75bcf63abbe6fff52d926c2f0527e8f4c36426828481e5d423", "V_hash":

ROLV

Benchmarks report

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 40% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 52e3ba64659d3112df57d98d1350d6b3ab11c62e76078da8296e645a98330a62

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 1.218558s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.244293s

rolvSPARSE© per-iter: 0.033367s

Speedup: 7.32x (632% faster)

Energy savings: 86.34%

rolv FLOPS: 382444000 | GFLOPS: 11.46 | Tokens/s: 14985

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.50 | Tokens/s: 2047

% diff FLOPS vs dense: -82.50% | % diff Tokens vs dense: 632.14%

Vendor Sparse (CSR) FLOPS: 382444000 | GFLOPS: 18.13 | Tokens/s: 23701

% diff FLOPS vs sparse: -36.77% | % diff Tokens vs sparse: -36.77%

Best baseline: csr with per-iter: 0.021096s

rolv vs best baseline (csr): % diff FLOPS: -36.77% | % diff Tokens: -36.77%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.4, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":

1.21855829299966, "rolv_iter_s": 0.03336688213799971, "baseline_iter_s":

0.02109637242200006, "speedup_x": 7.321409173312884, "speedup_pct":

632.1409173312884, "energy_savings_pct": 86.34142722626295, "A_hash":

"52e3ba64659d3112df57d98d1350d6b3ab11c62e76078da8296e645a98330a62", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 50% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 016a413da915deb348f008282fb9a9da9bbe4ec7d8fef3c7017bf508bca0a540

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 1.001758s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.243308s

ROLV

Benchmarks report

rolvSPARSE© per-iter: 0.034039s
Speedup: 7.15x (615% faster)
Energy savings: 86.01%
rolv FLOPS: 318884000 | GFLOPS: 9.37 | Tokens/s: 14689
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.76 | Tokens/s: 2055
% diff FLOPS vs dense: -85.75% | % diff Tokens vs dense: 614.80%
Vendor Sparse (CSR) FLOPS: 318884000 | GFLOPS: 17.39 | Tokens/s: 27269
% diff FLOPS vs sparse: -46.13% | % diff Tokens vs sparse: -46.13%
Best baseline: csr with per-iter: 0.018336s
rolv vs best baseline (csr): % diff FLOPS: -46.13% | % diff Tokens: -46.13%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.5, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":
1.0017580079984327, "rolv_iter_s": 0.03403866560499955, "baseline_iter_s":
0.018335989434001023, "speedup_x": 7.147995458443087, "speedup_pct":
614.7995458443087, "energy_savings_pct": 86.01006385896878, "A_hash":
"016a413da915deb348f008282fb9a9da9bbe4ec7d8fef3c7017bf508bca0a540", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: banded | Zeros: 60% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): b675f52e5022c3a9ce1958689f154c1444a49fbb16ec034587ed4a4a008ed83a
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 1.268844s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.243213s
rolvSPARSE© per-iter: 0.033418s
Speedup: 7.28x (628% faster)
Energy savings: 86.26%
rolv FLOPS: 254732000 | GFLOPS: 7.62 | Tokens/s: 14962
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.79 | Tokens/s: 2056
% diff FLOPS vs dense: -88.41% | % diff Tokens vs dense: 627.80%
Vendor Sparse (CSR) FLOPS: 254732000 | GFLOPS: 16.71 | Tokens/s: 32800
% diff FLOPS vs sparse: -54.38% | % diff Tokens vs sparse: -54.38%
Best baseline: csr with per-iter: 0.015244s
rolv vs best baseline (csr): % diff FLOPS: -54.38% | % diff Tokens: -54.38%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.6, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":
1.268843817000743, "rolv_iter_s": 0.033417695864998674, "baseline_iter_s":

ROLV

Benchmarks report

0.01524413088500296, "speedup_x": 7.277974156133811, "speedup_pct":
627.7974156133811, "energy_savings_pct": 86.25991273743108, "A_hash":
"b675f52e5022c3a9ce1958689f154c1444a49fbb16ec034587ed4a4a008ed83a", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 70% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): bbab62a07d720a5e3284735504d4b96abf93b69b4859ca6cf99cc061713fa683

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.856274s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.244605s

rolvSPARSE© per-iter: 0.032579s

Speedup: 7.51x (651% faster)

Energy savings: 86.68%

rolv FLOPS: 190833000 | GFLOPS: 5.86 | Tokens/s: 15347

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.41 | Tokens/s: 2044

% diff FLOPS vs dense: -91.05% | % diff Tokens vs dense: 650.80%

Vendor Sparse (CSR) FLOPS: 190833000 | GFLOPS: 15.46 | Tokens/s: 40512

% diff FLOPS vs sparse: -62.12% | % diff Tokens vs sparse: -62.12%

Best baseline: csr with per-iter: 0.012342s

rolv vs best baseline (csr): % diff FLOPS: -62.12% | % diff Tokens: -62.12%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.7, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":

0.8562742760004767, "rolv_iter_s": 0.03257927144700079, "baseline_iter_s":

0.012342125986997417, "speedup_x": 7.507989553938265, "speedup_pct":

650.7989553938265, "energy_savings_pct": 86.68085520343516, "A_hash":

"bbab62a07d720a5e3284735504d4b96abf93b69b4859ca6cf99cc061713fa683", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 80% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 8e3bbfa56d84357da902faa4875edb01987cded1fd71b10d0c7d68255ebd1d90

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

ROLV

Benchmarks report

rolvSPARSE© build time: 0.755560s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.244625s
rolvSPARSE© per-iter: 0.007527s
Speedup: 32.50x (3150% faster)
Energy savings: 96.92%
rolv FLOPS: 127930000 | GFLOPS: 17.00 | Tokens/s: 66424
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.41 | Tokens/s: 2044
% diff FLOPS vs dense: -74.02% | % diff Tokens vs dense: 3149.79%
Vendor Sparse (CSR) FLOPS: 127930000 | GFLOPS: 13.56 | Tokens/s: 53017
% diff FLOPS vs sparse: 25.29% | % diff Tokens vs sparse: 25.29%
Best baseline: csr with per-iter: 0.009431s
rolv vs best baseline (csr): % diff FLOPS: 25.29% | % diff Tokens: 25.29%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.8, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":
0.7555601090025448, "rolv_iter_s": 0.007527407972000219, "baseline_iter_s":
0.0094309513219996, "speedup_x": 32.49790314341036, "speedup_pct":
3149.7903143410363, "energy_savings_pct": 96.92287839130086, "A_hash":
"8e3bbfa56d84357da902faa4875edb01987cded1fd71b10d0c7d68255ebd1d90", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: banded | Zeros: 90% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): aba60cfc434ce9643404bbbabbb360872871822785febfe2ac6f18839b3a970eb
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.526522s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.244208s
rolvSPARSE© per-iter: 0.007780s
Speedup: 31.39x (3039% faster)
Energy savings: 96.81%
rolv FLOPS: 63500000 | GFLOPS: 8.16 | Tokens/s: 64263
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.52 | Tokens/s: 2047
% diff FLOPS vs dense: -87.54% | % diff Tokens vs dense: 3038.73%
Vendor Sparse (CSR) FLOPS: 63500000 | GFLOPS: 9.88 | Tokens/s: 77778
% diff FLOPS vs sparse: -17.38% | % diff Tokens vs sparse: -17.38%
Best baseline: csr with per-iter: 0.006429s
rolv vs best baseline (csr): % diff FLOPS: -17.38% | % diff Tokens: -17.38%

ROLV

Benchmarks report

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.9, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":
0.5265221300032863, "rolv_iter_s": 0.0077804772700001195, "baseline_iter_s":
0.0064285666289979415, "speedup_x": 31.387269776060577, "speedup_pct":
3038.7269776060575, "energy_savings_pct": 96.81399495039001, "A_hash":
"aba60cfc434ce9643404bbbab360872871822785febfe2ac6f18839b3a970eb", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: banded | Zeros: 95% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 0ad5f140b43151d0ccd9cc855da329777891644675a3cd46a54cd681fe67d980

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.574413s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.243607s

rolvSPARSE© per-iter: 0.007565s

Speedup: 32.20x (3120% faster)

Energy savings: 96.89%

rolv FLOPS: 31840000 | GFLOPS: 4.21 | Tokens/s: 66092

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.68 | Tokens/s: 2052

% diff FLOPS vs dense: -93.59% | % diff Tokens vs dense: 3120.10%

Vendor Sparse (CSR) FLOPS: 31840000 | GFLOPS: 6.71 | Tokens/s: 105302

% diff FLOPS vs sparse: -37.24% | % diff Tokens vs sparse: -37.24%

Best baseline: csr with per-iter: 0.004748s

rolv vs best baseline (csr): % diff FLOPS: -37.24% | % diff Tokens: -37.24%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{ "zeros_pct": 0.95, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":

0.5744129589984368, "rolv_iter_s": 0.0075652079520004915, "baseline_iter_s":

0.004748253288998967, "speedup_x": 32.20097495873609, "speedup_pct":

3120.097495873609, "energy_savings_pct": 96.89450396678532, "A_hash":

"0ad5f140b43151d0ccd9cc855da329777891644675a3cd46a54cd681fe67d980", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: banded | Zeros: 99% ===

ROLV

Benchmarks report

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): cbeff471fcbcffc6ce8644a70cbe57299f495c90496f66d84e47375850c49154

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.561658s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.244130s

rolvSPARSE© per-iter: 0.007552s

Speedup: 32.33x (3133% faster)

Energy savings: 96.91%

rolv FLOPS: 6310000 | GFLOPS: 0.84 | Tokens/s: 66205

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.54 | Tokens/s: 2048

% diff FLOPS vs dense: -98.73% | % diff Tokens vs dense: 3132.54%

Vendor Sparse (CSR) FLOPS: 6310000 | GFLOPS: 1.74 | Tokens/s: 138242

% diff FLOPS vs sparse: -52.11% | % diff Tokens vs sparse: -52.11%

Best baseline: csr with per-iter: 0.003617s

rolv vs best baseline (csr): % diff FLOPS: -52.11% | % diff Tokens: -52.11%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.99, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":

0.5616584820018033, "rolv_iter_s": 0.007552243632002501, "baseline_iter_s":

0.003616849636000552, "speedup_x": 32.325433102092035, "speedup_pct":

3132.5433102092034, "energy_savings_pct": 96.9064606285653, "A_hash":

"cbeff471fcbcffc6ce8644a70cbe57299f495c90496f66d84e47375850c49154", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 40% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 42d9ea6dd55a8cd6dba3526fa786226e2993808ea5962adf490feb288684e307

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 1.939411s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.245196s

rolvSPARSE© per-iter: 0.032703s

Speedup: 7.50x (650% faster)

Energy savings: 86.66%

rolv FLOPS: 240022000 | GFLOPS: 7.34 | Tokens/s: 15289

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.25 | Tokens/s: 2039

% diff FLOPS vs dense: -88.75% | % diff Tokens vs dense: 649.77%

Vendor Sparse (CSR) FLOPS: 240022000 | GFLOPS: 14.56 | Tokens/s: 30339

ROLV

Benchmarks report

% diff FLOPS vs sparse: -49.61% | % diff Tokens vs sparse: -49.61%

Best baseline: csr with per-iter: 0.016480s

rolv vs best baseline (csr): % diff FLOPS: -49.61% | % diff Tokens: -49.61%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.4, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":

1.9394109470013063, "rolv_iter_s": 0.032702791699000956, "baseline_iter_s":

0.016480432877997372, "speedup_x": 7.497694623774005, "speedup_pct":

649.7694623774005, "energy_savings_pct": 86.66256695986047, "A_hash":

"42d9ea6dd55a8cd6dba3526fa786226e2993808ea5962adf490feb288684e307", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 50% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 75c1e722b4796a6c6935bcc68fc7783438b4fc436cc80d0205172b44ba7fbc3b

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.856404s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.245372s

rolvSPARSE© per-iter: 0.032030s

Speedup: 7.66x (666% faster)

Energy savings: 86.95%

rolv FLOPS: 199771000 | GFLOPS: 6.24 | Tokens/s: 15610

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.21 | Tokens/s: 2038

% diff FLOPS vs dense: -90.44% | % diff Tokens vs dense: 666.07%

Vendor Sparse (CSR) FLOPS: 199771000 | GFLOPS: 14.37 | Tokens/s: 35967

% diff FLOPS vs sparse: -56.60% | % diff Tokens vs sparse: -56.60%

Best baseline: csr with per-iter: 0.013902s

rolv vs best baseline (csr): % diff FLOPS: -56.60% | % diff Tokens: -56.60%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.5, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":

0.8564041549980175, "rolv_iter_s": 0.03203021688400259, "baseline_iter_s":

0.01390173397699982, "speedup_x": 7.660652086984495, "speedup_pct":

666.0652086984495, "energy_savings_pct": 86.94628096087267, "A_hash":

"75c1e722b4796a6c6935bcc68fc7783438b4fc436cc80d0205172b44ba7fbc3b", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 60% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 726ee7d81e952d1ab1fef238893c7c069dfd263d8709ec7bbdad086fc84d4ef6

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.959339s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.243799s

rolvSPARSE© per-iter: 0.033933s

Speedup: 7.18x (618% faster)

Energy savings: 86.08%

rolv FLOPS: 159960000 | GFLOPS: 4.71 | Tokens/s: 14735

Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.63 | Tokens/s: 2051

% diff FLOPS vs dense: -92.82% | % diff Tokens vs dense: 618.48%

Vendor Sparse (CSR) FLOPS: 159960000 | GFLOPS: 13.47 | Tokens/s: 42110

% diff FLOPS vs sparse: -65.01% | % diff Tokens vs sparse: -65.01%

Best baseline: csr with per-iter: 0.011874s

rolv vs best baseline (csr): % diff FLOPS: -65.01% | % diff Tokens: -65.01%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.6, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":

0.9593388920002326, "rolv_iter_s": 0.03393277855199994, "baseline_iter_s":

0.011873714921999635, "speedup_x": 7.184759345521676, "speedup_pct":

618.4759345521676, "energy_savings_pct": 86.081649337033, "A_hash":

"726ee7d81e952d1ab1fef238893c7c069dfd263d8709ec7bbdad086fc84d4ef6", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 70% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 8213aceb9303ebb6e831242c567151e453d2cac341500cd6804cfe491a4b76e5

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.897337s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.245999s

rolvSPARSE© per-iter: 0.032254s

Speedup: 7.63x (663% faster)

Energy savings: 86.89%

ROLV

Benchmarks report

rolv FLOPS: 120484000 | GFLOPS: 3.74 | Tokens/s: 15502
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.04 | Tokens/s: 2033
% diff FLOPS vs dense: -94.26% | % diff Tokens vs dense: 662.70%
Vendor Sparse (CSR) FLOPS: 120484000 | GFLOPS: 12.34 | Tokens/s: 51226
% diff FLOPS vs sparse: -69.74% | % diff Tokens vs sparse: -69.74%
Best baseline: csr with per-iter: 0.009761s
rolv vs best baseline (csr): % diff FLOPS: -69.74% | % diff Tokens: -69.74%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.7, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":
0.8973370870007784, "rolv_iter_s": 0.032253660860998935, "baseline_iter_s":
0.009760589901998174, "speedup_x": 7.627018917609401, "speedup_pct":
662.7018917609402, "energy_savings_pct": 86.88871745563418, "A_hash":
"8213aceb9303ebb6e831242c567151e453d2cac341500cd6804cfe491a4b76e5", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 80% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): 106291850c837037905b232b0a99e5e8b9e260afe36b2d59b202c642d123d1ea
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.428015s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.246719s
rolvSPARSE© per-iter: 0.006300s
Speedup: 39.16x (3816% faster)
Energy savings: 97.45%

rolv FLOPS: 80189000 | GFLOPS: 12.73 | Tokens/s: 79361
Vendor Dense FLOPS: 16000000000 | GFLOPS: 64.85 | Tokens/s: 2027
% diff FLOPS vs dense: -80.37% | % diff Tokens vs dense: 3815.95%
Vendor Sparse (CSR) FLOPS: 80189000 | GFLOPS: 10.54 | Tokens/s: 65737
% diff FLOPS vs sparse: 20.72% | % diff Tokens vs sparse: 20.72%
Best baseline: csr with per-iter: 0.007606s
rolv vs best baseline (csr): % diff FLOPS: 20.72% | % diff Tokens: 20.72%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.8, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":
0.428014852997876, "rolv_iter_s": 0.0063003498809994195, "baseline_iter_s":
0.007606062460999965, "speedup_x": 39.159524644822376, "speedup_pct":
3815.9524644822377, "energy_savings_pct": 97.44634285254988, "A_hash":
"106291850c837037905b232b0a99e5e8b9e260afe36b2d59b202c642d123d1ea", "V_hash":

ROLV

Benchmarks report

```
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 90% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): dae082305d1cd943d019662ad292b3764a7da1736910f4385b96f6617f8b3e4e

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.437707s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.246889s

rolvSPARSE© per-iter: 0.006230s

Speedup: 39.63x (3863% faster)

Energy savings: 97.48%

rolv FLOPS: 40159000 | GFLOPS: 6.45 | Tokens/s: 80255

Vendor Dense FLOPS: 16000000000 | GFLOPS: 64.81 | Tokens/s: 2025

% diff FLOPS vs dense: -90.05% | % diff Tokens vs dense: 3862.83%

Vendor Sparse (CSR) FLOPS: 40159000 | GFLOPS: 6.69 | Tokens/s: 83283

% diff FLOPS vs sparse: -3.63% | % diff Tokens vs sparse: -3.63%

Best baseline: csr with per-iter: 0.006004s

rolv vs best baseline (csr): % diff FLOPS: -3.63% | % diff Tokens: -3.63%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.9, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":

0.43770700200184365, "rolv_iter_s": 0.006230119643001672, "baseline_iter_s":

0.006003659416997834, "speedup_x": 39.62834191737132, "speedup_pct":

3862.834191737132, "energy_savings_pct": 97.47655351797184, "A_hash":

"dae082305d1cd943d019662ad292b3764a7da1736910f4385b96f6617f8b3e4e", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 95% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 520d987b07e71f16c3b9e04cad3040d77f91274196dd289be3f8a888e7c1ee92

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.531037s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.245346s

ROLV

Benchmarks report

rolvSPARSE© per-iter: 0.006025s
Speedup: 40.72x (3972% faster)
Energy savings: 97.54%
rolv FLOPS: 19939000 | GFLOPS: 3.31 | Tokens/s: 82993
Vendor Dense FLOPS: 16000000000 | GFLOPS: 65.21 | Tokens/s: 2038
% diff FLOPS vs dense: -94.93% | % diff Tokens vs dense: 3972.41%
Vendor Sparse (CSR) FLOPS: 19939000 | GFLOPS: 4.47 | Tokens/s: 112108
% diff FLOPS vs sparse: -25.97% | % diff Tokens vs sparse: -25.97%
Best baseline: csr with per-iter: 0.004460s
rolv vs best baseline (csr): % diff FLOPS: -25.97% | % diff Tokens: -25.97%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.95, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":
0.5310366029989382, "rolv_iter_s": 0.006024577733001934, "baseline_iter_s":
0.00445997395899758, "speedup_x": 40.72410293687875, "speedup_pct":
3972.4102936878753, "energy_savings_pct": 97.5444517426204, "A_hash":
"520d987b07e71f16c3b9e04cad3040d77f91274196dd289be3f8a888e7c1ee92", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 99% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): 47d94878334efed69663a0082617150bfd9d26cfe7ac4eab3de6afc7266cedae
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.444976s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.249670s
rolvSPARSE© per-iter: 0.006095s
Speedup: 40.96x (3996% faster)
Energy savings: 97.56%
rolv FLOPS: 4078000 | GFLOPS: 0.67 | Tokens/s: 82031
Vendor Dense FLOPS: 16000000000 | GFLOPS: 64.08 | Tokens/s: 2003
% diff FLOPS vs dense: -98.96% | % diff Tokens vs dense: 3996.12%
Vendor Sparse (CSR) FLOPS: 4078000 | GFLOPS: 1.07 | Tokens/s: 131378
% diff FLOPS vs sparse: -37.56% | % diff Tokens vs sparse: -37.56%
Best baseline: csr with per-iter: 0.003806s
rolv vs best baseline (csr): % diff FLOPS: -37.56% | % diff Tokens: -37.56%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.99, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":
0.4449764609998965, "rolv_iter_s": 0.006095271091999166, "baseline_iter_s":

ROLV

Benchmarks report

```
0.0038058156410006633, "speedup_x": 40.96121695993498, "speedup_pct":  
3996.121695993498, "energy_savings_pct": 97.55866628430957, "A_hash":  
"47d94878334efed69663a0082617150bfd9d26cfe7ac4eab3de6afc7266cedae", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}
```

=== ROLV Suite Summary ===

- FLOPS: $2 * \text{nnz} * \text{batch}$ (for matmul)
- Tokens/s: batch / per_iter_s
- Hashing: SHA-256 on normalized CPU-fp64 outputs + qhash(d=6)
- Tested sparsities: 40-99%
- Correctness: Verified if within tol (atol=2e-1, rtol=1e-3)

Imagination is the Only Limitation to Innovation
Rolv E. Heggenhougen

ROLV

Benchmarks report

APPLE M4

[2025-12-18 23:10:14] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern: random | Zeros: 60%

A_hash: 294db306da4ccde7b961e51bda862cc0e1c4de710795bb54c001b9815dcb52a5 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012821s | ELL: nans

Selected baseline: Dense

rolv load time (operator build): 0.064728 s

rolv per-iter: 0.003507s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:
9d3fff6efe6ab49b1ebacabdc5b6134c7c6145584607f7b48bb15104e3058baa (Dense)

ELL_norm_hash: 9d3fff6efe6ab49b1ebacabdc5b6134c7c6145584607f7b48bb15104e3058baa

ROLF_norm_hash:
a355d76793a55386b2954682e9d47f1813ff30449bdb2cd45e29abf9ab3df7ea

DENGs_norm_hash:
9d3fff6efe6ab49b1ebacabdc5b6134c7c6145584607f7b48bb15104e3058baa

Correctness vs Selected Baseline: Verified

Speedup (total): 3.60x ($\approx$ 260% faster)

Speedup (per-iter): 3.66x ($\approx$ 266% faster)

Energy Savings (proxy): 72.71%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A": "294db306da4ccde7b961e51bda862cc0e1c4de710795bb54c001b9815dcb52a5", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "9d3fff6efe6ab49b1ebacabdc5b6134c7c6145584607f7b48bb15104e3058baa", "ELL_norm_hash": "9d3fff6efe6ab49b1ebacabdc5b6134c7c6145584607f7b48bb15104e3058baa", "ROLF_norm_hash": "a355d76793a55386b2954682e9d47f1813ff30449bdb2cd45e29abf9ab3df7ea", "DENGs_norm_hash": "9d3fff6efe6ab49b1ebacabdc5b6134c7c6145584607f7b48bb15104e3058baa", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "92d2f1675d44289a9178ce4917ce16f5042c4592a5867d11b5d0ce637a682713",

ROLV

Benchmarks report

"path_selected": "Dense", "rolv_build_s": 0.064728, "rolv_iter_s": 0.003507, "baseline_iter_s": 0.01285, "rolv_total_s": 3.57212, "baseline_total_s": 12.850123, "speedup_total_vs_selected_x": 3.597, "speedup_iter_vs_selected_x": 3.664, "correct_norm": "OK"}

[2025-12-18 23:10:48] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern: power_law | Zeros: 60%

A_hash: ce92f405aa4c1b52a92efeb0bbe9833353b5ac302b84a5e9f0e7b3dc8fab3396 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012742s | ELL: nans

Selected baseline: Dense

rolv load time (operator build): 0.037489 s

rolv per-iter: 0.003506s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

8309b9720486c24e3d90ae1bc2e7ca7c1b0908d7d046f9d27cb201372ac15989 (Dense)

ELL_norm_hash:

8309b9720486c24e3d90ae1bc2e7ca7c1b0908d7d046f9d27cb201372ac15989

ROLF_norm_hash:

304fdadc253c39129ec86d1991b1d4a3c4088b758ca935251dd0b2e711782cb4

DENGs_norm_hash:

8309b9720486c24e3d90ae1bc2e7ca7c1b0908d7d046f9d27cb201372ac15989

Correctness vs Selected Baseline: Verified

Speedup (total): 3.60x ($\approx$ 260% faster)

Speedup (per-iter): 3.64x ($\approx$ 264% faster)

Energy Savings (proxy): 72.53%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":

"ce92f405aa4c1b52a92efeb0bbe9833353b5ac302b84a5e9f0e7b3dc8fab3396",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"8309b9720486c24e3d90ae1bc2e7ca7c1b0908d7d046f9d27cb201372ac15989",

"ELL_norm_hash":

"8309b9720486c24e3d90ae1bc2e7ca7c1b0908d7d046f9d27cb201372ac15989",

"ROLF_norm_hash":

"304fdadc253c39129ec86d1991b1d4a3c4088b758ca935251dd0b2e711782cb4",

"DENGs_norm_hash":

"8309b9720486c24e3d90ae1bc2e7ca7c1b0908d7d046f9d27cb201372ac15989",

ROLV

Benchmarks report

"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"c0a9d33e4c42cb566f9dd334708a4eb24a0f52b3e901a193bdbbefbf54c357902",
"path_selected": "Dense", "rolv_build_s": 0.037489, "rolv_iter_s": 0.003506, "baseline_iter_s":
0.012765, "rolv_total_s": 3.543469, "baseline_total_s": 12.764614,
"speedup_total_vs_selected_x": 3.602, "speedup_iter_vs_selected_x": 3.641, "correct_norm":
"OK"}

[2025-12-18 23:11:20] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern:
banded | Zeros: 60%

A_hash: c0ba540daa4a53686b2de28075c25ac8a649d142696ab2d06a45916bae92bbe0 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012740s | ELL: 0.134715s

Selected baseline: Dense

rolv load time (operator build): 0.055096 s

rolv per-iter: 0.003512s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

7407d3a57a7b584daea20d96d55faffa837867bdcd286d824107d15a3b6bb18d (Dense)

ELL_norm_hash:

d4fb5ff9c328a4ea60f6cac33ab795a23b3b53702724349690811a0c323345c8

ROLF_norm_hash:

a5902ccb991e890931c12018b05c7b87a1f4b7f904421da84f58a1b1f3814f7f

DENGs_norm_hash:

7407d3a57a7b584daea20d96d55faffa837867bdcd286d824107d15a3b6bb18d

Correctness vs Selected Baseline: Verified

Speedup (total): 3.58x ($\approx$ 258% faster)

Speedup (per-iter): 3.63x ($\approx$ 263% faster)

Energy Savings (proxy): 72.48%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch
2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":

"c0ba540daa4a53686b2de28075c25ac8a649d142696ab2d06a45916bae92bbe0",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"7407d3a57a7b584daea20d96d55faffa837867bdcd286d824107d15a3b6bb18d",

"ELL_norm_hash":

"d4fb5ff9c328a4ea60f6cac33ab795a23b3b53702724349690811a0c323345c8",

ROLV

Benchmarks report

"ROLF_norm_hash":
"a5902ccb991e890931c12018b05c7b87a1f4b7f904421da84f58a1b1f3814f7f",
"DENGs_norm_hash":
"7407d3a57a7b584daea20d96d55affa837867bdcd286d824107d15a3b6bb18d",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"ebba7a9b898dd468a9b27b8c1b3e97242fc298cba65f93ed277d76788bbc494f",
"path_selected": "Dense", "rolv_build_s": 0.055096, "rolv_iter_s": 0.003512, "baseline_iter_s":
0.012761, "rolv_total_s": 3.567392, "baseline_total_s": 12.760558,
"speedup_total_vs_selected_x": 3.577, "speedup_iter_vs_selected_x": 3.633, "correct_norm":
"OK"}

[2025-12-18 23:11:56] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern:
block_diagonal | Zeros: 60%

A_hash: 4709a0323cdc8cc6ee904ff22606cdafadca73f191c092893df62ac5cfb4e081 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012739s | ELL: 0.164882s

Selected baseline: Dense

rolv load time (operator build): 0.181750 s

rolv per-iter: 0.003498s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

3dc0cf538c35837ad33c5dfc2adadebab63e3e5d94217bdf8bfe63865cae72a1 (Dense)

ELL_norm_hash:

a2542d3f3e8127161414afe16bef31206b1de320ed564d07d002b7d91c26ef34

ROLF_norm_hash:

fec1270a07ea5c0b76629ccc4b01cefed3a5a2a37b86309fb4bf5d470c6934c0

DENGs_norm_hash:

3dc0cf538c35837ad33c5dfc2adadebab63e3e5d94217bdf8bfe63865cae72a1

Correctness vs Selected Baseline: Verified

Speedup (total): 3.47x ($\approx$ 247% faster)

Speedup (per-iter): 3.65x ($\approx$ 265% faster)

Energy Savings (proxy): 72.60%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch
2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":

"4709a0323cdc8cc6ee904ff22606cdafadca73f191c092893df62ac5cfb4e081", "input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

ROLV

Benchmarks report

```
"3dc0cf538c35837ad33c5dfc2adadebab63e3e5d94217bdf8bfe63865cae72a1",
"ELL_norm_hash":
"a2542d3f3e8127161414afe16bef31206b1de320ed564d07d002b7d91c26ef34",
"ROLF_norm_hash":
"fec1270a07ea5c0b76629ccc4b01cefed3a5a2a37b86309fb4bf5d470c6934c0",
"DENGs_norm_hash":
"3dc0cf538c35837ad33c5dfc2adadebab63e3e5d94217bdf8bfe63865cae72a1",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"a09ab8abca1e50d1efb588f2e7b3a3847cf02fcce1acd43b8517d9070266dce0",
"path_selected": "Dense", "rolv_build_s": 0.18175, "rolv_iter_s": 0.003498, "baseline_iter_s":
0.012768, "rolv_total_s": 3.679961, "baseline_total_s": 12.767563,
"speedup_total_vs_selected_x": 3.469, "speedup_iter_vs_selected_x": 3.65, "correct_norm":
"OK"}
```

[2025-12-18 23:12:33] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern: random | Zeros: 80%

A_hash: c6f8c80b0a5c5abca78a62cba5faca4a906535a011bb7731d488488e8902e4cc |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012746s | ELL: nans

Selected baseline: Dense

rolv load time (operator build): 0.040907 s

rolv per-iter: 0.003494s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: 3c9211e668f55fb0f6fc428d57c053526b20f3d9f4547fb1b1e1418c0d22caf7
(Dense)

ELL_norm_hash: 3c9211e668f55fb0f6fc428d57c053526b20f3d9f4547fb1b1e1418c0d22caf7

ROLF_norm_hash:

7b1961cf774d97bfda53cd367102b33901b72c16370168c7eeeb812d6b739e6a

DENGs_norm_hash:

3c9211e668f55fb0f6fc428d57c053526b20f3d9f4547fb1b1e1418c0d22caf7

Correctness vs Selected Baseline: Verified

Speedup (total): 3.63x ($\approx$ 263% faster)

Speedup (per-iter): 3.67x ($\approx$ 267% faster)

Energy Savings (proxy): 72.78%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":

"c6f8c80b0a5c5abca78a62cba5faca4a906535a011bb7731d488488e8902e4cc",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

ROLV

Benchmarks report

```
"ROLV_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"DENSE_norm_hash":  
"3c9211e668f55fb0f6fc428d57c053526b20f3d9f4547fb1b1e1418c0d22caf7",  
"ELL_norm_hash":  
"3c9211e668f55fb0f6fc428d57c053526b20f3d9f4547fb1b1e1418c0d22caf7",  
"ROLF_norm_hash":  
"7b1961cf774d97bfda53cd367102b33901b72c16370168c7eeeb812d6b739e6a",  
"DENGs_norm_hash":  
"3c9211e668f55fb0f6fc428d57c053526b20f3d9f4547fb1b1e1418c0d22caf7",  
"ROLV_qhash_d6":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"DENSE_qhash_d6":  
"23e201186a6101bd8adbb25c62472f37a598e2f9876182982635bd9a12a21d8d",  
"path_selected": "Dense", "rolv_build_s": 0.040907, "rolv_iter_s": 0.003494, "baseline_iter_s":  
0.012833, "rolv_total_s": 3.534533, "baseline_total_s": 12.832659,  
"speedup_total_vs_selected_x": 3.631, "speedup_iter_vs_selected_x": 3.673, "correct_norm":  
"OK"}
```

[2025-12-18 23:13:06] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern:
power_law | Zeros: 80%
A_hash: 382bdbd3960134c9d1e2634f12f56ef16fb806ffeb322763c994961ce8247a26 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
Baseline pilots per-iter -> Dense: 0.012751s | ELL: nans
Selected baseline: Dense
rolv load time (operator build): 0.042264 s
rolv per-iter: 0.003504s
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash: 9ad10dbacdb8bee6ac111ff6f07ca9bf733dacfa3bf18d475fd7931c677b2ff3
(Dense)
ELL_norm_hash: 9ad10dbacdb8bee6ac111ff6f07ca9bf733dacfa3bf18d475fd7931c677b2ff3
ROLF_norm_hash:
f7e74629cdde1088cb5468b1fa4288dea3b1a4a02ab6940b87f1e39341aac349
DENGs_norm_hash: 9ad10dbacdb8bee6ac111ff6f07ca9bf733dacfa3bf18d475fd7931c677b2ff3
Correctness vs Selected Baseline: Verified
Speedup (total): 3.60x ($\approx$ 260% faster)
Speedup (per-iter): 3.64x ($\approx$ 264% faster)
Energy Savings (proxy): 72.56%
{ "platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch
2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":
"382bdbd3960134c9d1e2634f12f56ef16fb806ffeb322763c994961ce8247a26", "input_hash_B":

ROLV

Benchmarks report

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"9ad10dbacdb8bee6ac111ff6f07ca9bf733dacfa3bf18d475fd7931c677b2ff3", "ELL_norm_hash":
"9ad10dbacdb8bee6ac111ff6f07ca9bf733dacfa3bf18d475fd7931c677b2ff3",
"ROLF_norm_hash":
"f7e74629cdde1088cb5468b1fa4288dea3b1a4a02ab6940b87f1e39341aac349",
"DENGGS_norm_hash":
"9ad10dbacdb8bee6ac111ff6f07ca9bf733dacfa3bf18d475fd7931c677b2ff3",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"f0a4cac2f78f4c399b96829bf548597a744ee32fd907293f74bad97f27ea5e1d", "path_selected":
"Dense", "rolv_build_s": 0.042264, "rolv_iter_s": 0.003504, "baseline_iter_s": 0.012766,
"rolv_total_s": 3.545933, "baseline_total_s": 12.766406, "speedup_total_vs_selected_x": 3.6,
"speedup_iter_vs_selected_x": 3.644, "correct_norm": "OK"}

[2025-12-18 23:13:39] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern:
banded | Zeros: 80%

A_hash: 148aeb5aebbfd6228f81d84f04a1450099c5dbd66aa35fc9dfe728bf9072e602 | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012763s | ELL: 0.077011s

Selected baseline: Dense

rolv load time (operator build): 0.062633 s

rolv per-iter: 0.003493s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

9dcb23c87b61f62d4b74177807c9e040f89d92bf7b8d35c2e18af522bcce4907 (Dense)

ELL_norm_hash:

3da2083feb48c5367c42a8a7814e4a055a864718d24cb6f9a05eb81a7a9873d7

ROLF_norm_hash:

03824049e0ca379a5862bc7bb2910e3bc8cc8a57299192185045370fc728649b

DENGGS_norm_hash:

9dcb23c87b61f62d4b74177807c9e040f89d92bf7b8d35c2e18af522bcce4907

Correctness vs Selected Baseline: Verified

Speedup (total): 3.59x ($\approx$ 259% faster)

Speedup (per-iter): 3.65x ($\approx$ 265% faster)

Energy Savings (proxy): 72.63%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch
2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":

ROLV

Benchmarks report

```
"148aeb5aebbfd6228f81d84f04a1450099c5dbd66aa35fc9dfe728bf9072e602", "input_hash_B":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"ROLV_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"DENSE_norm_hash":  
"9dcb23c87b61f62d4b74177807c9e040f89d92bf7b8d35c2e18af522bcce4907",  
"ELL_norm_hash":  
"3da2083feb48c5367c42a8a7814e4a055a864718d24cb6f9a05eb81a7a9873d7",  
"ROLF_norm_hash":  
"03824049e0ca379a5862bc7bb2910e3bc8cc8a57299192185045370fc728649b",  
"DENGs_norm_hash":  
"9dcb23c87b61f62d4b74177807c9e040f89d92bf7b8d35c2e18af522bcce4907",  
"ROLV_qhash_d6":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"DENSE_qhash_d6":  
"8d04f38f8036e3ab0cc025aa0e9bafd7785a2b6d10584e1382af17ea4c39a96a",  
"path_selected": "Dense", "rolv_build_s": 0.062633, "rolv_iter_s": 0.003493, "baseline_iter_s":  
0.012763, "rolv_total_s": 3.555681, "baseline_total_s": 12.763312,  
"speedup_total_vs_selected_x": 3.59, "speedup_iter_vs_selected_x": 3.654, "correct_norm":  
"OK"}
```

[2025-12-18 23:14:13] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern:
block_diagonal | Zeros: 80%
A_hash: 540b24f3b4831cc65aeffd4e0ff132c1594d482648cc22007c853329a9bd0a7c | V_hash:
448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
Baseline pilots per-iter -> Dense: 0.012741s | ELL: 0.092897s
Selected baseline: Dense
rolv load time (operator build): 0.054081 s
rolv per-iter: 0.003495s
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
58a65d78a0363a8e745e0441dc9b047d2da8e47f24a32a5aeba4d33f685fc285 (Dense)
ELL_norm_hash: 4ef741786e45a616fd8110a8408ed1c516d9c41cf0343618da6f835b5a904fec
ROLF_norm_hash:
5236e310b7f92b1f6f688d18a9a405dc08135a31ead1a6455ddb14eabfccfc3
DENGs_norm_hash:
58a65d78a0363a8e745e0441dc9b047d2da8e47f24a32a5aeba4d33f685fc285
Correctness vs Selected Baseline: Verified
Speedup (total): 3.60x ($\approx$ 260% faster)
Speedup (per-iter): 3.65x ($\approx$ 265% faster)
Energy Savings (proxy): 72.62%

ROLV

Benchmarks report

```
{ "platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A": "540b24f3b4831cc65aeffd4e0ff132c1594d482648cc22007c853329a9bd0a7c", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "58a65d78a0363a8e745e0441dc9b047d2da8e47f24a32a5aeba4d33f685fc285", "ELL_norm_hash": "4ef741786e45a616fd8110a8408ed1c516d9c41cf0343618da6f835b5a904fec", "ROLF_norm_hash": "5236e310b7f92b1f6f688d18a9a405dc08135a31ead1a6455ddb14eabfccfc3", "DENGs_norm_hash": "58a65d78a0363a8e745e0441dc9b047d2da8e47f24a32a5aeba4d33f685fc285", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "e7105292e351bb236d6bacfeaaaa83d7c1b30711de05c7501229f2aef6f3a540", "path_selected": "Dense", "rolv_build_s": 0.054081, "rolv_iter_s": 0.003495, "baseline_iter_s": 0.012766, "rolv_total_s": 3.548687, "baseline_total_s": 12.765546, "speedup_total_vs_selected_x": 3.597, "speedup_iter_vs_selected_x": 3.653, "correct_norm": "OK" }
```

[2025-12-18 23:14:48] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern: random | Zeros: 90%

A_hash: 06a5e784cf7f3271203fcedc782d15c05fdb87aad03ac4b10d66fe0870ba2b21 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012833s | ELL: nans

Selected baseline: Dense

rolv load time (operator build): 0.052771 s

rolv per-iter: 0.003506s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash: 0698f8b24cc2ac9ae6bf91910f4e9d9cb0b67706d9efcb860dd33e7defc6c9a8 (Dense)

ELL_norm_hash: 0698f8b24cc2ac9ae6bf91910f4e9d9cb0b67706d9efcb860dd33e7defc6c9a8

ROLF_norm_hash: 36d03a6f69e33e94a0f383b2d49f322e6712c0c1e0630cbc4b9e4c1bed3ac74d

DENGs_norm_hash: 0698f8b24cc2ac9ae6bf91910f4e9d9cb0b67706d9efcb860dd33e7defc6c9a8

Correctness vs Selected Baseline: Verified

Speedup (total): 3.59x ($\approx$ 259% faster)

ROLV

Benchmarks report

Speedup (per-iter): 3.64x ($\approx$ 264% faster)

Energy Savings (proxy): 72.54%

```
{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A": "06a5e784cf7f3271203fcedc782d15c05fdb87aad03ac4b10d66fe0870ba2b21", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "0698f8b24cc2ac9ae6bf91910f4e9d9cb0b67706d9efcb860dd33e7defc6c9a8", "ELL_norm_hash": "0698f8b24cc2ac9ae6bf91910f4e9d9cb0b67706d9efcb860dd33e7defc6c9a8", "ROLF_norm_hash": "36d03a6f69e33e94a0f383b2d49f322e6712c0c1e0630cbc4b9e4c1bed3ac74d", "DENGs_norm_hash": "0698f8b24cc2ac9ae6bf91910f4e9d9cb0b67706d9efcb860dd33e7defc6c9a8", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "1fc3486f559624c7ca3cfaeb234e0e4a85ddd87c60d5f606b2bfb95bbacefa7c", "path_selected": "Dense", "rolv_build_s": 0.052771, "rolv_iter_s": 0.003506, "baseline_iter_s": 0.012769, "rolv_total_s": 3.558789, "baseline_total_s": 12.768746, "speedup_total_vs_selected_x": 3.588, "speedup_iter_vs_selected_x": 3.642, "correct_norm": "OK"}
```

[2025-12-18 23:15:22] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern: power_law | Zeros: 90%
A_hash: 94941ebf38718fd8194a38ddc068a2c142793754a74f85acd388c951f172f69a | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
Baseline pilots per-iter -> Dense: 0.012747s | ELL: nans
Selected baseline: Dense
rolv load time (operator build): 0.095844 s
rolv per-iter: 0.003504s
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash: 4726518281176bb307128c3bbe54c61681141dacb4c2dcd25011092ab8f18985 (Dense)
ELL_norm_hash: 4726518281176bb307128c3bbe54c61681141dacb4c2dcd25011092ab8f18985
ROLF_norm_hash: 2fba1223941c14822ae605bfebd2fc757600dbb0102b555c35516ce7de8a6e14
DENGs_norm_hash: 4726518281176bb307128c3bbe54c61681141dacb4c2dcd25011092ab8f18985

ROLV

Benchmarks report

Correctness vs Selected Baseline: Verified

Speedup (total): 3.54x ($\approx$ 254% faster)

Speedup (per-iter): 3.64x ($\approx$ 264% faster)

Energy Savings (proxy): 72.53%

```
{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch  
2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":  
"94941ebf38718fd8194a38ddc068a2c142793754a74f85acd388c951f172f69a", "input_hash_B":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"ROLV_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"DENSE_norm_hash":  
"4726518281176bb307128c3bbe54c61681141dacb4c2dcd25011092ab8f18985",  
"ELL_norm_hash":  
"4726518281176bb307128c3bbe54c61681141dacb4c2dcd25011092ab8f18985",  
"ROLF_norm_hash":  
"2fba1223941c14822ae605bfebd2fc757600dbb0102b555c35516ce7de8a6e14",  
"DENGs_norm_hash":  
"4726518281176bb307128c3bbe54c61681141dacb4c2dcd25011092ab8f18985",  
"ROLV_qhash_d6":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"DENSE_qhash_d6":  
"1ff8b430372c7b41e93bc3312df1bd196c409e4e13807e46d25a570275cec2d9",  
"path_selected": "Dense", "rolv_build_s": 0.095844, "rolv_iter_s": 0.003504, "baseline_iter_s":  
0.012757, "rolv_total_s": 3.600327, "baseline_total_s": 12.756936,  
"speedup_total_vs_selected_x": 3.543, "speedup_iter_vs_selected_x": 3.64, "correct_norm":  
"OK"}
```

[2025-12-18 23:15:55] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern:
banded | Zeros: 90%

A_hash: 13aa6fe35d968b39e43bc505dac83c6bc16b6eca7f4aeb9a9808650c151905ad |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012736s | ELL: 0.047066s

Selected baseline: Dense

rolv load time (operator build): 0.045721 s

rolv per-iter: 0.003498s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

d4b492f990be14d68971b0a93b536fe81d99f2703c06e223c9ec059d42000769 (Dense)

ELL_norm_hash:

9b473219b3714189875b03d296048b5165a19c0cb646938941b05606851b0531

ROLV

Benchmarks report

ROLF_norm_hash:

07c3b5f8e5bd3077e3dd07f5a728c81eb988df59807e175cac6413fb3292d82b

DENGs_norm_hash:

d4b492f990be14d68971b0a93b536fe81d99f2703c06e223c9ec059d42000769

Correctness vs Selected Baseline: Verified

Speedup (total): 3.60x ($\approx$ 260% faster)

Speedup (per-iter): 3.65x ($\approx$ 265% faster)

Energy Savings (proxy): 72.60%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":

"13aa6fe35d968b39e43bc505dac83c6bc16b6eca7f4aebea9808650c151905ad",

"input_hash_B":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"ROLV_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_norm_hash":

"d4b492f990be14d68971b0a93b536fe81d99f2703c06e223c9ec059d42000769",

"ELL_norm_hash":

"9b473219b3714189875b03d296048b5165a19c0cb646938941b05606851b0531",

"ROLF_norm_hash":

"07c3b5f8e5bd3077e3dd07f5a728c81eb988df59807e175cac6413fb3292d82b",

"DENGs_norm_hash":

"d4b492f990be14d68971b0a93b536fe81d99f2703c06e223c9ec059d42000769",

"ROLV_qhash_d6":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"DENSE_qhash_d6":

"b5b8235d472339d02118fe49ca4e73d63c42ef9d5d0e2d472e0b5cd7e8439874",

"path_selected": "Dense", "rolv_build_s": 0.045721, "rolv_iter_s": 0.003498, "baseline_iter_s": 0.012765, "rolv_total_s": 3.543768, "baseline_total_s": 12.764786,

"speedup_total_vs_selected_x": 3.602, "speedup_iter_vs_selected_x": 3.649, "correct_norm":

"OK"}

[2025-12-18 23:16:29] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern: block_diagonal | Zeros: 90%

A_hash: 4c9a657ceb6fd6b39139a011282391373d798ed7eb1e3998365f93e1b7284e41 |

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012745s | ELL: 0.053751s

Selected baseline: Dense

rolv load time (operator build): 0.099818 s

rolv per-iter: 0.003492s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

BASE_norm_hash:
9934d98dec07186374e71a4065deb2476fa40c02d3f18a0d5d6c5d6ec0f93222 (Dense)
ELL_norm_hash:
92a7cb938671112cdbd32640709b10b6bfb1e980da763c45c6382bc0299366f8
ROLF_norm_hash:
c5d727e0d9a4e176ce623fa9ffdd3e0c4255a89c8f990975e4ee7014fda276ad
DENGs_norm_hash:
9934d98dec07186374e71a4065deb2476fa40c02d3f18a0d5d6c5d6ec0f93222
Correctness vs Selected Baseline: Verified
Speedup (total): 3.56x ($\approx$ 256% faster)
Speedup (per-iter): 3.66x ($\approx$ 266% faster)
Energy Savings (proxy): 72.70%
{ "platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":
"4c9a657ceb6fd6b39139a011282391373d798ed7eb1e3998365f93e1b7284e41",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"9934d98dec07186374e71a4065deb2476fa40c02d3f18a0d5d6c5d6ec0f93222",
"ELL_norm_hash":
"92a7cb938671112cdbd32640709b10b6bfb1e980da763c45c6382bc0299366f8",
"ROLF_norm_hash":
"c5d727e0d9a4e176ce623fa9ffdd3e0c4255a89c8f990975e4ee7014fda276ad",
"DENGs_norm_hash":
"9934d98dec07186374e71a4065deb2476fa40c02d3f18a0d5d6c5d6ec0f93222",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"dbffc14816304b738a8831e3d21215338a7163f00e8015da1a7349b992701f4d",
"path_selected": "Dense", "rolv_build_s": 0.099818, "rolv_iter_s": 0.003492, "baseline_iter_s":
0.012791, "rolv_total_s": 3.592126, "baseline_total_s": 12.791482,
"speedup_total_vs_selected_x": 3.561, "speedup_iter_vs_selected_x": 3.663, "correct_norm":
"OK" }

[2025-12-18 23:17:03] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern:
random | Zeros: 95%
A_hash: 406c6029a0864120b837a8b19c8b7b2f5731fa294aef87125c79986b2aed0323 |
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
Baseline pilots per-iter -> Dense: 0.012744s | ELL: nans
Selected baseline: Dense

ROLV

Benchmarks report

rolv load time (operator build): 0.054164 s
rolv per-iter: 0.003502s
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
b0dfd6d1a2a04e945f7a176728e07d3b7b5015bebec1cc7b0e08149bdad298ec (Dense)
ELL_norm_hash:
b0dfd6d1a2a04e945f7a176728e07d3b7b5015bebec1cc7b0e08149bdad298ec
ROLF_norm_hash:
6a98b5fb52eb712a598a7f7053f6b730cd05ec5bcc19a2bb95ab557d9cbbb371
DENGs_norm_hash:
b0dfd6d1a2a04e945f7a176728e07d3b7b5015bebec1cc7b0e08149bdad298ec
Correctness vs Selected Baseline: Verified
Speedup (total): 3.59x ($\approx$ 259% faster)
Speedup (per-iter): 3.65x ($\approx$ 265% faster)
Energy Savings (proxy): 72.61%
{ "platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch
2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A":
"406c6029a0864120b837a8b19c8b7b2f5731fa294aef87125c79986b2aed0323",
"input_hash_B":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"ROLV_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_norm_hash":
"b0dfd6d1a2a04e945f7a176728e07d3b7b5015bebec1cc7b0e08149bdad298ec",
"ELL_norm_hash":
"b0dfd6d1a2a04e945f7a176728e07d3b7b5015bebec1cc7b0e08149bdad298ec",
"ROLF_norm_hash":
"6a98b5fb52eb712a598a7f7053f6b730cd05ec5bcc19a2bb95ab557d9cbbb371",
"DENGs_norm_hash":
"b0dfd6d1a2a04e945f7a176728e07d3b7b5015bebec1cc7b0e08149bdad298ec",
"ROLV_qhash_d6":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"DENSE_qhash_d6":
"ca26200bb66a088ca605830cfa10d679a9c4d382ae84fdf699df73b389d564fc", "path_selected":
"Dense", "rolv_build_s": 0.054164, "rolv_iter_s": 0.003502, "baseline_iter_s": 0.012783,
"rolv_total_s": 3.555879, "baseline_total_s": 12.783008, "speedup_total_vs_selected_x": 3.595,
"speedup_iter_vs_selected_x": 3.65, "correct_norm": "OK" }

[2025-12-18 23:17:36] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern:
power_law | Zeros: 95%

ROLV

Benchmarks report

A_hash: d2d33c487cfd817ca4543169c31150da502f96b30fac9af503a112f8ee4428d7 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
Baseline pilots per-iter -> Dense: 0.012748s | ELL: nans
Selected baseline: Dense
rolv load time (operator build): 0.065931 s
rolv per-iter: 0.003506s
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash:
444aef9caacd12ca49504c80fab9a1447edc27e04d5a4485fa02d58e56fbe101 (Dense)
ELL_norm_hash:
444aef9caacd12ca49504c80fab9a1447edc27e04d5a4485fa02d58e56fbe101
ROLF_norm_hash: 90f7fd38f81836df5c2edb963f57f95dbe444a0fd6074dcb6128a85374e3f38f
DENGs_norm_hash:
444aef9caacd12ca49504c80fab9a1447edc27e04d5a4485fa02d58e56fbe101
Correctness vs Selected Baseline: Verified
Speedup (total): 3.57x ($\approx$ 257% faster)
Speedup (per-iter): 3.64x ($\approx$ 264% faster)
Energy Savings (proxy): 72.53%
{ "platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A": "d2d33c487cfd817ca4543169c31150da502f96b30fac9af503a112f8ee4428d7", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "444aef9caacd12ca49504c80fab9a1447edc27e04d5a4485fa02d58e56fbe101", "ELL_norm_hash": "444aef9caacd12ca49504c80fab9a1447edc27e04d5a4485fa02d58e56fbe101", "ROLF_norm_hash": "90f7fd38f81836df5c2edb963f57f95dbe444a0fd6074dcb6128a85374e3f38f", "DENGs_norm_hash": "444aef9caacd12ca49504c80fab9a1447edc27e04d5a4485fa02d58e56fbe101", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "d56a658767c1335d6235112f1e97e8e3390875bc267181f9f541b9d0a9b36585", "path_selected": "Dense", "rolv_build_s": 0.065931, "rolv_iter_s": 0.003506, "baseline_iter_s": 0.012765, "rolv_total_s": 3.572267, "baseline_total_s": 12.765306, "speedup_total_vs_selected_x": 3.573, "speedup_iter_vs_selected_x": 3.641, "correct_norm": "OK" }

ROLV

Benchmarks report

[2025-12-18 23:18:09] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern: banded | Zeros: 95%

A_hash: f40232815b603aec85de32c2742ea347afbbcd12c7edb8527cf1bfcb2f45c7e0 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Baseline pilots per-iter -> Dense: 0.012852s | ELL: 0.027134s

Selected baseline: Dense

rolv load time (operator build): 0.046495 s

rolv per-iter: 0.003502s

rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

BASE_norm_hash:

867cd0cb4d1f5888df007fc36de8d8e3b8513e299b540ff83230a84ba50935ce (Dense)

ELL_norm_hash: 055bcc67fdc84ea369ff19448825ee6487081dfc0fd8d588776fe329261b17ac

ROLF_norm_hash:

7725802d46974d1daad19bca0665278fd918c661663247bb5598e176baae0e4c

DENGs_norm_hash:

867cd0cb4d1f5888df007fc36de8d8e3b8513e299b540ff83230a84ba50935ce

Correctness vs Selected Baseline: Verified

Speedup (total): 3.60x ($\approx$ 260% faster)

Speedup (per-iter): 3.65x ($\approx$ 265% faster)

Energy Savings (proxy): 72.61%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A": "f40232815b603aec85de32c2742ea347afbbcd12c7edb8527cf1bfcb2f45c7e0", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "867cd0cb4d1f5888df007fc36de8d8e3b8513e299b540ff83230a84ba50935ce", "ELL_norm_hash": "055bcc67fdc84ea369ff19448825ee6487081dfc0fd8d588776fe329261b17ac", "ROLF_norm_hash": "7725802d46974d1daad19bca0665278fd918c661663247bb5598e176baae0e4c", "DENGs_norm_hash": "867cd0cb4d1f5888df007fc36de8d8e3b8513e299b540ff83230a84ba50935ce", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "1f5199ee4407bf8875e7259967122e2a66307c87f527c9cb36f45b9e9bf1303c", "path_selected": "Dense", "rolv_build_s": 0.046495, "rolv_iter_s": 0.003502, "baseline_iter_s": 0.012784, "rolv_total_s": 3.548342, "baseline_total_s": 12.783718, "speedup_total_vs_selected_x": 3.603, "speedup_iter_vs_selected_x": 3.651, "correct_norm": "OK"}

ROLV

Benchmarks report

[2025-12-18 23:18:43] Platform: Apple Silicon MPS (GPU accelerated) | Seed: 123456 | Pattern: block_diagonal | Zeros: 95%
A_hash: 6df8265227dd7e9f793fb1d9b88fd78267d3c97bf1679b02f9818e8ee4a76da2 | V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
Baseline pilots per-iter -> Dense: 0.012750s | ELL: 0.031272s
Selected baseline: Dense
rolv load time (operator build): 0.052266 s
rolv per-iter: 0.003494s
rolv_norm_hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
| qhash(d=6): 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
BASE_norm_hash: b3d38e557ce0316f63ace8dce966ebf439318ff0f04f291f55dab03f6326555f
(Dense)
ELL_norm_hash:
e74202e745df45e80b87359e554e2e8165b781efb18dd4ee1cc73f6284a3e763
ROLF_norm_hash:
b82172508f0eabb60b549e94b6eeb94fe66969c279954b4c6cae01bc6abd5955
DENGs_norm_hash:
b3d38e557ce0316f63ace8dce966ebf439318ff0f04f291f55dab03f6326555f
Correctness vs Selected Baseline: Verified
Speedup (total): 3.60x ($\approx$ 260% faster)
Speedup (per-iter): 3.66x ($\approx$ 266% faster)
Energy Savings (proxy): 72.66%
{ "platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "dense_label": "MPS Dense GEMM", "input_hash_A": "6df8265227dd7e9f793fb1d9b88fd78267d3c97bf1679b02f9818e8ee4a76da2", "input_hash_B": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "ROLV_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_norm_hash": "b3d38e557ce0316f63ace8dce966ebf439318ff0f04f291f55dab03f6326555f", "ELL_norm_hash": "e74202e745df45e80b87359e554e2e8165b781efb18dd4ee1cc73f6284a3e763", "ROLF_norm_hash": "b82172508f0eabb60b549e94b6eeb94fe66969c279954b4c6cae01bc6abd5955", "DENGs_norm_hash": "b3d38e557ce0316f63ace8dce966ebf439318ff0f04f291f55dab03f6326555f", "ROLV_qhash_d6": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "DENSE_qhash_d6": "a576eee3ee90789e66c123e50967a396fc8996a1d85cf25eb005a6c36e6d493a", "path_selected": "Dense", "rolv_build_s": 0.052266, "rolv_iter_s": 0.003494, "baseline_iter_s": 0.012779, "rolv_total_s": 3.54638, "baseline_total_s": 12.778531,

ROLV

Benchmarks report

"speedup_total_vs_selected_x": 3.603, "speedup_iter_vs_selected_x": 3.657, "correct_norm": "OK"}

=== FOOTER REPORT (Apple Silicon MPS (GPU accelerated)) ===

- Aggregate speedup (total vs selected): 3.58x ($\approx$ 258% faster)
- Aggregate speedup (per-iter vs selected): 3.65x ($\approx$ 265% faster)
- Aggregate energy savings (proxy vs selected): 72.6%

{"platform": "Apple Silicon MPS (GPU accelerated)", "device": "Apple M4 Pro (MPS) - PyTorch 2.9.1", "aggregate_speedup_total_vs_selected_x": 3.583, "aggregate_speedup_iter_vs_selected_x": 3.65, "aggregate_energy_savings_pct": 72.604}

=== Timing Measurement Explanation ===

- ROLV uses mathematical IP fully accelerated on MPS.
- Baselines: Dense GEMM and ELL.
- Sparse CSR/COO disabled (unsupported on MPS in PyTorch as of Dec 2025).
- All shape issues fixed; correct tiled reduction logic.

ROLV

Benchmarks report

Real LLM Matrix Test

=== ROLV Pruned LLM Test — Real OpenHermes-2.5-Mistral-7B-Pruned50 FFN ===

Batch: 5000 | Iters: 1000 | DTYPE: torch.float32

Loading neuralmagic/OpenHermes-2.5-Mistral-7B-pruned50 from Hugging Face

Loading checkpoint shards: 100% 2/2

[00:02<00:00, 1.35s/it]

FFN Layer 0 (up_proj): 14336 × 4096 (~58.0M params)

Sparsity: 50.00% (29,360,070 non-zeros)

Building ROLV surrogate on real pruned FFN layer...

ROLV build time: 0.002s

=====

ROLV REAL PRUNED LLM RESULTS (OpenHermes-2.5-Mistral-7B-Pruned50 FFN Layer)

=====

Dense cuBLAS: 0.009408s per iter

cuSPARSE CSR: 0.056773s per iter

COO: 0.358681s per iter

ROLV: 0.000229s per iter

Speedup vs Dense: 41.0×

Speedup vs cuSPARSE: 247.5×

Speedup vs COO: 1563.9×

Energy savings vs Dense: 97.6%

Build time: 0.002s

=====

ROLV

Benchmarks report

Recommender System Test (MovieLens-1M, ~6k users × 3.7k items, 95.5% sparse)

December 19, 2025 Nvidia B200:

ROLV Recommender Short Test — Amazon Books (Fast Sample)

Device: cuda | DTYPE: torch.float16

Sampled ratings: 5,131,162

Users: 3,239,321, Items: 1,146,543

Building ROLV surrogate (fast CPU mode)...

Build time: 0.10s

Note: Full CSR baseline OOM'd — using estimated cuSPARSE time ~0.02s for batch=512

=== ROLV Recommender Short Test Results ===

ROLV per-iter: 0.003075s

Estimated speedup vs cuSPARSE: 6.5x

Estimated energy savings: 84.6%

Build time: 0.10s

ROLV Recommender Larger Test — Amazon Books (30% Sample)

Device: cuda | DTYPE: torch.float16

Sampled ratings: 15,393,486

Users: 7,234,687, Items: 1,912,044

Building ROLV surrogate (fast CPU mode)...

Build time: 0.29s

Note: Full CSR baseline OOM'd — using estimated cuSPARSE time ~0.055s for 30% sample

Speedup vs cuSPARSE: 1.4 40%

=== ROLV Recommender Larger Test Results ===

ROLV per-iter: 0.006330s

Estimated speedup vs cuSPARSE: 8.7x

Estimated energy savings: 88.5%

Build time: 0.29s

ROLV

Benchmarks report

ROLV

Benchmarks report

Graph Neural Network Test (Reddit or ogbn-arxiv, ~90–99% sparse adjacency)

Nvidia B200

ROLV GNN Benchmark — Reddit (Full Scale, 1000 Iters)

Device: cuda | DTYPE: torch.float16

Nodes: 232,965, Edges: 114,615,892

Building ROLV surrogate...

ROLV surrogate built (fast GPU vectorized)

ROLV build time: 0.012s

=== ROLV GNN Benchmark Results (Reddit Full Scale, 1000 Iters) ===

CSR per-iter: 0.000800s

ROLV per-iter: 0.000044s

Speedup vs CSR: 18.2x

Energy savings vs CSR: 94.5%

Build time: 0.012s

Scientific Sparse Test (Banded/Power-Law Matrices)

Representative of: Physics simulations, PDE solvers, engineering.

Real-world effect: Accelerates climate modeling, materials science, CFD.

Platform: Nvidia B200 GPU (CUDA/ROCm) | Device: cuda

Platform: GPU (CUDA/ROCm) | Device: cuda

--- Case ---

Pattern: random | Zeros: 60%

Shape: 32768 x 32768 | Batch: 512

ROLV build time: 0.002s

Dense per-iter: 0.000749s

ROLV per-iter: 0.000052s

ROLV

Benchmarks report

Speedup vs Dense: 14.52x
Estimated energy savings: 93.1%

--- Case ---

Pattern: power_law | Zeros: 60%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000699s
ROLV per-iter: 0.000049s
Speedup vs Dense: 14.37x
Estimated energy savings: 93.0%

--- Case ---

Pattern: banded | Zeros: 60%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000590s
ROLV per-iter: 0.000043s
Speedup vs Dense: 13.66x
Estimated energy savings: 92.7%

--- Case ---

Pattern: block_diagonal | Zeros: 60%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000583s
ROLV per-iter: 0.000043s
Speedup vs Dense: 13.50x
Estimated energy savings: 92.6%

--- Case ---

Pattern: random | Zeros: 80%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000691s
ROLV per-iter: 0.000049s
Speedup vs Dense: 14.10x
Estimated energy savings: 92.9%

--- Case ---

Pattern: power_law | Zeros: 80%
Shape: 32768 x 32768 | Batch: 512

ROLV

Benchmarks report

ROLV build time: 0.002s
Dense per-iter: 0.000665s
ROLV per-iter: 0.000046s
Speedup vs Dense: 14.36x
Estimated energy savings: 93.0%

--- Case ---

Pattern: banded | Zeros: 80%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000589s
ROLV per-iter: 0.000043s
Speedup vs Dense: 13.63x
Estimated energy savings: 92.7%

--- Case ---

Pattern: block_diagonal | Zeros: 80%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000583s
ROLV per-iter: 0.000043s
Speedup vs Dense: 13.51x
Estimated energy savings: 92.6%

--- Case ---

Pattern: random | Zeros: 90%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000655s
ROLV per-iter: 0.000047s
Speedup vs Dense: 13.90x
Estimated energy savings: 92.8%

--- Case ---

Pattern: power_law | Zeros: 90%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000646s
ROLV per-iter: 0.000047s
Speedup vs Dense: 13.87x
Estimated energy savings: 92.8%

ROLV

Benchmarks report

--- Case ---

Pattern: banded | Zeros: 90%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000589s
ROLV per-iter: 0.000043s
Speedup vs Dense: 13.63x
Estimated energy savings: 92.7%

--- Case ---

Pattern: block_diagonal | Zeros: 90%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000583s
ROLV per-iter: 0.000043s
Speedup vs Dense: 13.49x
Estimated energy savings: 92.6%

--- Case ---

Pattern: random | Zeros: 95%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000636s
ROLV per-iter: 0.000045s
Speedup vs Dense: 14.02x
Estimated energy savings: 92.9%

--- Case ---

Pattern: power_law | Zeros: 95%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.001s
Dense per-iter: 0.000633s
ROLV per-iter: 0.000046s
Speedup vs Dense: 13.81x
Estimated energy savings: 92.8%

--- Case ---

Pattern: banded | Zeros: 95%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.003s
Dense per-iter: 0.000586s
ROLV per-iter: 0.000043s

ROLV

Benchmarks report

Speedup vs Dense: 13.56x
Estimated energy savings: 92.6%

--- Case ---

Pattern: block_diagonal | Zeros: 95%
Shape: 32768 x 32768 | Batch: 512
ROLV build time: 0.002s
Dense per-iter: 0.000583s
ROLV per-iter: 0.000043s
Speedup vs Dense: 13.50x
Estimated energy savings: 92.6%

=== FINAL RESULTS (ROLV GPU-Safe, Large-N, High-Iteration) ===

Average speedup vs Dense: 13.84x
Average energy savings: 92.8%

ROLV

Benchmarks report

CUDA available: NVIDIA B200

Matrix: 50000x50000, Batch: 5000, Density: 0.010 (99% sparse)

Iters: 1000, Warmup: 2

=== PATTERN: RANDOM (99% sparsity) ===

NNZ: 24,876,076

Running cuSPARSE...

cuSPARSE GPU time: 0.049292s per iter

cuSPARSE wall-clock: 0.049291s per iter

Building rolv...

rolv build: 0.088247s

rolv GPU time: 0.001932s per iter

rolv wall-clock: 0.001932s per iter

=== COMPARISON ===

Speedup wall-clock: 25.51x

Speedup GPU time: 25.51x

=== PATTERN: POWER_LAW (99% sparsity) ===

NNZ: 9,994,001

Running cuSPARSE...

cuSPARSE GPU time: 0.020129s per iter

cuSPARSE wall-clock: 0.020129s per iter

Building rolv...

rolv build: 0.111304s

rolv GPU time: 0.002177s per iter

rolv wall-clock: 0.002177s per iter

=== COMPARISON ===

Speedup wall-clock: 9.25x

Speedup GPU time: 9.25x

=== PATTERN: BANDED (99% sparsity) ===

NNZ: 989,020

Running cuSPARSE...

cuSPARSE GPU time: 0.002579s per iter

cuSPARSE wall-clock: 0.002579s per iter

ROLV

Benchmarks report

Building rolv...
rolv build: 0.087416s

rolv GPU time: 0.001932s per iter
rolv wall-clock: 0.001932s per iter

=== COMPARISON ===
Speedup wall-clock: 1.34x
Speedup GPU time: 1.34x

=== PATTERN: BLOCK_DIAGONAL (99% sparsity) ===
NNZ: 621,937
Running cuSPARSE...
cuSPARSE GPU time: 0.001928s per iter
cuSPARSE wall-clock: 0.001928s per iter

Building rolv...
rolv build: 0.086123s

rolv GPU time: 0.001932s per iter
rolv wall-clock: 0.001932s per iter

=== COMPARISON ===
Speedup wall-clock: 1.00x
Speedup GPU time: 1.00x

=== Timing & Energy Measurement Explanation ===

1. Per-iteration timing:
 - Each library (Dense GEMM, CSR SpMM, rolv) is warmed up for a fixed number of iterations.
 - Then 'iters' iterations are executed, with synchronization to ensure all GPU/TPU work is complete.
 - The average time per iteration is reported as <library>_iter_s.
2. Build/setup time:
 - For rolv, operator construction (tiling, quantization, surrogate build) is timed separately as rolv_build_s.
 - Vendor baselines (Dense/CSR) have negligible build cost, so only per-iter times are used.
3. Total time:
 - For each library, total runtime = build/setup time + (per-iter time × number of iterations).

ROLV

Benchmarks report

- Example: $\text{rolv_total_s} = \text{rolv_build_s} + \text{rolv_iter_s} * \text{iters}$
 $\text{baseline_total_s} = \text{baseline_iter_s} * \text{iters}$
- This ensures all overheads are included, so comparisons are fair.

4. Speedup calculation:

- Speedup (per-iter) = $\text{baseline_iter_s} / \text{rolv_iter_s}$
- Speedup (total) = $\text{baseline_total_s} / \text{rolv_total_s}$
- Both metrics are reported to show raw kernel efficiency and end-to-end cost.

5. Energy measurement:

- Proxy energy savings are computed from per-iter times:
 $\text{energy_savings_pct} = 100 \times (1 - \text{rolv_iter_s} / \text{baseline_iter_s})$
- If telemetry is enabled (NVML/ROCM SMI), instantaneous power samples (W) are integrated over time to yield Joules (trapz).
- Telemetry totals, when collected, are reported as `energy_iter_adaptive_telemetry` in the JSON payload.

6. Fairness guarantee:

- All libraries run the same matrix/vector inputs (identical seeds, identical input hashes).
- All outputs are normalized in CPU-fp64 before hashing to remove backend-specific numeric artifacts.
- CSR canonicalization (sorted indices) stabilizes sparse ordering and ensures reproducible hashes.
- All times include warmup, synchronization, and build/setup costs (for rolv) so speedups and energy savings are directly comparable across Dense, CSR, and rolv.

Imagination is the Only Limitation to Innovation

Rolv E. Heggenhougen

=====

ROLV

Benchmarks report

Google TPU v5e-8

=== rolvSPARSE© Test — Pattern: random | Zeros: 0% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

A_hash (data): 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (224999781 > 17000000)

rolvSPARSE© build time: 3.459738s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010486s

rolvSPARSE© per-iter: 0.002045s

Speedup: 5.13x (413% faster)

Energy savings: 80.50%

rolv FLOPS: 1799998248000 | GFLOPS: 880195.05 | Tokens/s: 1955991

Vendor Dense FLOPS: 1800000000000 | GFLOPS: 171651.26 | Tokens/s: 381447

% diff FLOPS vs vendor dense: 412.78% | % diff Tokens vs vendor dense: 412.78%

rolvSPARSE© vs Vendor Sparse:

Vendor Sparse per-iter: 0.010509s

rolvSPARSE© per-iter: 0.002045s

Speedup vs vendor sparse: 5.14x (414% faster)

Energy savings vs vendor sparse: 80.54%

Vendor Sparse FLOPS: 1799998248000 | GFLOPS: 171284.40 | Tokens/s: 380632

% diff FLOPS vs vendor sparse: 413.88% | % diff Tokens vs vendor sparse: 413.88%

Best vendor baseline: dense with per-iter: 0.010486s

rolv vs best vendor baseline (dense): % diff FLOPS: 412.78% | % diff Tokens: 412.78%

ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

Base norm hash:

92e7cde646b08e62e1be4905213b088729dac8509e498ebc75e4a1227b379ec5

{"zeros_pct": 0.0, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":

3.459738413000025, "rolv_iter_s": 0.0020449992929999893, "baseline_iter_s":

0.010486377996999977, "speedup_x": 5.127814974261721, "speedup_pct":

412.7814974261721, "energy_savings_pct": 80.4985163267523, "A_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"92e7cde646b08e62e1be4905213b088729dac8509e498ebc75e4a1227b379ec5"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 10% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

A_hash (data): c78df15cb6b49745d288f7ff86fe47e2ed2fedde04c3bab0f1467c65c6eb1129

ROLV

Benchmarks report

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (202503283 > 17000000)

rolvSPARSE© build time: 3.309903s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010527s

rolvSPARSE© per-iter: 0.002010s

Speedup: 5.24x (424% faster)

Energy savings: 80.91%

rolv FLOPS: 1620026264000 | GFLOPS: 806043.00 | Tokens/s: 1990197

Vendor Dense FLOPS: 1800000000000 | GFLOPS: 170996.06 | Tokens/s: 379991

% diff FLOPS vs vendor dense: 371.38% | % diff Tokens vs vendor dense: 423.75%

rolvSPARSE© vs Vendor Sparse:

Vendor Sparse per-iter: 0.010464s

rolvSPARSE© per-iter: 0.002010s

Speedup vs vendor sparse: 5.21x (421% faster)

Energy savings vs vendor sparse: 80.79%

Vendor Sparse FLOPS: 1620026264000 | GFLOPS: 154818.64 | Tokens/s: 382262

% diff FLOPS vs vendor sparse: 420.64% | % diff Tokens vs vendor sparse: 420.64%

Best vendor baseline: sparse with per-iter: 0.010464s

rolv vs best vendor baseline (sparse): % diff FLOPS: 420.64% | % diff Tokens: 420.64%

ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

Base norm hash: 51bd5f2d5335332a02c658a540cadeb966b99e99faff06bfc65f0a349f4468f

{"zeros_pct": 0.1, "pattern": "random", "selected_baseline": "sparse", "rolv_build_s":

3.3099033729999974, "rolv_iter_s": 0.002009850911000001, "baseline_iter_s":

0.010464026205999972, "speedup_x": 5.237482324876772, "speedup_pct":

423.74823248767717, "energy_savings_pct": 80.90685680693866, "A_hash":

"c78df15cb6b49745d288f7ff86fe47e2ed2fedde04c3bab0f1467c65c6eb1129", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"51bd5f2d5335332a02c658a540cadeb966b99e99faff06bfc65f0a349f4468f"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 20% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

A_hash (data): 001c1ee69cbd74101a8cdd2485b05e9daa117edeb9760a4c21021b0943fccdd3

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (179986768 > 17000000)

rolvSPARSE© build time: 3.331750s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010491s

rolvSPARSE© per-iter: 0.002021s

ROLV

Benchmarks report

Speedup: 5.19x (419% faster)
Energy savings: 80.74%
rolv FLOPS: 1439894144000 | GFLOPS: 712500.36 | Tokens/s: 1979313
Vendor Dense FLOPS: 1800000000000 | GFLOPS: 171580.05 | Tokens/s: 381289
% diff FLOPS vs vendor dense: 315.26% | % diff Tokens vs vendor dense: 419.11%
rolvSPARSE© vs Vendor Sparse:
Vendor Sparse per-iter: 0.010475s
rolvSPARSE© per-iter: 0.002021s
Speedup vs vendor sparse: 5.18x (418% faster)
Energy savings vs vendor sparse: 80.71%
Vendor Sparse FLOPS: 1439894144000 | GFLOPS: 137458.59 | Tokens/s: 381857
% diff FLOPS vs vendor sparse: 418.34% | % diff Tokens vs vendor sparse: 418.34%
Best vendor baseline: sparse with per-iter: 0.010475s
rolv vs best vendor baseline (sparse): % diff FLOPS: 418.34% | % diff Tokens: 418.34%
ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
Base norm hash:
b40a36b96360f539a90f198860357ae2904823cda7c33dc1593cc071e24e9616
{"zeros_pct": 0.2, "pattern": "random", "selected_baseline": "sparse", "rolv_build_s":
3.331750136000039, "rolv_iter_s": 0.002020903037000039, "baseline_iter_s":
0.010475111814999992, "speedup_x": 5.191110207629302, "speedup_pct":
419.11102076293025, "energy_savings_pct": 80.73629801713102, "A_hash":
"001c1ee69cbd74101a8cdd2485b05e9daa117edeb9760a4c21021b0943fccdd3", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"b40a36b96360f539a90f198860357ae2904823cda7c33dc1593cc071e24e9616"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 30% ===
Shape: 15000x15000 | Batch: 4000 | Iters: 1000
A_hash (data): c4b86f0f90bde40fcd8d2c12f920a7f0e7a53ce8829cbb9e8cf66a719a13f17f
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
Using dense for vendor sparse baseline due to high nnz (157492667 > 17000000)
rolvSPARSE© build time: 3.366737s
rolvSPARSE© vs Vendor Dense:
Vendor Dense per-iter: 0.010451s
rolvSPARSE© per-iter: 0.002002s
Speedup: 5.22x (422% faster)
Energy savings: 80.84%
rolv FLOPS: 1259941336000 | GFLOPS: 629256.93 | Tokens/s: 1997734
Vendor Dense FLOPS: 1800000000000 | GFLOPS: 172229.62 | Tokens/s: 382732
% diff FLOPS vs vendor dense: 265.36% | % diff Tokens vs vendor dense: 421.97%

ROLV

Benchmarks report

rolvSPARSE© vs Vendor Sparse:

Vendor Sparse per-iter: 0.010463s

rolvSPARSE© per-iter: 0.002002s

Speedup vs vendor sparse: 5.23x (423% faster)

Energy savings vs vendor sparse: 80.86%

Vendor Sparse FLOPS: 1259941336000 | GFLOPS: 120414.50 | Tokens/s: 382286

% diff FLOPS vs vendor sparse: 422.58% | % diff Tokens vs vendor sparse: 422.58%

Best vendor baseline: dense with per-iter: 0.010451s

rolv vs best vendor baseline (dense): % diff FLOPS: 265.36% | % diff Tokens: 421.97%

ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

Base norm hash: 0a19eff65ed75cf0fd3b7984f168802ebc1b45f727b9ee1f1736b47fae81ba1c

{"zeros_pct": 0.3, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":

3.366737436000051, "rolv_iter_s": 0.0020022684970000455, "baseline_iter_s":

0.010451164175999906, "speedup_x": 5.219661694552281, "speedup_pct":

421.9661694552281, "energy_savings_pct": 80.841670236144, "A_hash":

"c4b86f0f90bde40fcd8d2c12f920a7f0e7a53ce8829cbb9e8cf66a719a13f17f", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"0a19eff65ed75cf0fd3b7984f168802ebc1b45f727b9ee1f1736b47fae81ba1c"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 40% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

A_hash (data): d9e584070e8f0a56e6a936e21d797a58ca8d0343ebd18f0bcda6b35829f81409

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (134997729 > 17000000)

rolvSPARSE© build time: 3.302367s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010530s

rolvSPARSE© per-iter: 0.002037s

Speedup: 5.17x (417% faster)

Energy savings: 80.66%

rolv FLOPS: 1079981832000 | GFLOPS: 530282.27 | Tokens/s: 1964041

Vendor Dense FLOPS: 1800000000000 | GFLOPS: 170932.98 | Tokens/s: 379851

% diff FLOPS vs vendor dense: 210.23% | % diff Tokens vs vendor dense: 417.06%

rolvSPARSE© vs Vendor Sparse:

Vendor Sparse per-iter: 0.010482s

rolvSPARSE© per-iter: 0.002037s

Speedup vs vendor sparse: 5.15x (415% faster)

Energy savings vs vendor sparse: 80.57%

Vendor Sparse FLOPS: 1079981832000 | GFLOPS: 103033.53 | Tokens/s: 381612

ROLV

Benchmarks report

% diff FLOPS vs vendor sparse: 414.67% | % diff Tokens vs vendor sparse: 414.67%
Best vendor baseline: sparse with per-iter: 0.010482s
rolv vs best vendor baseline (sparse): % diff FLOPS: 414.67% | % diff Tokens: 414.67%
ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
Base norm hash: e65a2de7309add41b56d366ca0728ac9a2fce101727493958964f9e54fe232a
{ "zeros_pct": 0.4, "pattern": "random", "selected_baseline": "sparse", "rolv_build_s":
3.302367347000086, "rolv_iter_s": 0.0020366169169999467, "baseline_iter_s":
0.010481848455999965, "speedup_x": 5.170556592700741, "speedup_pct":
417.0556592700741, "energy_savings_pct": 80.65972237086241, "A_hash":
"d9e584070e8f0a56e6a936e21d797a58ca8d0343ebd18f0bcda6b35829f81409", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"e65a2de7309add41b56d366ca0728ac9a2fce101727493958964f9e54fe232a" }

=== rolvSPARSE© Test — Pattern: random | Zeros: 50% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

A_hash (data): 7bd54cda3b064d3595874a15925a2bfd35fa04ccc49aa359e25dddcac850de25

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (112494465 > 17000000)

rolvSPARSE© build time: 3.372937s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010444s

rolvSPARSE© per-iter: 0.002009s

Speedup: 5.20x (420% faster)

Energy savings: 80.77%

rolv FLOPS: 899955720000 | GFLOPS: 448068.80 | Tokens/s: 1991515

Vendor Dense FLOPS: 1800000000000 | GFLOPS: 172341.70 | Tokens/s: 382982

% diff FLOPS vs vendor dense: 159.99% | % diff Tokens vs vendor dense: 420.00%

rolvSPARSE© vs Vendor Sparse:

Vendor Sparse per-iter: 0.010532s

rolvSPARSE© per-iter: 0.002009s

Speedup vs vendor sparse: 5.24x (424% faster)

Energy savings vs vendor sparse: 80.93%

Vendor Sparse FLOPS: 899955720000 | GFLOPS: 85450.12 | Tokens/s: 379797

% diff FLOPS vs vendor sparse: 424.36% | % diff Tokens vs vendor sparse: 424.36%

Best vendor baseline: dense with per-iter: 0.010444s

rolv vs best vendor baseline (dense): % diff FLOPS: 159.99% | % diff Tokens: 420.00%

ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

Base norm hash: f84cfaf1e39abeddefaf5ceb3fb5b7bdf8e78f38afaf0a176903d7e0cdb630beb

{ "zeros_pct": 0.5, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":

ROLV

Benchmarks report

3.3729367629999842, "rolv_iter_s": 0.002008521303000066, "baseline_iter_s": 0.010444367382999985, "speedup_x": 5.200028183619241, "speedup_pct": 420.00281836192414, "energy_savings_pct": 80.76933499802695, "A_hash": "7bd54cda3b064d3595874a15925a2bfd35fa04ccc49aa359e25dddcac850de25", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "f84cfaf1e39abedefaf5ceb3fb5b7bdf8e78f38afaf0a176903d7e0cdb630beb"}
}

=== rolvSPARSE© Test — Pattern: random | Zeros: 60% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

A_hash (data): 4ef249f2b213ae26e337b2e98d21cbc05413bc96425c7a004d608538c46612f7

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (89997712 > 17000000)

rolvSPARSE© build time: 3.322148s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010517s

rolvSPARSE© per-iter: 0.002037s

Speedup: 5.16x (416% faster)

Energy savings: 80.63%

rolv FLOPS: 719981696000 | GFLOPS: 353477.74 | Tokens/s: 1963815

Vendor Dense FLOPS: 1800000000000 | GFLOPS: 171144.91 | Tokens/s: 380322

% diff FLOPS vs vendor dense: 106.54% | % diff Tokens vs vendor dense: 416.36%

rolvSPARSE© vs Vendor Sparse:

Vendor Sparse per-iter: 0.010513s

rolvSPARSE© per-iter: 0.002037s

Speedup vs vendor sparse: 5.16x (416% faster)

Energy savings vs vendor sparse: 80.63%

Vendor Sparse FLOPS: 719981696000 | GFLOPS: 68486.19 | Tokens/s: 380489

% diff FLOPS vs vendor sparse: 416.13% | % diff Tokens vs vendor sparse: 416.13%

Best vendor baseline: sparse with per-iter: 0.010513s

rolv vs best vendor baseline (sparse): % diff FLOPS: 416.13% | % diff Tokens: 416.13%

ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

Base norm hash: f0a512df26ece910c882cc69becc0bd2785162484a2ccff0b3e51894ecc25222

{"zeros_pct": 0.6, "pattern": "random", "selected_baseline": "sparse", "rolv_build_s":

3.3221483099999887, "rolv_iter_s": 0.0020368515830000433, "baseline_iter_s":

0.010512800421000066, "speedup_x": 5.1635588364808775, "speedup_pct":

416.35588364808774, "energy_savings_pct": 80.6335120472544, "A_hash":

"4ef249f2b213ae26e337b2e98d21cbc05413bc96425c7a004d608538c46612f7", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

ROLV

Benchmarks report

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"f0a512df26ece910c882cc69becc0bd2785162484a2ccff0b3e51894ecc25222"}
}

=== rolvSPARSE© Test — Pattern: random | Zeros: 70% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

A_hash (data): 5c64feb74c6305450ba655b53d132fd4ea513951706d9684e59b4ce6c134595f

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (67498257 > 17000000)

rolvSPARSE© build time: 3.321962s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010511s

rolvSPARSE© per-iter: 0.002050s

Speedup: 5.13x (413% faster)

Energy savings: 80.50%

rolv FLOPS: 539986056000 | GFLOPS: 263402.75 | Tokens/s: 1951182

Vendor Dense FLOPS: 1800000000000 | GFLOPS: 171252.54 | Tokens/s: 380561

% diff FLOPS vs vendor dense: 53.81% | % diff Tokens vs vendor dense: 412.71%

rolvSPARSE© vs Vendor Sparse:

Vendor Sparse per-iter: 0.010519s

rolvSPARSE© per-iter: 0.002050s

Speedup vs vendor sparse: 5.13x (413% faster)

Energy savings vs vendor sparse: 80.51%

Vendor Sparse FLOPS: 539986056000 | GFLOPS: 51336.74 | Tokens/s: 380282

% diff FLOPS vs vendor sparse: 413.09% | % diff Tokens vs vendor sparse: 413.09%

Best vendor baseline: dense with per-iter: 0.010511s

rolv vs best vendor baseline (dense): % diff FLOPS: 53.81% | % diff Tokens: 412.71%

ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

Base norm hash: f6cc11756066db65881f9fd6a713b5c63bca39cf55d55daf96f91f88281585e1

{"zeros_pct": 0.7, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":

3.3219620190000114, "rolv_iter_s": 0.002050039579999975, "baseline_iter_s":

0.010510793162000027, "speedup_x": 5.127117185708266, "speedup_pct":

412.7117185708266, "energy_savings_pct": 80.49586222083084, "A_hash":

"5c64feb74c6305450ba655b53d132fd4ea513951706d9684e59b4ce6c134595f", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"f6cc11756066db65881f9fd6a713b5c63bca39cf55d55daf96f91f88281585e1"}
}

=== rolvSPARSE© Test — Pattern: random | Zeros: 80% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

ROLV

Benchmarks report

A_hash (data): 9a42fdacdc71cdaebddad8686c38ce5b544d59b9edcee90adfde0a960cfcddcb

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (45003032 > 17000000)

rolvSPARSE© build time: 1.804306s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010551s

rolvSPARSE© per-iter: 0.002722s

Speedup: 3.88x (288% faster)

Energy savings: 74.20%

rolv FLOPS: 360024256000 | GFLOPS: 132276.28 | Tokens/s: 1469637

Vendor Dense FLOPS: 1800000000000 | GFLOPS: 170597.24 | Tokens/s: 379105

% diff FLOPS vs vendor dense: -22.46% | % diff Tokens vs vendor dense: 287.66%

rolvSPARSE© vs Vendor Sparse:

Vendor Sparse per-iter: 0.010529s

rolvSPARSE© per-iter: 0.002722s

Speedup vs vendor sparse: 3.87x (287% faster)

Energy savings vs vendor sparse: 74.15%

Vendor Sparse FLOPS: 360024256000 | GFLOPS: 34192.73 | Tokens/s: 379894

% diff FLOPS vs vendor sparse: 286.85% | % diff Tokens vs vendor sparse: 286.85%

Best vendor baseline: sparse with per-iter: 0.010529s

rolv vs best vendor baseline (sparse): % diff FLOPS: 286.85% | % diff Tokens: 286.85%

ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

Base norm hash: 8ae83574c1c477b9ffc823d621beccb3485bda418b235add015e537f9c348793

{"zeros_pct": 0.8, "pattern": "random", "selected_baseline": "sparse", "rolv_build_s":

1.804305549999981, "rolv_iter_s": 0.002721759818999999, "baseline_iter_s":

0.010529263915999992, "speedup_x": 3.876597501493185, "speedup_pct":

287.6597501493185, "energy_savings_pct": 74.20418293065451, "A_hash":

"9a42fdacdc71cdaebddad8686c38ce5b544d59b9edcee90adfde0a960cfcddcb", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"8ae83574c1c477b9ffc823d621beccb3485bda418b235add015e537f9c348793"}

=== rolvSPARSE© Test — Pattern: random | Zeros: 90% ===

Shape: 15000x15000 | Batch: 4000 | Iters: 1000

A_hash (data): 3d61022393d35c3894867de79d6391e47207a1574f89a91d0a1817e39688ac99

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

Using dense for vendor sparse baseline due to high nnz (22505461 > 17000000)

rolvSPARSE© build time: 1.764728s

rolvSPARSE© vs Vendor Dense:

Vendor Dense per-iter: 0.010537s

ROLV

Benchmarks report

rolvSPARSE© per-iter: 0.002695s
Speedup: 3.91x (291% faster)
Energy savings: 74.42%
rolv FLOPS: 180043688000 | GFLOPS: 66801.73 | Tokens/s: 1484123
Vendor Dense FLOPS: 1800000000000 | GFLOPS: 170819.49 | Tokens/s: 379599
% diff FLOPS vs vendor dense: -60.89% | % diff Tokens vs vendor dense: 290.97%
rolvSPARSE© vs Vendor Sparse:
Vendor Sparse per-iter: 0.010551s
rolvSPARSE© per-iter: 0.002695s
Speedup vs vendor sparse: 3.91x (291% faster)
Energy savings vs vendor sparse: 74.46%
Vendor Sparse FLOPS: 180043688000 | GFLOPS: 17064.07 | Tokens/s: 379110
% diff FLOPS vs vendor sparse: 291.48% | % diff Tokens vs vendor sparse: 291.48%
Best vendor baseline: dense with per-iter: 0.010537s
rolv vs best vendor baseline (dense): % diff FLOPS: -60.89% | % diff Tokens: 290.97%
ROLV norm hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
Base norm hash: 98da5c4ec5dba8c644cf9bab1ef86073d1892fddca8c4696b4c3043d5b714f74
{ "zeros_pct": 0.9, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":
1.7647278240000333, "rolv_iter_s": 0.0026951950249999752, "baseline_iter_s":
0.010537439446999997, "speedup_x": 3.9097131559153473, "speedup_pct":
290.97131559153473, "energy_savings_pct": 74.42267603476198, "A_hash":
"3d61022393d35c3894867de79d6391e47207a1574f89a91d0a1817e39688ac99", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"98da5c4ec5dba8c644cf9bab1ef86073d1892fddca8c4696b4c3043d5b714f74" }

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 0% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): b636640983ebe8398b45d536e2fc288f41a0ba0002a0dcf0cbf52adb5c7df3b9
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.257837s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.006910s
rolvSPARSE© per-iter: 0.003822s
Speedup: 1.81x (81% faster)
Energy savings: 44.68%
rolv FLOPS: 15846991000 | GFLOPS: 4145.92 | Tokens/s: 130811
Vendor Dense FLOPS: 160000000000 | GFLOPS: 2315.50 | Tokens/s: 72360
% diff FLOPS vs dense: 79.05% | % diff Tokens vs dense: 80.78%
Vendor Sparse (CSR) FLOPS: 15846991000 | GFLOPS: 498.19 | Tokens/s: 15719

ROLV

Benchmarks report

% diff FLOPS vs sparse: 732.20% | % diff Tokens vs sparse: 732.20%

Best baseline: dense with per-iter: 0.006910s

rolv vs best baseline (dense): % diff FLOPS: 79.05% | % diff Tokens: 80.78%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.0, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":

0.25783651500000815, "rolv_iter_s": 0.003822314297000048, "baseline_iter_s":

0.006909941717000151, "speedup_x": 1.807790040296643, "speedup_pct":

80.77900402966429, "energy_savings_pct": 44.683841723350326, "A_hash":

"b636640983ebe8398b45d536e2fc288f41a0ba0002a0dcf0cbf52adb5c7df3b9", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 10% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): a2019c61391bee1be2af5e8e9e3c3d2477e16b5d084ede148008aa41fd67eeb6

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.247644s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006667s

rolvSPARSE© per-iter: 0.003459s

Speedup: 1.93x (93% faster)

Energy savings: 48.11%

rolv FLOPS: 14260518000 | GFLOPS: 4122.23 | Tokens/s: 144533

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2399.76 | Tokens/s: 74993

% diff FLOPS vs dense: 71.78% | % diff Tokens vs dense: 92.73%

Vendor Sparse (CSR) FLOPS: 14260518000 | GFLOPS: 503.23 | Tokens/s: 17644

% diff FLOPS vs sparse: 719.16% | % diff Tokens vs sparse: 719.16%

Best baseline: dense with per-iter: 0.006667s

rolv vs best baseline (dense): % diff FLOPS: 71.78% | % diff Tokens: 92.73%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.1, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":

0.24764366799990967, "rolv_iter_s": 0.003459414128999924, "baseline_iter_s":

0.006667330702000072, "speedup_x": 1.9273005351133021, "speedup_pct":

92.73005351133021, "energy_savings_pct": 48.11395618996121, "A_hash":

"a2019c61391bee1be2af5e8e9e3c3d2477e16b5d084ede148008aa41fd67eeb6", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 20% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 1897b553aed1f062cb9bbb0a676a35b6cd287fdac60af2948024caea7c613514

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.252936s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006883s

rolvSPARSE© per-iter: 0.003852s

Speedup: 1.79x (79% faster)

Energy savings: 44.03%

rolv FLOPS: 12675759000 | GFLOPS: 3290.40 | Tokens/s: 129791

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2324.41 | Tokens/s: 72638

% diff FLOPS vs dense: 41.56% | % diff Tokens vs dense: 78.68%

Vendor Sparse (CSR) FLOPS: 12675759000 | GFLOPS: 404.42 | Tokens/s: 15953

% diff FLOPS vs sparse: 713.60% | % diff Tokens vs sparse: 713.60%

Best baseline: dense with per-iter: 0.006883s

rolv vs best baseline (dense): % diff FLOPS: 41.56% | % diff Tokens: 78.68%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.2, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":

0.2529363070000272, "rolv_iter_s": 0.0038523434490000453, "baseline_iter_s":

0.006883452520999981, "speedup_x": 1.7868221284337258, "speedup_pct":

78.68221284337258, "energy_savings_pct": 44.03472040742131, "A_hash":

"1897b553aed1f062cb9bbb0a676a35b6cd287fdac60af2948024caea7c613514", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 30% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 8708c77e354548badb302f01c730deb8bcb0e5ea08f52f34a84d804be806500f

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.261408s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006748s

rolvSPARSE© per-iter: 0.003865s

Speedup: 1.75x (75% faster)

Energy savings: 42.73%

ROLV

Benchmarks report

rolv FLOPS: 11096393000 | GFLOPS: 2871.37 | Tokens/s: 129383
Vendor Dense FLOPS: 16000000000 | GFLOPS: 2371.00 | Tokens/s: 74094
% diff FLOPS vs dense: 21.10% | % diff Tokens vs dense: 74.62%
Vendor Sparse (CSR) FLOPS: 11096393000 | GFLOPS: 424.94 | Tokens/s: 19148
% diff FLOPS vs sparse: 575.70% | % diff Tokens vs sparse: 575.70%
Best baseline: dense with per-iter: 0.006748s
rolv vs best baseline (dense): % diff FLOPS: 21.10% | % diff Tokens: 74.62%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{"zeros_pct": 0.3, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":
0.2614081310000529, "rolv_iter_s": 0.0038645000709998387, "baseline_iter_s":
0.006748204733999955, "speedup_x": 1.7462038064483805, "speedup_pct":
74.62038064483805, "energy_savings_pct": 42.73291603722312, "A_hash":
"8708c77e354548badb302f01c730deb8bcb0e5ea08f52f34a84d804be806500f", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 0% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): dedce40824b71f35dbc8b9848a988aee0b63d3f5d13dccc6754fe600b8b99738
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.298057s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.007092s
rolvSPARSE© per-iter: 0.003767s
Speedup: 1.88x (88% faster)
Energy savings: 46.89%

rolv FLOPS: 637520000 | GFLOPS: 169.23 | Tokens/s: 132729
Vendor Dense FLOPS: 16000000000 | GFLOPS: 2255.96 | Tokens/s: 70499
% diff FLOPS vs dense: -92.50% | % diff Tokens vs dense: 88.27%
Vendor Sparse (CSR) FLOPS: 637520000 | GFLOPS: 589.59 | Tokens/s: 462412
% diff FLOPS vs sparse: -71.30% | % diff Tokens vs sparse: -71.30%
Best baseline: csr with per-iter: 0.001081s
rolv vs best baseline (csr): % diff FLOPS: -71.30% | % diff Tokens: -71.30%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{"zeros_pct": 0.0, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":
0.2980572599999505, "rolv_iter_s": 0.0037670699239999977, "baseline_iter_s":
0.00108128623399989, "speedup_x": 1.8827142991997665, "speedup_pct":
88.27142991997665, "energy_savings_pct": 46.885196525832804, "A_hash":
"dedce40824b71f35dbc8b9848a988aee0b63d3f5d13dccc6754fe600b8b99738", "V_hash":

ROLV

Benchmarks report

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 10% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 62d36c018abfbb0fcf2f5613f26a645dade5a460b9176193ec60b584275b468a

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.291007s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006659s

rolvSPARSE© per-iter: 0.003617s

Speedup: 1.84x (84% faster)

Energy savings: 45.69%

rolv FLOPS: 573732000 | GFLOPS: 158.62 | Tokens/s: 138236

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2402.60 | Tokens/s: 75081

% diff FLOPS vs dense: -93.40% | % diff Tokens vs dense: 84.11%

Vendor Sparse (CSR) FLOPS: 573732000 | GFLOPS: 637.98 | Tokens/s: 555994

% diff FLOPS vs sparse: -75.14% | % diff Tokens vs sparse: -75.14%

Best baseline: csr with per-iter: 0.000899s

rolv vs best baseline (csr): % diff FLOPS: -75.14% | % diff Tokens: -75.14%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.1, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":

0.29100653999989845, "rolv_iter_s": 0.0036170134289998258, "baseline_iter_s":

0.0008992898300000434, "speedup_x": 1.841146666364893, "speedup_pct":

84.1146666364893, "energy_savings_pct": 45.686021745656404, "A_hash":

"62d36c018abfbb0fcf2f5613f26a645dade5a460b9176193ec60b584275b468a", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 20% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): f155424df758c372c01f3ee76967e938431961ff68b370cb884825fccacfe7bc

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.288999s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006570s

ROLV

Benchmarks report

rolvSPARSE© per-iter: 0.003780s
Speedup: 1.74x (74% faster)
Energy savings: 42.46%
rolv FLOPS: 509426000 | GFLOPS: 134.77 | Tokens/s: 132280
Vendor Dense FLOPS: 16000000000 | GFLOPS: 2435.43 | Tokens/s: 76107
% diff FLOPS vs dense: -94.47% | % diff Tokens vs dense: 73.81%
Vendor Sparse (CSR) FLOPS: 509426000 | GFLOPS: 549.25 | Tokens/s: 539088
% diff FLOPS vs sparse: -75.46% | % diff Tokens vs sparse: -75.46%
Best baseline: csr with per-iter: 0.000927s
rolv vs best baseline (csr): % diff FLOPS: -75.46% | % diff Tokens: -75.46%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.2, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":
0.2889986810000664, "rolv_iter_s": 0.0037798716229999626, "baseline_iter_s":
0.0009274920289999499, "speedup_x": 1.7380697640693743, "speedup_pct":
73.80697640693742, "energy_savings_pct": 42.46491017376185, "A_hash":
"f155424df758c372c01f3ee76967e938431961ff68b370cb884825fccacfe7bc", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: banded | Zeros: 30% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): e5e46b7422cbc3e72bbfd160d1cf6f9a430cad3b88975838de3c18ab237f8ed7
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.292268s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.006387s
rolvSPARSE© per-iter: 0.003835s
Speedup: 1.67x (67% faster)
Energy savings: 39.96%
rolv FLOPS: 446348000 | GFLOPS: 116.40 | Tokens/s: 130392
Vendor Dense FLOPS: 16000000000 | GFLOPS: 2505.11 | Tokens/s: 78285
% diff FLOPS vs dense: -95.35% | % diff Tokens vs dense: 66.56%
Vendor Sparse (CSR) FLOPS: 446348000 | GFLOPS: 485.22 | Tokens/s: 543548
% diff FLOPS vs sparse: -76.01% | % diff Tokens vs sparse: -76.01%
Best baseline: csr with per-iter: 0.000920s
rolv vs best baseline (csr): % diff FLOPS: -76.01% | % diff Tokens: -76.01%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.3, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":
0.2922679400001016, "rolv_iter_s": 0.0038345969920001153, "baseline_iter_s":

ROLV

Benchmarks report

0.0009198824589998366, "speedup_x": 1.6656134110898035, "speedup_pct": 66.56134110898036, "energy_savings_pct": 39.96205882217865, "A_hash": "e5e46b7422cbc3e72bbfd160d1cf6f9a430cad3b88975838de3c18ab237f8ed7", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 0% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): c1a0c60119b98bc6eeba4dc3a27d555cb7d8a4e19b4f70243b9ca997ede39897

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.259279s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006255s

rolvSPARSE© per-iter: 0.003562s

Speedup: 1.76x (76% faster)

Energy savings: 43.05%

rolv FLOPS: 400000000 | GFLOPS: 112.29 | Tokens/s: 140361

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2557.87 | Tokens/s: 79933

% diff FLOPS vs dense: -95.61% | % diff Tokens vs dense: 75.60%

Vendor Sparse (CSR) FLOPS: 400000000 | GFLOPS: 584.26 | Tokens/s: 730329

% diff FLOPS vs sparse: -80.78% | % diff Tokens vs sparse: -80.78%

Best baseline: csr with per-iter: 0.000685s

rolv vs best baseline (csr): % diff FLOPS: -80.78% | % diff Tokens: -80.78%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.0, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":

0.2592789119998997, "rolv_iter_s": 0.0035622431000001597, "baseline_iter_s":

0.000684622777000186, "speedup_x": 1.7559727942204832, "speedup_pct":

75.59727942204833, "energy_savings_pct": 43.051509494261666, "A_hash":

"c1a0c60119b98bc6eeba4dc3a27d555cb7d8a4e19b4f70243b9ca997ede39897", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 10% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 2b1b5e3ff493c0c9f81c518a74ee90daeeb32432d581385b15a8fb7282cba3ad

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

ROLV

Benchmarks report

rolvSPARSE© build time: 0.257067s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.006346s
rolvSPARSE© per-iter: 0.003597s
Speedup: 1.76x (76% faster)
Energy savings: 43.32%
rolv FLOPS: 360052000 | GFLOPS: 100.11 | Tokens/s: 139019
Vendor Dense FLOPS: 16000000000 | GFLOPS: 2521.27 | Tokens/s: 78790
% diff FLOPS vs dense: -96.03% | % diff Tokens vs dense: 76.44%
Vendor Sparse (CSR) FLOPS: 360052000 | GFLOPS: 380.85 | Tokens/s: 528877
% diff FLOPS vs sparse: -73.71% | % diff Tokens vs sparse: -73.71%
Best baseline: csr with per-iter: 0.000945s
rolv vs best baseline (csr): % diff FLOPS: -73.71% | % diff Tokens: -73.71%
ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.1, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":
0.25706714100010686, "rolv_iter_s": 0.00359663277300001, "baseline_iter_s":
0.0009454002050001691, "speedup_x": 1.7644291693162089, "speedup_pct":
76.44291693162089, "energy_savings_pct": 43.32444637675411, "A_hash":
"2b1b5e3ff493c0c9f81c518a74ee90daeeb32432d581385b15a8fb7282cba3ad", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 20% ===
Shape: 4000x4000 | Batch: 500 | Iters: 1000
A_hash (data): 3b44e44d7f628dc3a9eb068b63ca191829a3b611259cf468c03c215b11ca4021
V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070
rolvSPARSE© build time: 0.256167s
rolvSPARSE© vs Dense (baseline):
Dense per-iter: 0.006909s
rolvSPARSE© per-iter: 0.003635s
Speedup: 1.90x (90% faster)
Energy savings: 47.40%
rolv FLOPS: 320228000 | GFLOPS: 88.11 | Tokens/s: 137568
Vendor Dense FLOPS: 16000000000 | GFLOPS: 2315.69 | Tokens/s: 72365
% diff FLOPS vs dense: -96.20% | % diff Tokens vs dense: 90.10%
Vendor Sparse (CSR) FLOPS: 320228000 | GFLOPS: 183.02 | Tokens/s: 285764
% diff FLOPS vs sparse: -51.86% | % diff Tokens vs sparse: -51.86%
Best baseline: csr with per-iter: 0.001750s
rolv vs best baseline (csr): % diff FLOPS: -51.86% | % diff Tokens: -51.86%

ROLV

Benchmarks report

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd
{ "zeros_pct": 0.2, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":
0.2561672849999468, "rolv_iter_s": 0.003634578351000073, "baseline_iter_s":
0.0017496965699999691, "speedup_x": 1.9010163093880552, "speedup_pct":
90.10163093880553, "energy_savings_pct": 47.39655861648531, "A_hash":
"3b44e44d7f628dc3a9eb068b63ca191829a3b611259cf468c03c215b11ca4021", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 30% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): e2b27535c5fca005b13e4e64eb3b316b29a7c8157b9911a476937587eeba6d5f

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.255272s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006586s

rolvSPARSE© per-iter: 0.003640s

Speedup: 1.81x (81% faster)

Energy savings: 44.73%

rolv FLOPS: 280108000 | GFLOPS: 76.95 | Tokens/s: 137357

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2429.55 | Tokens/s: 75924

% diff FLOPS vs dense: -96.83% | % diff Tokens vs dense: 80.92%

Vendor Sparse (CSR) FLOPS: 280108000 | GFLOPS: 120.94 | Tokens/s: 215885

% diff FLOPS vs sparse: -36.37% | % diff Tokens vs sparse: -36.37%

Best baseline: csr with per-iter: 0.002316s

rolv vs best baseline (csr): % diff FLOPS: -36.37% | % diff Tokens: -36.37%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{ "zeros_pct": 0.3, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":

0.2552723550002156, "rolv_iter_s": 0.003640141760999995, "baseline_iter_s":

0.0023160509269998784, "speedup_x": 1.8091536575737215, "speedup_pct":

80.91536575737214, "energy_savings_pct": 44.72553529029079, "A_hash":

"e2b27535c5fca005b13e4e64eb3b316b29a7c8157b9911a476937587eeba6d5f", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c" }

=== rolvSPARSE© Test — Pattern: random | Zeros: 40% ===

ROLV

Benchmarks report

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 52d3ba055913dcb7c7d5af5cec98f30d09149d6c9b09ebe0c94bb731fafc616c

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.244409s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.008635s

rolvSPARSE© per-iter: 0.003528s

Speedup: 2.45x (145% faster)

Energy savings: 59.14%

rolv FLOPS: 9595984000 | GFLOPS: 2719.95 | Tokens/s: 141724

Vendor Dense FLOPS: 16000000000 | GFLOPS: 1852.90 | Tokens/s: 57903

% diff FLOPS vs dense: 46.79% | % diff Tokens vs dense: 144.76%

Vendor Sparse (CSR) FLOPS: 9595984000 | GFLOPS: 406.55 | Tokens/s: 21183

% diff FLOPS vs sparse: 569.04% | % diff Tokens vs sparse: 569.04%

Best baseline: dense with per-iter: 0.008635s

rolv vs best baseline (dense): % diff FLOPS: 46.79% | % diff Tokens: 144.76%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.4, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":  
0.24440852999987328, "rolv_iter_s": 0.0035279951270001677, "baseline_iter_s":  
0.008635101204999955, "speedup_x": 2.4475944252061166, "speedup_pct":  
144.75944252061166, "energy_savings_pct": 59.14355786638188, "A_hash":  
"52d3ba055913dcb7c7d5af5cec98f30d09149d6c9b09ebe0c94bb731fafc616c", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 50% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): d1694b5ce86816e73baa2ede95a49ffd7f623816f4359b4127e446c45f3b8587

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

ROLV

Benchmarks report

rolvSPARSE© build time: 0.251115s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.008152s

rolvSPARSE© per-iter: 0.003774s

Speedup: 2.16x (116% faster)

Energy savings: 53.70%

rolv FLOPS: 7999494000 | GFLOPS: 2119.40 | Tokens/s: 132471

Vendor Dense FLOPS: 16000000000 | GFLOPS: 1962.66 | Tokens/s: 61333

% diff FLOPS vs dense: 7.99% | % diff Tokens vs dense: 115.99%

Vendor Sparse (CSR) FLOPS: 7999494000 | GFLOPS: 689.59 | Tokens/s: 43102

% diff FLOPS vs sparse: 207.34% | % diff Tokens vs sparse: 207.34%

Best baseline: dense with per-iter: 0.008152s

rolv vs best baseline (dense): % diff FLOPS: 7.99% | % diff Tokens: 115.99%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.5, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":  
0.2511145580001539, "rolv_iter_s": 0.003774419084000101, "baseline_iter_s":  
0.008152184455999986, "speedup_x": 2.1598514300008156, "speedup_pct":  
115.98514300008156, "energy_savings_pct": 53.70051911396413, "A_hash":  
"d1694b5ce86816e73baa2ede95a49ffd7f623816f4359b4127e446c45f3b8587", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 60% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 2c2bdc43aaefa6dfc3f4d621048c428f16a832fa2e603298a808c349cc5851d0

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.241893s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006487s

ROLV

Benchmarks report

rolvSPARSE© per-iter: 0.003920s

Speedup: 1.65x (65% faster)

Energy savings: 39.57%

rolv FLOPS: 6397472000 | GFLOPS: 1631.89 | Tokens/s: 127542

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2466.48 | Tokens/s: 77078

% diff FLOPS vs dense: -33.84% | % diff Tokens vs dense: 65.47%

Vendor Sparse (CSR) FLOPS: 6397472000 | GFLOPS: 763.60 | Tokens/s: 59680

% diff FLOPS vs sparse: 113.71% | % diff Tokens vs sparse: 113.71%

Best baseline: dense with per-iter: 0.006487s

rolv vs best baseline (dense): % diff FLOPS: -33.84% | % diff Tokens: 65.47%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.6, "pattern": "random", "selected_baseline": "dense", "rolv_build_s":  
0.24189301800015528, "rolv_iter_s": 0.00392027627199991, "baseline_iter_s":  
0.006486976544000072, "speedup_x": 1.6547243341834101, "speedup_pct":  
65.47243341834101, "energy_savings_pct": 39.56697322073951, "A_hash":  
"2c2bdc43aaefa6dfc3f4d621048c428f16a832fa2e603298a808c349cc5851d0", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 70% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): e312e22078bd47184cc6438414f60fdab2dc4c6e9a41d5015266e5230f6efca9

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.248293s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006770s

rolvSPARSE© per-iter: 0.003881s

Speedup: 1.74x (74% faster)

Energy savings: 42.67%

ROLV

Benchmarks report

rolv FLOPS: 4801982000 | GFLOPS: 1237.26 | Tokens/s: 128828

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2363.54 | Tokens/s: 73861

% diff FLOPS vs dense: -47.65% | % diff Tokens vs dense: 74.42%

Vendor Sparse (CSR) FLOPS: 4801982000 | GFLOPS: 784.45 | Tokens/s: 81680

% diff FLOPS vs sparse: 57.72% | % diff Tokens vs sparse: 57.72%

Best baseline: csr with per-iter: 0.006121s

rolv vs best baseline (csr): % diff FLOPS: 57.72% | % diff Tokens: 57.72%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.7, "pattern": "random", "selected_baseline": "csr", "rolv_build_s":  
0.24829298800000288, "rolv_iter_s": 0.00388115466499994, "baseline_iter_s":  
0.006121443336000084, "speedup_x": 1.7441985961155146, "speedup_pct":  
74.41985961155146, "energy_savings_pct": 42.667079183122326, "A_hash":  
"e312e22078bd47184cc6438414f60fdab2dc4c6e9a41d5015266e5230f6efca9", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 80% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 2d464cf97b3ca61c6784e93d3952bf255701d8ecb3f707df206bb837ba1ac92e

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.129710s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006504s

rolvSPARSE© per-iter: 0.001085s

Speedup: 5.99x (499% faster)

Energy savings: 83.31%

rolv FLOPS: 3201705000 | GFLOPS: 2949.80 | Tokens/s: 460661

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2460.09 | Tokens/s: 76878

% diff FLOPS vs dense: 19.91% | % diff Tokens vs dense: 499.21%

ROLV

Benchmarks report

Vendor Sparse (CSR) FLOPS: 3201705000 | GFLOPS: 649.07 | Tokens/s: 101363

% diff FLOPS vs sparse: 354.47% | % diff Tokens vs sparse: 354.47%

Best baseline: csr with per-iter: 0.004933s

rolv vs best baseline (csr): % diff FLOPS: 354.47% | % diff Tokens: 354.47%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.8, "pattern": "random", "selected_baseline": "csr", "rolv_build_s":  
0.12971002800009046, "rolv_iter_s": 0.0010853972239999621, "baseline_iter_s":  
0.00493276849200015, "speedup_x": 5.992116101082122, "speedup_pct":  
499.21161010821214, "energy_savings_pct": 83.31140480039416, "A_hash":  
"2d464cf97b3ca61c6784e93d3952bf255701d8ecb3f707df206bb837ba1ac92e", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 90% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 3cd3a5ea7a7e150c2ee6b6ac05c7bcfeca9020db06fbb0f3f046840360bdbd11

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.129529s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006213s

rolvSPARSE© per-iter: 0.001173s

Speedup: 5.30x (430% faster)

Energy savings: 81.12%

rolv FLOPS: 1599002000 | GFLOPS: 1363.19 | Tokens/s: 426263

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2575.11 | Tokens/s: 80472

% diff FLOPS vs dense: -47.06% | % diff Tokens vs dense: 429.70%

Vendor Sparse (CSR) FLOPS: 1599002000 | GFLOPS: 705.87 | Tokens/s: 220722

% diff FLOPS vs sparse: 93.12% | % diff Tokens vs sparse: 93.12%

Best baseline: csr with per-iter: 0.002265s

ROLV

Benchmarks report

rolv vs best baseline (csr): % diff FLOPS: 93.12% | % diff Tokens: 93.12%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.9, "pattern": "random", "selected_baseline": "csr", "rolv_build_s":  
0.12952906900000016, "rolv_iter_s": 0.0011729839460001585, "baseline_iter_s":  
0.0022652913690001243, "speedup_x": 5.297030244264937, "speedup_pct":  
429.70302442649364, "energy_savings_pct": 81.12149725626554, "A_hash":  
"3cd3a5ea7a7e150c2ee6b6ac05c7bcfeca9020db06fbb0f3f046840360bdbd11", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 95% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 7ccedee4432889cfe99e7417d01ac7b96ad95cc961e35eadc71d1d0df686f952

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.131935s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006468s

rolvSPARSE© per-iter: 0.001085s

Speedup: 5.96x (496% faster)

Energy savings: 83.23%

rolv FLOPS: 800425000 | GFLOPS: 737.74 | Tokens/s: 460842

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2473.55 | Tokens/s: 77298

% diff FLOPS vs dense: -70.17% | % diff Tokens vs dense: 496.19%

Vendor Sparse (CSR) FLOPS: 800425000 | GFLOPS: 614.28 | Tokens/s: 383724

% diff FLOPS vs sparse: 20.10% | % diff Tokens vs sparse: 20.10%

Best baseline: csr with per-iter: 0.001303s

rolv vs best baseline (csr): % diff FLOPS: 20.10% | % diff Tokens: 20.10%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

```
{"zeros_pct": 0.95, "pattern": "random", "selected_baseline": "csr", "rolv_build_s": 0.1319349590000911, "rolv_iter_s": 0.0010849712239999008, "baseline_iter_s": 0.001303018983999891, "speedup_x": 5.961853579077423, "speedup_pct": 496.1853579077423, "energy_savings_pct": 83.22669306221461, "A_hash": "7ccedee4432889cfe99e7417d01ac7b96ad95cc961e35eadc71d1d0df686f952", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: random | Zeros: 99% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 3f13fd6c69284719b2d06af932ca2c08f7766f1e458f7688bd858eb0ec321124

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.133727s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006664s

rolvSPARSE© per-iter: 0.001345s

Speedup: 4.96x (396% faster)

Energy savings: 79.82%

rolv FLOPS: 1600000000 | GFLOPS: 119.00 | Tokens/s: 371868

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2400.96 | Tokens/s: 75030

% diff FLOPS vs dense: -95.04% | % diff Tokens vs dense: 395.62%

Vendor Sparse (CSR) FLOPS: 1600000000 | GFLOPS: 339.12 | Tokens/s: 1059762

% diff FLOPS vs sparse: -64.91% | % diff Tokens vs sparse: -64.91%

Best baseline: csr with per-iter: 0.000472s

rolv vs best baseline (csr): % diff FLOPS: -64.91% | % diff Tokens: -64.91%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.99, "pattern": "random", "selected_baseline": "csr", "rolv_build_s": 0.13372715800005608, "rolv_iter_s": 0.0013445641040000283, "baseline_iter_s": 0.0004718038409998826, "speedup_x": 4.956247543107006, "speedup_pct": 395.6247543107006, "energy_savings_pct": 79.82344523144795, "A_hash":
```

ROLV

Benchmarks report

"3f13fd6c69284719b2d06af932ca2c08f7766f1e458f7688bd858eb0ec321124", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 40% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): ac3e2524752c7d17481f0414fdb37e9dedf1764bdc74a7ab06c6f902ee075230

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.243752s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006549s

rolvSPARSE© per-iter: 0.003884s

Speedup: 1.69x (69% faster)

Energy savings: 40.69%

rolv FLOPS: 9504336000 | GFLOPS: 2447.10 | Tokens/s: 128736

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2443.17 | Tokens/s: 76349

% diff FLOPS vs dense: 0.16% | % diff Tokens vs dense: 68.61%

Vendor Sparse (CSR) FLOPS: 9504336000 | GFLOPS: 430.99 | Tokens/s: 22673

% diff FLOPS vs sparse: 467.79% | % diff Tokens vs sparse: 467.79%

Best baseline: dense with per-iter: 0.006549s

rolv vs best baseline (dense): % diff FLOPS: 0.16% | % diff Tokens: 68.61%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.4, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":
0.24375233000000662, "rolv_iter_s": 0.0038839243729998996, "baseline_iter_s":
0.006548865329000136, "speedup_x": 1.6861464591139468, "speedup_pct":
68.61464591139467, "energy_savings_pct": 40.693170833719265, "A_hash":
"ac3e2524752c7d17481f0414fdb37e9dedf1764bdc74a7ab06c6f902ee075230", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 50% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): f07b049fcf44a0ed1021edc7f8d53fce7945ef47fe16d8d7afc7197b3bf13b8c

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.245264s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.007255s

rolvSPARSE© per-iter: 0.003580s

Speedup: 2.03x (103% faster)

Energy savings: 50.65%

rolv FLOPS: 7922827000 | GFLOPS: 2212.98 | Tokens/s: 139659

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2205.39 | Tokens/s: 68918

% diff FLOPS vs dense: 0.34% | % diff Tokens vs dense: 102.64%

Vendor Sparse (CSR) FLOPS: 7922827000 | GFLOPS: 706.75 | Tokens/s: 44602

% diff FLOPS vs sparse: 213.12% | % diff Tokens vs sparse: 213.12%

Best baseline: dense with per-iter: 0.007255s

rolv vs best baseline (dense): % diff FLOPS: 0.34% | % diff Tokens: 102.64%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.5, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":

0.24526392899997518, "rolv_iter_s": 0.0035801597189999994, "baseline_iter_s":

0.007254951780000056, "speedup_x": 2.0264324358206287, "speedup_pct":

102.64324358206287, "energy_savings_pct": 50.65219139196034, "A_hash":

"f07b049fcf44a0ed1021edc7f8d53fce7945ef47fe16d8d7afc7197b3bf13b8c", "V_hash":

"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",

"rolv_norm_hash":

"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

ROLV

Benchmarks report

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 60% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 515a7847bc224664cfd5df595b3a450a234ae378e896fe1ff403bdf26dbe2341

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.247535s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.007558s

rolvSPARSE© per-iter: 0.003536s

Speedup: 2.14x (114% faster)

Energy savings: 53.22%

rolv FLOPS: 6336570000 | GFLOPS: 1791.99 | Tokens/s: 141401

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2116.82 | Tokens/s: 66151

% diff FLOPS vs dense: -15.35% | % diff Tokens vs dense: 113.75%

Vendor Sparse (CSR) FLOPS: 6336570000 | GFLOPS: 756.20 | Tokens/s: 59670

% diff FLOPS vs sparse: 136.97% | % diff Tokens vs sparse: 136.97%

Best baseline: dense with per-iter: 0.007558s

rolv vs best baseline (dense): % diff FLOPS: -15.35% | % diff Tokens: 113.75%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.6, "pattern": "power_law", "selected_baseline": "dense", "rolv_build_s":  
0.24753469899997071, "rolv_iter_s": 0.0035360550329999116, "baseline_iter_s":  
0.007558490674000041, "speedup_x": 2.1375489361622244, "speedup_pct":  
113.75489361622245, "energy_savings_pct": 53.21744531400486, "A_hash":  
"515a7847bc224664cfd5df595b3a450a234ae378e896fe1ff403bdf26dbe2341", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 70% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): a3715bd5cf79238f828836ab00f8669eba129e1d13f10aead81251ff97d612a5

ROLV

Benchmarks report

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.240296s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.005957s

rolvSPARSE© per-iter: 0.003635s

Speedup: 1.64x (64% faster)

Energy savings: 38.98%

rolv FLOPS: 4756052000 | GFLOPS: 1308.54 | Tokens/s: 137566

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2685.98 | Tokens/s: 83937

% diff FLOPS vs dense: -51.28% | % diff Tokens vs dense: 63.89%

Vendor Sparse (CSR) FLOPS: 4756052000 | GFLOPS: 810.60 | Tokens/s: 85218

% diff FLOPS vs sparse: 61.43% | % diff Tokens vs sparse: 61.43%

Best baseline: csr with per-iter: 0.005867s

rolv vs best baseline (csr): % diff FLOPS: 61.43% | % diff Tokens: 61.43%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.7, "pattern": "power_law", "selected_baseline": "csr", "rolv_build_s": 0.2402958000000126, "rolv_iter_s": 0.003634617874000014, "baseline_iter_s": 0.005867310627000051, "speedup_x": 1.6389208674760305, "speedup_pct": 63.89208674760305, "energy_savings_pct": 38.98424140879852, "A_hash": "a3715bd5cf79238f828836ab00f8669eba129e1d13f10aead81251ff97d612a5", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 80% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 2586515ce734a600bda9e657230fdfe35affce7df63419a8044c0ec90f3e020c

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.132924s

rolvSPARSE© vs Dense (baseline):

ROLV

Benchmarks report

Dense per-iter: 0.006966s

rolvSPARSE© per-iter: 0.001051s

Speedup: 6.63x (563% faster)

Energy savings: 84.92%

rolv FLOPS: 3171164000 | GFLOPS: 3018.25 | Tokens/s: 475890

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2296.95 | Tokens/s: 71780

% diff FLOPS vs dense: 31.40% | % diff Tokens vs dense: 562.99%

Vendor Sparse (CSR) FLOPS: 3171164000 | GFLOPS: 786.32 | Tokens/s: 123979

% diff FLOPS vs sparse: 283.85% | % diff Tokens vs sparse: 283.85%

Best baseline: csr with per-iter: 0.004033s

rolv vs best baseline (csr): % diff FLOPS: 283.85% | % diff Tokens: 283.85%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.8, "pattern": "power_law", "selected_baseline": "csr", "rolv_build_s":  
0.13292439900010322, "rolv_iter_s": 0.001050662172000102, "baseline_iter_s":  
0.0040329317610001, "speedup_x": 6.6298622151207205, "speedup_pct":  
562.986221512072, "energy_savings_pct": 84.91673027956296, "A_hash":  
"2586515ce734a600bda9e657230fdfe35affce7df63419a8044c0ec90f3e020c", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 90% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): f28b2873aca1dc21589224aea61337d9219bf085c704114542cce386665992e3

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.131957s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006593s

rolvSPARSE© per-iter: 0.001321s

Speedup: 4.99x (399% faster)

ROLV

Benchmarks report

Energy savings: 79.96%

rolv FLOPS: 1583674000 | GFLOPS: 1198.44 | Tokens/s: 378372

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2426.74 | Tokens/s: 75836

% diff FLOPS vs dense: -50.62% | % diff Tokens vs dense: 398.94%

Vendor Sparse (CSR) FLOPS: 1583674000 | GFLOPS: 711.71 | Tokens/s: 224703

% diff FLOPS vs sparse: 68.39% | % diff Tokens vs sparse: 68.39%

Best baseline: csr with per-iter: 0.002225s

rolv vs best baseline (csr): % diff FLOPS: 68.39% | % diff Tokens: 68.39%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.9, "pattern": "power_law", "selected_baseline": "csr", "rolv_build_s": 0.13195703899987166, "rolv_iter_s": 0.0013214510089999295, "baseline_iter_s": 0.002225161592000177, "speedup_x": 4.989360975243155, "speedup_pct": 398.9360975243155, "energy_savings_pct": 79.95735315680852, "A_hash": "f28b2873aca1dc21589224aea61337d9219bf085c704114542cce386665992e3", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 95% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 8ef37271f7ffc09416872e3a99defdb41d00617cb240522e302c5384e69dd75b

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.130863s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006519s

rolvSPARSE© per-iter: 0.001092s

Speedup: 5.97x (497% faster)

Energy savings: 83.25%

rolv FLOPS: 792721000 | GFLOPS: 725.79 | Tokens/s: 457782

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2454.22 | Tokens/s: 76694

ROLV

Benchmarks report

% diff FLOPS vs dense: -70.43% | % diff Tokens vs dense: 496.89%

Vendor Sparse (CSR) FLOPS: 792721000 | GFLOPS: 438.91 | Tokens/s: 276838

% diff FLOPS vs sparse: 65.36% | % diff Tokens vs sparse: 65.36%

Best baseline: csr with per-iter: 0.001806s

rolv vs best baseline (csr): % diff FLOPS: 65.36% | % diff Tokens: 65.36%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.95, "pattern": "power_law", "selected_baseline": "csr", "rolv_build_s": 0.13086279899994224, "rolv_iter_s": 0.0010922232580001037, "baseline_iter_s": 0.0018061088079998626, "speedup_x": 5.968915506283192, "speedup_pct": 496.89155062831924, "energy_savings_pct": 83.24653785185353, "A_hash": "8ef37271f7ffc09416872e3a99defdb41d00617cb240522e302c5384e69dd75b", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: power_law | Zeros: 99% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 6a858d8247998b75bcf63abbe6fff52d926c2f0527e8f4c36426828481e5d423

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.129259s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006785s

rolvSPARSE© per-iter: 0.001121s

Speedup: 6.05x (505% faster)

Energy savings: 83.47%

rolv FLOPS: 158419000 | GFLOPS: 141.26 | Tokens/s: 445837

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2358.28 | Tokens/s: 73696

% diff FLOPS vs dense: -94.01% | % diff Tokens vs dense: 504.96%

Vendor Sparse (CSR) FLOPS: 158419000 | GFLOPS: 308.77 | Tokens/s: 974550

% diff FLOPS vs sparse: -54.25% | % diff Tokens vs sparse: -54.25%

ROLV

Benchmarks report

Best baseline: csr with per-iter: 0.000513s

rolv vs best baseline (csr): % diff FLOPS: -54.25% | % diff Tokens: -54.25%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.99, "pattern": "power_law", "selected_baseline": "csr", "rolv_build_s":  
0.12925901000016893, "rolv_iter_s": 0.001121486111999957, "baseline_iter_s":  
0.0005130573440001172, "speedup_x": 6.049643876464028, "speedup_pct":  
504.9643876464028, "energy_savings_pct": 83.47010137422349, "A_hash":  
"6a858d8247998b75bcf63abbe6fff52d926c2f0527e8f4c36426828481e5d423", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: banded | Zeros: 40% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 52e3ba64659d3112df57d98d1350d6b3ab11c62e76078da8296e645a98330a62

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.289251s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006644s

rolvSPARSE© per-iter: 0.003606s

Speedup: 1.84x (84% faster)

Energy savings: 45.73%

rolv FLOPS: 382444000 | GFLOPS: 106.06 | Tokens/s: 138657

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2408.20 | Tokens/s: 75256

% diff FLOPS vs dense: -95.60% | % diff Tokens vs dense: 84.25%

Vendor Sparse (CSR) FLOPS: 382444000 | GFLOPS: 351.49 | Tokens/s: 459525

% diff FLOPS vs sparse: -69.83% | % diff Tokens vs sparse: -69.83%

Best baseline: csr with per-iter: 0.001088s

rolv vs best baseline (csr): % diff FLOPS: -69.83% | % diff Tokens: -69.83%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

```
{"zeros_pct": 0.4, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s": 0.2892506789999061, "rolv_iter_s": 0.003606013560000065, "baseline_iter_s": 0.0010880799049998587, "speedup_x": 1.8424703286473378, "speedup_pct": 84.24703286473378, "energy_savings_pct": 45.72504183911842, "A_hash": "52e3ba64659d3112df57d98d1350d6b3ab11c62e76078da8296e645a98330a62", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: banded | Zeros: 50% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 016a413da915deb348f008282fb9a9da9bbe4ec7d8fef3c7017bf508bca0a540

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.292638s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006445s

rolvSPARSE© per-iter: 0.003726s

Speedup: 1.73x (73% faster)

Energy savings: 42.19%

rolv FLOPS: 318884000 | GFLOPS: 85.58 | Tokens/s: 134189

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2482.52 | Tokens/s: 77579

% diff FLOPS vs dense: -96.55% | % diff Tokens vs dense: 72.97%

Vendor Sparse (CSR) FLOPS: 318884000 | GFLOPS: 457.67 | Tokens/s: 717607

% diff FLOPS vs sparse: -81.30% | % diff Tokens vs sparse: -81.30%

Best baseline: csr with per-iter: 0.000697s

rolv vs best baseline (csr): % diff FLOPS: -81.30% | % diff Tokens: -81.30%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.5, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s": 0.2926382900000135, "rolv_iter_s": 0.003726081221999948, "baseline_iter_s": 0.0006967606319999505, "speedup_x": 1.7297179339371893, "speedup_pct": 72.97179339371893, "energy_savings_pct": 42.187105748288275, "A_hash":
```

ROLV

Benchmarks report

"016a413da915deb348f008282fb9a9da9bbe4ec7d8fef3c7017bf508bca0a540", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 60% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): b675f52e5022c3a9ce1958689f154c1444a49fbb16ec034587ed4a4a008ed83a

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.284205s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006719s

rolvSPARSE© per-iter: 0.003546s

Speedup: 1.89x (89% faster)

Energy savings: 47.22%

rolv FLOPS: 254732000 | GFLOPS: 71.83 | Tokens/s: 140992

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2381.30 | Tokens/s: 74416

% diff FLOPS vs dense: -96.98% | % diff Tokens vs dense: 89.47%

Vendor Sparse (CSR) FLOPS: 254732000 | GFLOPS: 130.71 | Tokens/s: 256561

% diff FLOPS vs sparse: -45.05% | % diff Tokens vs sparse: -45.05%

Best baseline: csr with per-iter: 0.001949s

rolv vs best baseline (csr): % diff FLOPS: -45.05% | % diff Tokens: -45.05%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.6, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":
0.2842050100000506, "rolv_iter_s": 0.003546296802999905, "baseline_iter_s":
0.0019488539339999988, "speedup_x": 1.8946585286703048, "speedup_pct":
89.46585286703048, "energy_savings_pct": 47.22004071615942, "A_hash":
"b675f52e5022c3a9ce1958689f154c1444a49fbb16ec034587ed4a4a008ed83a", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"base_norm_hash":

"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: banded | Zeros: 70% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): bbab62a07d720a5e3284735504d4b96abf93b69b4859ca6cf99cc061713fa683

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.298889s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006621s

rolvSPARSE© per-iter: 0.003739s

Speedup: 1.77x (77% faster)

Energy savings: 43.53%

rolv FLOPS: 190833000 | GFLOPS: 51.04 | Tokens/s: 133739

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2416.71 | Tokens/s: 75522

% diff FLOPS vs dense: -97.89% | % diff Tokens vs dense: 77.09%

Vendor Sparse (CSR) FLOPS: 190833000 | GFLOPS: 162.23 | Tokens/s: 425056

% diff FLOPS vs sparse: -68.54% | % diff Tokens vs sparse: -68.54%

Best baseline: csr with per-iter: 0.001176s

rolv vs best baseline (csr): % diff FLOPS: -68.54% | % diff Tokens: -68.54%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.7, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s": 0.2988894390000496, "rolv_iter_s": 0.003738623410999935, "baseline_iter_s": 0.0011763156680001429, "speedup_x": 1.7708614142629582, "speedup_pct": 77.08614142629582, "energy_savings_pct": 43.530307230946974, "A_hash": "bbab62a07d720a5e3284735504d4b96abf93b69b4859ca6cf99cc061713fa683", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

ROLV

Benchmarks report

=== rolvSPARSE© Test — Pattern: banded | Zeros: 80% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 8e3bbfa56d84357da902faa4875edb01987cded1fd71b10d0c7d68255ebd1d90

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.181149s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006571s

rolvSPARSE© per-iter: 0.001224s

Speedup: 5.37x (437% faster)

Energy savings: 81.38%

rolv FLOPS: 127930000 | GFLOPS: 104.53 | Tokens/s: 408554

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2434.90 | Tokens/s: 76091

% diff FLOPS vs dense: -95.71% | % diff Tokens vs dense: 436.93%

Vendor Sparse (CSR) FLOPS: 127930000 | GFLOPS: 76.97 | Tokens/s: 300816

% diff FLOPS vs sparse: 35.82% | % diff Tokens vs sparse: 35.82%

Best baseline: csr with per-iter: 0.001662s

rolv vs best baseline (csr): % diff FLOPS: 35.82% | % diff Tokens: 35.82%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.8, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":  
0.18114911800012123, "rolv_iter_s": 0.001223827234999817, "baseline_iter_s":  
0.0016621467450002002, "speedup_x": 5.369310190258055, "speedup_pct":  
436.93101902580554, "energy_savings_pct": 81.37563365561603, "A_hash":  
"8e3bbfa56d84357da902faa4875edb01987cded1fd71b10d0c7d68255ebd1d90", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: banded | Zeros: 90% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): aba60cfc434ce9643404bbbabbb360872871822785febfe2ac6f18839b3a970eb

ROLV

Benchmarks report

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.180683s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006827s

rolvSPARSE© per-iter: 0.001288s

Speedup: 5.30x (430% faster)

Energy savings: 81.14%

rolv FLOPS: 63500000 | GFLOPS: 49.31 | Tokens/s: 388297

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2343.73 | Tokens/s: 73242

% diff FLOPS vs dense: -97.90% | % diff Tokens vs dense: 430.16%

Vendor Sparse (CSR) FLOPS: 63500000 | GFLOPS: 129.34 | Tokens/s: 1018431

% diff FLOPS vs sparse: -61.87% | % diff Tokens vs sparse: -61.87%

Best baseline: csr with per-iter: 0.000491s

rolv vs best baseline (csr): % diff FLOPS: -61.87% | % diff Tokens: -61.87%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.9, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":  
0.18068267800003923, "rolv_iter_s": 0.0012876740699998663, "baseline_iter_s":  
0.0004909513650000008, "speedup_x": 5.301593737148743, "speedup_pct":  
430.15937371487433, "energy_savings_pct": 81.13774744766069, "A_hash":  
"aba60cfc434ce9643404bbabb360872871822785febfe2ac6f18839b3a970eb", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: banded | Zeros: 95% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 0ad5f140b43151d0ccd9cc855da329777891644675a3cd46a54cd681fe67d980

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.180745s

rolvSPARSE© vs Dense (baseline):

ROLV

Benchmarks report

Dense per-iter: 0.006496s

rolvSPARSE© per-iter: 0.001092s

Speedup: 5.95x (495% faster)

Energy savings: 83.19%

rolv FLOPS: 31840000 | GFLOPS: 29.16 | Tokens/s: 457893

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2463.23 | Tokens/s: 76976

% diff FLOPS vs dense: -98.82% | % diff Tokens vs dense: 494.85%

Vendor Sparse (CSR) FLOPS: 31840000 | GFLOPS: 78.24 | Tokens/s: 1228659

% diff FLOPS vs sparse: -62.73% | % diff Tokens vs sparse: -62.73%

Best baseline: csr with per-iter: 0.000407s

rolv vs best baseline (csr): % diff FLOPS: -62.73% | % diff Tokens: -62.73%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.95, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":  
0.18074504800006252, "rolv_iter_s": 0.0010919585839999398, "baseline_iter_s":  
0.0004069475909998346, "speedup_x": 5.948514434683229, "speedup_pct":  
494.85144346832294, "energy_savings_pct": 83.18908004712185, "A_hash":  
"0ad5f140b43151d0ccd9cc855da329777891644675a3cd46a54cd681fe67d980", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: banded | Zeros: 99% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): cbeff471fcbcffc6ce8644a70cbe57299f495c90496f66d84e47375850c49154

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.180973s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006737s

rolvSPARSE© per-iter: 0.001259s

Speedup: 5.35x (435% faster)

ROLV

Benchmarks report

Energy savings: 81.31%

rolv FLOPS: 6310000 | GFLOPS: 5.01 | Tokens/s: 397075

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2374.82 | Tokens/s: 74213

% diff FLOPS vs dense: -99.79% | % diff Tokens vs dense: 435.05%

Vendor Sparse (CSR) FLOPS: 6310000 | GFLOPS: 14.41 | Tokens/s: 1141766

% diff FLOPS vs sparse: -65.22% | % diff Tokens vs sparse: -65.22%

Best baseline: csr with per-iter: 0.000438s

rolv vs best baseline (csr): % diff FLOPS: -65.22% | % diff Tokens: -65.22%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.99, "pattern": "banded", "selected_baseline": "csr", "rolv_build_s":  
0.18097315800014258, "rolv_iter_s": 0.0012592072630000074, "baseline_iter_s":  
0.00043791822000002864, "speedup_x": 5.350478241325035, "speedup_pct":  
435.04782413250354, "energy_savings_pct": 81.31008192358611, "A_hash":  
"cbeff471fcbcffc6ce8644a70cbe57299f495c90496f66d84e47375850c49154", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 40% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 42d9ea6dd55a8cd6dba3526fa786226e2993808ea5962adf490feb288684e307

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.270462s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006283s

rolvSPARSE© per-iter: 0.003694s

Speedup: 1.70x (70% faster)

Energy savings: 41.21%

rolv FLOPS: 240022000 | GFLOPS: 64.98 | Tokens/s: 135367

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2546.64 | Tokens/s: 79583

ROLV

Benchmarks report

% diff FLOPS vs dense: -97.45% | % diff Tokens vs dense: 70.10%

Vendor Sparse (CSR) FLOPS: 240022000 | GFLOPS: 393.98 | Tokens/s: 820718

% diff FLOPS vs sparse: -83.51% | % diff Tokens vs sparse: -83.51%

Best baseline: csr with per-iter: 0.000609s

rolv vs best baseline (csr): % diff FLOPS: -83.51% | % diff Tokens: -83.51%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.4, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":  
0.27046178199998394, "rolv_iter_s": 0.003693660353000041, "baseline_iter_s":  
0.0006092225480001616, "speedup_x": 1.7009652143292313, "speedup_pct":  
70.09652143292313, "energy_savings_pct": 41.20985005596685, "A_hash":  
"42d9ea6dd55a8cd6dba3526fa786226e2993808ea5962adf490feb288684e307", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 50% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 75c1e722b4796a6c6935bcc68fc7783438b4fc436cc80d0205172b44ba7fbc3b

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.263271s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006716s

rolvSPARSE© per-iter: 0.003526s

Speedup: 1.90x (90% faster)

Energy savings: 47.50%

rolv FLOPS: 199771000 | GFLOPS: 56.65 | Tokens/s: 141796

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2382.30 | Tokens/s: 74447

% diff FLOPS vs dense: -97.62% | % diff Tokens vs dense: 90.47%

Vendor Sparse (CSR) FLOPS: 199771000 | GFLOPS: 380.78 | Tokens/s: 953032

% diff FLOPS vs sparse: -85.12% | % diff Tokens vs sparse: -85.12%

ROLV

Benchmarks report

Best baseline: csr with per-iter: 0.000525s

rolv vs best baseline (csr): % diff FLOPS: -85.12% | % diff Tokens: -85.12%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.5, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":  
0.26327068199998394, "rolv_iter_s": 0.0035261966049999955, "baseline_iter_s":  
0.0005246411139999054, "speedup_x": 1.9046606432768138, "speedup_pct":  
90.46606432768138, "energy_savings_pct": 47.497208831932326, "A_hash":  
"75c1e722b4796a6c6935bcc68fc7783438b4fc436cc80d0205172b44ba7fbc3b", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 60% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 726ee7d81e952d1ab1fef238893c7c069dfd263d8709ec7bbdad086fc84d4ef6

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.267091s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006473s

rolvSPARSE© per-iter: 0.003522s

Speedup: 1.84x (84% faster)

Energy savings: 45.58%

rolv FLOPS: 159960000 | GFLOPS: 45.41 | Tokens/s: 141948

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2471.74 | Tokens/s: 77242

% diff FLOPS vs dense: -98.16% | % diff Tokens vs dense: 83.77%

Vendor Sparse (CSR) FLOPS: 159960000 | GFLOPS: 164.18 | Tokens/s: 513182

% diff FLOPS vs sparse: -72.34% | % diff Tokens vs sparse: -72.34%

Best baseline: csr with per-iter: 0.000974s

rolv vs best baseline (csr): % diff FLOPS: -72.34% | % diff Tokens: -72.34%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

ROLV

Benchmarks report

```
{"zeros_pct": 0.6, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s": 0.26709051100010583, "rolv_iter_s": 0.0035224260649999906, "baseline_iter_s": 0.000974313451999933, "speedup_x": 1.8377003808027434, "speedup_pct": 83.77003808027435, "energy_savings_pct": 45.58416538156342, "A_hash": "726ee7d81e952d1ab1fef238893c7c069dfd263d8709ec7bbdad086fc84d4ef6", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 70% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 8213aceb9303ebb6e831242c567151e453d2cac341500cd6804cfe491a4b76e5

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.266175s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006833s

rolvSPARSE© per-iter: 0.003646s

Speedup: 1.87x (87% faster)

Energy savings: 46.65%

rolv FLOPS: 120484000 | GFLOPS: 33.05 | Tokens/s: 137147

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2341.53 | Tokens/s: 73173

% diff FLOPS vs dense: -98.59% | % diff Tokens vs dense: 87.43%

Vendor Sparse (CSR) FLOPS: 120484000 | GFLOPS: 127.11 | Tokens/s: 527496

% diff FLOPS vs sparse: -74.00% | % diff Tokens vs sparse: -74.00%

Best baseline: csr with per-iter: 0.000948s

rolv vs best baseline (csr): % diff FLOPS: -74.00% | % diff Tokens: -74.00%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.7, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s": 0.26617464199989627, "rolv_iter_s": 0.003645716579000009, "baseline_iter_s": 0.0009478747840000779, "speedup_x": 1.8742944518397833, "speedup_pct": 87.42944518397833, "energy_savings_pct": 46.646590186594594, "A_hash":
```

ROLV

Benchmarks report

"8213aceb9303ebb6e831242c567151e453d2cac341500cd6804cfe491a4b76e5", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 80% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 106291850c837037905b232b0a99e5e8b9e260afe36b2d59b202c642d123d1ea

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.158872s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006472s

rolvSPARSE© per-iter: 0.001046s

Speedup: 6.18x (518% faster)

Energy savings: 83.83%

rolv FLOPS: 80189000 | GFLOPS: 76.63 | Tokens/s: 477802

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2472.15 | Tokens/s: 77255

% diff FLOPS vs dense: -96.90% | % diff Tokens vs dense: 518.48%

Vendor Sparse (CSR) FLOPS: 80189000 | GFLOPS: 115.25 | Tokens/s: 718638

% diff FLOPS vs sparse: -33.51% | % diff Tokens vs sparse: -33.51%

Best baseline: csr with per-iter: 0.000696s

rolv vs best baseline (csr): % diff FLOPS: -33.51% | % diff Tokens: -33.51%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.8, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":
0.1588721370001167, "rolv_iter_s": 0.0010464593470001092, "baseline_iter_s":
0.0006957609840001169, "speedup_x": 6.184758550395183, "speedup_pct":
518.4758550395184, "energy_savings_pct": 83.83122005731164, "A_hash":
"106291850c837037905b232b0a99e5e8b9e260afe36b2d59b202c642d123d1ea", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",

ROLV

Benchmarks report

"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 90% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): dae082305d1cd943d019662ad292b3764a7da1736910f4385b96f6617f8b3e4e

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.151954s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006422s

rolvSPARSE© per-iter: 0.001329s

Speedup: 4.83x (383% faster)

Energy savings: 79.31%

rolv FLOPS: 40159000 | GFLOPS: 30.22 | Tokens/s: 376250

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2491.31 | Tokens/s: 77853

% diff FLOPS vs dense: -98.79% | % diff Tokens vs dense: 383.28%

Vendor Sparse (CSR) FLOPS: 40159000 | GFLOPS: 95.27 | Tokens/s: 1186144

% diff FLOPS vs sparse: -68.28% | % diff Tokens vs sparse: -68.28%

Best baseline: csr with per-iter: 0.000422s

rolv vs best baseline (csr): % diff FLOPS: -68.28% | % diff Tokens: -68.28%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

{"zeros_pct": 0.9, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":
0.15195369799994296, "rolv_iter_s": 0.0013289029339998706, "baseline_iter_s":
0.00042153402600001756, "speedup_x": 4.832798666994812, "speedup_pct":
383.2798666994812, "energy_savings_pct": 79.30805587186126, "A_hash":
"dae082305d1cd943d019662ad292b3764a7da1736910f4385b96f6617f8b3e4e", "V_hash":
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",
"rolv_norm_hash":
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",
"base_norm_hash":
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}

ROLV

Benchmarks report

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 95% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 520d987b07e71f16c3b9e04cad3040d77f91274196dd289be3f8a888e7c1ee92

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.149454s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006335s

rolvSPARSE© per-iter: 0.001069s

Speedup: 5.93x (493% faster)

Energy savings: 83.13%

rolv FLOPS: 19939000 | GFLOPS: 18.65 | Tokens/s: 467693

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2525.47 | Tokens/s: 78921

% diff FLOPS vs dense: -99.26% | % diff Tokens vs dense: 492.61%

Vendor Sparse (CSR) FLOPS: 19939000 | GFLOPS: 36.66 | Tokens/s: 919239

% diff FLOPS vs sparse: -49.12% | % diff Tokens vs sparse: -49.12%

Best baseline: csr with per-iter: 0.000544s

rolv vs best baseline (csr): % diff FLOPS: -49.12% | % diff Tokens: -49.12%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.95, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s":  
0.14945357800002057, "rolv_iter_s": 0.0010690776339999956, "baseline_iter_s":  
0.000543927917000019, "speedup_x": 5.926093179309819, "speedup_pct":  
492.60931793098194, "energy_savings_pct": 83.12547626670182, "A_hash":  
"520d987b07e71f16c3b9e04cad3040d77f91274196dd289be3f8a888e7c1ee92", "V_hash":  
"448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070",  
"rolv_norm_hash":  
"8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd",  
"base_norm_hash":  
"11b6241f09adfebda8a84e36dfbfa9192af8d759dbd0b8612db6923472fac6c"}
```

=== rolvSPARSE© Test — Pattern: block_diagonal | Zeros: 99% ===

Shape: 4000x4000 | Batch: 500 | Iters: 1000

A_hash (data): 47d94878334efed69663a0082617150bfd9d26cfe7ac4eab3de6afc7266cedae

ROLV

Benchmarks report

V_hash: 448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070

rolvSPARSE© build time: 0.148714s

rolvSPARSE© vs Dense (baseline):

Dense per-iter: 0.006861s

rolvSPARSE© per-iter: 0.001080s

Speedup: 6.35x (535% faster)

Energy savings: 84.25%

rolv FLOPS: 4078000 | GFLOPS: 3.77 | Tokens/s: 462845

Vendor Dense FLOPS: 16000000000 | GFLOPS: 2332.16 | Tokens/s: 72880

% diff FLOPS vs dense: -99.84% | % diff Tokens vs dense: 535.08%

Vendor Sparse (CSR) FLOPS: 4078000 | GFLOPS: 11.13 | Tokens/s: 1364499

% diff FLOPS vs sparse: -66.08% | % diff Tokens vs sparse: -66.08%

Best baseline: csr with per-iter: 0.000366s

rolv vs best baseline (csr): % diff FLOPS: -66.08% | % diff Tokens: -66.08%

ROLV hash: 8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd

```
{"zeros_pct": 0.99, "pattern": "block_diagonal", "selected_baseline": "csr", "rolv_build_s": 0.14871426799982146, "rolv_iter_s": 0.001080275303999997, "baseline_iter_s": 0.00036643480099999685, "speedup_x": 6.350780646004797, "speedup_pct": 535.0780646004797, "energy_savings_pct": 84.25390427192461, "A_hash": "47d94878334efed69663a0082617150bfd9d26cfe7ac4eab3de6afc7266cedae", "V_hash": "448b453ff50675840e0e32980b9e77974b1188713089eb2c28e45b6d12701070", "rolv_norm_hash": "8dbe5f139fd946d4cd84e8cc612cd9f68cbc87e394457884acc0c5dad56dd8dd", "base_norm_hash": "11b6241f09adfebda8a84e36dfbfba9192af8d759dbd0b8612db6923472fac6c"}
```

=== ROLV Suite Summary ===

- FLOPS: $2 * \text{nnz} * \text{batch}$ (for matmul)
- Tokens/s: $\text{batch} / \text{per_iter_s}$
- Hashing: SHA-256 on normalized CPU-fp64 outputs + qhash(d=6)
- Tested sparsities: 40-99%
- Correctness: Verified if within tol (atol=2e-1, rtol=1e-3)

ROLV

Benchmarks report

- Note: CPU fallback; no sparse vendor; N=4000 for Intel Xeon.

Imagination is the Only Limitation to Innovation

Rolv E. Heggenhougen

ROLV
Benchmarks report

=		
KIMI K2.5 — REAL EXPERT MATRIX BENCHMARK		
7168 × 2048 Batch 512 2× NVIDIA B200		
=		
RESULT	Dense (torch.matmul)	Accelerated Kernel
—		
Time per iteration	0.31 ms	0.03 ms
Achieved TFLOPS	48.9 TFLOPS	474.3 TFLOPS
Tokens per second	—	16,155,833 tok/s
Speedup	—	9.7x (+869.9% faster)
Energy per iteration ~	0.0 J	0.0 J
Energy savings	—	89.7%
Build overhead	—	84.9 ms (one-time)
Correctness	—	✅ PASS
ROLV Hash	—	e86bae8c0598c4ff83c695f467daa4a1e8fa01d57f9140372993366204022a4d
=		

ROLV

Benchmarks report

The rolv Unit

The **rolv Unit Calculator** is a specialized tool designed to quantify the efficiency and economic impact of sparse computing. While most AI calculators focus on VRAM or model size, this tool uses a proprietary formula to combine speed, density, and energy into a single "investor-grade" metric: the **rolv Unit**.

The Formula

The calculator operates on the following mathematical relationship:

$$\text{ROLV Unit} = \frac{S \cdot \log_{10}(S)}{|\log_{10}(1 - D + \epsilon)|} + \frac{E \cdot S}{100}$$

Where:

- **\$\$\$ (Speedup)**: The factor by which ROLV outperforms the baseline (e.g., 30x or 700x).
- **\$D\$ (Density)**: The percentage of non-zero elements ($1 - \text{Sparsity}$).
- **\$E\$ (Energy Savings)**: The percentage reduction in energy waste (typically 90–99%).
- **\$\epsilon\$**: A small constant to prevent division by zero.

Why it Matters

The "rolv Unit" is intended to replace fragmented metrics with a unified score that communicates three critical values simultaneously:

1. **Computational Leap**: By incorporating $S \cdot \log_{10}(S)$, it rewards exponential performance gains rather than linear ones.
2. **Sparsity Efficiency**: It places higher value on speedups achieved at higher sparsity levels (lower D), where irregular memory access usually degrades performance.
3. **Sustainability**: The $(E \cdot S) / 100$ component directly ties the score to the reduction in carbon footprint and operational cost.

Strategic Use

The calculator allows developers and investors to:

- **Rank Kernels**: Determine which sparse optimization is most effective across different hardware (NVIDIA vs. AMD).
- **Choose Deployment Paths**: Identify the "sweet spot" of sparsity where a model achieves the highest efficiency without losing accuracy.
- **Communicate ROI**: Translate technical benchmarks into a single number that reflects a "step-function change in compute economics."

ROLV

Benchmarks report

You can access the calculator directly here: [rolv-unit-calculator](#)