

SAFETY DATA SHEET

Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525	Transporta	ation Emergency (CHEMTREC) Technical Information	:	1-800-424-9300 1-651-355-8443
St. Paul, MN 55164	-0089	SDS Information	:	1-651-355-8445
Product name	: Ruby Fieldmaster Diesel Fuel (X-Grade)	SDS no.	:	0142-M1A0
Common name	: Premium #2 Diesel Fuel, X-grade, #2 Distillate, Fuel Oil	Revision date	:	06/09/2015
Chemical name	: Petroleum Distillate	Chemical formula	:	Mixture
Chemical family	: A mixture of paraffinic, olefinic, naphthenic and aromatic hydrocarbons.			

hydrocarbons. Relevant identified uses of the substance or mixture and uses advised against

Not available.

Section 2. Hazards identification

OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.120	0).					
Classification of the substance or mixture	FLAMMABLE LIQUIDS - Category 3 CARCINOGENICITY - Category 2						
<u>GHS label elements</u>							
Hazard pictograms							
Signal word	Warning						
Hazard statements	Flammable liquid and vapor. Suspected of causing cancer.	lammable liquid and vapor.					
Precautionary statements							
General	Read label before use. Keep out of reach of children. If medical advice is needed, have product containe label at hand.	r or					
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Wear eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smok Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. Use only non-spa tools. Take precautionary measures against static discharge. Keep container tightly closed.						
Response	IF exposed or concerned: Get medical attention. IF ON SKIN (or hair): Take off immediately all contamin clothing. Rinse skin with water or shower.	nated					
Storage	Store locked up. Store in a well-ventilated place. Keep cool.						
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulation	ions.					
Hazards not otherwise classified (HNOC)	None known.						
Hazardous Material Information Sy	n (U.S.A.) Health : 1 * Flammability : 2 Physical hazards : 0						
National Fire Protection Association	.S.A.) Health : 1 Flammability : 2 Instability : 0						

Section 3. Composition/information on ingredients

Substance/mixture	: Substance				
Chemical name	Petroleum Distillate				
Other means of identification	: Premium #2 Diesel Fuel, X-grade, #2 Distillate, Fuel Oil				
Ingredient name	%	CAS number			
Fuels, diesel	60 - 100	68476-34-6			

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first ai	d measures
Eye contact	If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Get medical attention.
Inhalation	 If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as possible.
Skin contact	If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.
Ingestion	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Most important symptoms/effect	s, acute and delayed
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptom	<u>s</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact	: Adverse symptoms may include the following: irritation, redness.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate medica	al attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
See toxicological information (Section 11)

See toxicological information (Section 11)

Extinguishing media

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	 Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.
Unsuitable extinguishing media	: Do not use water jet or water-based fire extinguishers.
Specific hazards arising from the chemical	 Vapors are heavier than air and may travel along the ground to a source of ignition (pilot light, heater, electric motor) some distance away. Containers, drums (even empty) can explode when heat (welding, cutting, etc.) is applied.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters Special protective equipment for fire-fighters	 Water may be ineffective on flames, but should be used to keep fire-exposed containers cool. Water or foam sprayed into container of hot burning product could cause frothing and endanger fire fighters. Large fires, such as tank fires, should be fought with caution. If possible, pump the contents from the tank and keep adjoining structures cool with water. Avoid spreading burning liquid with water used for cooling purposes. Do not flush down public sewers. Avoid inhalation of vapors. Firefighters should wear self-contained breathing apparatus. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus
· · · · · ·	(SCBA) with a full face-piece operated in positive pressure mode.
	Section 6. Accidental release measures

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

E

Occupational exposure limits

Ingredient name	Exposure limits
Fuels, diesel	ACGIH TLV (United States, 4/2014). Absorbed through skin. TWA: 100 mg/m ³ , (measured as total hydrocarbons) 8 hours. Form: Inhalable fraction and vapor
Appropriate engineering controls	Use only with adequate ventilation.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and usi the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are clos to the workstation location.
Eye/face protection	Recommended: Splash goggles and a face shield, where splash hazard exists.
Skin protection	
Hand protection	4 - 8 hours (breakthrough time): Nitrile gloves.
Body protection	Recommended: Long sleeved coveralls.
Other skin protection	Recommended: Impervious boots.
Respiratory protection	If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particul filter.

Section 9. Physical and chemical properties

<u>Appearance</u>		Relative density	: 0.86 to 0.87
Physical state	: Liquid. [May contain dye]	Evaporation rate	: >1 (Butyl acetate = 1)
Color	: Light green to yellow.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild hydrocarbon.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	: Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: >256.66°C (>494°F)
Boiling point	: 171.11 to 343.33°C (340 to 650°F)	Decomposition temperature	: Not available.
Flash point	: Closed cup: <60°C (<140°F) [Pensky- Martens.]	SADT	: Not available.
Flammability	Not available.	Viscosity	: Not available.
Lower and upper	: Lower: 0.6%	Vapor pressure	: <6.7 kPa (<50 mm Hg) (68°F)
explosive (flammable) limits	Upper: 7.5%	Vapor density	: >1 [Air = 1]

Reactivity Chemical stability Possibility of hazardous reactions	 No specific test data related to reactivity available for this product or its ingredients. The product is stable. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
Incompatible materials Hazardous decomposition products	 Reactive or incompatible with the following materials: Strong oxidizing agents. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 10. Stability and reactivity

Section 11. Toxicological information

Information on toxicological effects		
Acute toxicity		
There is no data available.		
Irritation/Corrosion		
Skin	:	There is no data available.
Eyes	:	There is no data available.
Respiratory	:	There is no data available.
<u>Sensitization</u>		
Skin	:	There is no data available.
Respiratory	:	There is no data available.
Mutagenicity		
There is no data available.		
Carcinogenicity		
There is no data available.		
Reproductive toxicity		
There is no data available.		
<u>Teratogenicity</u>		
There is no data available.		
Specific target organ toxicity (singl	e e	exposure)
There is no data available.		
Specific target organ toxicity (repea	ate	<u>d exposure)</u>
There is no data available.		
Aspiration hazard		
There is no data available.		
Information on the likely routes of exposure	:	Dermal contact. Eye contact. Inhalation. Ingestion.
		Section 12 Ecological informa

Section 12. Ecological information

<u>Toxicity</u>

F

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Fuels, diesel	>3.3	-	low

Mobility in soil

Soil/water partition coefficient (Koc)

Other adverse effects

: There is no data available.

: No known significant effects or critical hazards.

Disposal methods : Dispo	sal of this product	solutions and	any by prod	ucts should comply w	ith the requirements	of environmenta	
Disposal methods : Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.							
	Section 14	. Transpo	ort informa	ation			
DOT IDENTIFICATION NUMBER NA1993	DOT pr	DOT proper shipping name COMBUSTIBLE LIQUID, N.O.S. (Fuels, diesel)					
DOT Hazard Class(es) Combustible liquid.	PG II	II		DOT EMER. RESPONSE GUIDE NO. 128			
	Section 15.	Regulato	ory inform	ation			
-	• • •		•	omponents are listed nts are listed or exem	•		
ean Air Act Section 602 Class I Substances ean Air Act Section 602 Class II Substances ean Air Act Section 112(b) Hazardous Air Poll	: Not listed : Not listed l utants (HAPs)		st II Chemica	ls (Precursor Chem Ils (Essential Chem	,	t listed t listed	
SARA 302/304							
Composition/information on ingredients							
No products were found.							
SARA 304 RQ : Not a	pplicable.						
SARA 311/312							
Hazard classifications : Fire h Delay	nazard /ed (chronic) health l	hazard					
Composition/information on ingredients						-	
Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard	
Fuels, diesel	60 - 100	Yes.	No.	No.	No.	Yes.	
				ject to the reporting Know Act of 1986 ar		A Section 313 of	
Product name		CAS num	ber	%			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts

: None of the components are listed.

New York

New Jersey

None of the components are listed.None of the components are listed.

Pennsylvania

: None of the components are listed.

California Prop. 65

: No products were found.

Section 16. Other information

Revision date
Revised Section(s)

: 06/09/2015 : 1, 2, 16.

Supersedes Prepared by

: 11/15/2013 KMK Regulatory Services Inc. :

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.



OUR ENERGY COMES THROUGH.®

