

hotsy®

PRESSURE WASHERS



**Hot & Cold Water
Pressure Washers**



Detergents



Parts & Accessories



ELECTRIC – HOT WATER MODELS

Hotsy pressure washers are built tough to give you the best solutions for your cleaning needs at a price that will fit your budget. Don't settle for anything less than a Hotsy because nothing cleans like a Hotsy!

MODEL 333

- Oil Fired Heater
- 1.7 GPM @ 1200 PSI
- 2.3 HP
- 115 Volt / 1 Phase
- Auto Start/Stop



Its innovative upright design ensures easy mobility and excellent ergonomics. This machine is extremely user-friendly with one-switch operation.



Model 558-Propane
(shown with optional Portagear & propane tank)



Hotsy Model 795SS

700 SERIES AND MODEL 895SS

- Oil Fired
- 3.0 or 3.5 GPM @ 2000 to 3000 PSI
- 4 to 8.2 HP
- 208 or 230 Volt / 1 Phase
- Belt-Drive Pump

Offers a nice balance of affordability with Hotsy ruggedness and cleaning performance.



800 SERIES

- Oil Fired
- 4.0 to 5.0 GPM @ 2000 to 3000 PSI
- 5 to 10 HP
- 208, 230, 460 or 575 Volt/1 or 3 Phase
- Belt-Drive Pump

The 800 Series is designed with 12" rubber tires and beefy casters, which makes it easier to move than other heavy-duty mobile models.



Hotsy Model 555HE

555HE

- Oil Fired
- 2.2 GPM @ 1300 PSI
- 2 HP
- 120 Volt
- Direct-Drive Triplex Pump

The new 555HE is the most efficient hot water pressure washer in our line. It features a technologically advanced heat exchanger that takes water to higher temperatures much faster, saving time and money.

LP/NG SERIES

- NG- or LP-Fired
- 115V/1PH or 230V/1 PH
- 1725 RPM Direct-Drive Pump
- Flat-Free Tires (opt.)

These hot water washers are heated with either LP or NG, and offer cleaning power up to 1500 PSI. Featuring direct drive pumps with 7-year limited warranty, ETL safety certified to UL-1776, pressure relief valve and 50' high pressure hose.

At Hotsy We Stand Behind What We Sell

We have the best warranties in the business. Our dealer network offers years of experience from factory certified techs, parts, accessories and detergents made especially for your machines.



RECOMMENDED FOR WASH BAYS

Hot Water Electric Pressure Washers

900/1400 SERIES

- LP or Natural Gas Fired
- 4.0 to 5.0 GPM @ 2000 to 3000 PSI
- 5 to 10 HP
- 208, 230, 460 or 575 Volt / 1 or 3 Phase
- Belt-Drive Pump



Hotsy's flagship stationary model is a powerful electric powered washer packed with features, the most impressive being the programmable smart control automation for auto start/stop and time delay shutdown can be set to meet your individual needs.

1800 SERIES

- Oil Fired, Natural Gas or optional LP-Fired
- 6.0 GPM @ 2500 or 3000 PSI
- 10 - 15 HP
- 208, 230, 460 or 575 Volt / 1 or 3 Phase
- Belt-Drive Pump



5700 SERIES

- Oil Fired, Natural Gas or optional LP-Fired
- 7.8 GPM @ 3000 PSI
- 20 HP
- 208, 230, 460 or 575 Volt / 3 Phase
- Belt-Drive Pump

5800 SERIES

- Oil Fired, Natural Gas or optional LP-Fired
- 9.5 GPM @ 2500 PSI
- 20 HP
- 208, 230, 460 or 575 Volt / 3 Phase
- Belt-Drive Pump



GAS – HOT WATER MODELS

GAS ENGINE SERIES BELT-DRIVE

- Oil Fired
- 3.0 to 4.6 GPM @ 3000 to 3500 PSI
- 270 to 479 CC's
- Honda or Vanguard Engine
- Belt-Drive Pump



This series is the most versatile in the Hotsy hot water pressure washer line up for mobility options. The belt-drive gas engine offers cleaning power up to 4.6 GPM at 3500 PSI with the Hotsy triplex pump, carrying a 7-year warranty.

GAS ENGINE SERIES DIRECT-DRIVE

- Oil Fired
- 2.7 to 4 GPM @ 2400 to 3500 PSI
- 208 to 389 CC's
- Honda GX or Kohler Engine
- Direct-Drive Pump



Offers a nice balance of Hotsy ruggedness and cleaning performance, yet the affordability of an entry-level machine.

1200 SERIES

- Oil Fired
- 4 up to 8 GPM @ 3000 to 4000 PSI
- 570 to 688 CC's
- Honda or Vanguard Engine, Kubota diesel
- All engines have electric start
- Belt-Drive Pump



The 1200 Series delivers serious on-site, hot water cleaning with up to 8.0 GPM. Rugged gasoline engines all have electric start.

RC SERIES WATER RECOVERY

Stop wash water from flowing down a storm drain or away from your work area with the RC Series, capable of recovering and transferring up to 30 GPM of water to a holding tank. Pair directly with the Mosmatic surface cleaner and a pressure washer for a simple and mobile closed loop system. By collecting the wastewater from pressure washing, contract cleaners and construction sites can comply with EPA laws, conserve water quality, and recover their wash water and runoff.



DIESEL/ELECTRIC – HOT WATER MODELS

HSS/HSDS SERIES

- Diesel Fired/Diesel Powered
- 5.0 to 9.5 GPM @ 2500 to 3500 PSI
- 599 to 1123 CC's
- Kubota Engine
- HSDS Feature Super Duty Pump



The Super Skid HSS Series is by far, the largest, most powerful of Hotsy's hot water pressure washers. The Super-Duty HSDS models feature a Hawk pump with lower RPM for long-lasting durability; there's literally nothing else on the market as robust, big & powerful.

HWE SERIES

- All Electric
- 3.5 or 4.0 GPM @ 2000 or 3000 PSI
- 6.2 or 7.5 HP
- Baldor and WEG Motors
- Belt-Drive Pump



The HWE Series is powered and heated by electricity, making it ideal for indoor use. It's a quiet machine with no fumes, making it ideal for food service and in-plant cleaning.

9400 SERIES

- Heating module
- Natural Gas, Oil Fired or optional LP-Fired
- 6 GPM to 10 GPM
- 115V / 1PH



The 9400 Series gives customers the flexibility to supply on demand hot water for pressure washing, manufacturing processes and anyplace hot water is needed quickly.

HOT BOX

- Heating add-on
- Diesel, kerosene, #1 heating oil-fired
- Up to 3000 PSI
- 5-gallon polyethylene fuel tank



Economical, portable water heater add-on for existing cold water pressure washers. Quick connect to cold water washer, supply fuel and power to Hot Box for hot water cleaning applications.

MOBILE CLEANING SYSTEMS

Trail Blazer Trailer Systems



Many 1200 Series Models as well as Models 965B, 1075BE and 1080BE from the Gas Engine Series will mount on the Trail Blazer

- Affordable trailer unit for mobile cleaning anywhere
- GVWR - 3500 lbs.
- 200 gallon polyethylene water tank with 7" access port
- 15" spoke wheels
- 39-inch tongue length with swing-away hinge
- Electric brakes are standard
- 2-inch ball coupler for quick & easy hook-up of the trailer

GAS – COLD WATER

HD SERIES GAS



- 3-4 GPM @ 2700 to 4000 PSI
- 196 to 389 CC's
- Honda GX Engine
- Belt or Direct-Drive Pump
- Easy transition from cart to skid

BX SERIES



(Shown with optional hose reel & mounting kit)

- 2.8 to 3.7 GPM @ 2000 to 3500 PSI
- 163 to 389 CC's
- Honda GX Engine
- Belt-Drive Pump

DB SERIES

(Shown with optional hose reel & mounting kit)



- 2.3 to 3.8 GPM @ 2400 to 4000 PSI
- 163 to 389 CC's
- Honda GX Engine
- Direct-Drive Pump

BD SERIES AND HHD DIESEL MODEL

(Shown in Large Cage version. Small 2-wheel version available)



- 3.4 to 4.5 GPM @ 3000 to 5000 PSI
- 389 to 688 CC's
- Honda GX, Vanguard or Kohler diesel engine
- Belt-Drive Pump

HC SERIES



- 2.3 GPM @ 2400 PSI
- 163 CC's
- Honda GX Engine
- Direct-Drive Pump

HIGH FLOW SERIES



- 5 to 8 GPM @ 3000 PSI to 3500 PSI
- 688 CC's
- Honda GX Engine
- Belt Drive

ELECTRIC – COLD WATER



1700 SERIES



(Shown with optional stainless steel cabinet)

- 2.8 to 5.6 GPM @ 1000 to 3000 PSI
- 2 to 10 HP
- 120, 208, 230, 460 or 575 Volt / 1 or 3 Phase
- Belt-Drive Pump

BDE SERIES



- 5.0 GPM @ 5000 PSI
- 20 HP @ 1765 RPM
- 230 or 460 Volt / 3 Phase
- Belt-Drive Pump

HD SERIES



- 1.9 to 3.5 GPM @ 1000 to 2000 PSI
- 1.5 to 5 HP
- 120 or 230 Volt / 1 Phase
- Direct-Drive Pump
- Easy transition from cart to skid

CWC SERIES



- 4 to 5 GPM @ 2000 to 3000 PSI
- 7.5 HP
- 230, 460 or 575 Volt / 1 or 3 Phase
- Belt-Drive Pump
- Programmable Smart Control
- Float tank and high pressure soap

ET SERIES



- 1.8 to 3 GPM @ 1000 to 1400 PSI
- 2 HP
- 120 Volt / 1 Phase
- Direct-Drive Pump

Distributed by:

CENTRAL PUMP & COMPRESSOR
4405 MILGEN RD.
COLUMBUS, GA. 31907
800-237-4687 // 706-561-8520



Tel: (800) 525-1976 Fax: (888) 880-9631
www.Hotsy.com email: info@Hotsy.com Rev. 01/20
HOT_FullLine_Bro © 2020 Kärcher North America



NOTE: We are constantly improving and updating our products. Consequently, pictures, features & specifications in this brochure may differ slightly from current models. Flow rates & pressure ratings may vary due to variances allowed by manufacturers of our machine components. We are meeting the CETA testing specs for machine performance at $\pm 10\%$ and in some cases are tighter within $\pm 5\%$ of listed specifications.