

References

Aalkjaer C, Peng HL. pH and smooth muscle. *Acta Physiologica Scandinavica*. 1997;161(4):557–66 <https://www.ncbi.nlm.nih.gov/pubmed/9429665>
doi:10.1046/j.1365-201X.1997.00263.x

Aguilar HN, Mitchell BF. Physiological pathways and molecular mechanisms regulating uterine contractility. *Human Reproduction Update*. June, 2010;16(6):725–744 <https://doi.org/10.1093/humupd/dmq016>
<https://academic.oup.com/humupd/article/16/6/725/740554>

Archer JR. Points from letters: Synthetic Oxytocin. *British Medical Journal*. July, 1969;3(5664):242 (Letter) <https://www.bmj.com/content/3/5664/242.5>
doi: <https://doi.org/10.1136/bmj.3.5664.242-d>

Association of Ontario Midwives. Life After Postpartum Haemorrhage: Recovering from the Unexpected. 2017. (Copy and paste this URL)
[\(multilingual\)](https://www.ontariomidwives.ca/sites/default/files/CPG%20client%20resources/Life-after-PPH-English.pdf) <https://www.ontariomidwives.ca/client-handouts>

Barley SL, Ripman HA. Induction of labour with synthetic oxytocin. *British Medical Journal*. 1970;4(5726):55–56 (Letter)
<https://www.bmj.com/content/4/5726/55.3>
<https://www.bmj.com/content/4/5726/56.3> (diagram of method)

Beazley JM, Bamovic I, Feld MS. Maintenance of labour. *British Medical Journal*. 1975;2(5965):248-250 <https://doi.org/10.1136/bmj.2.5965.248>
<https://www.bmj.com/content/bmj/2/5965/248.full.pdf>

Berde B. Some observations on the circulatory effects of oxytocin, vasopressin and similar polypeptides. In: Pinkerton JHM (ed). *Advances in Oxytocin Research*. London: Pergamon Press Ltd; 1965

Beynon CL. The normal second stage of labour: a plea for reform in its conduct. *The Journal of Obstetrics and Gynaecology of the British Empire*. December 1957;64(6):815-20 doi: 10.1111/j.1471-0528.1957.tb08483.x.
<https://obgyn.onlinelibrary.wiley.com/doi/10.1111/j.1471-0528.1957.tb08483.x>



Bhogal K. Focus on cardiotocography: Intrapartum monitoring of uterine contractions. British Journal of Midwifery. 2017;25(8):491–497
<https://www.magonlinelibrary.com/doi/abs/10.12968/bjom.2017.25.8.491>

Birthrights UK Protection human rights in childbirth. Factsheet on Consent.
<https://www.birthrights.org.uk/factsheets/consenting-to-treatment/>

Bobrow CS, Soothill PW. Causes and consequences of fetal acidosis. Archives of Disease in Childhood - Fetal and Neonatal Edition. 1999;80: F246-F249
<http://dx.doi.org/10.1136/fn.80.3.F246>
<https://fn.bmjjournals.org/content/fetalneonatal/80/3/F246.full.pdf>

Brinsden PRS, Clark AD. Postpartum Haemorrhage after induced and spontaneous labour. British Medical Journal. September, 1978;2(6141):855–856
<https://doi.org/10.1136/bmj.2.6141.855>
<https://www.bmjjournals.org/content/bmj/2/6141/855.full.pdf>

Brinsden PR, Clark AD. Postpartum haemorrhage and induction of labour. British Medical Journal. 1979;1(6171):1147 (Letter)
<https://www.bmjjournals.org/content/1/6171/1147.3>
<https://doi.org/10.1136/bmj.1.6171.1147-b>

British National Formulary. Oxytocin. 2021.
<https://bnf.nice.org.uk/drug/oxytocin.html>

Brown DB. Syntometrine. British Medical Journal. 1962;2(5307):797 (Letter)
<https://www.bmjjournals.org/content/2/5307/797.1>
<https://doi.org/10.1136/bmj.2.5307.797>

Brown DB. Oxytocic drugs in labour. British Medical Journal. 1968;1(5591):578 (Letter) <https://doi.org/10.1136/bmj.1.5591.578>
<https://www.bmjjournals.org/content/1/5591/578.1>

Budden A, Chen LHY, Henry A. High-dose versus low-dose oxytocin infusion regimens for induction of labour at term. Cochrane Database of Systematic Reviews. 2014 <https://doi.org/10.1002/14651858.CD009701.pub2>
<https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD009701.pub2/full>

Butterworth JF Mackey DC, Wasnick JD. Fluid management and blood component therapy. In: Butterworth JF, Mackey DC, Wasnick JD (eds). Morgan



and Mikhail's Clinical Anesthesiology, 6th edition. Ohio: McGraw-Hill Education; 2018

Chukudebelu WO, Marshall AT, Chalmers JA. Use of "Syntometrine" in the third stage of labour. British Medical Journal. May, 1963;1(5342):1390–1391
<https://www.bmjjournals.org/content/1/5342/1390>
<https://www.bmjjournals.org/content/1/5342/1391>
<https://doi.org/10.1136/bmj.1.5342.1390>

Coltart TH, Nash TG. Pitocin buccal in late pregnancy. British Medical Journal. 1974; 3(5928):467 (Letter) <https://doi.org/10.1136/bmj.3.5928.467>
<https://www.bmjjournals.org/content/3/5928/467.1>

Dawood MY. Novel approach to oxytocin induction-augmentation of labor: application of oxytocin physiology during pregnancy. Advances in Experimental Medicine and Biology. 1996;395:585–594.
<https://europepmc.org/article/med/8714022>

Dupont C, Carayol M, Le Ray C et al. Oxytocin administration during spontaneous labour: guidelines for clinical practice. Gynécologie, obstétrique, fertilité & sénologie, Fédération nationale des collèges de gynécologie médicale. 2017 Jan;45(1):56–61 doi:10.1016/j.gofs.2016.12.017
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5342832/>

Ebirim LM, Buowari OY, Ghosh S. Physical and psychological aspects of pain in obstetrics. (Chapter 9, Page 40395) In: Subhamay Ghosh (ed). Pain in Perspective. IntechOpen Book Series. 2012.
doi: 10.5772/2627 <https://www.intechopen.com/books/2238>
ISBN978-953-51-0807-8. eBook (PDF) ISBN978-953-51-7037-2

Embrey MP, Barber DTC, Scudamore JH. Use of "syntometrine" in prevention of post-partum haemorrhage. British Medical Journal. 1963;1(5342):1387 (Letter) <https://www.bmjjournals.org/content/1/5342/1387>
<https://doi.org/10.1136/bmj.1.5342.1387>

EVER Valinjekt GmbH / Kent Pharma UK Ltd 22.06.2018
<https://www.medicines.org.uk/emc/product/12689/smpc> (5 IU)
<https://www.medicines.org.uk/emc/product/12690/smpc> (10 IU)

Feeaney JG. Water intoxication and oxytocin. British Medical Journal (Cl Res Ed) July, 1982;285:243 <https://www.bmjjournals.org/content/285/6337/243>



<https://doi.org/10.1136/bmj.285.6337.243>

Fitzpatrick RJ, Walmsley CF. The release of oxytocin during parturition. (P 51), P 67, Fig 7 (Graph modified from Coch et al (1964)) In: Pinkerton JHM (ed). Advances in oxytocin research. London: Pergamon Press Ltd; 1965. eBook ISBN: 9781483156507

Ford JB, Roberts CL, Simpson JM et al. Increased postpartum hemorrhage rates in Australia. International Journal of Gynecology and Obstetrics. October, 2007;98(3):237–43 doi:10.1016/j.ijgo.2007.03.011

<https://www.researchgate.net/publication/6349581> Increased postpartum hemorrhage rates in Australiaa

Griffiths SK, Campbell JP. Placental structure, function and drug transfer. British Journal of Anaesthesia: Continuing Education in Anaesthesia Critical Care & Pain. May, 2015;15(2):84–89 <https://doi.org/10.1093/bjaceaccp/mku013>
<https://academic.oup.com/bjaed/article/15/2/84/248526>

Hofmeyr G, Abdel-Aleem H, Abdel-Aleem MA. Uterine massage for preventing postpartum haemorrhage. Cochrane Database of Systematic Reviews 2013 <https://pubmed.ncbi.nlm.nih.gov/23818022/>
<https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD006431.pub3/full> doi:10.1002/14651858.CD006431.pub3

Hyttén FE, Paintin DB. Increase in plasma volume during normal pregnancy. International Journal of Obstetrics and Gynaecology. 1963;70(3):402–407
<https://obgyn.onlinelibrary.wiley.com/doi/pdf/10.1111/j.1471-0528.1963.tb04922.x> <https://doi.org/10.1111/j.1471-0528.1963.tb04922.x>

JHP Pharmaceuticals. Pitocin Archived. 2009.
<https://dailymed.nlm.nih.gov/dailymed/archives/fdaDrugInfo.cfm?archiveid=10055>

Kemp J. Clinical trial of “Syntometrine” in the third stage of labour. British Medical Journal. 1963;1(5342):1391 (Letter)
<https://www.bmjjournals.org/content/1/5342/1391> and
<https://www.bmjjournals.org/content/1/5342/1392>
<https://doi.org/10.1136/bmj.1.5342.1391> and
<https://doi.org/10.1136/bmj.1.5342.1392>

Kent Pharma Ltd. Oxytocin 10 IU solution for injection. 2018.



Postpartum Haemorrhage and Synthetic Oxytocin Dilutions in Labour (BJM October 2021) © Monica Tolofari and Linn Shepherd
www.oxytocinmeasures.com

<https://www.medicines.org.uk/emc/product/12690/smpc#gref>

Knight M, Callahan WM, Berg C et al. Trends in postpartum hemorrhage in high resource countries: a review and recommendations from the International Postpartum Hemorrhage Collaborative Group. British Medical Journal. BMC Pregnancy & Childbirth. 2009;9:55 <https://doi.org/10.1186/1471-2393-9-55> <https://bmcpregnancychildbirth.biomedcentral.com/articles/10.1186/1471-2393-9-55#Bib1>

Loscul C, Chantry AA, Caubit L et al. Association between oxytocin augmentation intervals and the risk of postpartum haemorrhage. Journal de Gynécologie Obstétrique et Biologie de la Reproduction. 2015;45(7):708–15 <http://europepmc.org/article/MED/26874663> doi: 10.1016/j.jgyn.2015.12.005 (French) <https://dumas.ccsd.cnrs.fr/dumas-00874294/document>

Lutomski JE, Byrne BM, Devane D et al (2012). 'Increasing trends in atonic postpartum haemorrhage in Ireland: an 11-year population-based cohort study'. British Journal of Obstetrics and Gynaecology, February, 119(3):306-14. <https://obgyn.onlinelibrary.wiley.com/doi/10.1111/j.1471-0528.2011.03198.x> doi/10.1111/j.1471-0528.2011.03198.x

Mansy A. Does labor augmentation with oxytocin increase the risk of postpartum hemorrhage? A randomized controlled trial. Clinics in Mother and Child Health. 2017;14:268 <https://www.walshmedicalmedia.com/open-access/does-labor-augmentation-with-oxytocin-increase-the-risk-of-postpartumhemorrhage-a-randomized-controlled-trial-2090-7214-1000268.pdf>

Manuelsweb.com. Manuel's web allowable blood loss calculator. 2017. https://www.manuelsweb.com/blood_loss.htm

MacKenzie IZ, Castle B, Bellinger J. Transfer of prostaglandins to the fetus after prostaglandin E2 vaginal pessary administration. American Journal of Obstetrics and Gynaecology. 1989;161(4):920–923 [https://doi.org/10.1016/0002-9378\(89\)90752-7](https://doi.org/10.1016/0002-9378(89)90752-7)

Moodie JE, Moir DD. Ergometrine, Oxytocin, and Extradural Analgesia. British Journal of Anaesthesia. 1976;48:571 [https://www.bjanaesthesia.org.uk/article/S0007-0912\(17\)48663-6/pdf](https://www.bjanaesthesia.org.uk/article/S0007-0912(17)48663-6/pdf)



Mylan Products Ltd. Syntocinon 5 IU. 2019. (accessed 1 September 2021)
<https://www.medicines.org.uk/emc/product/9736/smpc>

NHS Digital. NHS Maternity Statistics, England 2016 - 2017. HES NHS Maternity Statistics Tables, Index - Table 7b, Delivery Complications, Table 7a,

Postpartum Haemorrhage

<https://digital.nhs.uk/data-and-information/publications/statistical/nhs-maternity-statistics/2016-17> 17.66%

<https://digital.nhs.uk/data-and-information/publications/statistical/nhs-maternity-statistics/2017-18> 18.76%

<https://digital.nhs.uk/data-and-information/publications/statistical/nhs-maternity-statistics/2018-19> 20.63%

<https://digital.nhs.uk/data-and-information/publications/statistical/nhs-maternity-statistics/2019-20> 22.16%

Normington EAM. A Simplified method of syntocinon infusion following amniotomy. The Journal of Obstetrics and Gynaecology of the British Commonwealth. 1972;79(12):1108–1112

<https://doi.org/10.1111/j.1471-0528.1972.tb11895.x>

Nursing and Midwifery Council. The Code. Professional Standards of Practice and Behaviour for Nurses, Midwives and Nursing Associates. 2018.
<https://www.nmc.org.uk/standards/code/>

Oxytocinmeasures.com. Synthetic Oxytocin Figures, Graphics and Tables. 2021. www.oxytocinmeasures.com/downloads

O'Driscoll K, Jackson RJA, Gallagher JT. Prevention of prolonged labour. British Medical Journal. 1969;2(5655):477–480 doi:10.1136/bmj.2.5655.477
<https://www.bmjjournals.org/content/bmjj/2/5655/477.full.pdf>

Patterson JH. Third stage of labour. British Medical Journal. 1964;1(5379):377 (Letter) <https://doi.org/10.1136/bmj.1.5379.377-d>
<https://www.bmjjournals.org/content/1/5379/377.5>

Pehlivanoglu B, Bayrak S, Dogan M. A close look at the contraction and relaxation of the myometrium; the role of calcium. Journal Of The Turkish-German Gynecological Association. 2013;14(4):230–234
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3935537/>
doi:10.5152/jtgg.2013.67763



Pinkerton JHM. Buccal Oxytocin. British Medical Journal. 1964;2(5421):1393 (Letter) <https://doi.org/10.1136/bmj.2.5421.1393>
<https://www.bmjjournals.org/content/2/5421/1393.1>

Pinkerton JHM. Some observations on the circulatory effects of oxytocin, vasopressin and similar polypeptides. Discussion - P34 In: Pinkerton JHM (ed). Advances in Oxytocin Research. London: Pergamon Press Ltd; 1965. ebook. ISBN: 9781483156507

Quinn MJ. Rising rate of haemorrhage in the UK. British Medical Journal. 2014;349:g4984 <http://www.bmjjournals.org/content/349/bmjjournals.org/content/349/g4984/rr/763489>

Rodeck CH. Geoffrey William Theobald (1896–1977). JLL Bulletin: Commentaries on the history of treatment evaluation
<https://www.jameslindlibrary.org/articles/geoffrey-william-theobald-1896-1977/>

Royal College of Obstetrics and Gynaecologists. Induction of labour. RCOG evidence-based clinical guidelines. June 2001. ISBN 1-900364-50-6
<http://www.perinatal.sld.cu/docs/guiasclinicas/inductionoflabour.pdf>

Royal College of Obstetricians and Gynaecologists. (National Collaborating Centre for Women's and Children's Health) Induction of Labour, Revision of 2001 guidance July, 2008. Appendix D, Table D.2 Footnote b.
<https://www.nice.org.uk/guidance/ng207/evidence/full-guideline-july-2008-pdf-9266823757> ISBN-13: 978-1-904752-48-6

Royal College of Obstetrics and Gynaecologists. Heavy bleeding after birth (postpartum haemorrhage). 2016.
<https://www.rcog.org.uk/en/patients/patient-leaflets/heavy-bleeding-after-birth-postpartum-haemorrhage/>

Salameh AI, Ruffin VA, Boron WF. Effects of metabolic acidosis on intracellular pH responses in multiple cell types. The American Journal of Physiology Regulatory, Integrative and Comparative Physiology. 2014;307(12):R1413-1427 doi: 10.1152/ajpregu.00154.2014
<https://www.physiology.org/doi/full/10.1152/ajpregu.00154.2014>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4269672/>
<https://www.ncbi.nlm.nih.gov/pubmed/25209413>

Stallworthy J. A Plea for the freer use of blood transfusion in obstetrics. British Medical Journal. January, 1939;1(4073):153 (Letter)



<https://doi.org/10.1136/bmj.1.4073.153>
<https://www.bmj.com/content/1/4073/153>

Steer PJ, Little DJ, Lewis NL et al. Uterine activity in induced labour. International Journal for Obstetrics and Gynaecology. 1975;82(6):433–441
<https://obgyn.onlinelibrary.wiley.com/doi/abs/10.1111/j.1471-0528.1975.tb00666.x>

Svanstrom MC, Biber B, Hanes B et al. Signs of myocardial ischaemia after injection of oxytocin: a randomized double-blind comparison of oxytocin and methyl-ergometrine during Caesarean section. British Journal of Anaesthesia. 2008;100(5):683–689 <https://academic.oup.com/bja/article/100/5/683/227825>
[https://www.bjanaesthesia.org/article/S0007-0912\(17\)34337-4/fulltext](https://www.bjanaesthesia.org/article/S0007-0912(17)34337-4/fulltext)
<https://doi.org/10.1093/bja/aen071>

Theobald GW, Graham A, Campbell BJ et al. The use of post-pituitary extract in physiological amounts in obstetrics. A preliminary report. British Medical Journal. 1948;2(4567):123–127 <https://doi.org/10.1136/bmj.2.4567.123>
<https://www.bmj.com/content/2/4567/123>

Theobald GW, Kelsey HA, Muirhead JMB. The pitocin drip. The Journal of Obstetrics and Gynaecology of the British Empire. October, 1956 Vol LXIII No 5
<https://obgyn.onlinelibrary.wiley.com/doi/abs/10.1111/j.1471-0528.1956.tb05543.x>

Theobald GW. Home on the second day: the Bradford experiment. British Medical Journal. December, 1959;2(5163):1364–1367
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1990899>

Theobald GW. The separate release of oxytocin and antidiuretic hormone. Journal of Physiology. 1959 Dec;149(3):443–461.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1363253/> (full)
doi: [10.1113/jphysiol.1959.sp006351](https://doi.org/10.1113/jphysiol.1959.sp006351) In: Caldeyro-Barcia R, Heller H. (eds). Oxytocin: Proceedings of an International Symposium held in Montevideo, 1959. Oxford. Pergamon Press; 1961.

Theobald GW. Buccal Oxytocin. British Medical Journal. 1965;1(5428):190–192 (Letter) <https://www.bmj.com/content/1/5428/190.5> and
<https://www.bmj.com/content/1/5428/191.5>



Theobald GW. Induction of labour with buccal oxytocin. British Medical Journal. 1966a;1(5501):1479 (Letter)
<http://www.bmjjournals.org/content/1/5501/1479.2>

Theobald GW. Buccal oxytocin. British Medical Journal. 1966b;2(5514):645–646 (Letter) <https://www.bmjjournals.org/content/2/5514/645.5> and <https://www.bmjjournals.org/content/2/5514/646.5>

Thompson JF, Heal LJ, Roberts CL, Ellwood DA. Women's breastfeeding experiences following a significant primary postpartum haemorrhage: A multicentre cohort study. International Breastfeeding Journal. 2010;5:5
<https://internationalbreastfeedingjournal.biomedcentral.com/articles/10.1186/1746-4358-5-5> 2 <https://doi.org/10.1186/1746-4358-5-5> 3
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2889881/>

Tracy SK, Tracy MB. Costing the cascade: estimating the cost of increased obstetric intervention in childbirth using population data. International Journal of Obstetrics and Gynaecology, August 2003, 110(8):717–724
<https://doi.org/10.1111/j.1471-0528.2003.02045.x>

Turnbull AC, Anderson AB. Induction of labour. II. Intravenous oxytocin infusion. The Journal of Obstetrics and Gynaecology of the British Empire. 1968 Jan;75(1):24–31 <https://www.ncbi.nlm.nih.gov/pubmed/5635241>
doi:10.1111/j.14710528.1968.tb00116.x.

Vigneaud V, Ressler C, Trippett S et al. The synthesis of an octapeptide amide with the hormonal activity of oxytocin, Journal of Biological Chemistry 1953;205(2):949–957 <http://www.jbc.org/content/205/2/949.full.pdf>

Vrachnis N, Malamas FM, Stavros S et al. The oxytocin-oxytocin receptor system and its antagonists as tocolytic agents. International Journal of Endocrinology. 2011;2011:350546 Open Access online at <https://www.hindawi.com/journals/ije/2011/350546/> Cited by Melmed S, Polonsky K S, Larsen P R and Kronenberg H M (2016). In: Williams Textbook of Endocrinology, 13th edition. Philadelphia. Saunders. Posterior Pituitary, p 325, reference 280, listed p 332. <http://dx.doi.org/10.1155/2011/350546>

Walsh D. Pain and epidural use in normal childbirth. Evidence Based Midwifery. 2009;7(3):89–93 (Zepherina Veitch Memorial Lecture)
<http://activebirthpools.com/wp-content/uploads/2014/05/Pain-and-epidural-use-in-normal-childbirth.pdf>



Weeks A, Neilson J. Rethinking our approach to postpartum haemorrhage and uterotronics. British Medical Journal. 2015;351:h3251
<https://livrepository.liverpool.ac.uk/2047825/1/Weeks%20Neilson%20BMJ%202015%20351%20h3251.pdf> <https://doi.org/10.1136/bmj.h3251>

Weeks A, Cunningham C, Taylor W et al. A phase 2 clinical trial of the PPH Butterfly, a new device to 'turn off the tap' of Post-Partum Hemorrhage. *Authorea*. 2021 <https://doi.org/10.22541/au.162015824.47500455/v1>

World Health Organisation. 2010. Oxytocin: Adopted Text for the International Pharmacopoeia (Requirements, p2)
www.who.int/medicines/publications/pharmacopoeia/Oxytocin-mono_QAS07241FINALJune10.pdf

World Health Organization. Managing complications in pregnancy and childbirth: a guide for midwives and doctors, 2nd edition. 2017. 2nd edition. Geneva. Licence: CC BY-NC-SA 3.0 IGO. ISBN: 9789241565493. Free Download 4.9 MB. [P-24, p356 of 492]
<https://www.who.int/publications/i/item/9789241565493>

Suggested citation for this article.

Tolofari MR, Shepherd CL. Postpartum haemorrhage and synthetic oxytocin dilutions in labour. *British Journal of Midwifery*. 2021;29:10:590-596.
<https://doi.org/10.12968/bjom.2021.29.10.590>

[All illustrations are at www.oxytocinmeasures.com/downloads (Free PDFs)]

BJM online version

<https://www.magonlinelibrary.com/doi/full/10.12968/bjom.2021.29.10.590>
<https://doi.org/10.12968/bjom.2021.29.10.590>

Also by the authors

Innovic Conferences, Global Nursing Webinar, 2nd December, 2021

Care of the Uterus in Labour to reduce the incidence of Postpartum Haemorrhage, when using Unlicensed Dilutions of Synthetic Oxytocin

<https://youtu.be/YCD49xiiKOc?list=PLmta1MyjXTiME9fydmDv8MLIqMCOFiczU>

Email: admin@oxytocinmeasures.com (or website contact form)



Postpartum Haemorrhage and Synthetic Oxytocin Dilutions in Labour (BJM October 2021) © Monica Tolofari and Linn Shepherd

www.oxytocinmeasures.com