
## Catalog



## CONTENTS

- 2 Anti-fatigue Mats
- 3 Slip Guard
- 4 Heavy Duty Straight Edge
- 5 Premium Straight Edge
- 6 Connector, Ramp Edges, Wash Rack
- 7 Premium Beveled Edge & Economy Beveled Edge
- 8 Modular Interlocking
- 9 Bubble Mat, Interlocking Rubber Anti-fatigue Mat
- 10 Sponge Mat
- 11 Finger Tip Mat, Ridge Scraper
- 12 Anti-slip Runners
- 13 Entrance Mats
- 14 Entrance Mats
- 15 Bar Tiles / Interlocking Tiles
- 16 Digital Printed Logo Mat
- 17 Hose, Nozle, Rubber Cutting Mat
- 18 Cleaning & Warranty











Axia Distribution, Corp (Happy Mat) has distributed a full range of high-quality mats to the restaurant, janitorial and industrial supply industries across then North America since 2004. You might find less expensive mats, but you'll never find quality mats at more competitive prices.

Our uncompromising sourcing and state-of-the-art manufacturing process are keys to our commitment in delivering the best quality products: **durable** and strong with **no unpleasant oily odor**. On top of that, we offerwarranty to protect our customers.

With a head office in Vancouver, BC Canada and several strategically located warehouses across the United States and Canada, we commit to provide our customers a more efficient **distribution network**. This is to ensure that you will get what you need when you need it.

Thank you for continuous **trusts and loyalties** of our distributors and dealers, as well as our supporting representatives, we have grown steadily over the years. That is exactly how we are going to continue to grow, innovate and expand our offerings.

#### ANTI-FATIGUE MATS

#### Suggested Placements

- Customer service counter
- ♦ Work stations
- Food preparation area
- ◆ Kitchens
- Dish washing area
- Bar

#### **Features**


- Excellent drainage
- Minimal odour
- High traction
- ◆ Slip-resistance surface
- · Resist mold and mildew growth
- High quality rubber
- Durable
- 25% recycled content
- ◆ 20% nitrile for grease resistant mats



CREATE SAFER → COMFORTABLE
WORKING ENVIRONMENT


## SLIP GUARD

- · Premium Anti-fatigue
- ◆ Grease Proof
- 100% Nitrile Content
- · Light weight
- Drainage holes
- ◆ Excellent Performance
- Durable






ltem#	Size	Weight (Lb)	Color
ASG3660BW	36"×60"×3/8"	24.2	Brown



#### ANTI-FATIGUE MAT








AFD366078T - Grease Resistant

#### Weight (Lb) Item# Size Color AFD366078T 36"×60"×7/8" 39.6 Red AFD366078B 36"×60"×7/8" 37.4 Black AFD363678T 36"×36"×7/8" 24.2 Red 36"×36"×7/8" AFD363678B 22.0 Black AFD362378T 36"×23"×7/8" Red 17.6 36"×23"×7/8" AFD362378B 15.4 Black



### HEAVY DUTY -STRAIGHT EDGE

- Excellent anti-fatigue
- Heavy duty
- Improved molding for better construction
- · Use connectors to keep mats aligned




## PREMIUM -STRAIGHT EDGE

- · Lighter weight for easy handling
- Great value for heavy duty mat
- ◆ Excellent anti-fatigue
- Improved molding for better construction
- Use connectors to keep mats aligned

#### ANTI-FATIGUE MAT





AFD366034B - General Purpose

AFD366034T - Grease Resistant

ltem#	Size	Weight (Lb)	Color	
AFD366034T	36"×60"×3/4"	30.8	Red	
AFD366034B	36"×60"×3/4"	28.6	Black	










Two pieces minimum for each joint

Item #	Size	Weight (Lb)	Color
CONN3478T	2.5"x3"x3/4"	0.1	Red
CONN3478B	2.5"x3"x3/4"	0.1	Black



Item #	Size	Weight (Lb)	Color
item #	OIZC	Troight (Lb)	00101
RAMP363478T	2.5"x36"	1.5	Red
RAMP363478B	2.5"x36"	1.5	Black
RAMP603478T	2.5"x60"	2.4	Red
RAMP603478B	2.5"x60"	2.4	Black







ltem #	Size	weight (Lb)	
MR-8	41"x28"x2.5"	22	

#### CONNECTOR

#### CONN3478T:

- Connector piece to join AFD366034T or AFD366078T
- Grease Resistant

#### CONN3478B:

- Connector piece to join AFD366034B or AFD366078B
- General Purpose

#### RAMP EDGES


- Ramp attachment for the 36"/60" side of Item AFD366034T or AFD366078T and AFD366034B or AFD366078B
- ◆ Grease Resistant (Red)
- · General Purpose (Black)
- Easy access for wheels

#### WASH RACK

- Stainless Steel Wash Rack
- ◆ 8 Mats Capacity
- Four Wheels
- Easy Installation
- ◆ Knock Down

## PREMIUM BEVELED EDGE

- Wide bevel edge for easy cart access & stability
- Excellent drainage design
- ◆ Single use work station





## ECONOMY BEVELED EDGES



- Easy handling
- Supervalue

#### ANTI-FATIGUE MAT









AFD3660T - Grease Resistant

	ltem#	Size	Weight (Lb)	Color
А	FD3660T	36"×60"×1/2"	27.5	Red
А	FD3660B	36"×60"×1/2"	24.2	Black




AFD3660BN - General Purpose



AFD3660TN - Grease Resistant

ltem#	Size	Weight (Lb)	Color
AFD3660TN	36"×60"×3/8"	17.6	Red
AFD3660BN	36"×60"×3/8"	15.4	Black

#### ANTI-FATIGUE MAT






AFD3636BT - General Purpose

AFD3636TT - Grease Resistant

Item#	Size	Weight (Lb)	Color
AFD3636TT	36"×36"×1/2"	15.4	Red
AFD3636BT	36"×36"×1/2"	14.3	Black



Ramp Edges to reduce tripping hazard

ltem#	Size	Weight (LB)	Color
RM 3636T	36"×36"×1/2"	2.6	Red
RM 3636B	36"×36"×1/2"	2.2	Black
RF3636T	36"×36"×1/2"	2.6	Red
RF3636B	36"×36"×1/2"	2.2	Black

#### MODULAR INTERLOCKING

- Two side built-in connectors
- Best for wide coverage area
- Easy handling and installation



## **BUBBLE MAT**

- General Purpose
- Dry area applications
- Bevel edge for safety
- Available in yellow border



## Interlocking Rubber Anti-Fatigue Mat

- Solid Top
- Perfect for long asembly line
- General Purpose
- Beveled Edge
- Dry applications


#### ANTI-FATIGUE MAT



Item#	Size	Weight (Lb)	Color
AFB2436B	24"×36"×5/8"	6.6	Black
AFB3648B	36"×48"×5/8"	13.2	Black



ltem#	Size	Weight (Lb)	Color	Section
CRT2736EB	27"×36"×1/2"	11.0	Black	End
CRT2736MB	27"×36"×1/2"	11.0	Black	Middle
CRT2736SB	27"×36"×1/2"	11.0	Black	Single





#### **NEW GENERATION OF ANTI-FATIGUE SOLUTION**

Item#	Size	Weight (Lb)	Color	Туре
AFS2436Br	24"×36"×5/8"	8.8	Brown	Solid
AFS3660Br	36"×60"×5/8"	19.8	Brown	Solid
AFS3660BrH	36"×60"×5/8"	17.6	Brown	Perforated




## SPONGE MAT

- ◆ Closed cell Nitrile Sponge
- ◆ 100% Nitrile
- ◆ Grease Proof
- ◆ Light Weight
- ◆ Solid
- Dry area
- Ramped Edges
- Slip Resistant Surface
- Easy to clean


#### **Suggested Placements**

- Customer service counters
- Work stations
- Cash register
- ◆ Food preparation area
- Delivery area
- ◆ Pharmacy
- Kitchen
- · Work best in dry area



#### FINGER TIP MAT

- · The most functional scraper mat
- Indoor & outdoor
- Heavy duty rubber finger tips
   construction for effective scraping
- · Anti slip performance
- Bevel Edge for safety and retain water plus dirts
- ◆ 25% recycled content



#### SCRAPER MATS



ltem#	Size	Weight (Lb)	Color
FTM 1830B	18"×30"×1/2"	4.4	Black
FTM 3239B	32"×39"×1/2"	17.6	Black
FTM3660B	36"×60"×1/2"	33.0	Black
FTM 3672B	36"×72"×1/2"	39.6	Black


#### RIDGE SCRAPER

#### **Features**

- Perfect for low door gap
- Slip resistant surface
- ◆ Ramp edges
- Easy to clean
- ◆ Indoor & outdoor



ltem#	Size	Weight (Lb)	Color	23
SMR3660B	36"×60"×3/8"	15.4	Black	500
SMR0310B	36"×120"'×3/8"	30.8	Black	



#### ANTI SLIP RUNNERS



Item#	Size	Weight (Lb)	Color
RDM0332TH	3'x32'x3/8"	140.8	Red
RDM0332BH	3'×32'×3/8"	118.8	Black
RDM0232TH	1 2'×32'×3/8"	92.4	Red
RDM0232BH	1 2'×32'×3/8"	79.2	Black
RDM0232BH	1 2'×32'×3/8"	79.2	Black





Ask us to get a free rack

## Drainage Runner

#### **Features**

- ◆ Reversible
- ◆ Light Weight
- ◆ Excellent anti slip
- Reduce breakage of dropped object
- Drainage holes to keep the surface dry


#### **Suggested Placements**

- Dish washing area
- ◆ Bar
- ◆ Food preparation area
- ◆ Entrance ramp
- Assembly line



#### Entrance Mats

#### DAM BORDER




Contains dirt & water within the mat

#### **NEEDLE PUNCH CARPET**

- Reinforced by molded rubber to enhance anti-slip
- Scraping function
- Extend product life

#### **RUBBER BACK**




- Stays flexible during cold weather
- Nibs Backing
- Hold mat to stay in place
- High quality rubber
- Unique backing design offers execellent grip to the floor
- Ideal for clean, smooth hard surface
- ◆ Exceptional Value
- ◆ Indoor
- 25% recycled content




#### **Suggested Placements**

- ◆ Entrance doors
- ◆ Customer service counters
- Salad bar
- ◆ Water fountains

- ♦ Work stations
- Vending Machine
- Building hallways





#### Entrance Mats

## Diamond Style (EMD)











Size	Weight (Lb)	ltem#	ltem#	ltem#	Item#	ltem#
2'×3'×3/8"	4.4	EMD2436A	EMD2436Br	EMD2436Bu	EMD2436C	EMD2436R
3'×4'×3/8"	8.8	EMD3648A	EMD3648Br	EMD3648Bu	EMD3648C	EMD3648R
3'×5'×3/8"	11.0	EMD3660A	EMD3660Br	EMD3660Bu	EMD364860C	EMD3660R
4'×6'×3/8"	17.6	EM D4872A	EMD4872Br	EMD4872Bu	EMD4872C	EMD4872R
3'×10'×3/8"	22.0	EMD0310A	EMD0310Br	EMD0310Bu	EMD0310C	EMD0310R
6'×10'×3/8"	44.0	EMD0610A	EMD0610Br	EMD0610Bu	EMD0610C	EMD0610R
3'x60'x3/8"	132.0	EMD0360A	EMD0360Br	EMD0360Bu	EMD0360C	EMD0360R

## Ribbed Style (EMR)











## Square Style (EMQ)











#### Flat (WM)







# INTERLOCKING PVC TILES

- Slip resistant surface
- ◆ Modular Tile
- Anti Microbial
- ◆ Easy Cleaning & Installation
- Dish washer safe







Bar Mat Shower Mat Garage Mat














Size	Weight (Lb)	Item#	ltem#	ltem#	ltem#	ltem#	ltem#	ltem#
12"×12"×1/2"	0.2	TD1212CL	TD1212BE	TD1212GY	TD1212B	TD1212GR	TD1212BL	TD1212R
2"×12"×1/2"	0.1	TDM0212CL	TDM0212BE	TDM0212GY	TDM0212B	TDM0212GR	TDM0212BL	TDM0212R
2"×12"×1/2"	0.2	TDF0212CL	TDF0212BE	TDF0212GY	TDF0212B	TDF0212GR	TDF0212BL	TDF0212R
2"×2"×1/2"	0.03	TDC0202CL	TDC0202BE	TDC0202GY	TDC0202B	TDC0202GR	TDC0202BL	TDC0202R



## DIGITAL PRINTED LOGO MAT

- ◆ Nylon on rubber back
- ♦ No minimum order
- ♦ No setup charge
- ♦ 7 working days lead time

#### **Applications**

- ◆ Trade Shows
- ◆ Point of Sale
- ♦ Entrance Area
- ♦ Service Counters
- ◆ Signage
- ◆ Branding Awareness / Advertising
- ◆ Safety
- ◆ Cleanliness

## HOT WATER RUBBER HOSE

- ◆ 500 psi burst pressure
- ◆ Withstands up to 200<sup>o</sup>F hot water temperature
- Solid rubber covered oppose abrasion and kink
- ◆ Stays flexible in low temperature
- Crushed-proof metal coupling
- Nylon braided all rubber construction for high burst strength

## METAL TRIGGER NOZZLE

- ◆ Premium Nozzle
- ◆ Adjustable Brass Head With Protector
- ◆ Withstand 200 F temperature

#### RUBBER CUTTING BOARD

- Knife friendly
- · Grease proof
- ◆ Durable
- ◆ Food Grade rubber
- Can be resurfaced by sanding
- Dishwasher safe
- ◆ Reversible





ltem#	Size	Packing
RCB121812	12"×18"×1/2"	6 pcs/box
RCB121801	12"×18"×1"	3 pcs/box
RCB152012	15"×20"×1/2"	6 pcs/box
RCB152001	15"×20"×1"	3 pcs/box
RCB182412	18"×24"×1/2"	6 pcs/box
RCB182401	18"×24"×1"	3 pcs/box

### Cleaning recommendation

- Clean daily on flat surface
- Use mild all purpose detergent
- Rinse thoroughly with water
- Do not use chlorine or bleach detergent

## Warranty

Axia Distribution Corp (The "Distributor") guarantees all Happy Mats against manufacturing defects in materialand workmanship for :

- 1. Terracotta Mat = 2 years from date of shipment
- 2. Black Mat = 1 year from date of shipment

In no event shall the Distributor be able in any way for :

- 1. any damage resulting from misuse or neglect
- 2. any damage resulting from alteration or modification
- any damage caused by any casualty, including without limitation, fire, wind, floods or acts of God
- 4. any consequential, special, accidental, intentional or incidental damages of any nature whatsoever
- any expenses, including labour and material, incurred during the investigation, removal or reinstallation of the defective product or parts thereof, or
- 6. any amounts in excess of the selling price of the product or any parts thereof found to be defective

Replacement of manufacturing defects is conditional upon :

- 1. claim made in writing to ("website or business address") within 30 days from the day defect becomes obvious
- shipment to the distributor of that part of the product through to be defective together with proof of purchase and
- Inspection and determination by the distributor that there exists a manufacturing defect

If manufacturing defect is found to exist and the condition met, the distributor will repair or replace, at its option, that part of the product which is defective. Repair or replacement of any part under this warranty shall not extend the duration of the warranty with respect to such repaired or replaced part beyond the started warranty period. This warranty is in lieu of all other warranties either express or implied, and such other warranties, including without imitation implied warranties of merchantibility of fitness for a particular purpose, are hereby disclaimed and excluded from this warranty.



axia distribution corp.

247-2628 Granville Street

Vancouver

**British Columbia** 

V6H 4B4 Canada

p:778.371.9885

f:778.371.9000

info@axiadistribution.com

www.axiadistribution.com