

PATI	ENT INFORMATION			
	FIRST NAME			
	LAST NAME			
	DOB			
	ADDRESS			
	CITY/STATE/ZIP			
	PHONE	ALLERGIES		
	EMAIL			
PRESCRIBER INFORMATION				
	CLINIC	Linda I. Sodoma, D.O., PLC		
	PRESCRIBER	Dr. Linda I. Sodoma		

PRESCRIBER	Dr. Linda I. Sodoma			
	6844 E. Brown Rd. STE 101, Mesa,			
ADDRESS	AZ 85207	PHONE	480-668-4411	
EMAIL/FAX	admin@lindasodomadoplc.com	480-776-5169		
			ΓΟ ΡΑΤΙΕΝΤ	

MEDICATION/DOSE/QUANTITY

	WINK (bremelanotide/ondansetron) 1.75MG/.7MG/.35ML				
DOSE	.35 ML or .35 UNITS				
QUANTITY	□ 4 DOSES	8 DOSES			
INSTRUCTIONS	Inject subcutaneously in Arm, Tight	or Abdomen 45 minutes prior to desired effects			

ATTESTATION /SIDE EFFECTS

[] I acknowledge that I do not have any of the contraindications for using WINK (Uncontrolled hypertension, known cardiovascular disease) and that I am aware of the common side effects of the medication.

The most common side effects of	Wink include:		
Nausea	, Flushing	Vomiting	Hot
Injection Site Reactions Dizziness	Cough	Tingling	Hea

t Flush adache Nasal Congestion Fatigue

WINK (bremelanotide/ondansetron injection) is an approved as-needed treatment for premenopausal women with acquired, generalized hypoactive sexual desire disorder (HSDD).