

EVERBLUE™

PAVERS



EVERBLUE™

INTERIOR AND EXTERIOR PAVERS

**LOW MAINTENANCE.
NO FADING. NO SHALING. NO WORRIES.**

WHY EVERBLUE

With Everblue Pavers, we have paved the way for the best looking natural outdoor porcelain paver on the market.

IDEAL FOR

PATIOS

POOL DECKS

STAIRS & STEPS

WALKWAYS


ADVANTAGES



EASY TO CLEAN,
STAIN RESISTANT




EASY INSTALL



SUPPORTS
OVER 2000LB



FIRE RESISTANT
AND DURABLE



REMOVABLE
AND REUSABLE



LIGHT AND
EASY TO HANDLE




RESISTANT TO EXTREME
TEMPERATURES
(-40°F - 210°F)



THERMAL INSULATION
(HOT AND COLD)



SLIP RESISTANT,
QUICK DRAINING



4 Full Color Variegated

Thermal Blue

EVERBLUE Pavers




Available Sizes



12"x 12" ($11\frac{3}{4}" \times 11\frac{3}{4}"$)



12"x 24" ($11\frac{3}{4}" \times 23\frac{1}{2}"$)



24"x 24" ($23\frac{1}{2}" \times 23\frac{1}{2}"$)



12"x 48" ($11\frac{3}{4}" \times 47\frac{1}{8}"$)



24"x 48" ($23\frac{1}{2}" \times 47\frac{1}{8}"$)



Sand




Available Sizes



12"x 12" ($11\frac{3}{4}" \times 11\frac{3}{4}"$)



12"x 24" ($11\frac{3}{4}" \times 2-3\frac{1}{2}"$)



24"x 24" ($23\frac{1}{2}" \times 23\frac{1}{2}"$)







Full Color Variegated

24" x 48" (23½" x 47⅞")

12" x 48" (11¾" x 23½")



Sand

24" x 24" (23½" x 23½")

12" x 24" (11¾" x 23½")

12" x 12" (11¾" x 11¾")

New In 2025



EVERBLUE™ DARK SELECT

Dark Select features a rich blend of deep charcoal and muted blue-gray tones, creating an elegant, natural stone look with subtle movement and texture.

Available In:

12" x 12"

12" x 24"

24" x 24"



EVERBLUE™ SMOKE

Smoke features a soft, silvery-gray palette with delicate veining and a smooth, weathered texture that exudes natural elegance.

Available In:

12" x 12"

12" x 24"

24" x 24"

24" x 48"



EVERBLUE™ STORM GRAY

Storm Gray features a soft, silvery-gray palette with delicate veining and a smooth, weathered texture that exudes natural elegance.

Available In:

12" x 12"

12" x 24"


24" x 24"

24" x 48"






Popular Patterns




PATTERN A - most popular

1 pc	24"x24"	57.2%
1 pc	12"x24"	28.5%
1 pc	12"x12"	14.3%




PATTERN D*

1 pc	24"x48"	40%
2 pcs	24"x24"	40%
2 pcs	12"x24"	20%




PATTERN B

1 pc	24"x24"	40%
2 pc	12"x24"	40%
2 pcs	12"x12"	20%




RUNNING BOND 1*

1 pc	24"x48"	66.7%
1 pcs	12"x48"	33.3%



PATTERN C

2 pcs	24"x24"	44.5%
3 pcs	12"x24"	33.3%
4 pcs	12"x12"	22.2%



RUNNING BOND 2*

1 pc	24"x48"	100%
------	---------	------


**Available for Thermal Blue and Full Color only*

Thermal Blue

24"x 24" (23½" x 23½")


12"x 24" (11¾" x 23½")

12"x 12" (11¾" x 11¾")





Full Color Variegated



Thermal Blue



Sand

Comparison to Bluestone

EVERBLUE™ Pavers		vs.	Natural Pennsylvania Bluestone
Specification	EVERBLUE™ Pavers		Natural Pennsylvania Bluestone
Water Absorption	0.05%		1.6%
Resistance to Stain	All		Not guaranteed
Chemical Resistance	Resistant		Not guaranteed
Fade Resistance on Exposure to Light + UV Rays	No fading or change in color		Change in color
Surfaces Fragility	No flaking or crumbling		Flakes and crumbles
Length & Width	Dimension proportions are guaranteed		Dimension proportions are not guaranteed
Uniformity of Thickness	Guaranteed		Not guaranteed
Frost & Salt Resistance	Guaranteed		Not guaranteed
Slip Resistance	Guaranteed		Not guaranteed
Installation on Pedestals/ Raised Floor	Guaranteed		Not guaranteed
Average Weight	9.38 lbs/ft ²		Variegated 32.7 lbs/ft ² Thermal 22.5 lbs/ft ²
Breaking Strength/Flexural Strength	3800 lbf		1900 lbf

Additional specs are located in the installation guide



EVERBLUE™
PAVERS

www.EverbluePavers.com