





KERASIEV®


Ceramic Membrane

Kerasiev® datasheet







Kerasiev® ceramic membranes DESIGN



K32S



K31H



K19R



K4T



K1R

Nomenclature	Outer Diameter (mm)	Channel number	Surface area (m ²)/ 500mm length (approx)
K32S	32	32	0.198
K31H	32	31	0.15
K19R	32	19	0.10
K4T	10	04	0.018
K1R	6 (Hollow fiber)	01	0.0054




Kerasiev® ceramic membranes

TECHNICAL DATA



Membrane Trade Name	KERASIEV®		
Membrane [M] and Substrate Material of Construction	Al ₂ O ₃		
Membrane Type	Porous Multi hole tubular		
Filtration type	Cross Flow		
Flow Direction	Inside- out operation		
Nominal Pore Size	0.03 µm pore size	0.3 µm pore size	1.2 µm pore size
Clean Water Flux per square meter filtration surface area	1m ³ /day	2.5m ³ /day	5m ³ /day
Overall length	Upto 520mm		
pH- stability	1-10pH		
Sealing Type & Material	Side sealing, Glass based membrane both end (10mm) and Vitron 'O' ring		

All membrane designs are suitable for steam sterilization ≥ 121°C / 249.8° F.



Kerasiev® standard pressure vessels TECHNICAL DATA

Material	Stainless steel of diverse ranges, 304/316 and 316 L/FRP/UPVC
Filter surfaces	From 0.19 m ² to approx. 22 m ² per vessel
Pressure rating	10 bar
Max. Temperature	110°C
Overall length	Up to 700 mm
Fittings	Dairy couplings / threaded fittings/flange
Sealings	Industrial design (o-ring)

We will also manufacture customized vessels for your particular needs.

APPLICATION

Pre-filtration for RO,UF and Softeners
 Removal of Organic/Inorganic Total Suspended solid (TSS) from sea water for desalination plant
 Domestic & Industrial drinking water purpose
 Surface water polishing as TSS controller & Pathogen filtration
 Cooling tower feed filtration
 Acid and basic solution filtration
 Dairy, food (fruit juice), Beer and pharmaceutical product process/pre treatment
 Hydrolysate Protein separation
 Metal recovery

NEED INNOVATION

Vill- Gopalpur, PO- Sonarpur, PS- Sonarpur
 District: South 24 Pgs
 Kolkata- 700150
 West Bengal (India)

Phone: (+91) 7980807924, 9432849210

Email: mail@needinnovation.com, needinnovation@gmail.com

Website: www.needinnovation.com

Facebook page: @kerasiev

Twitter page: @NeedInnovation