





KERASIEV®
Ceramic Membrane


Kerasiev® datasheet






K32SM


Kerasiev[®] ceramic membranes
DESIGN



K32SM



K31HM



K21RM



K4TM



K1RM

Nomenclature	Outer Diameter (mm)	Channel number	Surface area (m ²)/ 1050mm length <i>(approx)</i>
K32SM	30	32	0.38
K31HM	30	31	0.30
K21RM	30	21	0.1
K4TM	9	04	0.018/500mm
K1RM	6 (Hollow fiber)	01	0.0054/500mm




Kerasiev® ceramic membranes

TECHNICAL DATA



Membrane Trade Name	KERASIEV®		
Membrane [M] and Substrate Material of Construction	Al ₂ O ₃		
Membrane Type	Porous Multi hole tubular		
Filtration type	Cross Flow		
Flow Direction	Inside- out operation		
Nominal Pore Size	0.03 µm pore size	0.3 µm pore size	1.2 µm pore size
Clean Water Flux per square meter filtration surface area	1m ³ /day	2.5m ³ /day	5m ³ /day
Overall length	Upto 1050mm		
pH- stability	1-13pH		
Sealing Type & Material	Side sealing, Glass based membrane both end (10mm) and Vitron 'O' ring		

All membrane designs are suitable for steam sterilisation ≥ 121°C / 249.8° F.



Kerasiev[®] standard pressure vessels

TECHNICAL DATA

Material	Stainless steel of diverse ranges, 304/316 and 316 L
Filter surfaces	From 0.38m ² to approx. 22 m ² per vessel
Pressure rating	10 bar
Max. Temperature	110°C
Overall length	Up to 150 mm
Fittings	Dairy couplings / threaded fittings/flange
Sealings	Industrial design (o-ring)

We will also manufacture customized vessels for your particular needs.

APPLICATION

Pre-filtration for RO,UF and Softeners
Removal of Organic/Inorganic Total Suspended solid (TSS) from sea water for desalination plant
Domestic & Industrial drinking water purpose
Surface water polishing as TSS controller & Pathogen filtration
Cooling tower feed filtration
Acid and basic solution filtration
Dairy, food (fruit juice) and pharmaceutical product process/pre treatment
Hydrolysate Protein separation
Metal recovery

NEED INNOVATION

Gopalpur
District: South 24Pgs
Kolkata- 700150
West Bengal (India)
Phone: (+91) 7980807924, 9432849210
Email: mail@needinnovation.com, needinnovation@gmail.com
Website: www.needinnovation.com
Facebook page: @kerasiev
Twitter page: @NeedInnovation