



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

Regulatory Compliance Testing

1 of 1

Shroom Bang Mushroom Distillate Vapes

Sample ID: 2511AFL2071.7758
Strain: Assorted Flavors
Matrix: Concentrates & Extracts
Type: Vape
Unit Weight: 1 g

Internal Lab ID: ATL-33378
Received: 11/21/2025
Completed: 12/01/2025
Batch#: SBBP247

Client
Shroom Bang
Lic. #
-



Summary

Test
Batch
Cannabinoids

Date Tested
11/25/2025

Result
Complete
Complete

Basic Potency

Complete

ND				ND				ND			
Total THC				Total CBD				Total Cannabinoids			
Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result		
	%	%	%	mg/unit		%	%	%	mg/unit		
CBDVa	0.007	0.021	ND	ND	CBN	0.007	0.021	ND	ND		
CBDV	0.007	0.021	ND	ND	Δ^9 -THC	0.007	0.021	ND	ND		
CBDa	0.007	0.021	ND	ND	Δ^8 -THC	0.007	0.021	ND	ND		
CBGa	0.007	0.021	ND	ND	(6aR,9S)-d10-THC	0.008	0.023	ND	ND		
CBG	0.007	0.021	ND	ND	(6aR,9R)-d10-THC	0.008	0.024	ND	ND		
CBD	0.007	0.021	ND	ND	CBC	0.007	0.021	ND	ND		
THCV	0.007	0.021	ND	ND	CBCa	0.007	0.021	ND	ND		
Δ^8 -THCV	0.008	0.023	ND	ND	THCa	0.007	0.021	ND	ND		
THCVa	0.007	0.021	ND	ND	Total			0.000	0		

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 11/25/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC
ISO/IEC 17025:2017 Accreditation No. 118038

NT	NT	Not Tested
Not Tested	Not Tested	Document ID:
Moisture Content	Water Activity	Foreign Matter



Lise Berthe-Laurent
Laboratory Director
12/01/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.