		1MA1 Pract	ice papers Set 3: Paj	per 3F (Re	egular) mark scheme – Version 1.0
Que	estion	Working	Answer	Mark	Notes
1.	(i)		9	1	B1
	(ii)		19	1	B1
	(iii)		27	1	B1
2.		17 - 5 = 12	6	3	M1 17 \div 2 (= 8.5) or 17 – 5 (= 12)
		12 ÷ 2 =			M1 for correct order of operations –5 then ÷ 2
					A1 cao
					Alternative
		2x + 5 = 17			M1 for forming the equation $2x + 5 = 17$
		2x = 17 - 5			M1 for attempt to subtract 5 from both sides or divide both sides by 2 as the first step
					A1 cao
					NB For solutions involving trial and improvement award 3 marks (B3) for the correct answer of 6 but 0 marks for method; embedded solutions get 2 marks as long as the equation or working is complete.
3.	(a)(i)		unlikely	3	B1 cao
	(ii)		evens		B1 cao
	(iii)		impossible		B1 cao
	(<i>b</i>)		A,A,A,A,B,B,C,D	2	M1 for the same number of Cs and Ds
					OR twice as many As as Bs.
					A1 cao
4.			Correct line	2	B1 line drawn parallel to AB
					B1 line the same length as AB

		1MA1 Pract	ice papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Que	estion	Working	Answer	Mark	Notes
5.	(a)	$\frac{40}{100} \times 20$	8	2	M1 $\frac{40}{100} \times 20$ oe
	(b)	43%, 42.8.%, 43.8%, 43.75%	$\frac{3}{7}$ 0.43 $\frac{7}{16}$ 43.8%	2	M1 Convert at least 2 of the 3 correctly to percentages or decimals
					A1 correct order. Accept written in any correct form.
					SC: Award B1 (1 mark only) if ordered largest to smallest
6.	(a)		$2 \times 2 = 4$	1	B1
	(<i>b</i>)		No with reason	1	C1 E.g. No - 6 is the lowest number
7.	(a)		20 - t	1	B1 for 20 – t
	(<i>b</i>)		4x + 20y	2	B2 for $4x + 20y$
					(B1 for 4x or 20y)

	1MA1 Pract	ice papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Question	Working	Answer	Mark	Notes
8.		28	4	M1 for total female passengers 200 – 92 or 108 seen; or for total Economy passengers 200 – 44 – 60 or 96 seen.
		34 (92)		M1 for male passengers in Economy "96" – 62 or 34 seen; or for female Premium "108" – 62 – (44 – 30) or 32 seen
		52) 108		M1 for 92 – 30 – "34" or for 60 – "32"
	Total (44) (60) 9	96 (200)		A1 cao
	() value given			OR
				Answers may appear in a two-way table with no other method seen
				B1 for Female total 108 or Total Economy 96
				M1 for "96" – 62 or 34 seen in Male Economy; or "108" – 62 – (44 – 30) or 32 seen in Female Premium
				M1 for 92 – 30 – "34" or for 60 – "32"
				A1 cao

	1MA1 Pract	ice papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Question	Working	Answer	Mark	Notes
9.		Correct line	3	(Table of values / calculation of values)
		from (-2, 2) to (4, 5)		M1 for at least 2 correct attempts to find points by substituting values of x .
	$y = \frac{1}{2}x + 3$			M1 ft for plotting at least 2 of their points (any points plotted from their table must be correctly plotted)
	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	2 3 4		A1 for correct line between $x = -2$ and $x = 4$
	y 2 2.5 3 3.5	4 4.5 5		(No table of values)
				M1 for at least 2 correct points with no more than 2 incorrect points plotted
				M1 for at least 2 correct points (and no incorrect points) plotted
				OR line segment of $y = \frac{1}{2}x + 3$ drawn
				A1 for correct line between $x = -2$ and $x = 4$
				(Use of $y = mx + c$)
				M1 for line drawn with gradient of $\frac{1}{2}$
				OR line drawn with a y intercept of 3
				M1 for line drawn with gradient of $\frac{1}{2}$
				AND line drawn with a y intercept of 3
				A1 for correct line between $x = -2$ and $x = 4$
				SC : B2 for correct line from $x = 0$ to $x = 4$

	1MA1 Practice papers Set 3: Paper 3F (Regular) mark scheme – Version 1.0							
Que	estion	Working	Answer	Mark	Notes			
10.	(a)		360	2	M1 30 \div 10 (= 3) or 120 \div 10 (= 12) or 120 + 120 + 120 oe			
					A1 cao			
	(b)		25	2	M1 for $\frac{750}{300}$ (= 2.5) oe			
					A1 cao			
11.			160	3	M1 for $360 \div (1 + 3 + 5) (= 40)$			
					M1 (dep) for $5 \times '40' (= 200)$			
					A1 cao			
					OR			
					M1 for $360 \div (1 + 3 + 5) (= 40)$			
					M1 (dep) for $5 - 1 (= 4)$			
					A1 cao			

		1MA1 Pract	ice papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Que	estion	Working	Answer	Mark	Notes
12.	(a)	$5 \times 2 - 3$	7	2	M1 for 5×2 or $5 - 2$ or $5 \times 2 - 3$
	(b)	(17 + 3) ÷ 2	10	2	A1 cao M1 for $17 + 3$ or $(17 \pm 3) \div 2$ or $\frac{17}{2} \pm 3$
	(c)	$2 \times m - 3$	2 <i>m</i> – 3	2	A1 cao M1 for $2 \times m$ or $m-3$ or $b \times m-3$ A1 for $2m-3$ oe
	(d)	$(n+3) \div 2$	n+3	2	NB If additional variable is introduced as subject then ignore. If $2m-3=k$ where k is a number then ignore k
	(<i>a</i>)	(n + 3) - 2	$\frac{n+3}{2}$	2	M1 for $n + 3$ or $\frac{n \pm 3}{2}$ oe or $n + 3 \div 2$ or $\frac{n}{2} \pm 3$ or for a reverse flow chart with at least one correct inverse process identified A1 for $\frac{n+3}{2}$ oe NB If additional variable is introduced as subject then ignore. If $\frac{n+3}{2} = k$ where k is a number then ignore k

	1MA1 Practice papers Set 3: Paper 3F (Regular) mark scheme – Version 1.0							
Que	estion	Working	Answer	Mark	Notes			
13.		4+3+3=10 33+42+6=81 81-60=21 10+1=11 OR 4:33=273 secs 3:42=222 secs 3.06=186 secs 273+222+186=684 15:00-11:21 or 900-684	3 minutes 39 seconds	4	M1 for attempting to add minutes or seconds or 684 or 1081 or 1121 seen M1 for a conversion at any stage using 60 (indep) e.g. 4 × 60 + 33, or 10 minutes 81 seconds or 81 ÷ 60 M1 for attempting to subtract "total time" from 15 minutes 1500 – 1121 or 15.00 – 1081 or 900 – 684 A1 cao.			

		1MA1 Practi	ce papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Que	estion	Working	Answer	Mark	Notes
14.	(a)	$28 \times 0.50 + 32 \times 0.72 + 50 \times 1.04 + 18 \times 1.51$ 14.00 + 23.04 + 52 + 27.18	£ 116.22	3	M1 at least one fx where the f s are correct M1 $\sum fx$ where the f s are correct A1 cao
	(b)	$32 \times (50 - 40) + 40 \times (72 - 59) + 68 \times (104 - 85) + 34 \times (151 - 123)$ $320 + 520 + 1292 + 952 = 3084$ OR $32 \times 50 + 40 \times 72 + 68 \times 104 + 34 \times 151 - (32 \times 40 + 40 \times 59 + 68 \times 85 + 34 \times 123)$	£30.84	4	M1 attempts to find differences in costs M1 $\sum f \times \text{diff}$ A1 cao C1 Correct conclusion for their working, placed in a sentence and supported by their calculations provided at least one M1 awarded OR M1 $\sum fx$ for first class and second class M1 attempts to find difference between two totals A1 cao C1 Correct conclusion for their working, placed in a sentence and supported by their calculations provided at least one M1 awarded

		1MA1 Practi	ice papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Que	estion	Working	Answer	Answer Mark	Notes
15.	(a)		-1, 0, 1, 2, 3	2	B2 for all 5 values and no extras (ignore repeats)
					(B1 for 4 correct values and no extras or all 5 correct values and one incorrect value)
	(<i>b</i>)	x + x + 9 < 60	25	3	M1 for $x + x + 9$ oe
		2 <i>x</i> < 51			A2 cao
		<i>x</i> < 25.5			(A1 for 25.5)
					OR
					M1 for $60 \div 2$ (=30) and $9 \div 2$ (=4.5)
					A2 cao
					(A1 for 25.5)
					OR
					M1 for 60 – 9 (=51) and "51" ÷ 2 (=25.5)
					A2 cao
					(A1 for 25.5)
					OR
					M1 for at least 2 trials with correct totals
					A2 cao
					(A1 for correct trial of 25 and 26)
16.		1, 4, 7, 10, 13	Explanation	2	M1 for listing at least 3 terms of both sequences
		8, 6, 4, 2, 0			C1 for Yes and explanation from fully correct working that 4 is in both sequences; numbers in A are increasing; numbers in B are decreasing

		1MA1 Practi	ice papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Que	estion	Working	Answer	Mark	Notes
17.			5.32	3	M1 sin 43° used
					M1 7.8sin 43°
					OR
					M1 for $7.8\cos 43^{\circ}$ (5.704) and 7.8^2 –"5.704" (28.298)
					M1 for √"28.298"
					OR
					M1 for correct statement of Sine Rule eg $\frac{7.8}{\sin 90^{\circ}} = \frac{x}{\sin 43^{\circ}}$
					M1 for correct expression for x e.g. $x = \frac{7.8 \sin 43^{\circ}}{\sin 90^{\circ}}$
					A1 for awrt 5.32 (5.319587)
18.	(a)	$21 \times 90 = 1890$	43	2	M1 for $\sqrt{21 \times 90}$ or 1890 seen
		$\sqrt{1890}$			A1 for an answer in the range 43 – 43.5
	(b)	$50 = \sqrt{21 \times d}$	119	3	M1 for $50 = \sqrt{21 \times d}$ oe or 50^2
		2500 = 21d			M1 for $21d = 50^2$ oe
		$d = 2500 \div 21$			A1 for an answer in the range 119 – 119.05

	1MA1 Pract	ice papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Question	Norking	Answer	Mark	Notes
19.	$^{2}/_{5}=40\%$	24	5	M1 for 40% or $2 \div 5 \times 100$ oe
	40% + 15% = 55%			M1 for "40%" + 15% (= 55%)
	27 is 45% or ⁹ / ₂₀			M1 for equating 100% – "55%" with 27 yellow counters
	$27 \div 9 \times 8$			M1 for 27 ÷ "45" × 40 oe
				A1 cao
				OR
				M1 for $^{15}/_{100}$ oe
				M1 for correct attempt to find common denominator to add $^{15}/_{100}$ and $^{2}/_{5}$ (= $^{55}/_{100}$)
				M1 for equating $1 - \frac{55}{100}$ with 27 yellow counters
				M1 for 27 ÷ "45" × 100 oe
				A1 cao
				OR
				M1 for 0.15 or 0.4
				M1 (dep) for '0.15 + '0.4' (= 0.55)
				M1 for equating 1 – '0.55' with 27 yellow counters
				M1 for 27 ÷ 0.45
				A1 cao

	1MA1 Pract	ice papers Set 3: Pa	per 3F (R	egular) mark scheme – Version 1.0
Question	Working	Answer	Mark	Notes
20.	9+6+9+6=30	60	3	M19 + 6 + 9 + 6 or 8 + 7 + 8 + 7 (= 30)
	$30 \div 0.5$			M1 '30'÷ 0.5
				A1 cao
	OR			OR
	$9 \div 0.5 = 18$			M1 9 \div 0.5 (= 18) and 6 \div 0.5 (= 12)
	$6 \div 0.5 = 12$			M1 '18' + '12' + '18' + '12'
	18 + 12 + 18 + 12			A1 cao
	OR			OR
	$8 \div 0.5 = 16$			M1 $8 \div 0.5$ (= 16) and $6 \div 0.5$ (= 12)
	$6 \div 0.5 = 12$			M1 '16' + '12' +'16' + '12' + 4
	16 + 12 + 16 + 12 + 4			A1 cao
	OR			OR
	$9 \times 7 - 6 \times 8 = 15$			M1 for $9 \times 7 - 6 \times 8 \ (= 15)$
	$0.5 \times 0.5 = 0.25$			M1 for '15' ÷ '0.5 ² '
	15 ÷ 0.25			A1 cao
21.	One bearing line at 260°	Intersection of 2	2	M1
	$(\pm 2^{\circ})$ or one 9.6 cm line	lines in boundary		A1 Condone omission of <i>D</i> label
	(± 2mm) from A	of overlay		Correct position of <i>D</i> within tolerance without any lines scores M1A1.

National performance data from Results Plus

						Max	Mean						
Qu No	Spec	Paper	Session	Qu	Topic	score	% all	ALL	С	D	Е	F	G
1	NEW QUESTION				Prime, square numbers	3	No data available						
2	1380	2F	1203	Q06	Derive expressions	3	92	2.77	2.97	2.93	2.87	2.64	1.87
3	5AM2	2F	1411	Q06	Probability	5	78	3.90	4.19	4.10	3.76	3.46	3.00
4	5MM2	2F	1206	Q08	Parallel lines	2	84	1.68	1.91	1.85	1.73	1.53	1.29
5	4MA0(R)	2F	1405	Q10	Percentages	4	81	3.23	3.72	3.03	3.00	2.50	1.43
6	6 NEW QUESTION				Properties of numbers	2	No data available						
7	2MB0	1F	1511	Q12	Write an expression	3	38	1.14	1.73	1.19	1.00	0.66	0.00
8	2MB0	1F	1511	Q16	Two-way tables	4	74	2.95	4.00	3.34	1.92	1.17	0.00
9	2MB0	2F	1511	Q21	Straight line graphs	3	49	1.46	2.43	1.46	1.54	0.38	0.00
10	1MA0	2F	1411	Q20	Ratio	4	83	3.31	3.82	3.59	3.25	2.76	2.11
11	5MM2	2F	1406	Q25	Ratio	3	44	1.33	2.50	2.10	1.06	0.48	0.10
12	5MM2	2F	1111	Q11	Substitution into expressions	8	64	5.10	6.48	5.52	4.61	4.02	3.49
13	5AM2	2F	1111	Q05	Time calculations	4	45	1.80	2.86	2.65	1.79	1.41	0.54
14	5AM2	2F	1106	Q15	Money calculations	7	34	2.41	5.00	4.50	2.76	1.50	0.33
15	5MM2	2F	1211	Q24	Solve inequalities	5	33	1.63	2.97	2.30	1.80	0.84	0.22
16	2MB0	2H	1511	Q6	Sequences	2	17	0.34	0.35	0.30	0.00		
17	4MA0	1F	1401	Q15	Trigonometry	3	45	1.34	2.22	1.15	0.42	0.17	0.00
18	5AM2	2H	1306	Q07	Compound measures	5	76	3.78	2.90	1.74	0.44		
19	5MM2	2F	1106	Q17	Fractions, percentages, decimals	5	14	0.71	2.15	0.88	0.52	0.23	80.0
20	5AM1	1F	1406	Q15	Perimeter and area	3	21	0.63	1.28	0.64	0.28	0.15	0.04
21	4MA0	1H	1405	Q06	Bearings	2	62	1.24	0.56	0.28	0.07		
						80							