		1MA1 Prac	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0
Que	Question Working		Answer	Mark	Notes
1.	(a)		Hexagon	1	B1 cao
	(b)		8	1	B1 cao
2.	(a)		15 minutes	2	B1 15
					B1 (indep) minutes
	(b)		3 05	2	M1 for intention to add 10 minutes and 55 minutes to 2 o'clock
					A1 3 05 (oe)
	(c)		No with reason	2	M1 for a method to add 75 minutes to '3 05' or to work out the difference between '3 05' and 4 pm or to subtract 75 minutes from 4 pm
					C1(dep M1) for conclusion based on appropriate working and correct time calculations, ft from (b)

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0
Que	stion	Working	Answer	Mark	Notes
3.	(a) (b)		126, 21 Yes with £483	3	B1 for 126 (seats) M1 for method identified to divide number of people by 6, e.g. "126" ÷ 6 or 84 ÷ 6 (= 14) or 42 ÷ 6 (=7) A1 for 21 (tables) M1 for 84 × 4.5(0) (= 378) or 42 × 2.5(0) (= 105) M1 for 84 × 4.5(0) + 42 × 2.5(0) or "378" + "105" A1 for e.g. yes and (£)483 or yes with (£)17 left
4.	(a)		11	1	B1 cao
	(b)		18	2	M1 for subtracting 13 and multiplying 6 in any order A1 cao
5.	(a)		Newcastle	1	B1 cao
	(b)		3	1	B1 cao
	(c)		-1	2	M1 for intention to find middle of –5 and 3
					e.g., may see -5 and 3 identified on a correct number line or $(-5+3) \div 2$ or $-5+(35) \div 2$ or $3-(35) \div 2$ A1 cao

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0			
Question		Working	Answer	Mark	Notes			
6.		Food Mart:	Jim's store	3	M1 for 180 ÷ 5 oe or 105 ÷ 3 (oe) or 36 or 35 (oe) seen			
		10 pots cost 3.60	with reason					
		T			A1 36 and 35 or 0.36 and 0.35			
		Jim's Store:						
		10 pots cost 3.15 + 35p = £3.50			A1 for correct decision based on their values, dependent on M1 scored			
		15.50			on W11 scored			
7.		5 × 2	10	1	B1 cao			
8.		7120 ÷ 8	890	2	M1 for 7120 ÷ 8 or 7120 ÷ 480			
					A1 cao			
9.	(a)		13	1	B1			
,	(4)		13	1				
	(b)		7e + 4f	2	B2 (B1 for 7 <i>e</i> or 4 <i>f</i>)			
	(c)		3(2w + 5)	1	B1			
	(d)	$x^2 + 4x + 7x + 28$		2	M1 for 3 correct terms out of 4 or for 4 correct terms, ignoring			
	(u)	$\begin{vmatrix} x + 4x + 7x + 26 \end{vmatrix}$		2	signs			
					or for $x^2 + 11x + c$ for any non-zero value of c			
					or for + $11x + 28$			
			$x^2 + 11x + 28$		A1			

		1MA1 Pra	ctice papers Set 4: Pap	oer 3F (Re	egular) mark scheme – Version 1.0					
Que	stion	Working	Answer	Mark	Notes					
10.	(i)	160 - 90 = 70; 180 - 90 - 70 or 180 - 160	20	3	M1 for 180 – 90 – (160 – 90) or 180 – 90 – 70 or 180 – 160 (oe) A1 cao					
	(ii)		Geometric reasoning		B1 for <u>angles</u> in a <u>triangle</u> add up to <u>180°</u> or <u>alternate</u> <u>angles</u> a equal					
11.	(a)	$\frac{9}{15}$	$\frac{3}{5}$	2	M1 for $\frac{9}{15}$ or $\frac{a}{15}$ or $\frac{9}{b}$ A1 cao					
	(b)		4	2	M1 for a process to reduce by 2 shaded triangles and 1 unshaded triangle or $2 \times a$ and $1 \times a$ where $a = 2, 3, 4$ or 5 A1 cao					
12.	(a)		p^6	1	B1 cao					
	(b)		t ⁵	1	B1 cao					
	(c)		6	1	B1 cao					
	(d)		4	1	B1 cao					

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0
Que	stion	Working	Answer	Mark	Notes
13.			1.9 km or 1900 m	3	M1 for 1.25 × 1000 (= 1250) or 650 ÷ 1000 (= 0.65) M1 for "1250" + 650 or 1.25 +"0.65" A1 for 1.9 km or 1900 m
14.		x -2 -1 0 1 2 3 y -10 -6 -2 2 6 10	correct line	3	M1 for at least 2 correct attempts to find points by substituting values of <i>x</i> . M1 ft for plotting at least 2 of their points (any points plotted from their table must be correct) A1 for correct line between -2 and 3
15.	(a) (b)	$P(Jean wins) = \frac{6}{16}$ $\frac{6}{16} \times 80$	1,5, 1,6, 1,7, 1,8, 2,5, 2,6, 2,7, 2,8, 3,5, 3,6, 3,7, 3,8, 4,5, 4,6, 4,7, 4,8	3	B2 for all 16 combinations (accept 1,5 etc. and ignore repeats) (B1 for at least 4 correct combinations) B1 for P(Jean wins) = $\frac{6}{16}$ oe M1 for ' $\frac{6}{16}$ ' × 80 A1 cao

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0
Question		Working	Answer	Mark	Notes
16.	(a) (b)	$12x^2 - 3x + 20x - 5$	$c^{8}k^{20}$ $12x^{2} + 17x - 5$	2	B1 B2 for fully correct (B1 for 3 out of 4 terms correct in working including signs OR 4 terms correct, ignore signs. In a grid the 20x need not be signed)
	(c)	(x-5)(x+2)=0	5 and -2	3	M1 for $(x \pm 5)(x \pm 2)$ A1 for $(x - 5)(x + 2) = 0$ B1 ft (dep on M1) for $x = 5$ and -2
17.			$36.5 \le H < 37.5$	2	B1 36.5 B1 37.5

	1MA1 Pra	ctice papers Set 4: Pap	per 3F (Re	egular) mark scheme – Version 1.0
Question		Answer	Mark	Notes
18.	$425 \div 17 = 25$ Flour: $8 \times 25 = 200g$ Butter: $4 \times 25 = 100g$ Jam: $5 \times 25 = 125g$ Total weight for 200 rolls: $= \text{total grams} \times 200 \div 1000$ Flour: $200 \times 0.2 = 40 \text{ kg}$ Butter: $100 \times 0.2 = 20 \text{ kg}$ Jam: $125 \times 0.2 = 25 \text{ kg}$ Total cost = $40 \times 40p$ $+ 20 \times £2.50 + 25 \times £1$ $= £16 + £50 + £25$	91	6	M1 for 425 ÷ '8+4+5' or 25 seen M1 for two of 8 × 25 (= 200,) 4 × 25 (= 100), 5 × 25 (= 125) M1 for two of '200' × 200 (= 40 000), '100' × 200 (= 20 000) '125'× 200 (= 25 000) M1 for converting g to kg (at least two ingredients) (= 40, 20, 25) M1 for '40' × 40p + '20' × £2.50 + '25' × £1 (= £16 + £50 + £25) A1 for 91 or 91.00
19.		80	4	B1 for $EBF = 50$ or $ABE = 50$ M1 for angles given that can lead to $x = 80$ as the next step e.g. $EBF = 50$ and $ABE = 50$ e.g. $EBF = 50$ and $BFG = 100$ e.g. $EBF = 50$ and $BFE = 80$ e.g. $EBF = 50$ and $DEB = 130$ and $ABE = 50$ A1 cao C1 for stating correct reasons appropriate to their method shown

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0				
Question Working		Answer	Mark	Notes					
20.	(a)		0.8 on 1st branch 0.3 and 0.05 on 2nd branches	2	B1 0.8 (oe) on 1st branch B1 0.3 and 0.05 (oe) on 2nd branches				
	(b)	0.2×0.3	0.06	2	M1 $0.2 \times '0.3'$ A1 0.06 ft from '0.3' in the tree diagram				
21.		use of cos $\cos ("x") = \frac{8.3}{9.5} (=0.87)$ or $("x" =) \cos^{-1} (\frac{8.3}{9.5})$	29.1	3	M1 use of cosine (must be selected for use in trig ratio NOT cosine rule) or M2 for sin and $\frac{\sqrt{"21.36"}}{9.5}$ following correct Pythagoras or M2 for tan and $\frac{\sqrt{"21.36"}}{8.3}$ following correct Pythagoras or correct Pythagoras and then correct use of sine or cosine rule with "21.36" A1 for awrt 29.1, e.g. (29.1103)				

National performance data from Results Plus

	Original source of questions				Mean score of students achieving grade:							
						Max				_	_	
Qn	Spec	Paper	Session	Qn	Topic	score	ALL	С	D	Е	F	G
1	1MA0	2F	1506	Q02	Properties of 2D shapes	2	1.63	1.87	1.78	1.70	1.59	1.42
2	1MA0	2F	1506	Q08	Time calculations	6	5.31	5.84	5.75	5.61	5.37	4.88
3	1MA0	2F	1406	Q12	Decimals	6	4.99	5.83	5.72	5.54	5.18	4.44
4	5MM2	2F	1311	Q08	Derive expressions	3	2.53	2.88	2.87	2.86	2.10	1.70
5	1MA0	2F	1411	Q07	Directed numbers	4	3.38	3.73	3.60	3.37	3.03	2.54
6	1380	2F	1011	Q14	Ratio	3	2.16	2.77	2.52	2.03	1.21	0.51
7	1380	2F	1006	Q03b	Volume	1	0.77	0.89	0.81	0.76	0.69	0.51
8	1380	2H	1011	Q13	Compound measures	2	1.77	1.76	1.59	1.31		
9	4MA0(R)	1F	1501	Q08	Expand expressions	6	4.52	5.13	4.46	2.50	3.00	4.00
10	5AM2	2F	1206	Q13	Angles	3	1.39	2.12	1.40	0.91	0.50	0.58
11	5MM2	2F	1111	Q10	Ratio	4	2.14	2.70	2.47	1.94	1.48	1.24
12	1MA0	2H	1406	Q10	Index laws	4	2.87	2.69	1.78	0.77		
13	1MA0	2F	1311	Q09	Conversions	3	0.88	1.82	1.04	0.60	0.25	0.11
14	1380	2F	1106	Q19	Graphs of linear equations	3	0.55	1.56	0.63	0.17	0.03	0.01
15	5AM2	2F	1206	Q18	Sample space diagrams	5	1.95	2.43	2.00	1.78	1.26	1.20
16	1380	2H	1106	Q18	Solve quadratic equations	6	2.66	1.11	0.35	0.10		
17	NEW				Error intervals	2			No data a	available		
18	5AM2	2H	1211	Q12	Ratio	6	3.10	2.40	1.87	0.43		
19	2MB01	2H	1406	Q07	Angles and parallel lines	4	2.25	1.96	1.08	0.52		
20	5AM2	2F	1106	Q20	Probability tree diagrams	4	0.59	1.00	1.22	0.50	0.62	0.17
21	4MA0	1H	1305	Q10	Trigonometry	3	2.71	2.14	1.23	0.41		
						80						