## **CBD Body Butter**

Sample ID: 2104CSALA5396.3429

Matrix: Topical Type: Lotion Sample Size: 1 units Batch Size: 4 grams Batch#: 0001

Produced: 04/16/2021 Collected: 04/30/2021 Received: 04/30/2021 Completed: 05/04/2021 TGC Network
Lic. #
177 Craft Drive Ste 99
Alamosa, CO 81101



0.1472 mg/g

Total THC

2.9194 mg/g

**Total CBD** 

3.1974 mg/g

**Total Cannabinoids** 

**Pass** 

Cannabinoids

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/g	%
CBD	0.0046	0.0468	2.9194	0.2919
Δ9-THC	0.0034	0.0468	0.1472	0.0147
CBC	0.0014	0.0468	0.0742	0.0074
CBG	0.012	0.0468	0.0567	0.0057
Δ8-THC	0.0043	0.0468	<1mg/g	<loq< td=""></loq<>
THCV	0.0091	0.0468	<1mg/g	<loq< td=""></loq<>
CBDa	0.0062	0.0468	ND	ND
CBDV	0.0094	0.0468	ND	ND
CBGa	0.0058	0.0468	ND	ND
CBN	0.0029	0.0468	ND	ND
THCa	0.0026	0.0468	ND	ND

Package = 1 Container;

Date Tested: 04/30/2021

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







ISO / IEC 17025:2017 ACCREDITED LABORATORY Accreditation No. 73653 la Milyar

Cecilia Melgar COA Review 05/04/2021 (818) 922-2416 https://www.csalabs.com Lic# C8-0000040-LIC

## **CBD Body Butter**

Sample ID: 2104CSALA5396.3429

Matrix: Topical Type: Lotion Sample Size: 1 units Batch Size: 4 grams

Batch#: 0001

Produced: 04/16/2021 Collected: 04/30/2021 Received: 04/30/2021 Completed: 05/04/2021 Client TGC Network Lic. #

177 Craft Drive Ste 99 Alamosa, CO 81101

Mycotoxins Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	μg/kg	μg/kg	μg/kg	μg/kg	
Aflatoxin B1	1.2327	4.8077		ND	Tested
Aflatoxin B2	1.2327	5.0542		ND	Tested
Aflatoxin G1	1.2327	4.8077		ND	Tested
Aflatoxin G2	1.2327	4.8077		ND	Tested
Total Aflatoxins	4.931	19.4773	20	ND	Pass
Ochratoxin A	4.931	9.8619	20	ND	Pass

Date Tested: 04/30/2021

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







ISO / IEC 17025:2017 ACCREDITED LABORATORY Accreditation No. 73653 le Milyer

Cecilia Melgar COA Review 05/04/2021