



EPS Insulated Shipping Containers

Cold Chain Applications

- + Life Sciences
- + Pharmaceuticals
- + Seafood
- + Frozen & Fresh Food
- + Any Temperature Sensitive Items

Benefits

- + Lightweight
- + Maintains Temperature
- + Water Resistant
- + Resilient & Durable
- + Cost-Effective
- + Shock-Absorbent
- + 100% Recyclable



Product Description

EPS Insulated Containers are a lightweight, durable, and cost-effective solution for reliable temperature control and product protection. Each cooler is precision molded for consistent wall thickness and structural integrity, ensuring dependable performance during storage and transit. The closed-cell foam construction resists moisture absorption while offering superior thermal efficiency, reducing the need for excessive refrigerants like ice packs or dry ice. Please see the list below of coolers we have molds for, if you don't see a cooler in line with your needs please contact your sales representative or contact the office 208-777-8485.



Insulated Shipping Containers

Part #	Outside Dimensions (OD)			Inside Dimensions (ID)			Wall Thickness	Inside Volume (Cu. In.)
	Length	Width	Height	Length	Width	Height		
FMI-24	8.88	6.88	5.88	6.88	4.88	4.13	1.00	138
FMI-20	11.00	9.00	7.25	8.00	6.00	4.25	1.50	204
2 Day	16.00	8.00	4.75	14.50	6.50	3.25	0.75	306
FM300	10.88	8.88	10.00	7.88	5.88	7.00	1.50	324
FMI-21	11.00	9.00	10.00	8.00	6.00	7.00	1.50	336
FM301	10.88	8.88	10.63	7.88	5.88	7.63	1.50	354
FM305	10.88	8.88	11.63	7.88	5.88	8.63	1.50	400
P10	16.00	9.88	5.63	14.25	8.25	3.63	0.88	427
FM310	10.88	8.88	13.00	7.88	5.88	10.00	1.50	463
FMI-12	11.38	9.38	12.00	8.38	6.38	9.00	1.50	481
FM320	10.88	8.88	14.13	7.88	5.88	11.13	1.50	516
SB1	16.00	14.00	7.50	13.00	11.00	4.00	1.50	572
FMI-10	16.00	9.75	6.75	14.25	8.25	5.63	0.75	661
FMI-13	11.50	9.50	15.00	8.50	6.50	12.00	1.50	663
P15	16.00	9.88	7.50	14.25	8.25	5.75	0.88	676
FM400	14.38	12.63	9.38	11.25	9.50	6.38	1.50	682
FMI-14	13.25	10.25	12.25	10.25	7.25	9.25	1.50	687
SB1.5	16.00	14.00	8.50	13.00	11.00	5.00	1.50	715
FM410	14.375	12.63	10.63	11.25	9.50	7.50	1.50	802
PS	16.00	11.88	7.50	14.25	10.25	6.00	0.75	876
P25	16.00	9.88	9.50	14.25	8.25	7.50	0.88	882
AK4	24.50	11.00	5.63	23.00	9.50	4.13	0.75	902
TR25	15.00	12.00	8.63	13.00	10.13	7.00	0.88	922

Insulated Shipping Containers

Part #	Outside Dimensions (OD)			Inside Dimensions (ID)			Wall Thickness	Inside Volume (Cu. In.)
	Length	Width	Height	Length	Width	Height		
WA12	29.50	11.00	5.31	27.50	9.00	4.13	1.00	1,022
FM420	14.38	12.63	12.75	11.25	9.50	9.75	1.50	1,042
FMI-18	15.00	13.25	12.25	12.00	10.25	9.25	1.50	1,138
SB2	16.00	14.00	11.00	13.00	11.00	8.25	1.50	1,180
WA15	29.50	11.00	6.31	27.50	9.00	5.13	1.00	1,270
FMI-11	15.00	13.25	13.50	12.00	10.25	10.50	1.50	1,292
FMI-25	22.00	10.00	9.25	20.50	8.25	7.75	0.88	1,311
AK5	24.50	11.00	7.75	22.75	9.50	6.25	0.75	1,351
SS45	33.75	13.50	7.00	31.50	11.13	4.00	1.25	1,402
SB3	16.00	14.00	14.25	13.00	11.00	11.25	1.50	1,609
HD-1	17.25	12.13	16.25	14.25	9.13	13.25	1.50	1,723
FMI-15	16.25	16.25	16.00	12.25	12.25	12.00	2.00	1,801
FMI-16	15.50	15.50	15.00	12.50	12.50	12.00	1.50	1,875
WA30	29.50	11.00	9.25	27.50	9.00	7.75	1.00	1,918
PN30	27.00	13.75	8.50	24.88	11.75	6.88	1.00	2,011
HD-2	17.25	12.13	19.75	14.25	9.13	16.75	1.50	2,178
SS50	33.75	13.50	9.38	31.50	11.13	6.38	1.25	2,237
FMI-50	27.00	13.50	9.63	25.13	11.63	7.75	0.94	2,265
FMI-65	22.25	18.31	10.63	19.25	15.31	8.00	1.50	2,358
SS55	33.75	13.50	10.25	31.50	11.13	7.25	1.25	2,542
Unibox	17.50	15.50	14.38	15.50	13.50	12.25	1.00	2,563
T50	18.25	16.00	16.00	15.25	13.00	13.00	1.50	2,577
FMI-17	22.38	15.38	15.25	19.38	12.38	12.25	1.50	2,939

Insulated Shipping Containers

Part #	Outside Dimensions (OD)			Inside Dimensions (ID)			Wall Thickness	Inside Volume (Cu. In.)
	Length	Width	Height	Length	Width	Height		
FMI-70	22.25	18.31	13.00	19.25	15.31	10.25	1.50	3,021
SS60	33.75	13.50	11.38	31.50	11.00	8.75	1.25	3,032
PN33	27.00	13.75	12.50	24.88	11.75	10.38	1.00	3,034
FMI-19	23.75	16.50	16.50	19.75	12.50	12.50	2.00	3,086
FAS-1	24.50	18.00	15.50	20.50	14.00	11.50	2.00	3,301
FMI-75	22.25	18.31	14.38	19.25	15.31	11.75	1.50	3,463
PN34-T	27.00	13.63	14.63	24.63	11.25	12.50	1.19	3,464
EEL Shipper	24.50	16.25	14.38	22.00	13.75	11.75	1.25	3,554
PN34	27.00	13.75	14.50	24.88	11.75	12.75	1.00	3,727
FAS-2	24.50	18.00	17.00	20.50	14.00	13.00	2.00	3,731
FAS-3	24.50	18.00	17.50	20.50	14.00	13.50	2.00	3,875
FMI-100	22.25	18.31	16.63	19.25	15.31	13.88	1.50	4,091
FMI-23	23.50	19.50	18.00	19.50	15.50	14.00	2.00	4,232
HD-3	21.25	17.25	19.50	18.25	14.25	16.50	1.50	4,291
FAS-4	24.50	18.00	19.00	20.50	14.00	15.00	2.00	4,305
FMI-22	23.50	19.50	18.00	20.50	16.50	15.00	1.50	5,074
FMI-OS100	27.50	24.00	13.50	26.00	22.50	11.25	1.00	6,581