product catalog NO. Model No./Item Name Photo Description Packing Info · Customized colors are available • Material: PCTG+stainless steel • Tank Capacity: 1ML Aperture size: 4*2.0mm · Resistance: 1.3 ohm 100PCS/White Box · Coil: Ceramic 800PCS/CTN 1 AH1501 Battery capacity: 280mAh weight: 19KG Preheat: YES Single weight: 21G Voltage: 3.6V -3.2V-2.8V Dimension:85.50mm*15.0mm*15.0mm Micro USB Battery model: 751335 Outer box size: 45x45x29cm · Customized colors are available Material: PCTG+stainless steel Tank Capacity: 3.0ML Aperture size: 2*2.2mm · Resistance: 1.3 ohm 50PCS/White Box · Coil: Ceramic 600PCS/CTN 2 AH2101 · Battery capacity: 300mAh weight: 22.8KG • Preheat: YES Single weight: 32.7G Voltage: 3.6V Dimension: 20.5*20.5*75mmmm Type-C charging port Battery model: 851528 Outer box size: 55.5*29.8*34CM · Customized colors are available • Material: PCTG+stainless steel Tank Capacity: 2.0ML Aperture size: 2*2.2mm • Resistance: 1.3 ohm 50PCS/White Box · Coil: Ceramic 600PCS/CTN 3 AH2102 Battery capacity: 300mAh weight: 22.8KG Preheat: YES Single weight: 32.7G Voltage: 3.6V Dimension: 20.5*20.5*75mmmm Type-C charging port Battery model: 851528 Outer box size: 55.5*29.8*34CM Color: Customizable to any color Tank Capacity: 5ML Aperture size:4*2.0mm · Resistance: 1.15 ohm. · Coil: Ceramic 50PCS/White Box 4 AH2103 · Battery capacity: 265mAh 600PCS/CTN Digital screen Voltage: 3.6V -3.2V-2.8V Dimension: 21*21*86mm Type-C charging port

5	AH2104		Customized colors are available Material: PCTG+stainless steel Tank Capacity: 2.0ML Aperture size: 4*2.0mm Resistance: 1.3 ohm Coil: Ceramic Battery capacity: 300mAh Preheat: YES Voltage: 3.6V -3.2V-2.8V Dimension: 20.5*20.5*75mmmm Digital screen	50PCS/White Box 600PCS/CTN weight: 20KG Single weight: 32.7G
		882 882	 Type-C charging port Battery model: 851528 Outer box size: 55.5*29.8*34CM Tank Capacity: 2 ML Battery Capacity: 265mAh Dimensions: 102H × 22W× 11D (mm) Tank Material: PCTG 	
6	AH2203-A	- COR	Button & Mouthpiece Material: Plastic Base Material: aluminium alloy with soft touch finish Preheat: YES Voltages: 3.6V-3.2V-2.8V RGB LED Indicator Type-C Charging Enabled Available for Customization Battery model: 851528 Outer box size: 66.5*35.5*28.5CM	50PCS/White Box 800PCS/CTN weight: 22.5KG Single weight: 22.4G
7	АН2203-В		Tank Capacity: 1.7 ML Battery Capacity: 265mAh Dimensions: 102H × 22W× 11D (mm) Tank Material: PCTG Button & Mouthpiece Material: Plastic Base Material: aluminium alloy with soft touch finish Preheat: YES Voltages: 3.6V-3.2V-2.8V RGB LED Indicator Type-C Charging Enabled Available for Customization Battery model: 851528 Outer box size: 66.5*35.5*28.5CM	50PCS/White Box 800PCS/CTN weight: 22.5KG Single weight: 22.4G
8	AH2501-C		Tank Capacity: 2*1ML Tank Material: PCTG Aperture size: 2*1.8mm (Can be customized) Resistance: 1.5 ohm Coil: Ceramic Base Material: Aluminum Alloy Battery capacity: 265mAh Voltage: 3.6 V±0.15V Dimension: 97.5*25.0*11.0mm Type-C charging port Available for Customization Battery model: 851528 Outer box size: 50*37.2*26.2CM	50PCS/White Box 600PCS/CTN weight: 18KG Single weight: 25.6G

9	AH2501-E	 Tank Capacity: 2*0.5ML Tank Material: PCTG Aperture size: 2*1.8mm (Can be customized) Resistance: 1.5 ohm Coil: Ceramic Base Material: Aluminum Alloy Battery capacity: 265mAh Voltage: 3.6 V±0.15V Dimension: 97.5*25.0*11.0mm Type-C charging port Available for Customization Battery model: 851528 Outer box size: 65.5*36.5*26.3CM 	50PCS/White Box 600PCS/CTN weight:19.4KG Single weight: 25.6G
10	AH2501-F	 Tank Capacity: 2*1ML Tank Material: PCTG Aperture size: 2*1.8mm (Can be customized) Resistance: 1.5 ohm Coil: Ceramic Base Material: Aluminum Alloy Battery capacity: 265mAh Voltage: 3.6 V±0.15V Dimension: 97.5*25.0*11.0mm Type-C charging port Available for Customization Battery model: 851528 Outer box size: 65.5*36.5*26.3CM 	50PCS/White Box 600PCS/CTN weight: 19.4KG Single weight: 25.6G
11	AH3201	 Tank Capacity: 3ML Tank Material: PCTG Aperture size: 4*2.0mm (Can be customized) Resistance: 1.5 ohm Coil: Ceramic Base Material: Aluminum Alloy Battery capacity: 265mAh Voltage: 3.6 V±0.15V Dimension: 97.5*25.0*11.0mm Type-C charging port Available for Customization Battery model: 751335 Outer box size: 47.5*42.8*35.7CM 	50PCS/White Box 600PCS/CTN weight: 18.1KG Single weight: 24.3G
12	AH3402	 Color: Customizable to any color Tank Capacity: 2ML Aperture size:4*2.0mm Resistance: 1.3 ohm. Coil: Ceramic Battery capacity: 400mAh Voltage: 3.7 V Dimension: 64*33.5*19.5mm Type-C charging port Outer box size: 55.5*47.8*18cm 	50PCS/White Box 400pcs/CTN weight:18KG Single weight: 27.3G

13	AH3501		Tank Capacity: 4ML Battery Capacity: 265mAh Aperture size: 4*2.0mm (Can be customized) Resistance: 1.3 ohm Coil: Ceramic Dimensions: 75.2H × 35.0W× 15.2D (mm) Tank Material: PCTG Button & Mouthpiece Material: Plastic Base Material: Plastic Preheat: YES Output Voltage: 3.6 V±0.15V Type-C Charging Enabled Available for Customization Battery model: 851528 Outer box size: 66.2*45*23CM	50PCS/White Box 600PCS/CTN weight: 18.5KG Single weight: 25G
14	АН3502	127727731 (173077)	Color: Customizable to any color Tank Capacity: 3*0.5ML Aperture size: 4*1.8mm Resistance: 1.3 ohm. Coil: Ceramic Battery capacity: 265mAh Voltage: 3.6V -3.2V -2.8V Dimension: 75.0*35.5*14.5mm Type-C charging port Outer box size: 48.5x45.5x33CM	50PCS/White Box 600pcs/CTN weight:22.4KG Single weight: 30G
15	АН3702		Color: Customizable to any color Tank Capacity: 3ML/4.7ML Aperture size:4*2.0mm Resistance: 1.3 ohm. Coil: Ceramic Battery capacity: 400mAh Digital screen Voltage: 2.8V,3.2v,3.6V Dimension: 37.1mm*17.9mm*80.4 Type-C charging port	50PCS/White Box 400PCS/CTN weight: 17KG Single weight: 37.4G
16	АН3703	DOM	Color: Customizable to any color Tank Capacity: 2 ML Aperture size: 4*2.0mm Resistance: 1.2~1.4 ohm. Coli: Ceramic Battery capacity: 280mAh Voltage: 2.8V ,3.2v ,3.6V Dimension: 39*13*74mm Digital screen Type-C charging port Outer box size:51.5*42*220CM	50PCS/White Box 400PCS/CTN weight: 19KG Single weight: 44G
17	AH4001		Color: Customizable to any color Tank Capacity: 3*2.25ML Aperture size: 2*2.2mm Resistance: 1.3 ohm. Coil: Ceramic Battery capacity: 280mAh Voltage: 3.7V Dimension: 80.2*40*18.5mm Type-C charging port Outer box size: 55.8*50.8*23.4CM	50PCS/White Box 400PCS/CTN weight: 18.3KG Single weight: 37.2G

18	AH4401	BIOCA SATISA HYBRID	 Color: Customizable to any color Tank Capacity: 3*2ML Aperture size:2*1.8mm Resistance: 1.3 ohm. Coil: Ceramic Battery capacity: 300mAh Voltage: 3.7 V Dimension: 44.0*12.0*75mm Type-C charging port Outer box size: 52.7*37*23CM 	50PCS/White Box 400pcs/CTN weight:14.4KG Single weight: 27.3G
19	AH4402		• Color: Customizable to any color • Tank Capacity: 6ML • Aperture size: 4*2mm • Resistance: 1.2~1.4 ohm. • Coil: Ceramic • Battery capacity: 400mAh • Voltage: 2.8 V,3.2V,3.6V • Dimension: 43.9*23.1*77.3mm • Digital screen • Type-C charging port • Outer box size: 62*53*21CM	50PCS/White Box 400pcs/CTN weight:23.5KG Single weight: 53G